

U.S. Army Fixed Wing Project Office (FWPO) Egyptian Air Force (EAF) Performance Work Statement (PWS)



Prepared by:
Fixed Wing Project Office SFAE-AV-FW
5304 Martin Road
Redstone Arsenal, AL 35898

NOTE: Procuring Contracting Officer's (PCO) Authority. The PCO is the only person authorized to approve changes in any of the requirements under this PWS and any provisions contained elsewhere in this contract. In the event the Contractor implements any such change at the direction of any person other than the PCO, the change will be considered to have been made without Government authority.

REVISION	DESCRIPTION	PARAGRAPHS AFFECTED	DATE
Base	Initial Release	All	04-03-2026

Contents

1.0	SCOPE	5
2.0	APPLICABLE DOCUMENTS	5
3.0	PROGRAM MANAGEMENT	5
3.1	PROGRAM KICK-OFF MEETING	5
3.2	INTEGRATED PRODUCT TEAM (IPT) COORDINATION.....	6
3.3	INTEGRATED MASTER SCHEDULE (IMS).....	6
3.4	TESTING	6
4.0	PERFORMANCE REQUIREMENTS	6
4.1	COCKPIT MODIFICATION UPGRADE	7
4.2	MAINTENANCE AND REPAIR	8
4.3	OVER AND ABOVE (O&A) FOR MAINTENANCE AND REPAIR DELAY	8
4.4	RECOMMENDED SPARES.....	9
5.0	COCKPIT PILOT TRAINING	9
6.0	PRODUCT REQUIREMENTS	10
6.1	EGYPTIAN AIR FORCE (EAF) FURNISHED PROPERTY	10
6.2	GOVERNMENT FURNISHED INFORMATION	10
6.3	CONTRACTOR FURNISHED PROPERTY	10
7.0	WEIGHT AND BALANCE DOCUMENTATION.....	10
8.0	FORMS, RECORDS, AND PUBLICATIONS	10
9.0	QUALITY CONTROL.....	10
10.0	AIRCRAFT INDUCTION AND ACCEPTANCE	10
11.0	WARRANTIES	11
12.0	AIRCRAFT ACCEPTANCE / FINAL INSPECTION.....	11
13.0	SECURITY REQUIREMENTS	11
13.1	ANTI-TERRORISM (AT) REQUIREMENTS FOR CONTRACTOR.....	11
	PERSONNEL TRAVELLING OVERSEAS	11
13.2	OPERATIONS SECURITY (OPSEC) REQUIREMENTS	11
13.3	THREAT AWARENESS REPORTING PROGRAM (TARP)	12
14.0	INTERNATIONAL TRAFFIC IN ARMS REGULATIONS (ITAR)	12
	REQUIREMENTS	12
15.0	PERIOD OF PERFORMANCE (PoP).....	12

APPENDIX A - LIST OF ACRONYMS 13

APPENDIX B - DOCUMENT SUMMARY LIST (DSL) 15

Performance Work Statement (PWS) Modification of B1900C Cockpit Upgrade

1.0 SCOPE

The Fixed Wing Project Office (FWPO) has a requirement to modify two (2) each Beechcraft King Air B1900C aircraft for the Egyptian Air Force (EAF). An upgraded cockpit avionics system shall be integrated with the existing post-production modifications that include Aero Data Flight Inspection System (AD-AFIS-113) and the Leica Electro Optical System (ADS-80). The post-production modifications shall be preserved through integration. Airworthiness approval for this modification effort shall be accomplished using Federal Aviation Administration (FAA) or European Aviation Safety Agency (EASA) approved Supplemental Type Certificate (STC). The Contractor shall provide technical specifications for all upgraded systems and subsystems. The Contractor shall provide Outside the Continental United States (OCONUS) training for pilots, technicians, and navigators. The Contractor shall provide spares to support the requirement. The integration of the upgraded cockpit avionics system shall be performed in Cairo, Egypt.

2.0 APPLICABLE DOCUMENTS

Applicable Top-Level documents to be used in the performance of this PWS are listed by number, title, contract reference, category, and date in the Document Summary List (DSL), Appendix B of this document. Tailored individual data requirements are identified in the DSL. The document versions in the DSL take precedence over the generic references (those without revision letters) cited in this PWS.

3.0 PROGRAM MANAGEMENT

The Contractor shall implement and perform all program management functions to ensure successful completion of this effort, to include the Integrated Product Team (IPT) process, in accordance with (IAW) the Contractor's established program management processes and procedures. The Contractor shall provide the United States Government (USG) with a weekly report by email.

3.1 PROGRAM KICK-OFF MEETING

The Contractor shall conduct a kick-off meeting at the Contractor's facility within thirty (30) business days after contract award (ACA). The Contractor shall coordinate a detailed agenda with the Government Project Lead and deliver the agenda and attendant briefing IAW **DI-ADMN-81249, CDRL A001**. The Contractor shall prepare meeting minutes IAW **DI-ADMN-81250, CDRL A002**.

All briefings shall include, as a minimum:

- a. All corrections made during the meeting.

- b. Contractor-identified Project Lead for this effort at the kick-off meeting.
- c. All Contractor personnel responsible for aspects of the requirements within the scope of the PWS shall be present to discuss their approach to successful completion of this task.
- d. The Contractor shall provide their program plan and schedule, to include:
 - i. Technical and management controls and approaches for the labor force.
 - ii. Program organization.
 - iii. Roles and responsibilities of IPTs.
 - iv. Program execution risk.
 - v. Quality.
 - vi. Configuration management approaches.
 - vii. Personnel resources.
 - viii. Development and testing that shall satisfy the requirements of this PWS.
 - ix.

3.2 INTEGRATED PRODUCT TEAM (IPT) COORDINATION

The Contractor shall implement an IPT process with defined membership roles and responsibilities to conduct bi-weekly IPT meetings. The Contractor's Project Lead shall be empowered to make decisions for the Contractor in all matters related to the conduct of this PWS. Contractor (and sub-Contractor, if applicable) Project Leads or Subject Matter Experts (SME) shall participate. The Contractor shall coordinate and lead a project status teleconference specific to this effort. The Contractor shall be prepared to provide status on the modifications including issues, planned solutions, schedule, and other relevant topics. The Contractor shall report the status of risks, schedule variances, technical performance, logistic or part impact and support, and all related issues with recommendations for resolution. The Contractor shall coordinate a standard agenda with the Government Project Lead and deliver the agenda IAW **DI-ADMN-81249, CDRL A001**. The Contractor shall prepare conference minutes and any presented material and deliver IAW **DI-ADMN-81250, CDRL A002**.

3.3 INTEGRATED MASTER SCHEDULE (IMS)

The Contractor shall implement and maintain an IMS. The IMS shall be an integrated schedule of detailed program tasks and shall be delivered IAW **DI-MGMT-81861, CDRL A005**.

3.4 TESTING

The Contractor shall develop an Acceptance Test Procedure (ATP) to demonstrate full functionality and operation of all modified systems and ensure no degradation of existing systems. Acceptance of the cockpit avionics upgrade shall be performed post modification and shall include flight test performed by EAF pilot in command and Contractor mentor co-pilot to validate performance and shall include a FWPO Technical representative in the cabin area to accept that the upgrades are fully operational. The ATP shall be delivered IAW **DI-NDTI-80603, CDRL A006**.

4.0 PERFORMANCE REQUIREMENTS

The integration of the upgraded cockpit will be performed in Cairo, Egypt.

4.1 COCKPIT MODIFICATION UPGRADE

The Contractor shall use FAA or EASA approved STC to modify an EAF provided B1900C aircraft with an upgraded cockpit avionics system. The upgrade shall allow EAF to fly in civil airspace under instrument flight rules (IFR) without a requirement for country waiver due to lack of avionics capabilities required for entry into specified airspace. The Contractor shall consider the intended aircraft operations to include Europe, Africa, southwest Asia, and overwater airspace controlled under International Civil Aviation Organization (ICAO) regulations. There is no requirement for the Contractor to provide requirements for the EAF aircraft to fly above flight level 290 (29,000'). The Contractor shall provide all tools, equipment, and material required to complete installation of the modification. The Contractor shall provide an avionics suite that includes the threshold requirements listed below:

- Transponder with Enhanced Surveillance (EHS) and ADS-B (Out): Dual EHS and Automatic Dependent Surveillance – Broadcast (ADS-B): ADS-B (Out) transponders shall be integrated to meet the European Commission Implementing Regulation (EU) 1207/2011, which calls out the detailed performance requirements of the data transponders are required to transmit to Air Traffic Control.
- Global Navigation Satellite Systems (GNSS) enabled with Space Based Augmentation System (SBAS) – Dual GNSS, such as the American Global Positioning System (GPS) or the European Galileo System, to determine the aircraft's position and velocity around the world to a high degree of accuracy utilizing signals broadcast from a constellation of medium earth orbit satellites.
- Traffic and Collision Avoidance Systems (TCAS) II Version 7.1: TCAS (also known in Europe as Aircraft Collision Avoidance Systems (ACAS)) work with the aircraft transponder to alert the flight crew to the presence of air traffic which is close enough to pose a mid-air collision hazard.
- Air Data and Attitude Heading Reference Systems (ADAHRS): Dual, redundant ADAHRS systems shall be integrated to support other installed avionics. ADAHRS systems measure altitude, vertical speed, airspeed, heading, turn rate, and aircraft attitude.
- Weather Radar System: An onboard aircraft color weather radar system shall be installed to provide the crew with in-flight, real-time indication of convective weather in the aircraft's flight path.

- Multifunction Displays (MFD): A minimum of one MFD shall be installed to display Communication, Navigation, Surveillance, Weather Radar, and other critical flight information on the center portion of instrument panel.
- Flight Management System (FMS): Dual FMS displays shall be installed to support all the flight crew's avionics management functions such as navigation data entry, autopilot controls, radio tuning, etc.
- New Autopilot: The autopilots on these aircraft are in danger of component obsolescence and incompatibility with newer avionics and shall be replaced.
- Inertial Reference System (IRS) for mission equipment: IRS systems shall be integrated for use by mission equipment in the cabin.

Airworthiness approval for this modification effort shall be accomplished using FAA or EASA approved STC.

All components and materials removed from the aircraft during the modification process are EAF Owned Property. The Contractor shall prepare a complete listing of all removed components and deliver IAW **DI-MGMT-80259, CDRL A007**. At a minimum, the component listing shall include each component part number, national stock number (NSN), and serviceability information.

The Contractor shall process components and material removed from the aircraft per FW PO direction and IAW FAR 52.245-1.

4.2 MAINTENANCE AND REPAIR

During the modification period, the Egyptian Air Force (EAF) is responsible for parts and labor associated with unforeseen aircraft repairs or maintenance that do not pertain to the cockpit modification and are outside the scope of the Contractor's work. The EAF will have 72 hours to complete unforeseen maintenance or repair. The 72 hour allowable repair window does not include Egyptian holidays or weekends. The Firm-Fixed Price (FFP) is inclusive of all contractor costs for EAF maintenance and repairs completed within the 72 hour timeline; no additional compensation will be authorized. If maintenance or repair is projected to take longer than 72 hours, the contractor shall immediately notify the KO and COR in writing.

4.3 OVER AND ABOVE (O&A) FOR MAINTENANCE AND REPAIR DELAY

The Contractor shall provide over and above cost which would be incurred

for day-to-day slippage if the EAF exceeds the 72 hour repair or maintenance timeline outlined in this PWS. If EAF maintenance or repairs exceed 72 hours, the Contractor shall submit a formal O&A request upon completion of maintenance or repair to the KO for review and approval to become eligible for compensation. Verbal direction from any party does not constitute authorization to bill for delay costs; only written approval from the KO authorizes the Contractor to bill for delays.

Each O&A request shall include:

- a. A description of the condition or deficiency
- b. Impact to schedule, including an estimate of the total delay duration
- c. Proposed cost based on daily delay rate established in the contract
- d. Supporting documentation, such as photos or technical justification

4.4 RECOMMENDED SPARES

The Contractor shall develop and provide a recommended two (2) year avionics spares package to include two (2) each spare international variant non-COMSEC AR-1500 radios to have available at delivery of first aircraft. All spares will be transported to final destination utilizing Egypt's Freight Forward.

5.0 COCKPIT PILOT TRAINING

The Contractor shall provide cockpit pilot training to be conducted in Cairo, Egypt. This training shall include the performance of all required ground and pre-flight inspections to ensure the aircraft is airworthy prior to the commencement of any flight training to include:

- Cockpit pilot training in the customer's aircraft for the new cockpit profile for up to six (6) pilots, six (6) technicians and three (3) navigators.
- The Contractor shall conduct training to provide hands-on flight training relevant to the cockpit installation and IAW with the Original Equipment Manufacturer (OEM) flight publications for all installed equipment to safely operate the modified Beechcraft King Air B1900C. This training shall include a combination of Computer Based Training (CBT) and hands-on cockpit training and a familiarization flight with Contractor pilots. The training shall address hardware, system operations, and FMS interactions or anomalies that may be observed by the operator.
- The Contractor shall develop and deliver training packages that can be left in country to support subsequent pilot and operator training. The training syllabus shall be provided to the USG IAW **DI-MISC-80508, CDRL A008**. The Contractor shall leave all training materials used with the EAF upon completion of training.
- The Contractor shall submit a Training Report in IAW **DI-MISC-80508, CDRL A009**, upon the completion of all training.
- All training and training material shall be provided in English.

Training shall commence after completion of the ground and flight ATP in Cairo, Egypt. No Government services will be provided to the Contractor during the performance of the training.

6.0 PRODUCT REQUIREMENTS

6.1 EGYPTIAN AIR FORCE (EAF) FURNISHED PROPERTY

The EAF will provide two (2) each Beechcraft B1900C aircraft. The aircraft will be delivered in place at a designated facility in Cairo, Egypt, mutually agreed to by the EAF and the United States Government (USG).

The EAF will provide all Ground Support Equipment (powercart, tug, tow bar, etc.) needed to support the aircraft during modifications.

6.2 GOVERNMENT FURNISHED INFORMATION

No documents will be provided by the USG or EAF.

6.3 CONTRACTOR FURNISHED PROPERTY

The Contractor shall provide all equipment, material and tools required to complete the modification.

7.0 WEIGHT AND BALANCE DOCUMENTATION

The Contractor shall weigh each aircraft after completion of the modification effort. Weight and Balance Report shall contain all data required IAW Society of Allied Weight Engineers (SAWE). Report shall be delivered IAW **DI-MGMT-81501, CDRL A010**. The USG shall have unlimited rights, per DFARS 252.227-7013, to the weight and balance documentation generated under this effort.

8.0 FORMS, RECORDS, AND PUBLICATIONS

The Contractor shall provide the Government the OEM Operator and Maintenance Manuals, updates, and addendums to all applicable Aircrew Flight Manual Supplements (AFMS) for all equipment and modifications for this effort. As each aircraft completes the modifications, the Contractor shall deliver the AFMS and all publications applicable to the installed equipment IAW **DI-TMSS-81816, CDRL A011**.

9.0 QUALITY CONTROL

A Quality Management System compliant to ISO9001 AS9100 or equivalent, shall be implemented for the entire period of performance. The Contractor shall ensure that the aircraft meets design criteria specified in Title 14 of the Code of Federal Regulations (14 CFR), Part 23 airworthiness standards. The aircraft shall be Certified IAW 14 CFR, Part 21 certification procedures. The aircraft shall be maintained IAW manufacturer's approved instructions and service bulletins, FAA Regulations, 14 CFR, Part 43, and 14 CFR, Part 39 requirements.

10.0 AIRCRAFT INDUCTION AND ACCEPTANCE

The two (2) Beechcraft King Air B1900C aircraft will be available to the Contractor Not Later Than (NLT) sixty (60) days after contract award.

The Contractor shall provide an inspection team that includes FAA-certified Airframe and Powerplant (A&P) mechanics to conduct, with the USG, a site visit, joint inspection and acceptance of the aircraft after contract award.

The EAF will be responsible for all fuel for the aircraft during test flights.

11.0 WARRANTIES

The Contractor shall pass all commercial warranties to the EAF. The Contractor shall ensure warranty coverage of all work associated with the cockpit avionics system modification and new procurement items for the period of one (1) year from the signing of the DD-250.

12.0 AIRCRAFT ACCEPTANCE / FINAL INSPECTION

The Contractor shall provide a seven (7) calendar day notification and permit FWPO-approved USG, and other FWPO-approved representatives to participate and witness all testing and final acceptance processes. The Contractor shall perform both in-process and final inspections with USG representatives at the facility where the aircraft is modified. The Contractor shall provide FAA approved mechanics for installation and inspection. FWPO Program Integrator and Quality Assurance (QA) will travel to perform periodic inspections with a final inspection and operations check at the end of the modification. Final source inspection and acceptance will be performed by EAF and the FWPO personnel at the facility where the modification is performed. Final acceptance of aircraft will be by the USG. Final acceptance will be completed via the DD-250/Wide Area Workflow (WAWF) process.

13.0 SECURITY REQUIREMENTS

The Contractor shall comply with Department of Defense (DoD) requirements as specified in paragraphs identified below.

13.1 ANTI-TERRORISM (AT) REQUIREMENTS FOR CONTRACTOR PERSONNEL TRAVELLING OVERSEAS

All Contractor employees, including subcontractor employees required to travel overseas as a condition of this contract shall receive Government provided AT awareness training, specific to the destination countries. Additionally, all Contractor employees, including subcontractor employees stationed or deployed in OCONUS contingency operations areas or designated combat zones shall receive Government provided AT awareness training specific to the area of responsibility (AOR) at their overseas location. Specific AOR training content is directed by the combatant commander, with the Antiterrorism Officer (ATO) being the local point of contract.

13.2 OPERATIONS SECURITY (OPSEC) REQUIREMENTS

Per AR 530-1 Operations Security, the Contractor employees travelling to Cairo, Egypt in support of this effort must complete Level I OPSEC Awareness training. New employees shall be trained within 30 calendar days of their reporting for duty and annually thereafter.

13.3 THREAT AWARENESS REPORTING PROGRAM (TARP)

Per AR 381-12, all Contractor employees with a security clearance shall receive annual TARP training.

14.0 INTERNATIONAL TRAFFIC IN ARMS REGULATIONS (ITAR) REQUIREMENTS

To satisfy its import/export requirements, the Contractor may utilize the Foreign Military Sales (FMS) exemption pursuant to 22 CFR Section 126.6 of the ITAR. The contract period of performance and scope of technical data and services are within the scope of the implementing LOA. For purposes of invoking the exemption listed in ITAR Section 126.6 for FMS materiel, the applicable LOA to be cited is EG-B-VGT.

15.0 PERIOD OF PERFORMANCE (PoP)

The Contractor shall have a PoP of 12 months ACA.

- Aircraft shall be inducted for modifications sixty (60) days ACA.

APPENDIX A - LIST OF ACRONYMS

A&P	Aircraft and Powerplant
ACA	After Contract Award
ACAS	Aircraft Collision Avoidance Systems
ADAHRS	Air Data and Attitude Heading Reference System
ADS-B	Automatic Dependent Surveillance – Broadcast
AFMS	Aircrew Flight Manual Supplement
AOR	Area of Responsibility
AT	Anti-Terrorism
ATO	Anti-Terrorism Officer
ATP	Acceptance Test Procedure
CBT	Computer Based Training
CDR	Critical Design Review
CDRL	Contract Data Requirements List
CFR	Code of Federal Regulations
DD	Department of Defense (forms)
DFARS	Defense Federal Acquisition Regulation Supplement
DOD	Department of Defense
DSL	Document Summary List
EAf	Egyptian Air Force
EASA	European Aviation Safety Agency
EHS	Enhanced Surveillance
ELA	Electrical Load Analysis
FAA	Federal Aviation Administration
FAR	Federal Acquisition Regulations
FMS	Flight Management System
FMS	Foreign Military Sales
FWPO	Fixed Wing Project Office
GNSS	Global Navigation Satellite Systems
GPS	Global Positioning System
IAW	In Accordance With
ICAO	International Civil Aviation Organization
IFR	Instrument Flight Rules
IMS	Integrated Master Schedule
IPT	Integrated Product Team
IRS	Inertial Reference System
ITAR	International Traffic in Arms Regulations
LOA	Letter of Offer and Acceptance
MFD	Multifunction Displays
MIL	Military
NLT	Not Later Than
NSN	National Stock Number
OCONUS	Outside the Continental United States
OEM	Original Equipment Manufacturer

OPSEC	Operations Security
PCO	Procuring Contracting Officer
PDR	Preliminary Design Review
PWS	Performance Work Statement
POP	Period of Performance
QA	Quality Assurance
RTVM	Requirements Traceability Verification Matrix
SAWE	Society of Allied Weight Engineers
SBAS	Space Based Augmentation System
SME	Subject Matter Expert
SRR	System Requirements Review
STC	Supplemental Type Certification
TARP	Threat Awareness Reporting Program
TCAS	Traffic and Collision Avoidance Systems
TIM	Technical Interchange Meeting
USG	United States Government
WAWF	Wide Area Workflow

APPENDIX B - DOCUMENT SUMMARY LIST (DSL)

CONTRACTORS ARE ENCOURAGED TO OFFER SUGGESTIONS, COMMENTS, OR ALTERNATIVES TO THE DOCUMENTS CITED HEREIN. TAILORING, CATEGORY OF APPLICATION, REVISION LEVELS, AND THE DOCUMENTS CITED ARE ALL CANDIDATES.

Definition of Document Categories

1. Category 0 (Cat 0). The requirements contained in the directly cited document are non-mandatory and are for reference and information only.
2. Category 1 (Cat 1). The requirements contained in the directly cited document are contractually applicable to the extent specified. Unless otherwise specified in the solicitation, contract, or contract modifications, all requirements contained in reference and subsequently referenced documents are contractually for guidance and information only.
3. Category 2 (Cat 2). The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. Unless otherwise specified in the solicitation, contract, or contract modifications, all requirements contained in subsequently referenced documents within reference documents are contractually for guidance and information only.

DD Form 1423 Definitions

Blocks 10, 11, 12, 13: "Submit" means to deliver to the Government as specified in the shipping instructions for data, which are located in section F of the contract.

Block 14: Regular/Repro Copies

Regular Copy - Blueline, Blackline, Xerographic (originals of reports, plans, or routine data also fall into this definition).

Repro Copy - Multilith, Vellum, photographic negatives, etc. (originals of drawings, ECPs, ERRs, technical publications).

CONTRACTUAL REQUIREMENTS OF DATA ITEM DESCRIPTION (DID)

DD FORM 1664, Block 10 - Preparation Instructions. This block contains the only portion of the DID that represents a contractual requirement imposed on the Contractor. All other blocks are for Government use and for reference only. ALL REFERENCES TO SOURCE DOCUMENTS IN BLOCK 10 OF DATA ITEM DESCRIPTION ARE USED FOR REFERENCE ONLY.

DOCUMENT NUMBER	TITLE	DATE/CATE GORY
1. DI-ADMN-81249C Data Item No. A001	Meeting Agenda	30 Jul 21 CAT 1
2. DI-MGMT-81250C Data Item No. A002	Meeting Minutes	30 Jul 21 CAT 1
3. DI-MGMT-82133A Data Item No. A003	Requirements Traceability Verification Matrix (RTVM)	29 Jul 25 CAT 1
4. DI-MGMT-81605 Data Item No. A004	Briefing Material	15 Feb 01 CAT 1
3. DI-MGMT-81861C Data Item No. A005 Tailoring is delineated as the following: Only 1.2.2, 1.3.1, 1.6.2.2 applicable	Integrated Program Management Data and Analysis Report (IPMDAR)	30 Aug 21 CAT 1
4. DI-NDTI-80603A Data Item No. A006	Test Procedure	14 Nov 06 CAT 1
5. DI-MGMT-80259 Data Item No. A007	Physical Inventories Report	13 Oct 86 CAT 1
6. DI-MISC-80508B Data Item No. A008	Technical Report – Study/Services Training Syllabus	14 Nov 06 CAT 1
7. DI-MISC-80508B Data Item No. A009	Technical Report – Study/Services Training Report	14 Nov 06 CAT 1
8. DI-MGMT-81501A Data Item No. A010	Weight and Balance Report for Aircraft	27 Sep 07 CAT 1
9. DI-TMSS-81816 Data Item No. A011	Commercial Off-The-Shelf (COTS) Manual Supplemental Data	25 May 10 CAT 1

ISO 9001:2015, Fifth Edition. Para: 7.0	Quality Management Systems – Requirements	15 SEP 15 CAT 2
AS 9100D Para: 7.0	Quality Management Systems – Requirements for Aviation, Space, and Defense Organizations	SEP 16 CAT 2