

CUSTODIAL SERVICES
PERFORMANCE WORK STATEMENT (PWS)

DEVENS RESERVE FORCES TRAINING AREA

DEVENS, MA

18 April 2025

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(Service 402 - Custodial Services) (U)

Table of Contents

1.0	General.....	1
1.1	Description of Services/Introduction.	1
1.2	Background.....	1
1.3	Objectives.	1
1.4	Scope.....	2
1.5	Traffic Flow.	2
1.6	Restoration of Real Property Damage.....	2
1.7	General Information.	3
1.7.1	Scope.....	3
1.7.2	Locations to Receive Custodial Service	3
1.7.3	Schedule of Services Work Log.	3
1.7.4	Recognized Holidays.	3
1.7.5	Hours of Operation.....	3
1.7.5.1	Installation Closures.	4
1.7.5.2	Emergency Delays and Support.	4
1.7.5.3	Unforeseen Buildings Closures.....	4
1.7.6	Place of Performance.....	4
1.7.7	Type of Contract.	4
1.7.8	Security Requirements.	5
1.7.8.1	Access and General Protection/Security Policy and Procedures.	5
1.7.8.2	Physical Security.	6
1.7.8.3	Security Training.....	6
1.7.8.4	Key Control.....	7
1.7.8.5	Lock Combinations.	8
1.7.9	Post Award Conference/Periodic Progress Meetings.	8
1.7.10	Government Roles and Responsibilities.....	9
1.7.10.1	Contracting Officer (KO).....	9
1.7.10.2	Contracting Officer's Representative (COR).....	9
1.7.11	Specific Contractor Requirements, Roles and Responsibilities.....	10

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

1.7.11.1	U.S. Residency.	10
1.7.11.2	Contractor Hiring Restrictions.	10
1.7.11.3	Contractor Identification.	10
1.7.11.4	Standards of Conduct.	11
1.7.11.5	Contractor Key Personnel.	11
1.7.11.6	Phase In /Phase Out Period.....	12
1.7.11.7	Quality Control	12
1.7.11.8	Emergency Services.	13
1.7.11.9	Accident Reporting.....	13
1.7.11.10	Environment and OSHA.....	13
1.7.11.11	Asbestos Awareness.....	14
1.7.12	Environmental Compliance.	14
1.7.13	Safety Data Sheets.	15
2.0	Definitions and Acronyms.	16
2.1	Definitions.	16
2.1.1	AbilityOne Commission.	16
2.1.2	Acceptable Quality Level (AQL).	16
2.1.3	Carpet Care.	16
2.1.4	Child, Youth and School Services (CYSS).	16
2.1.5	Cleaning.....	16
2.1.6	Contractor.	16
2.1.7	Contractor Acquired Property (CAP).	16
2.1.8	Contracting Officer (KO).....	16
2.1.9	Contracting Officer’s Representative (COR).....	17
2.1.10	Deficient Service.	17
2.1.11	Deliverable.	17
2.1.12	Disinfect.	17
2.1.13	Dry Buffing.	17
2.1.14	Equipment.....	17
2.1.15	Exterior Windows	17
2.1.16	Government Furnished Property (GFP).....	17
2.1.17	Government Property.....	18
2.1.18	Government Project Manager.	18
2.1.19	Hard Surface Floor Care.	18
2.1.20	High-efficiency Particulate Air Vacuum Cleaners (HEPA).....	18

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

2.1.21	Heating, Ventilation and Air Conditioning (HVAC).	18
2.1.22	Institute of Inspection, Cleaning and Restoration Certification (IICRC).	18
2.1.23	Interior Window.	18
2.1.24	International Sanitary Supply Association (ISSA).	18
2.1.25	Lavatories/Latrines/Bathrooms.	19
2.1.26	Legal and Other Requirements.	19
2.1.27	Loss of Government Property.	19
2.1.28	Material.	19
2.1.29	Non-Personal Services.	19
2.1.30	Performance Requirements Summary (PRS).	19
2.1.31	Physical/Community Fitness Centers.	20
2.1.32	Physical Security.	20
2.1.33	Property.	20
2.1.34	Property Records.	20
2.1.35	Provide.	20
2.1.36	Public Traffic Areas.	20
2.1.37	Quality Assurance.	20
2.1.38	Quality Assurance Surveillance Plan (QASP).	20
2.1.39	Quality Control.	20
2.1.40	Real Property.	20
2.1.41	Recyclable Materials.	21
2.1.42	Sanitize.	21
2.1.43	Schedule of Services.	21
2.1.44	Sensitive Property.	21
2.1.45	Service Calls.	21
2.1.46	Soil.	21
2.1.47	Spill Plan.	22
2.1.48	Spray Buffing.	22
2.1.49	Spot Cleaning.	22
2.1.50	Stairwell Cleaning.	22
2.1.51	Stripping.	22
2.1.52	Subcontractor.	22
2.1.53	Sweep.	22
2.1.54	Trash Removal.	22
2.1.55	Wide Area Workflow (WAWF).	23

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

2.1.56	Workday.....	23
2.1.57	Work Week.	23
2.2	ACRONYMS.	24
3.0	Government Furnished Property, Equipment and Services.....	26
3.1	General.....	26
3.2	Basic Requirements.....	26
3.3	Facility/Area(s).....	26
3.4	Privately Owned Vehicles (POVs).....	26
3.5	Utilities and Services.....	27
3.6	Materials and Supplies.....	27
4.0	Contractor Furnished Materials and Equipment.....	28
4.1	General.....	28
4.2	Classified Controlled Facility Clearance.....	28
4.3	Materials and Supplies.....	28
4.3.1	List of Cleaning Products.....	29
4.3.2	Known Hazards.....	29
4.3.3	Cleaning Solutions Requirements.....	29
4.4	Equipment.....	30
4.4.1	Carpet, Tile / Grout Cleaning.....	30
4.4.2	Unserviceable Contractor Equipment.....	30
5.0	Specific Tasks for General Cleaning.....	31
5.1	General.....	31
5.2	Perform Special Event Cleanings (i.e. VIP and/or event cleaning).	31
5.3	Specific Tasks for scheduled general cleaning.....	31
5.3.1	Hard Floors. (Vinyl, Ceramic, Wood, Concrete, etc.).....	32
5.3.1.1	Spray and Buff.....	32
5.3.1.2	Stripping/Scrub/Finishing.....	32
5.3.1.3	Wet Mop.....	32
5.3.2	Carpeted Floors.....	33
5.3.2.1	Removable Walk off Mats.....	33
5.3.2.2	Carpet Cleaning and Shampooing.....	33
5.3.2.3	Spot Cleaning Carpets.....	34
5.3.3	Quarry / Ceramic / Porcelain Tile Cleaning:	34
5.3.4	Stairways/Elevators/Handicap Lifts.....	34
5.3.5	Solid Waste Collection and Removal.???.....	35

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

5.3.5.1	Recycle Collection and Removal.	35
5.3.6	Restrooms/Toilet Areas/Locker Rooms.	35
5.3.6.1	Clean and Disinfect Restrooms.	35
5.3.6.2	Restroom and Locker Room Refuse Removal.	36
5.3.6.3	Floor Care.	36
5.3.6.4	Stocking and Restocking of Supplies.	36
5.3.7	Drinking Fountains.	36
5.3.8	Dusting.	37
5.3.8.1	Dusting, Low Areas (under six (6) feet).	37
5.3.8.2	Dusting, High Areas (over six (6) feet).	37
5.3.8.3	Dusting, Light.	37
5.3.8.4	Dusting, Heavy.	37
5.3.9	Interior Glass.	37
5.3.10	Exterior Glass.	38
5.4	Child, Youth and Student Service(CYSS) Centers.	38
5.4.1	Child Age Groups.	38
5.4.2	CYS/CDC Cleaning Products.	38
5.4.3	CYS/CDC Supplies and Solutions Storage.	38
5.4.4	CYS/CDC Hours of Operation.	38
5.4.4.1	CDC Hours of Operation Other Than Normal.	38
5.4.4.2	Other CYSS Facility Hours of Operation Other Than Normal.	38
5.4.5	Specific Child Development Center (CDC) Cleaning Tasks.	38
5.4.6	Specific Other Child Youth and Student Service (CYSS) Center Cleaning Requirements.	38
5.5	Gymnasiums and Physical Fitness Centers (PFC)	39
5.5.1	Disinfectants	39
5.5.2	Facility Sanitation, Showers, locker rooms, and toilet facilities,	39
5.6	General Cleaning of Libraries and Museums.	39
5.7	University-level Cleaning.	39
5.8	Schedules and Reports.	40
5.8.1	Schedule of Services.	40
5.8.1.1	Alternate Day Work Schedule.	40
5.8.1.2	Service Delay Notification.	40
5.8.2	Floor Schedule Report	40
5.8.3	Scheduled Cleaning Work Reports.	40

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

5.8.4	Unscheduled Cleaning Work Reports.....	41
5.8.5	Access and Condition Report.....	41
5.8.6	General Report Submittals.	41
5.9	Contractor Management Reporting.	41
5.10	Quality Control Report.....	42
6.0	Applicable Publications (Current Editions).	43
6.1	Regulations, Publications, Manuals, Local Policies and Procedures.	43
7.0	Mandatory Records and Report Forms.....	46
8.0	Attachment/Technical Exhibits (TEs).	47
8.1	Attachment 1/TE-1 – Performance Requirements Summary.	48
8.2	Attachment 2/TE-2 – Deliverables Schedule.	51
8.3	Attachment 3/TE-3 – Estimated Workload Data.	52
8.4	Attachment 4/TE-4 – Enterprise Municipal Custodial Services Tasks and Frequency Performance Standards.....	54
8.5	Attachment 5/TE-5 – List of Facilities to receive services.....	55
8.6	Attachment 6/TE 6 – Installation Map(s).....	56
8.7	Attachment 7/TE-7 – Floor Plans.	57

1.0 General.

This is a non-personal services contract to provide Custodial Services for the U.S. Army at Devens Reserve Forces Training Area (RFTA) in Devens, Massachusetts.

- The Government will not exercise any supervision or control over the contract service providers.
- The Contractor shall perform to the standards specified in this Performance Work Statement (PWS).
- Contract service providers shall be accountable solely to the Contractor who, in turn is responsible to the Government.
- The Contractor shall provide all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items and non-personal services necessary to complete the requirements as outlined and defined in this PWS.

1.1 Description of Services/Introduction.

The Contractor shall provide all personnel, equipment, supplies, facilities, transportation, tools, materials, supervision, and other items and non-personal services necessary to perform all custodial service tasks and frequencies as described and defined in this Performance Work Statement (PWS), Part 5 Specific Tasks and Part 8 Attachment/Technical Exhibits, TE-4 Municipal Custodial Services Tasks and Frequency Performance Standards, except for those items specified as Government furnished property and services (If applicable, see Part 4 Contractor Furnished Items and Services). The Contractor shall perform to the standards in this contract.

The Contractor shall perform to the standards in this contract.

1.2 Background.

Devens RFTA is located in Devens, Massachusetts. Devens RFTA consists of approximately 5,196 acres and 67 buildings. The population base consists of approximately 3,002 military and Government civilian and Contractor personnel. Devens RFTA is located in north-central Massachusetts approximately 35 miles northwest of Boston. Following implementation of the base realignment and closure (BRAC) 1991 actions, Devens RFTA was divested of a large amount of land and became configured into its current footprint of three distinct, geographically separated areas: the Main Cantonment, 3400 Area, and South Post training lands for a total of 5,196 acres. Of that, nearly 4,880 acres comprise the South Post training area which is maintained by the ITAM Program.

1.3 Objectives.

The Contractor shall ensure all work accomplished as fulfillment of this PWS meets all applicable Federal, State, and local laws, regulations, directives, and other requirements (LOR) (See Definitions & Acronyms, 2.2 Acronyms --- Legal and Other Requirements) to include the documents in Part 6, Applicable Publications.

Part 8, Attachment/Technical Exhibit Listing, TE-4 identifies which buildings/areas belong to each building type, the square footage of the building/areas to be cleaned, any

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

special security considerations, and any constraints as to when during the day or week scheduled services can be performed. Part 8, Attachment/Technical Exhibit Listing, TE-4 Municipal Custodial Services Tasks and Frequency Performance Standards identifies tasks and frequencies for maximum standards for each type of building.

1.4 Scope.

The Contractor shall perform custodial services to the performance standards (task/frequency table) in this PWS in a manner that will maintain the condition and cleanliness of each covered facility and present a professional appearance.

- Services include:
 - Scheduled Cleaning Services (for all covered facility types) IAW the PWS performance standard.
- As Ordered / Requested Task included (based on separate CLIN structure and applying a reimbursement MOA, as required):
 - Cleaning of windows located on exterior walls (ground floor and above) to prevent algae/moss/mold growth.
 - Special Event Support Cleaning.
 - Limited to minimal Tasks absolutely required to maintain health and appearance of prominent areas (empty trash receptacles, pick-up litter, sweep / mop, vacuum, wipe down high touch hard surfaces, clean restrooms, etc.)
- Services not included:
 - Biohazard cleaning service for casualty/trauma, defecation, and bodily fluids decontamination at Medical Treatment Facilities (MTFs) and other facilities performed by installation assets (hazardous material response team, garrison staff, or mission personnel) IAW MEDCOM Reg. 40-35, Management of Regulated Medical Waste, para 16 (2017)
 - Toilet overflow, mold cleaning, flood cleaning within a covered facility resulting from inclement weather, or waterline break in the building serviced by a separate water cleanup and restoration contract with expertly trained staff.
 - Cleaning and disinfecting buildings and areas previously occupied by 'pandemic' positive personnel. (Note: This type of cleaning and disinfecting will be performed by installation assets IAW Army Public Health Command (APHC) Technical Information Paper (TIP) No. 98-105-0421 and TIP No. 98-120-0620).

1.5 Traffic Flow.

The Contractor shall maintain the free flow of vehicular and pedestrian traffic while conducting custodial service tasks.

1.6 Restoration of Real Property Damage.

Any damage to Government Real Property by the Contractor's operations shall be restored to the original state at no additional cost to the Government (e.g. structural damage, damage to landscape or fencing, et al).

1.7 General Information.

1.7.1 Scope.

The Contractor shall perform custodial services in accordance with the PWS and the technical exhibits, including the Enterprise-wide Custodial Services Performance Standards. During performance of the contract, the Government reserves the right to add or delete facilities and/or the level of services required. A modification to the contract will be executed to incorporate these changes.

1.7.2 Locations to Receive Custodial Service

The work to be performed under this contract will be performed at 66 facilities scheduled for cleaning. The Contractor shall provide the KO a schedule no later than (10) workdays prior to commencing work. Schedule shall outline tasks to be performed by specific building and identify the timeline for the task to be accomplished. The KO will provide the Contractor with requirements to make changes to the schedule as they occur. A list of Devens RFTA buildings to be cleaned is located in Part 8, Attachment/Technical Exhibit Listing, TE-4.

1.7.3 Schedule of Services Work Log.

The Contractor shall keep a detailed log of work accomplished in each building receiving custodial services IAW performance standards.

- The log shall include relevant custodial cleaning task practices, and the dates custodial cleaning tasks are completed.
- The Contractor shall submit this log to the COR not later than the 5th day of each month (Part 8, Attachment/Technical Exhibit Listing, paragraph 8.2, Attachment 2/TE-2 – Deliverables Schedule, Deliverable).

1.7.4 Recognized Holidays.

New Year's Day	Labor Day
Martin Luther King Jr.'s Birthday	Columbus Day
President's Day	Veteran's Day
Memorial Day	Thanksgiving Day
Independence Day	Christmas Day
Juneteenth	ADD LN Holidays

1.7.5 Hours of Operation.

Normal hours of operation are between the hours of Monday through Friday, 0730-1600 hours, excluding Federal holidays or when the Government facilities are closed due to local or national emergencies, administrative closings, or similar Government directed facility closings.

- The Contractor shall coordinate with Building Managers or the KO if no Building Manager is available to establish a schedule to conduct business if services are

required outside of normal hours of operation. This schedule or any schedule changes shall be documented in an MFR and approved by the KO.

- The contractor shall perform service during the normal contractor working hours (0730-1600 hours).
- The Contractor shall maintain an adequate workforce for the uninterrupted performance of all tasks defined within this PWS when Government facilities are not closed for the above reasons.

1.7.5.1 Installation Closures.

When an unforeseen installation closure occurs on a regularly scheduled day of work, the Contractor shall reschedule the work to be performed the following day unless the following day is a Saturday, Sunday, a recognized Federal holiday, and when routine work is not scheduled for that day; or reschedule the work for the next business day following the closure.

1.7.5.2 Emergency Delays and Support.

- Alert Mass Notifications will be sent by the installation in the event of emergency or weather delays or closures. The contractor will be notified by the COR of delays or closures and their estimated duration.
- If the Contractor determines unsafe weather conditions or work environment is cause for an interruption of services, the Contractor shall notify the KO and his/her designated representative, the COR/ACOR, two (2) hours prior to curtailing operations [Part 8, Attachment/Technical Exhibit Listing, paragraph 8.2, Deliverables Schedule, Deliverable].
 - The Contractor shall obtain KO approval to resume operations.
- The Contractor shall coordinate with the DPW designated representative(s), the COR/ACOR and COTR, once guidance has been provided by the KO in preparation for and during emergency operations situations such as inclement weather, flood, active shooter, fire or other emergency situations.

1.7.5.3 Unforeseen Buildings Closures.

When an unforeseen building closure occurs on a regularly scheduled day of work (i.e., severe weather, training holiday, day of mourning, repairs, etc.).

- The Contractor shall reschedule the service on any day satisfactory to the customer and minimizes impact on the Contractor's normal work schedule.

1.7.6 Place of Performance.

The work to be performed under this requirement will be performed throughout the entire area occupied by Devens RFTA and at any pertinent locations in and around the main cantonment, 3400 area, and South Post. A map of these locations is located in Part 8, Attachment/Technical Exhibit Listing, TE 6.

1.7.7 Type of Contract.

The government will award a FIRM FIXED PRICE (FFP) type of contract with some "As Required" CLINs (See Frequency Table located in Part 8, Attachment/Technical Exhibit Listing, TE-4 Municipal Custodial Services Tasks and Frequency Performance Standards).

1.7.8 Security Requirements.

Certain facilities requiring performance under this contract (see TE 4) contain sensitive data/documentation which limits access to these facilities. Contractor performance in these restricted buildings/areas will require Government personnel escort at all times. The Contractor is required to provide a cleaning schedule to the COR identifying when they will be performing in the restricted areas so the Government can ensure an escort is available.

The Contractor shall provide the COR lists of personnel assigned to provide custodial services in special security buildings/areas prior to commencing work under this contract. This personnel roster shall include the employee's full name and position held. The Contractor shall update and provide the COR this roster whenever personnel changes occur during the duration of the contract. If required, the Government will provide a National Agency Check (NAC) for these personnel.

Identification Badges and Vehicle Decals: This installation is a closed post with access restrictions. All vehicles and personnel are subject to search and seizure of contraband and/or unauthorized Government property. Contractor vehicles (Contractor-owned and personal), Contractor personnel, and their personal property shall be subject to inspections and searches upon entering or leaving the Installation as authorized in AR 190-5, Motor Vehicle Traffic Supervision. The Contractor may be subject to installation closure exercises that may have an impact on performance. The Contractor and all associated subcontractors' employees shall comply with applicable installation, facility, and local security policies and procedures. The Contractor workforce shall comply with all personal identity verification (PIV) requirements as directed by Department of Defense (DOD), Headquarters Department of the Army (HQDA), and local policy. The COR/ACOR will request changes in Contractor security matters or processes if the Force Protection Condition (FPCON) at any individual facility or installation changes.

Contractor's personnel, whose tasks involve operation of any vehicles, shall possess a valid driver's license, certificates, and permits applicable for the type and class of vehicle being operated.

1.7.8.1 Access and General Protection/Security Policy and Procedures.

Contractor and all associated subcontractors' employees shall provide all information required for background checks to meet installation access requirements to be accomplished by installation Provost Marshal Office, Director of Emergency Services or Security Office. Contractor workforce must comply with all personal identity verification requirements (i.e., FAR clause 52.204-9, Personal Identity Verification of Contractor Personnel) as directed by DOD, HQDA and/or local policy. In addition to the changes otherwise authorized by the changes clause of this contract, should the Force Protection

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

Condition (FPCON) at any individual facility or installation change, the Government may require changes in contractor security matters or processes.

1.7.8.2 Physical Security.

At the close of each work period, the contractor shall ensure government facilities, equipment, and materials are secured.

1.7.8.3 Security Training.

In the event of a National Defense Emergency affecting Devens RFTA, the COR will immediately notify the contract POC. At that time, the contractor shall take immediate steps to cease all activities on the installation(s) and will cause all personnel to leave the installation(s) property until notice is given by the installation and COR that National Defense Emergency conditions are no longer in effect.

1.7.8.3.1 Anti-Terrorism (AT) Level I Training.

IAW Department of Defense Instruction (DoDI) 2000.16, Vol. 1 DoD Antiterrorism Standards and Army Regulation (AR) 525-13 Antiterrorism, all Contractor employees, including subcontractor employees, requiring access to Army installations, facilities, or controlled access areas shall complete Antiterrorism (AT) Level I awareness training within 30 calendar days after contract start date. The Contractor shall submit certificates of completion for each affected contract employee and subcontractor employee to the KO or COR within 30 calendar days after completion of training by all employees and subcontractor personnel on a recurring annual basis. AT Level I awareness training is available at the following site: <http://ko.jten.mil>.

- If access to a computer is not available, the Government will provide AT Level I training to Contractor employees within 30 business days after contract start and maintain a copy of the attendance roster for one (1) year. Any Contractor hired after contract start will be required to receive AT Level I training within 30 calendar days either online or as provided by the Government. The Contractor must present the training certificate to the KO or designated Government representative/COR within 30 calendar days.

1.7.8.3.2 iWATCH Training.

The Contractor shall brief the local iWATCH program (training standards provided by the Installation Anti-Terrorism Officer (ATO)) to all its' employees and associated subcontractors. This training is used to inform employees of the types of behavior to watch for and instruct employees to report suspicious activity to Devens RFTA, Military Police and the COR. The Contractor shall complete the training within 30 calendar days after contract award and within 30 calendar days of new employees commencing performance and send to the KO or designated Government representative/COR via both electronic and paper copy within 30 calendar days of completion.

1.7.8.3.3 Operational Security (OPSEC) Awareness Training.

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

For contracts that require OPSEC Training. All contractor employees, to include subcontractor's employees, requiring access to Army installation, facilities, controlled, access areas, and/or installation computers shall complete OPSEC Level I training within 30 days after contract start date or effective date of incorporation of this requirement into the contract. The Contractor shall provide either certificates of completion or dates of attendance ((training standards provided by the RA's Anti-Terrorism Officer (ATO)) for each affected contractor employee and subcontractor employee to the COR, or to the Contracting Officer if a COR is not assigned, with 15 calendar days after completion of training by all employees and subcontractor personnel.

1.7.8.3.4 Threat Awareness and Reporting Program Training.

For all DA contractors. Training will be completed within 30 days of assignment or employment to an organization and will undergo live environment TARP training will be completed annually IAW AR 381-12 Threat Awareness and Reporting Program. The Contractor shall provide either certificates of completion or dates of attendance ((training standards provided by the RA's Anti-Terrorism Officer (ATO)) for each affected contractor employee and subcontractor employee to the COR, or to the Contracting Officer if a COR is not assigned, with 15 calendar days after completion of training by all employees and subcontractor personnel.

1.7.8.3.5 Local Health Protection Conditions

Contractor will comply with all national and DoD policies with regard to health protection issues including pandemic outbreaks. Local Health Protection Conditions (HPCON) change based on risk levels in the surrounding area of Devens, MA in cooperation with local, state and national guidance. The Contractor shall comply with installation and higher headquarters policies aimed at mitigating the spread of dangerous communicable diseases.

1.7.8.4 Key Control.

The Contractor shall establish and implement methods of making sure all keys/key cards issued to the Contractor by the Government are not lost or misplaced and are not used by unauthorized persons. NOTE: All references to keys include key cards.

- No keys issued to the Contractor by the Government shall be duplicated.
- The Contractor shall develop procedures covering key control that shall be included in the QCP.
- Such procedures shall include turn-in of any issued keys by personnel who no longer require access to locked areas.

The Contractor shall establish and implement methods of making sure all keys/key cards issued to the Contractor by the Government are not lost or misplaced and are not used by unauthorized persons. NOTE: All references to keys include key cards. No keys issued to the Contractor by the Government shall be duplicated. The Contractor shall develop procedures covering key control that shall be included in the Quality Control Plan. Such procedures shall include turn-in of any issued keys by personnel who no

longer require access to locked areas. The Contractor shall immediately report any occurrences of lost or duplicate keys/key cards to the Contracting Officer.

1.7.8.4.1 Lost Keys.

Lost keys shall be reported to the COR and the KO. In the event keys, other than master keys, are lost or duplicated, the Contractor shall, upon direction of the Contracting Officer, re-key or replace the affected lock or locks; however, the Government, at its option, may replace the affected lock or locks or perform re-keying. When the replacement of locks or re-keying is performed by the Government, the total cost of re-keying or the replacement of the lock or locks shall be deducted from the monthly payment due the Contractor. In the event a master key is lost or duplicated, all locks and keys for that system shall be replaced by the Government and the total cost deducted from the monthly payment due the Contractor.

- No keys issued to the Contractor by the Government shall be duplicated.
- The Contractor shall immediately report any occurrences of lost keys/key cards to the KO in the event keys, other than master keys are lost or duplicated.
- In the event a key is lost, the Contractor shall, upon direction of the KO, have the Government re-key or replace the affected lock or locks.
- When the replacement of locks or re-keying is performed by the Government, the total cost of re-keying or the replacement of the lock or locks shall be deducted from the monthly payment due the Contractor.
- In the event a master key is lost, all locks and keys for that system shall be replaced by the Government and the total cost deducted from the monthly payment due the Contractor.

1.7.8.4.2 Prohibited use of Government provided keys or key cards.

The Contractor shall prohibit the use of Government issued keys/key cards by any persons other than the Contractor's employees.

- No keys issued to the Contractor by the Government shall be duplicated.
- The Contractor shall prohibit the opening of locked areas by Contractor employees to permit entrance of persons other than Contractor employees engaged in the performance of assigned work in those areas, or personnel authorized entrance by the KO.

1.7.8.5 Lock Combinations.

The Contractor shall establish and implement methods of ensuring that all lock combinations are not revealed to unauthorized persons.

- Whenever the contractor personnel who having access to the combination(s), no longer have a need to know such combination(s), the Contractor shall immediately notify the COR as soon as they become aware of the situation.
- These procedures shall be included in the Contractor's Quality Control Plan.

1.7.9 Post Award Conference/Periodic Progress Meetings.

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

The Contractor shall attend the post award conference convened by the Contracting Activity or Contract Administration Office as agreed upon and stated in the contract award document.

- When the KO, COR and DPW management meets with the Contractor to review the Contractor's performance, written minutes of meetings will be recorded by the Government and signed by the Requirements Authority (RA) and the KO.
- The written minutes will be distributed within five (5) business after the meeting.
- If any party does not concur with any portion of the minutes, the non-concurrence shall be provided in writing to the KO/COR within two (2) workdays following receipt of the minutes.
- Notwithstanding the Contractor's responsibility for total management during the performance of this contract, the administration of the contract requires maximum coordination and cooperation between the Government and the Contractor.

1.7.10 Government Roles and Responsibilities.

1.7.10.1 Contracting Officer (KO).

The KO is the only person authorized to make any changes in any of the requirements listed on this PWS; notwithstanding any provisions contained elsewhere in this contract, said authority remains solely with the KO.

- In the event the Contractor makes any change at the direction of any person other than the KO, the change will be considered to have been made without authority and solely at the risk and expense of the Contractor.
- All contract administration will be affected by the KO.
- Communications pertaining to contractual administrative matters shall be addressed to the KO.
- No changes in or deviations from the terms and conditions shall be affected without a written modification to the contract, executed by the KO authorizing such changes.
- The KO will approve all Deliverables and plans required in this PWS.

1.7.10.2 Contracting Officer's Representative (COR).

The KO will appoint a COR during the performance of this requirement.

- Additional Government personnel may be designated to assist in contract oversight IAW AR 70-13 Management and Oversight of Service Acquisitions.
- Other surveillance personnel may be designated as COR and shall be trained and appointed IAW DoDI 5000.72, Department of Defense (DoD) Standard for Contracting Officer's Representative (COR) Certification.
- The COR will provide assistance in identification and resolution of problems, conflicts in priority, subtask requirement definitions, and other operations type problems.
- The COR will perform IAW the responsibilities and duties identified in the appointment letter.

1.7.10.2.1 COR Authority.

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

A letter of designation will be issued to the COR by the KO.

- A copy of the letter will be sent to the Contractor.
- The letter of designation states the responsibilities and limitations of the COR, especially with regard to changes in cost, price estimates, or changes in delivery dates.
- The COR is not authorized to change any of the terms and conditions with regard to cost, quantity, or schedule of the resulting order.

1.7.10.2.2 COR or Designated Government Representative Functions.

The COR or designated Government representative shall monitor all technical aspects of the contract and assists in contract administration.

- The COR or designated Government representative is authorized to perform the following functions:
 - assure the Contractor performs the technical requirements of the contract;
 - perform inspections necessary in connection with contract performance;
 - maintain written and oral communications with the Contractor concerning technical aspects of the contract;
 - issue written interpretations of technical requirements;
 - monitor, document, and report Contractor's performance and notify both the KO and Contractor of any deficiencies;
 - coordinate availability of Government-Furnished Property and provides direction or assistance for site entry requests of Contractor personnel.

1.7.11 Specific Contractor Requirements, Roles and Responsibilities.

1.7.11.1 U.S. Residency.

All CONUS Contractor employees shall be legal U.S. residents.

- The Contractor shall immediately remove any employee that is not a legal U.S. resident.
- The Contractor personnel shall be able to communicate clearly in the English language.

OCONUS Contractors employees should primarily U.S. residents but may utilize legal host nation residents.

1.7.11.2 Contractor Hiring Restrictions.

The Contractor shall not hire or subcontract with off-duty or former Government employees whose employment would result in a conflict of interest as defined in DOD 5500.7-R Joint Ethics Regulation 30 August 1993, to include change dated 17 November 2011.

1.7.11.3 Contractor Identification.

The Contractor shall ensure that personnel be identified as a Contractor to distinguish themselves (e.g., badge, company logo, or uniform) from Government employees.

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

- The Contractor shall ensure all correspondence and reports produced are marked as Contractor products or that Contractor participation is disclosed.
- Contractor owned/leased vehicles and trailers shall be clearly identified.

1.7.11.4 Standards of Conduct.

Contractor personnel's conduct shall not reflect discredit upon the Government. The Contractor shall ensure all personnel present a professional appearance while working on the Government installation.

- The Contractor's employees shall observe and comply with all local policies and procedures concerning fire, safety, environmental protection, sanitation, security, and possession of firearms or other lethal or illegal weapons or substance.
- The Contractor shall ensure all Contractor employees, providing services under this contract, conduct themselves and perform services in a professional, safe, and responsible manner.
- The Contractor shall remove, from the job site, any employee for reasons of misconduct or security.
- The Contractor shall ensure employee conduct complies with 41 USC §423, *Procurement Integrity*.
- The Contractor shall also ensure that no Contractor employees conduct political related activities or events on the installation.
- The removal of such a person shall not relieve the Contractor of the requirement to provide personnel to perform adequate and timely service.

1.7.11.5 Contractor Key Personnel.

Contractor shall provide a resume of key personnel, who will be designated in writing, to the KO within one week of the contract award.

These key personnel shall be available during normal duty hours.

These individuals designated as key personnel shall be able to understand, speak, read, and write the English language.

1.7.11.5.1 Project Manager (PM).

The Contractor shall provide a PM who is responsible for the performance of the work.

- A minimum of two (2) years of documented service contract management experience with team management and scheduling of workflow is required.
- The PM shall have full authority to act for the Contractor on all contract matters relating to daily operation of the contract.
- The name and contact information of the PM shall be provided to the KO and shall be present and on-site, and available during normal duty hours.
- The PM shall be available by phone and email and return phone calls and emails within a designated time frame agreed upon between the COR and POC for the contract.
- In the circumstances when the PM is not available, the Contractor shall designate an alternate who can perform the same duties during the absence.

1.7.11.5.2 Quality Control Manager (QCM).

The Contractor shall designate a full time QCM on site during normal duty hours.

- As a minimum, the QCM shall have at least two (2) years of documented relative custodial services experience and shall be responsible for the overall management and implementation of the Contractor's Quality Control Plan.

1.7.11.5.3 Quality Control Inspectors (QCI).

The Contractor shall designate QCI personnel sufficient to monitor Contract work to assure compliance with Government requirements.

- Depending on the size of the contract, the QCM may also serve as the QCI.

1.7.11.6 Phase In /Phase Out Period.

The Contractor shall prepare and submit (within ten (10) business days after contract award), a Phase In/Phase Out Plan to be implemented by the Contractor (See Part 8, Attachment/Technical Exhibit Listing, paragraph 8.2, Deliverables Schedule, Deliverable,).

- The Contractor shall provide sufficient experienced personnel during the phase-in and phase-out period to ensure that the services are maintained at the required level of proficiency.
- During the phase-in, the Contractor shall observe all operations pertinent to the requirements of the PWS.
- The Contractor shall commence all operations required by this PWS by the end of phase in period.
- On the initial day of performance, the Contractor shall provide a work force which is fully qualified and capable of performing all work required under this contract.
- During the ten (10) business day transition period immediately prior to the end of the previous contract, the Contractor shall permit the successor Contractor (and the successor Contractor's employees) to observe and become familiar with any and all operations under the contract.
- The Contractor shall fully cooperate with the successor Contractor during Phase Out and the Government so as not to interfere with future work or duties.

1.7.11.7 Quality Control

The contractor shall develop and maintain an effective quality control program to ensure services are performed in accordance with this PWS. The contractor shall develop and implement procedures to identify, prevent, and ensure non-recurrence of defective services. The contractor's quality control program is the means by which he/she assures himself/herself that his/her work complies with the requirement of the contract. After acceptance of the quality control plan (QCP) the contractor shall receive the contracting officer's acceptance in writing of any proposed change to his QC system five (5) days prior to the plan being effected (See Part 8, Attachment/Technical Exhibit Listing, paragraph 8.2, Deliverables Schedule, Deliverable).

1.7.11.8 Emergency Services.

1.7.11.8.1 Emergency Medical Treatment.

The Contractor or their employees shall immediately notify their supervisor of any incident requiring immediate emergency medical treatment.

Emergency medical treatment and services for Contractor personnel is the responsibility of the Contractor.

1.7.11.9 Accident Reporting.

- The Contractor shall comply with Operational Safety and Health Administration (OSHA) for record keeping and reporting of all accidents resulting in death, injury, occupational disease, or adverse environmental impact. The Contractor shall have competent personnel trained and capable of dealing with minor personnel injuries. The Contractor of their employees shall immediately notify their supervisor of any accident requiring emergency medical treatment.
- The Contractor shall provide a verbal report to the KO/COR within two (2) hour of each such occurrence followed up by an email documenting each such occurrence (See Part 8, Attachment/Technical Exhibit Listing, paragraph 8.2, Deliverables Schedule, Deliverable).
- The Contractor shall adhere to reporting of mishaps IAW AR 385-10, The Army Safety Program (Chapter 3 Accident Investigation and Reporting, Chapter 4 Contracting Safety) and DA Pam 385-40, Army Accident Investigations and Reporting.

1.7.11.10 Environment and OSHA.

IAW para. 1.4 Scope, any apparent conflict between compliance (with such local, State, and Federal environmental and occupational safety laws, rules, and regulations) and the requirements of the contract shall be immediately brought to the attention of the KO and authorized representative(s) (i.e., Environmental Officer, Safety Officer, and COR) verbally.

- The Contractor shall notify the KO and authorized representative(s) via email outlining the details for each said conflict such that a final resolution is derived (See Part 8, Attachment/Technical Exhibit Listing, paragraph 8.2, Deliverables Schedule, Deliverable).
- The Contractor shall be liable for all fines, penalties, and costs that result from violations of, or failure to comply with para. 1.4 Scope.

1.7.11.10.1 Safety.

The Contractor shall safeguard and maintain all Government and Contractor property, as well as provide for the safety and well-being of personnel employed under this contract.

- The Contractor shall comply with AR 385-10, *The Army Safety Program*.

(ISR/ABSS 402 - Custodial Services) (U)

- All unsafe acts or conditions fostered by the Contractor or Contractor personnel may be grounds for the KO to halt any and all Contractor performance until such unsafe conditions are corrected.
- The Contractor shall take due caution not to endanger personnel during performance of this contract.
- Upon discovery of a serious hazard, the Contractor shall immediately notify the KO and designated authorized representatives verbally followed up with an email notification.

1.7.11.10.2 Safety Plan.

The Contractor shall develop and implement a safety plan for its employees.

- The Contractor shall submit the safety plan to the KO/COR for review and acceptance within 30 business days after contract award (See Part 8, Attachment/Technical Exhibit Listing, paragraph 8.2, Deliverables Schedule, Deliverable).
- Revisions shall be submitted to the KO/COR five (5) business days prior to the effective date of change (See Part 8, Attachment/Technical Exhibit Listing, paragraph 8.2, Deliverables Schedule, Deliverable).

1.7.11.10.3 Spill Plan.

The Contractor shall comply with the Devens RFTA Spill Prevention Control and Countermeasure Plan (TE-7).

- The Contractor shall adhere to the installation Spill Plan procedures.
- The Contractor shall verbally notify the KO and COR, followed by written notification as required in the Devens RFTA Spill Plan, if the Contractor spills or releases any hazardous substances, (*i.e.*, substances listed in 40 CFR 302, *Designation, Reportable Quantities, and Notification.*)

1.7.11.11 Asbestos Awareness.

NA

1.7.12 Environmental Compliance.

The contractor shall implement the following environmental objectives in accordance with FAR 23.4; FAR 23.7; FAR 52.223-1 through 52.223-5; and based on EPA-issued guidance):

- Maximize the utilization of environmentally preferable products.
- Maximize the utilization of bio-based products. See USDA-designated items at <http://www.biopreferred.gov> or 7 CFR part 3201.
- Maximize the reutilization of nonhazardous and recovered materials.
- Eliminate or reduce the generation of hazardous waste and the need for special material processing (including special handling, storage, treatment, and disposal).

1.7.13 Safety Data Sheets.

For materials that have Safety Data Sheets (SDS) associated with them, the Contractor shall submit the SDS to the KO or designated Government representative (i.e., COR) for approval five (5) business days after contract award.

- The Contractor shall adhere to all applicable requirements of the Installation Hazardous Waste Management Plan.
- The Contractor shall provide all materials, labor, training, transportation, and equipment for the handling and storage of hazardous materials or toxic materials.

PART 2 DEFINITIONS & ACRONYMS

2.0 Definitions and Acronyms.

2.1 Definitions.

2.1.1 AbilityOne Commission.

Formally known as “The Committee For Purchase For People Who Are Blind Or Severely Disabled”. This is the independent Government Agency responsible for the AbilityOne Program. (For more information, go to website <http://www.AbilityOne.gov>)

2.1.2 Acceptable Quality Level (AQL).

The AQL is the maximum percent defective (or the number of defects per hundred units) that, for purposes of sampling inspection can be considered satisfactory.

2.1.3 Carpet Care.

Cleaning and maintenance to keep carpet reasonably free of all stains, soil, and dirt. Methods used for carpet care are vacuum cleaners and carpet shampoos.

2.1.4 Child, Youth and School Services (CYSS).

Overarching naming convention for Child Development Center (CDC); Youth Activity Center (YAC); and School Age Services (SAS) are Child, Youth and School (CYS), Services (CYSS). CYSS shall be used when referring to all programs.

2.1.5 Cleaning.

Removing stains, soil, and dirt. May be accomplished by chemical or mechanical means.

2.1.6 Contractor.

A supplier or vendor awarded a contract to provide specific supplies or service to the Government. The term used in this contract refers to the prime.

2.1.7 Contractor Acquired Property (CAP).

Property acquired, fabricated, or otherwise provided by the Contractor for performing a contract and to which the Government has title.

2.1.8 Contracting Officer (KO).

A person with authority to enter into, administer, and or terminate contracts, and make related determinations and findings on behalf of the Government. Note: The only individual who can legally bind the Government.

2.1.9 Contracting Officer's Representative (COR).

An employee of the U.S. Government appointed by the contracting officer to administer the contract. Such appointment shall be in writing and shall state the scope of authority and limitations. This individual has authority to provide technical direction to the Contractor as long as that direction is within the scope of the contract, does not constitute a change, and has no funding implications. This individual does NOT have authority to change the terms and conditions of the contract.

2.1.10 Deficient Service.

A service output that does not meet the standard of performance associated with the Performance Work Statement.

2.1.11 Deliverable.

Objective evidence that can be physically delivered but may include non-manufactured things such as meeting minutes or reports.

2.1.12 Disinfect.

This is the process of removing dirt and bacteria, with physically removing debris and bacteria with a chemical solution, killing any remaining germs on surfaces, which further reduces any risk of spreading infections and/or diseases.

2.1.13 Dry Buffing.

Procedure to utilize floor, buffing equipment to remove minor scratches and scuff marks without applying solution or wax.

2.1.14 Equipment.

A tangible item that is functionally complete for its intended purpose, durable, nonexpendable, and needed for the performance of a contract. Equipment is not intended for sale and does not ordinarily lose its identity or become a component part of another article when put into use. Equipment does not include material, real property, special test equipment or special tooling.

2.1.15 Exterior Windows

Windows surrounding entrances and exits of contracted buildings but not windows located on exterior walls.

2.1.16 Government Furnished Property (GFP).

Property in the possession of, or directly acquired by, the Government and subsequently furnished to the Contractor for performance of a contract. Government-furnished

property includes, but is not limited to, spares and property furnished for repair, maintenance, overhaul, or modification. Government-furnished property also includes Contractor-acquired property if the Contractor-acquired property is a deliverable under a cost contract when accepted by the Government for continued use under the contract.

2.1.17 Government Property.

All property owned or leased by the Government. Government property includes both Government- furnished property and Contractor-acquired property. Government property includes material, equipment, special tooling, special test equipment, and real property. Government property does not include intellectual property and software.

2.1.18 Government Project Manager.

The DPW Engineering Division, Project Engineer/Technician (i.e., COR/ACOR/COTR) assigned to manage this PWS.

2.1.19 Hard Surface Floor Care.

Hard surface floor care includes, but is not limited to tile, vinyl, rubber tile, mosaic tile, quarry tile, ceramic tile, marble, concrete, terrazzo, and linoleum. Floor care includes, but is not limited to dust mopping, wet mopping, scrubbing, stripping, waxing, re-finishing, or sealing.

2.1.20 High-efficiency Particulate Air Vacuum Cleaners (HEPA).

HEPA stands for high-efficiency particulate air, and it typically refers to a filter inside a machine. A true HEPA filter can trap 99.97 percent of airborne particles, minimizing dust, dander, and other common allergens in the air.

2.1.21 Heating, Ventilation and Air Conditioning (HVAC).

HVAC refers to the different systems used for moving air between indoor and outdoor areas, along with heating and cooling both residential and commercial buildings.

2.1.22 Institute of Inspection, Cleaning and Restoration Certification (IICRC).

The certification and standard-setting non-profit organization for the inspection, cleaning, and restoration industries.

2.1.23 Interior Window.

Windows surrounding interior entrances and exits but not windows located on an exterior wall.

2.1.24 International Sanitary Supply Association (ISSA).

The leading resource for information, education, networking, and industry standards.

2.1.25 Lavatories/Latrines/Bathrooms.

A room containing commodes, urinals, toilets, partitions/stalls, washbasins, bathtubs, shower stalls, sinks, lavatories, faucets, fixtures, mirrors, floors, walls, and dispensers (soap, paper towels, toilet tissue).

2.1.26 Legal and Other Requirements.

Applicable Federal, State, local, DoD and Army laws, codes, regulations and other requirements.

2.1.27 Loss of Government Property.

Unintended, unforeseen, or accidental loss, damage, or destruction of Government property that reduces the Government's expected economic benefits of the property. Loss of Government property does not include occurrences such as purposeful destructive testing, obsolescence, normal wear and tear, or manufacturing defects. Loss of Government property includes, but is not limited to:

- Items that cannot be found after a reasonable search;
- Theft;
- Damage resulting in unexpected harm to property requiring repair to restore the item to usable condition; or
- Destruction resulting from incidents that render the item useless for its intended purpose or beyond economical repair. Contractor shall prepare damage reports monthly and submit to COR.

2.1.28 Material.

Property that may be consumed or expended during the performance of a contract, component parts of a higher assembly, or items that lose their individual identity through incorporation into an end-item. Material does not include equipment, special tooling, and special test equipment or real property.

2.1.29 Non-Personal Services.

The personnel rendering the services are not subject; either by the contract's terms or by the manner of its administration, to the supervision and control usually prevailing in relationships between the Government and its employees. Non personal service contracts are authorized by the Government in accordance with FAR 37.012, under general contracting authority, and do not require specific statutory authorization.

2.1.30 Performance Requirements Summary (PRS).

Identifies the key service outputs of the Contractor.

2.1.31 Physical/Community Fitness Centers.

Physical/Community Fitness Center facilities may include a gymnasium, athletic courts, work out areas, weight rooms, showers, restrooms, locker rooms, indoor hand ball courts, whirlpool, sauna, administrative space, and storage space. Outdoor fitness/recreation facilities, indoor/outdoor swimming pools, ice- and/or roller-skating rinks, physical educational training facilities, and buildings that house a fitness center are not included.

2.1.32 Physical Security.

Actions that prevent the loss or damage of Government property.

2.1.33 Property.

All tangible property, both real and personal.

2.1.34 Property Records.

Records created and maintained by the Contractor in support of its stewardship responsibilities for the management of Government property.

2.1.35 Provide.

To furnish, as in Government-furnished property, or to acquire, as in Contractor-acquired property.

2.1.36 Public Traffic Areas.

Lobbies, hallways, corridors, stairwells, meeting rooms, and lavatories.

2.1.37 Quality Assurance.

The Government procedures to verify that services being performed by the Contractor are performed according to acceptable standards.

2.1.38 Quality Assurance Surveillance Plan (QASP).

An organized document written by the Government specifying the surveillance methodology used for surveillance of Contractor performance.

2.1.39 Quality Control.

All necessary measures taken by the Contractor to assure that the quality of an end product or service shall meet contract requirements.

2.1.40 Real Property.

See Federal Management Regulation 102-71.20 (41 CFR 102-71.20).

2.1.41 Recyclable Materials.

Materials that are separated from mixed municipal solid waste for the purpose of reuse, donation, recycling, or composting, including paper, glass, plastics, metals, automobile oil, batteries, source-separated compostable materials, and sole source food waste streams that are managed through bio-degradative processes. Please see the Army QRP Handbook (May 2020 or most current) and DoDI 4715.23, Integrated Recycling and Solid Waste Management for a list of recyclable materials.

2.1.42 Sanitize.

The process that destroys or eliminates all forms of microbial life and is carried out by physical or chemical methods, which lowers the number of germs on a surface to a safe level as determined by Public Health Standards.

2.1.43 Schedule of Services

A log that includes relevant custodial cleaning task practices and the dates custodial cleaning task is to be completed IAW PWS performance standards.

2.1.44 Sensitive Property.

Property potentially dangerous to the public safety or security if stolen, lost, or misplaced, or that shall be subject to exceptional physical security, protection, control, and accountability. Examples include weapons, ammunition, explosives, controlled substances, radioactive materials, hazardous materials or wastes, or precious metals.

2.1.45 Service Calls.

Service calls are One-Time/On-call Services for standard service requirements, such as replenishing of restroom supplies.

2.1.46 Soil.

Includes, but is not limited to dust, dirt, stains, grease, smudges, streaks, spots, lint, or odors. Soil can be removed chemically, mechanically, or by a combination of both. Mechanical soil removal is removing soil with a machine such as a vacuum cleaner. Chemical soil removal is removing soil with a liquid that contains cleaning agents such as detergents, surfactants, and emulsifiers. The combination of chemical and mechanical methods such as an automatic floor-scrubbing machine uses the chemical method to breakdown and loosen soil then the mechanical method picks up and carries the soil away. Which soil removal method is used depends on the cleaning objectives and on size, location, and type of surface to be cleaned and is determined by the Contractor.

2.1.47 Spill Plan.

A plan designed to identify steps to prevent a discharge of one or more hazardous substances that adversely impact, or threaten to adversely impact, human health, welfare, or the environment and requires an immediate response.

2.1.48 Spray Buffing.

Procedure to apply a light coat of wax to maintain the waxed floor after removing minor scratches and scuffmarks.

2.1.49 Spot Cleaning.

A spot is defined as approximately 12" x 12". Carpet surfaces shall be free of removable spots, soiled traffic patterns, debris, gum, and crusted materials. Cleaning small areas of carpet by vacuuming, hot water extraction, or shampooing due to accumulation of dirt or soil on heavy traffic patterns or due to leaks or spillage on small areas of floor surface. Spot cleaning is also removal of spots from walls, ceilings, and floors, utilizing compatible, surface appropriate, techniques and solutions.

2.1.50 Stairwell Cleaning.

Cleaning to standard of stairwells in PWS covered buildings. This process includes the cleaning of steps, landings, walls, and handrails.

2.1.51 Stripping.

The removal of floor finishes down to the flooring material. Appropriate grade synthetic nylon floor maintenance pads or brushes may be used on resilient floors. Stripping of a floor means floor surfaces are free of dirt, stains, deposits, cleaning solutions, standing water, and have a uniform appearance when dry. Stripping of floor surfaces includes utilizing procedures and equipment to prevent safety hazards.

2.1.52 Subcontractor.

One that enters into a contract with a prime Contractor. The Government does not have privity of contract with the subcontractor.

2.1.53 Sweep.

Process of utilizing manual brush type of device to remove dirt and debris from surfaces.

2.1.54 Trash Removal.

Trash removal with respect to custodial services includes the removal of designated trash, recyclable materials, and other debris from buildings. This includes but is not limited to wastebaskets, boxes, recycle bins or any other container used for recycling and solid waste collection in order to meet federal, DoD and State solid waste diversion

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

goals. Note: Future HQDA requirements may require personnel to remove deskside wastebasket and recycle bin contents to a centralized location (e.g., 96-gallon containers inside the building or outside dumpsters).

2.1.55 Wide Area Workflow (WAWF).

A secure web system for electronic invoicing, receipt, and acceptance. WAWF allows Government vendors to submit and track invoices and receipt/acceptance documents over the web and allows Government personnel to process those invoices in a real-time, paperless environment.

2.1.56 Workday.

The number of hours per day the Contractor provides services in accordance with the contract.

2.1.57 Work Week.

Monday through Friday, unless specified otherwise (Installation specific or as defined by the Collective Bargaining Agreement).

2.2 ACRONYMS.

ACC	Army Contracting Command
ACS	Army Community Service
ACOR	Alternate Contracting Officer's Representative
ANSI	American National Standards Institute
APHC	Army Public Health Command
APPA	Association of Physical Plant Administrators (now known as Association of Higher Education Facilities Officers)
AQL	Acceptable Quality Level
AR	Army Regulation
ATO	Anti-Terrorism Officer
CAP	Contractor Acquired Property
CDC	Child Development Center
CDC	Centers for Disease Control and Prevention
CFE	Contractor Furnished Equipment
CFM	Contractor Furnished Material
CFP	Contractor Furnished Property
CFR	Code of Federal Regulations
CIMS	Cleaning Industry Management Standard
CIMS-GB	Cleaning Industry Management Standard-Green Building
CLIN	Contract Line-Item Number
CONUS	Continental United States (excludes Alaska and Hawaii)
COR	Contracting Officer's Representative
CPARS	Contractor Performance Assessment Reporting System
DA	Department of the Army
DES	Directorate of Emergency Services
DFARS	Defense Federal Acquisition Regulation Supplement
DoD	Department of Defense
DOL	Department of Labor
DPW	Directorate of Public Works
ENV	Environmental
FAR	Federal Acquisition Regulation
FIPS	Federal Information Processing Standards
FPCON	Force Protection Condition
GFE	Government-Furnished Equipment
GFM	Government-Furnished Material
GFP	Government-Furnished Property
GOV	Government
HEPA	High-Efficiency Particulate Air
HQDA	Headquarters Department of the Army
HSPD	Homeland Security Presidential Directive
HVAC	Heating, Ventilation and Air Conditioning
IAW	In Accordance With
IG	Inspector General
IICRC	Institute of Inspection, Cleaning and Restoration Certification
IMCOM	Installation Management Command
ISSA	International Sanitary Supply Association
KO	Contracting Officer

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

LOR	Legal and Other Requirements
MEDCOM	HQDA, US Army Medical Command
N/A	Not Applicable
NIH	National Institutes of Health
NLT	Not Later Than
OCI	Organizational Conflict of Interest
OCONUS	Outside Continental United States (includes Alaska and Hawaii)
OPSEC	Operational Security
OSHA	Occupational Safety and Health Administration
PAM	Pamphlet
PFC	Physical Fitness Centers
PIEE	Procurement Integrated Enterprise Environment
PM	Project Manager
POC	Point of Contact
PoP	Period of Performance
PRS	Performance Requirements Summary
PUB	Publication
PWS	Performance Work Statement
QA	Quality Assurance
QAP	Quality Assurance Program
QASP	Quality Assurance Surveillance Plan
QC	Quality Control
QCP	Quality Control Plan
RCRA	Resource Conservation and Recovery Act
SAM	System for Award Management
SDS	Safety Data Sheets
SF	Square Foot
SPM	Surveillance and Performance Monitoring
SSP	Service Support Program
TARP	Threat Awareness and Reporting Program
TIP	Technical Information Paper
TE	Technical Exhibit
U.S.C.	United States Code
VIP	'Very Important Person
WAWF	Wide Area Workflow
WD	Wage Determination
YC	Youth Centers

PART 3

GOVERNMENT FURNISHED PROPERTY, EQUIPMENT, AND SERVICES

3.0 Government Furnished Property, Equipment and Services.

3.1 General

NA

3.2 Basic Requirements

- Contractor is responsible for securing the (facility/area(s)) during the workday, after hours, weekends and holidays.
- Contractor storage of equipment, materials and supplies on site is at no risk to the government.
- Contractor is responsible for the security of property, equipment, vehicle, and stored materials and supplies.
- The Government is not responsible for acts of vandalism or arson.

3.3 Facility/Area(s)

- Contractor will inventory any existing equipment, materials, and supplies that are on-site with the COR at initial occupation.
- Contractor shall be responsible for cleaning and maintaining the appearance of the facility provided for their operations and storage of chemicals and supplies.
- Contractor will be responsible for maintaining/repairing any subsequent damage caused to the facility provided for their operations and storage of chemicals and supplies.
- Contractor will be responsible for masking/screening from public view the storage of equipment, materials and supplies stored outside of the facility provided for their operations and storage of chemicals and supplies.
- Contractor shall not use shipping containers, mobile trailers, outdoor sheds, or other structures, i.e., plywood boxes for additional storage.
- The COR may inspect the facility provided for their operations and storage of chemicals and supplies at any time for compliance.

3.4 Privately Owned Vehicles (POVs)

- Contractor personnel may drive their POVs to the (building/fenced lot) and park them for the workday. Vehicle Operators will need Vehicle Registration, Proof of Insurance, and a valid Driver's License.
- Contractor personnel will not drive their POVs to the work area and work out of their POVs.
- Fifth-wheel, low-boy trailers, etc. shall not be parked in the POV parking area.

3.5 Utilities and Services

The Government will provide

- Water, solid waste/recycling removal, sewer, electricity from existing outlets, and heating for facilities being serviced at no additional cost to the Contractor. The Contractor shall make no changes to existing electrical outlets or service fixtures unless approved by the Installation DPW and KO. Contractor personnel shall not utilize telephones located in buildings receiving service unless prior consent is obtained from the KO. Contractors shall follow Government policy related to Electric vehicle recharging stations.
 - The Contractor shall instruct employees in utilities conservation practices. The contractor shall be responsible for operating under conditions that preclude the waste of utilities, which include turning off lights when not being used, keeping doors to the building shut when not in use and turning off the water faucets or valves immediately after use.
- Mowing or Snow removal of parking lot(s)

3.6 Materials and Supplies.

NA

PART 4

CONTRACTOR FURNISHED MATERIALS AND EQUIPMENT

4.0 Contractor Furnished Materials and Equipment.

4.1 General.

The Contractor shall furnish all supplies, equipment, facilities, and services required to perform work under this contract that are not listed under Section 3 of this PWS, e.g.,. The Contractor shall ensure all materials and supplies provided meet applicable Federal, State, local, DoD and Army laws, codes, regulations, and other requirements.

4.2 Classified Controlled Facility Clearance.

Certain facilities requiring performance under this contract contain sensitive data/documentation which limits access to these facilities. Contractor performance in these restricted buildings/areas will require Government personnel escort at all times. The Contractor is required to provide a cleaning schedule to the COR identifying when they will be performing in the restricted areas so the Government can ensure an escort is available. The Contractor shall provide the COR lists of personnel assigned to provide custodial services in special security buildings/areas prior to commencing work under this contract. This personnel roster shall include the employee's full name and position held. The Contractor shall update and provide the COR this roster whenever personnel changes occur during the duration of the contract. If required, the Government will provide a National Agency Check (NAC) for these personnel.

4.3 Materials and Supplies.

The Contractor shall furnish all materials and supplies necessary to meet the requirements under this contract except that which is furnished by the Government (as specified in Part 3). The Contractor shall ensure all materials and supplies provided meet applicable Federal, State, local, DoD and Army laws, codes, regulations, and other requirements.

The Contractor shall provide:

1. Liquid, germicidal hand soap for installed liquid soap dispensers, and/or hand size push/pump liquid germicidal soap if installed dispensers are non-operational or are being repaired/replaced.
 2. Body wash for dispensers located in showers.
 3. 2-ply toilet tissue
 4. Plastic trash can liners/bags, suitable for the type of trash receptacle
 5. Paper towels, bi-fold, trifold or roll dispenser type.
 6. Mops, buckets, brooms, dust pans, vacuums, dusting cloths, etc.
- The Contractor shall provide all supplies, tools, and clothing (including personal protective clothing and equipment for Contractor employees when required by

OSHA regulations, 29 CFR 1910, SUBPART I) required to meet the terms of the contract.

- The Contractor shall procure and provide 'Bio-Preferred' materials and supplies to meet mandatory purchasing requirements outlined in the Agriculture Improvement Act of 2018 (Section 9002), FAR Section 52.223-2 - Affirmative Procurement of Biobased Products Under Service and Construction Contracts, and FAR Subpart 23.4 - Use of Recovered Materials and Biobased Products.
 - The Contractor shall utilize 'Bio-Preferred Reporting' through the System of Award Management (SAM) located at SAM.gov per Policy Alert #20-109.

4.3.1 List of Cleaning Products

Prior to contract startup, the Contractor shall submit to the COR for approval, a list of proposed cleaning products, along with log of the Safety Data Sheets (SDS), to be used in accordance with the contract specifications (Submittal).

- Once initial cleaning products are approved for use, the Contractor shall submit for approval any new or substitute products along with the related SDS (Submittal)
- The Contractor shall keep an ongoing log (with attached SDSs, as required) which details all materials and supplies currently in use, all materials and supplies that remain but are no longer used, and a list of materials and supplies stored in vehicles and/or storage containers/rooms/sites purchased in association with meeting the requirements of this PWS.
- The Contractor shall submit a list of monthly consumables and cleaning supplies.

4.3.2 Known Hazards

The Contractor shall not expose building occupants and/or personnel to known hazardous chemical, biological and particle contaminants, which adversely affect air quality, health, building finishes, building systems, and the environment.

- The Contractor shall consider environmental and safety elements in the low-impact environmental cleaning policy.
- The Contractor shall adhere to Industry best practices and comply with local regulatory requirements, such as Green Seal GS-37 standard, or if GS-37 is not applicable (e.g., for products such as carpet cleaners, floor finishers or stripper), use products that do not exceed maximum allowable Volatile Organic Chemical (VOC) levels.
- The Contractor shall adhere to Green procurement requirements outline in AR 70-1 4-10.a. and CIMS-GB standards.

4.3.3 Cleaning Solutions Requirements

- Products for cleaning the carpet shall be an approved pre-spray, in-tank, or spotter, approved by The Carpet and Rug Institute's Seal of Approval - Solution (<http://www.carpet-rug.org>).

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

- All SDS sheets on products to be provided and in compliance with product requirements (e.g., EPA, CDC, NIH, APHC, ...)
- Carpet Manufacturers recommendations.
- All wastewaters shall be disposed of properly in a sanitary sewer.

4.4 Equipment.

The Contractor shall furnish all equipment necessary to meet the requirements under this contract. The Contractor shall ensure all equipment shall meet applicable Federal, State, local, DoD and Army laws, codes, regulations, and other requirements. In addition, the Contractor shall maintain or have backup capability to provide continued service in the event primary equipment or vehicles are down for extended maintenance or repairs. Equipment failure shall not alleviate the Contractor from performing any requirement contained in this contract. Equipment shall include all necessary and customary hand and mechanical appliances routinely used for custodial operations.

4.4.1 Carpet, Tile / Grout Cleaning

Carpet cleaning and tile / grout cleaning shall be done using equipment, materials, and chemicals that have been certified by The Carpet and Rug Institute (<http://www.carpet-rug.org>) with a GOLD rating (or equivalent standard).

4.4.2 Unserviceable Contractor Equipment.

Contractor furnished equipment or items, inoperable or unserviceable for whatever reason including failure to meet Federal, State, or local safety requirements, shall be removed from the installation within twenty-four (24) hours after failure except items undergoing maintenance by the Contractor in Government provided facilities. Equipment that is not repaired within thirty (30) calendar days shall be removed from the installation.

PART 5 SPECIFIC TASKS

5.0 Specific Tasks for General Cleaning.

5.1 General.

- The Contractor shall provide all management, tools, equipment, and labor necessary to ensure that custodial services are performed at Devens RFTA. See Part 4 Contractor Furnished Items and Services.
- The Contractor shall accomplish all cleaning tasks described in this PWS IAW the Enterprise Municipal Custodial Services Performance Standards and Frequencies, detailed in Part 8 Attachment/Technical Exhibits, TE-4 Enterprise Municipal Custodial Services Performance Standards and Frequencies.
- Estimated square footages for building areas where custodial services are to be performed are depicted in Part 8 Attachment/Technical Exhibits, TE-4.
- The Contractor shall respond to service calls (unscheduled work performed) within 24 hours.
- All work performed by the Contractor shall be performed in accordance with all applicable laws, regulations, Army standards, instructions, and commercial practices.
- Contractor shall display the appropriate caution signs when cleaning floors or any other surface that might pose a risk of injury to personnel who may be present.

5.2 Perform Special Event Cleanings (i.e. VIP and/or event cleaning).

- The Contractor shall provide Custodial Services for special events, which shall be outside of the established frequencies for custodial services as directed by the KO.
- These events include, but are not limited to,
 - VIP visits, Inspector General (IG) Team visits, Visiting Dignitaries, and,
 - Non-Standard Training, a summer camp, and sheltering from inclement weather cleaning, etc.
- The KO will notify the Contractor of the requirement as soon as it is known, but no less than seventy-two (72) hours prior to the event.
- The Contractor shall complete all cleaning tasks four (4) hours prior to each event, and possibly during and after depending on the event situation.

5.3 Specific Tasks for scheduled general cleaning.

Tasks required to deliver quality custodial services in a timely manner for scheduled general cleaning substantially conform to nationally recognized standards IAW 40 CFR § 102-74.35. The common standards set forth are from the International Sanitary Supply Association (ISSA), Cleaning Industry Management Standard (CIMS), American National Standards Institute /Institute of Inspection Cleaning and Restoration Certification (ANSI/IICRC) - Standard for Professional Cleaning of Textile Floor

Coverings S100 and ANSI/IICRC - Standard for Professional Inspection of Hard Surface
Floor Coverings S220

5.3.1 Hard Floors. (Vinyl, Ceramic, Wood, Concrete, etc.).

The Contractor shall accomplish cleaning by the most appropriate method (vacuum, sweep, mop, spot clean, etc.) and with cleaning solutions, if applicable, for the specific floor type.

- The Contractor shall move chairs, trash receptacles, or other easily moveable items to maintain floors underneath these items.
- Hard floors shall be cleaned, scrubbed, sealed, polished, waxed, and stripped.
- After cleaning floor surfaces, to include grout, the Contractor shall ensure hard floors have a uniform, clean appearance without streaks, swirl marks, detergent residue, or any evidence of soil, stain, film, or standing water.
- Baseboards and corners shall also be clean.

5.3.1.1 Spray and Buff.

- The Contractor shall spray and buff or burnish as appropriate all floors requiring floor maintenance and floor finish.
- The Contractor shall prep (scrub and scrape) the floor to receive spray and buff treatment.
- Spray and buff treatments do not apply to any flooring that is not designed to accept floor finish such as ceramic or glazed tile.

5.3.1.2 Stripping/Scrub/Finishing.

- The Contractor shall prep (scrub and scrape) the floor to receive stripping/scrub/finishing treatment.
- The Contractor shall strip, scrub, scrape, seal, and apply floor finish resulting in a uniform glossy appearance after custodial services have been performed.
- The Contractor shall ensure the applied floor finish is non-skid.
- The Contractor shall move chairs, trash receptacles, or other easily moveable items to maintain floors underneath these items.
- The Contractor shall remove all stripping solution, sealant, and any residue from floor drains immediately upon completion of service.

5.3.1.2.1 Floor Finish Remover.

An approved Green Seal (or equivalent) low VOC floor finish remover shall be used to remove (acrylic or metal-linked) polymer floor finish and water emulsion concrete and terrazzo sealants from resilient tile, terrazzo, and concrete floors.

5.3.1.3 Wet Mop.

Contractor shall wet mop non-carpeted floors to include entrances, vestibules, lobbies, stairways, landings, and risers, using water and industry standard cleaning solutions for the specific floor type/material being cleaned.

(ISR/ABSS 402 - Custodial Services) (U)

- Wet mopping of bare floors shall be cleaned using sanitizing cleaner(s) with additional scrubbing, if necessary.
- There shall be no visible buildup of finish in corners or crevices.
- Contractor shall mop underneath easily moveable items.
- After being mopped, the floor, all types shall have a uniform clean appearance without streaks, swirl marks, detergent residue or any evidence of soil, stains, film debris or standing water. No mop strands shall remain in the area
- There shall be no splash marks, mop streaks or equipment markings on furniture, walls, baseboards, trash receptacles, or other surfaces.
- Floors will be slip resistant. Surfaces, baseboards, and corners shall be clean and dry.
- Any/All mops and cleaning cloths used shall be cleaned and sanitized before and after each use (except as stated below).
- Mops and cleaning cloths used in restrooms, including diapering areas in restrooms and CDCs, will not be used to clean any other areas.

5.3.2 Carpeted Floors.

When providing scheduled custodial services, the Contractor shall ensure the carpets are maintained free of soil, dirt, debris, litter, and other foreign matter by effective vacuuming.

- The Contractor shall move chairs, trash receptacles, or other easily moveable items, that weigh 20 pounds or less, or which can be moved by one person to maintain floors underneath these items.
- The Contractor shall vacuum carpeted floors and rugs with a low noise, industrial-type vacuum cleaning system that has been certified with a GOLD rating by the Carpet and Rug Institute (<http://www.carpet-rug.org>) with a HEPA filter system.

5.3.2.1 Removable Walk off Mats.

- The Contractor shall vacuum and clean interior floor mats.
- Floor mats shall be free of all visible lint, litter, debris, soil, sand, and other foreign matter.
- Soil and moisture underneath mats shall be removed, and mats returned to their normal location.
- Floors under walk-off mats shall be dry before the mats are replaced.

5.3.2.2 Carpet Cleaning and Shampooing.

The Contractor shall clean carpets using an extractor approved by the KO and Carpet and Rug Institute (<http://www.carpet-rug.org>) with a GOLD rating.

- The Contractor shall not move chairs, trash receptacles, or other easily moveable items to maintain floors underneath these items.
- An Extraction Method shall be used IAW standard commercial practice (approved by the Carpet and Rug Institutes with a GOLD rating or equivalent) and follow the Institute of Inspection, Cleaning and Restoration Certification (IICRC) standards S100.

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

- A heavy-duty spot remover, approved by the Carpet and Rug Institutes with a GOLD rating or equivalent, shall be required in heavily soiled areas.
- Stains which are not easily removed by normal cleaning processes shall be treated using an alternate approved by the Carpet and Rug Institutes with a GOLD rating or equivalent.

5.3.2.3 Spot Cleaning Carpets.

The Contractor shall spot clean floor surfaces to remove stains one (1) square foot or less.

- Cleaning Process shall follow the IICRC standards S100.
- Cleaned areas shall match the surrounding area for color and texture
- Areas that are embedded to the point of non-removal and have been treated during two (2) consecutive cleanings and resists removal shall be annotated to the COR/ACOR for resolution.

5.3.3 Quarry / Ceramic / Porcelain Tile Cleaning:

- Tile shall be cleaned in accordance with standard commercial practice using approved commercial equipment.
- The Contractor shall not move chairs, trash receptacles, or other easily moveable items to maintain floors underneath these items.
- Furniture and equipment shall be returned to their original locations prior to 0730 hours the following day. Interim cleaning such as encapsulation and bonnet cleaning shall be used to maintain appearance and treat spots/stains.
- Stains which are not easily removed by normal cleaning processes shall be treated using an approved alternate method.
- Spills are to be treated when reported or within the next service cycle to reduce the chance of staining.
- The Contractor is required to coordinate the scheduling of this cleaning with the building/facility managers (or alternate building/facility manager) and the COR.
- Quarry / ceramic tile and grout shall be free of soiling, marks, and stains and free of chemical residue. All cleaning solutions shall be removed from baseboards, furniture, trash receptacles, chairs, and other similar items.

5.3.4 Stairways/Elevators/Handicap Lifts.

The Contractor shall clean all floor surfaces IAW the non-carpeted and carpeted requirements as appropriate.

- Stair guards, handrails, wall caps, and baseboards shall be free from grease and grime.
- The Contractor shall remove all marks, dirt, smudges, scuffs, and other foreign matter from adjoining stairwell walls, up to seventy-two (72) inches height from stair tread level, to provide or maintain a clean, uniform appearance.
- The Contractor shall disinfect elevator buttons and handrails, and stair handrails.

5.3.5 Solid Waste Collection and Removal.

The Contractor shall collect and dispose of all trash from all eligible waste receptacles, to include wastebaskets and other trash containers (exterior wastebaskets and trash receptacles are included in the scope of custodial solid waste removal)

- The Contractor shall remove any debris stacked near/beside waste receptacles.
- The Contractor shall provide and replace plastic can liners during each scheduled cleaning.
- All solid waste collected for disposal or diversion from the landfill shall be placed in appropriately marked collection containers (e.g. dumpsters) located outside or near each building.
- The Contractor shall not contaminate segregated recyclables with refuse or any other debris.
- Waste receptacles shall be left empty, clean, free of foreign matter, and free of odors.
- The Contractor shall ensure no trash is spilled during removal or remaining after operations.

5.3.5.1 Recycle Collection and Removal.

The Contractor shall collect and transfer (segregated) recyclable materials (i.e., paper, plastic, glass, etc.) to the appropriate recycle containers e.g., 96-gallon containers located inside each facility IAW with LOR. See 2.1.40.

- The Contractor shall not contaminate segregated recyclables with refuse or any other debris.

5.3.6 Restrooms/Toilet Areas/Locker Rooms.

5.3.6.1 Clean and Disinfect Restrooms.

All sinks, toilets, urinals, lavatories, dispensers, plumbing fixtures, mirrors in restroom areas, drinking fountains, dispensers and/or air dry equipment, doors, walls, partitions, stalls, stall doors and locking mechanisms, showers, shower mats and saunas (if part of the restroom), entry doors (including handle, kick plates, ventilation grates, metal guards, handicap handles), walls, and other such surfaces shall be cleaned and sanitized using a germicidal agent and free from water and scale deposits, soil, streaks, and other removable matter.

- Restrooms shall be left clean and with an odorless scent.
- Showers, sinks, toilets, and urinals shall be free of spots, water spots, scale buildup, soap scum, odors, and any other deposits.
- Mirrors shall be clean and have no streaks or other removable matter.
- Partitions, including feminine product collection containers and toilet paper dispensers, shall be smudge, stain, dust free and cleaned with a disinfecting solution IAW manufacturer recommendation.
- Vents in restrooms (up to 10 feet or 120 inches above the floor surface) shall be clean.
- Walls and grout shall be free of all film, spots, and detergent buildup.

5.3.6.2 Restroom and Locker Room NHSW Removal.

Trash containers in restrooms and locker rooms shall be emptied, debris removed, containers cleaned and returned to their original locations, see 2.1.52 and 5.3.5.

- Trash receptacles, to include sanitary napkin waste bins when located in restroom stalls, shall be left clean, free of foreign matter, and free of odors.
- The Contractor shall replace plastic/paper liners during each service.
- The Contractor shall collect recyclable materials (office paper, newspaper, plastic, cardboard, etc.) IAW LOR, see 2.1.40 and 5.3.5.1.
- The Contractor shall refill hand soap dispensers if the dispensers are less than ½ full.
- The Contractor shall replace paper towel and toilet tissue rolls in dispensers if the rolls are at least ½ used. Leave the ½ paper towel rolls on the sink counter. Leave the remainder of the partially used rolled toilet tissue in the latrine area.

5.3.6.3 Floor Care.

The Contractor shall maintain all floor surfaces IAW manufacturer instructions and commercial/industry standards/practices, and as described in 5.3.1 and 5.3.3 above.

5.3.6.4 Stocking and Restocking of Supplies.

The Contractor shall ensure restrooms and breakrooms are stocked sufficiently with supplies including toilet tissue, toilet cakes (or other approved method) for urinals, paper towels, and hand soap.

- The Contractor shall store supplies in designated areas if the government provides the area.
- The Contractor shall sufficiently stock quantities to ensure supplies do not run out before the next service date.
- If supplies run out prior to the next service date, the Contractor shall refill within 24 hours of notification.

5.3.6.4.1 Resupplying Dispensers

The Contractor shall resupply all toilet tissue dispensers, paper towel dispensers, soap dispensers, and toilet seat cover dispensers.

5.3.7 Drinking Fountains.

The Contractor shall clean all facility drinking fountains.

- The Contractor shall clean and disinfect porcelain, polished metal surfaces (including the orifices and drain), and exterior surfaces of fountains.
- Drinking fountains shall be free of streaks, stains, spots, smudges, scale, and other obvious soil.
- The Contractor shall not use abrasives or toilet bowl cleaners to clean drinking fountains.

5.3.8 Dusting.

The Contractor shall dust itemized visible surfaces, including both horizontal and vertical surfaces. Specified surfaces shall be free of dust, lint, cobwebs, and litter. Surfaces could include items such as tables, shelves, bookcases, storage lockers, cabinets, millwork, tops of low walls, window frames and sills, window blinds, drapes, handrails, clocks, and equipment, and other *real property* items identified that are specific to a building, etc. up to a maximum of 10 feet.

5.3.8.1 Dusting, Low Areas (under six (6) feet).

The Contractor shall dust furniture, equipment, blinds, and horizontal and vertical surfaces above the top of the floor surface to a height of under six (6) feet defined as *real property*. The Contractor shall not move personal items in the course of dusting.

5.3.8.2 Dusting, High Areas (over six (6) feet).

High dusting includes all surfaces above six (6) feet up to ten (10) feet above the floor surface. The Contractor shall dust using an industry certified dust-removing agent. The Contractor shall dust visible surfaces to include cabinets, millwork, chair railing, window frames, window blinds, ceiling fans, light fixtures, vent covers, and other *real property* items identified that are specific to a building.

5.3.8.3 Dusting, Light.

Dusting horizontal surfaces using only microfiber cloths without dusting agents to collect all dust from visible surfaces to include Low and High dusting areas both horizontal and vertical surfaces.

5.3.8.4 Dusting, Heavy.

Dusting using a dust removing agent appropriate to surface finish with a microfiber or more appropriate cloth to collect all dust from visible surfaces to include Low and High dusting areas both horizontal and vertical surfaces.

5.3.9 Interior Glass.

The Contractor shall clean exposed interior glass surfaces (windows surrounding interior entrances and exits but not windows located on an exterior wall, doors, and transoms) and mirrors (that are not in restrooms).

- Lucite, plastic, or any other transparent material shall receive the same service as glass.
- The Contractor shall clean adjacent trim where spillage or smears occur during the glass cleaning operation.
- The Contractor shall clean built-in trophy and display cases, directory boards, and other interior glass.

5.3.10 Exterior Glass.

The Contractor shall clean exterior glass surfaces (windows surrounding entrances and exits of contracted buildings (but not windows located on exterior walls), doors, and transoms).

- Lucite, plastic, or any other transparent material shall receive the same service as glass.
- The Contractor shall clean adjacent trim where spillage or smears occur during the glass cleaning operation.

5.4 Child, Youth and Student Service(CYSS) Centers.

5.4.1 Child Age Groups.

- NA

5.4.2 CYS/CDC Cleaning Products.

- NA

5.4.3 CYS/CDC Supplies and Solutions Storage.

- NA

5.4.4 CYS/CDC Hours of Operation.

- NA

5.4.4.1 CDC Hours of Operation Other Than Normal.

- NA

5.4.4.2 Other CYSS Facility Hours of Operation Other Than Normal.

- NA

5.4.5 Specific Child Development Center (CDC) Cleaning Tasks.

- NA

5.4.6 Specific Other Child Youth and Student Service (CYSS) Center Cleaning Requirements.

- NA

5.5 Gymnasiums and Physical Fitness Centers (PFC)

Installation gymnasiums and PFC facilities as described in paragraph 2.1.30 shall be cleaned IAW TB MED 531 Facility Sanitation Controls and Inspections, Subsections 3-4 Disinfectants, 3-5 General facility sanitation, 3-8 Showers, locker rooms, and toilet facilities, and industry standards as discussed in 5.3 of this PWS.

5.5.1 Disinfectants

The Contractor shall use EPA-registered disinfection products that are effective against the greatest spectrum of fungi, viruses, and bacteria, including MRSA. Refer to the EPA's List H for products registered as effective against MRSA, available at <https://www.epa.gov/pesticide-registration/selected-epa-registered-disinfectants>.

5.5.2 Facility Sanitation, Showers, locker rooms, and toilet facilities,

- Clean and disinfect floors, fixtures, and benches.
- Maintain shower stalls and plumbing fixtures free from soap scum, mineral buildup, and mildew/mold.
- Clean and maintain shower drains to prevent accumulation of debris, standing water, or sewage backup.
- Maintain supplies of hand soap, paper towels or a forced-air hand-drying device, and toilet paper at all times
- Provide only a bulk liquid or powdered soap supplied from a mounted dispenser.

5.6 General Cleaning of Libraries and Museums

The Contractor shall perform specified housekeeping tasks to standard for Libraries and Museums IAW the performance standards of this PWS (as being a high traffic area, having GO high visibility, and a public face of the installation), and ISSA standards outlined in 5.3 Specific Tasks for scheduled general cleaning. The frequencies provided in Part 8 Attachment/Technical Exhibits, TE-4 Enterprise Municipal Custodial Services Tasks and Frequency Performance Standards are the highest frequency, above which an installation shall not require. This frequency can be lower depending on conditional requirements.

5.7 University-level Cleaning

University-level cleaning is conducted IAW Association of Physical Plant Administrators (APPA) level 2 standards (task, frequencies, and time standards). APPA is now known as Association of Higher Education Facilities Officers. University level cleaning standards are determined by four (4) University Facility Types; 1. Administrative, 2. Barracks, 3. Academic and 4. Athletics.

See Task and Frequency standards for cleaning University facility types in Part 8 Attachment/Technical Exhibits, TE-4 Enterprise Municipal Custodial Services Performance Standards and Frequencies.

5.8 High Traffic Areas

NA

5.9 Schedules and Reports.

5.9.1 Schedule of Services.

The Contractor shall provide the COR a Schedule of Services (SoS), no later than ten (10) workdays prior to commencing work, showing tasks to be performed by building and identifying a 15-minute time window within which service is to be started and completed at each specific building. If additional time is deemed necessary on the day of due to facility conditions the Contractor shall inform the COR as soon as possible.

5.9.1.1 Alternate Day Work Schedule.

The Contractor shall submit to the COR an alternate schedule for those buildings that will be affected by federally observed holidays not later than ten (10) workdays prior to the holiday (See 1.7.4).

- The Contractor shall maintain an adequate workforce for the uninterrupted performance of all tasks defined within this PWS when Government facilities are not closed for the above reasons which included federal holidays.
- The schedule shall include date for make-up of all buildings affected by the holiday.

5.9.1.2 Service Delay Notification.

The Contractor shall notify the COR of any delay in completing service to any building no later than 0800 the next workday.

5.9.2 Floor Schedule Report

NA

5.9.3 Scheduled Cleaning Work Reports.

The Contractor shall provide a monthly spreadsheet detailing the scheduled cleaning work performed based on required Tasks and Frequencies (See Part 8, Attachment/Technical Exhibit Listing, TE-4 Enterprise Municipal Custodial Services Tasks and Frequency Performance Standards).

- Information should include POC and telephone number, organization, building number, type and brief description of scheduled work, and square footage, if applicable.
- The spreadsheet shall be in the latest Microsoft Excel format or equivalent and shall be submitted to the COR no later than the third workday of each month following completion of work.

5.9.4 Unscheduled Cleaning Work Reports

The Contractor shall provide a monthly spreadsheet detailing the unscheduled cleaning work performed (i.e., service calls).

- Information should include POC and telephone number, organization, building number, type and brief description of unscheduled work performed, and square footage, if applicable.
- The spreadsheet shall be in the latest Microsoft Excel format or equivalent, and shall be submitted to the COR no later than the third workday of each month following completion of work.

5.9.5 Access and Condition Report.

The Contractor shall provide a report to the COR showing date and time for any rooms/buildings/facilities that were locked preventing the Contractor access.

- If applicable, the report shall include date and time entering and exiting of all buildings receiving service and any problems, i.e., raveling carpet, burns, faucet drips etc.
- The report shall be submitted to the COR daily Monday through Friday, not later than 0800.
- The report shall identify any instances of access and or condition issues for the buildings receiving service the prior day.

5.9.6 General Report Submittals.

Reports shall be submitted to the COR by electronic mail or fax.

- The COR's email address and fax number will be provided to the Contractor at the post-award meeting.

5.10 Contractor Management Reporting.

The Contractor shall report ALL Contractor labor hours (including subcontractor labor hours) and other required data essential for performance of services provided under this contract for the Department of the Army. The Contractor shall utilize Service Contract Reporting (SCR) located under Entity Reporting at SAM.gov, per Policy Alert #20-109.

- SCR inputs will be for the labor executed during the preceding government fiscal year (October 1st - September 30th) and should be completed / submitted by the contractor in SAM.gov before October 31st each year so that contracting officers may review and work with the contractor to reconcile any discrepancies.
- The contracting staff will review contractor reported information for reasonableness and consistency with available contract information. In the event the contracting staff believes that revisions to the Contractor reported information are warranted, the agency will notify the contractor no later than November 15th.
- By November 30th, the Contractor shall revise the report, or document its rationale.
- SAM.gov is available to support service contract reporting throughout the entire reporting period. For more information on SCR Requirements, [click here](#).

5.11 Quality Control Report

Contractor performance shall be monitored against cost, schedule, and performance requirements and delivery of quality service (the performance agreed to in the contract) in a timely manner.

If the contractor fails to deliver quality services in a timely manner or fails to perform satisfactorily, the government has provided corrective measures in the PRS to protect the government's interest. All deficiencies will be recorded by the COR or ACORs and records will be maintained. The Contractor's performance report is required on the 10th of each month and shall be provided to the COR. The Government shall evaluate the Contractor's performance under this contract in accordance with the Government's Quality Assurance Surveillance Plan (QASP). This plan is for Government use only and focused on what the Government will do to ensure that the Contractor has performed in accordance with the performance standards.

PART 6 APPLICABLE PUBLICATIONS

6.0 Applicable Publications (Current Editions).

NA

Publication Sources include but are not limited to DoD Issuances (<https://www.esd.whs.mil/DD/DoD-Issuances/>); Army Publishing Directorate (<https://armypubs.army.mil/>), Code of Federal Regulations (<https://www.ecfr.gov/>) and Federal Acquisition Regulations (<https://www.acquisition.gov/>).

6.1 Regulations, Publications, Manuals, Local Policies and Procedures.

The Contractor must abide by all LOR.

ACC PAM 70-1	Interim Army Contracting Command – Contracting Officer’s Representative Policy Guide
ANSI/IICRC S100	American National Standards Institute /Institute of Inspection Cleaning and Restoration Certification (ANSI/IICRC) - Standard for Professional Cleaning of Textile Floor Coverings
ANSI/IICRC S220	ANSI/IICRC Standard for Professional Inspection of Hard Surface Floor Coverings
ANSI Z87.1-2003	Practice for Occupational and Educational Personal Eye and Face Protection Devices
AR 25-2	Information Management: Army Cybersecurity, section 2-34 All personnel, 4-25 Privately owned information technology.
AR 70-1	Army Acquisition Policy
AR 70-13	Management and Oversight of Service Acquisitions
AR 190-13	Army Physical Security Programs, Chapter 5 Security Identification Cards and Badges, Chapter 8 Army Installation and Facility Access Control, Chapter 20 Vehicle control
AR 190-51	Security of Unclassified Army Resources (Sensitive and Non-sensitive), Appendix D Policy for locks and keys
AR 200-1	Environmental Protection and Enhancement, Green Procurement policies.

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

AR 215-1	Military Morale, Welfare, and Recreation Programs and Non-appropriated Fund Instrumentalities
AR 381-12	Threat Awareness and Reporting Program
AR 380-5	Army Information Security Program, 1-14.
AR 385-10	Army Safety Program, Chapter 3 Accident Investigation and Reporting, Chapter 4 Contracting Safety
AR 420-1	Army Facilities Management, section VI Custodial Services.
AR 530-1	Operations Security, section 2-22, All Army personnel, to include contractors.
AR 608-10	Child Development Services, section 5-37 Custodial and housekeeping services
29 CFR Part 1910	Occupational Safety and Health Standards
40 CFR	Protection of the Environment
40 CFR Subchapter I	Solid Wastes
40 CFR Part 302	Protection of Environment, Designation, Reportable Quantities and Notification
49 CFR 390-396	Motor Carrier Safety Standards
49 CFR 571	Federal Motor Vehicle Safety Standards
CAA	Clean Air Act (CAA)
CWA	Clean Water Act (CWA)
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)
DA PAM 5-20	Competitive Sourcing Implementation
DA PAM 385-10	Army Safety Program, Chapter 4, Contracting Safety
DA PAM 385-40	Army Accident Investigations and Reporting
DoDD 5500.7	Standards of Conduct
DoDI 2000.16, Vol. 1	DOD Antiterrorism Standards

Devens Reserve Forces Training Area Custodial Services Enterprise-wide Performance
Work Statement (PWS)
(ISR/ABSS 402 - Custodial Services) (U)

DoDI 4715.23	Integrated Recycling and Solid Waste Management
DoDI 5000.72	DoD Standard for Contracting Officer's Representative (COR) Certification
EM 385 1. 1.	Safety and Health Requirements Manual
EO 14042:	Ensuring Adequate COVID Safety Protocols for Federal Contractors
FAR Part 23.4	Use of Recovered Materials and Biobased Products
FAR 52.222-2	
Federal Standard #313	Material Safety Data and Disposal Data for Hazardous Materials Furnished to Government Activities
FIPS PUB 201-2	Personal Identity Verification (PIV) of Federal Employees and Contractors
HSPD 12	Homeland Security Presidential Directive 12 Policy for a Common Identification Standard for Federal Employees and Contractors
MEDCOM Reg. 40-35	Management of Regulated Medical Waste, 29 July 2008
NFPA 1.12-2	Combustible Fibers
OMB M-05-24	Office of Management and Budget (OMB) Guidance Implementation of Homeland Security Presidential Directive (HSPD) 12-Policy for a Common Identification Standard for Federal Employees and Contractors
Policy Alert #20-109	Office of the Under Secretary of Defense Memorandum, Subject: Deploying Contractor Service Contract Reporting in the System for Award Management, signature dated 2020.10.15
TB MED 531	Facility Sanitation Controls and Inspections
TM 5-609	Military Custodial Services Manual

PART 7 FORMS AND REPORTS

7.0 Mandatory Records and Report Forms.

DD or DA Form Sources include but are not limited to: *DoD Forms Home*
(<https://www.esd.whs.mil/Directives/forms/>); *Army Publishing Directorate*
(<https://armypubs.army.mil/>)

DA Form 5105	Janitorial Standards Checklist
DA Form 5513	Key Control Register and Inventory
DD Form 200	Financial Liability Investigation of Property Loss (eFLIPL)
DD Form 254	DoD Contract Security Classification Specification
DD Form 577	Appointment/Termination Record
DD Form 1348-1	Release/Receipt Document
SF 85P	Position of Public Trust
SF 701	Activity Security Checklists

PART 8

ATTACHMENT/TECHNICAL EXHIBIT LISTING

(Under this section list all attachments and technical exhibits that will be useful for the contractor to submit an appropriate proposal.)

8.0 Attachment/Technical Exhibits (TEs).

TEs identify which buildings/areas are to receive custodial service, the type of floor coverings, the square footage (SF) of the building/areas, any special security considerations, and any constraints as to when during the day or week scheduled services can be performed at these building(s)/area(s).

- TEs provide a summary of performance requirements.
- TEs identify the Deliverables required to fulfill the requirements of this PWS.
- TEs identify tasks and frequencies for maximum cleaning standards for each type of building, building use.
- TEs identify total SF to receive custodial service under this contract.
 - Cleanable SF is calculated by taking the net SF from an Army authorized rendering of the area to be cleaned minus non-cleanable areas such as electrical closets, closets, mechanical rooms, storage rooms, raised floor computer rooms, floor space under non-movable furniture/equipment, etc. (Note: This calculation can be done in ePRISMS)
 - This is expected to change throughout the contract period as new facilities are added and other facilities are removed from the contract due to demolition/renovations or other situations.
 - Total requirement may change by as much as +/- 10% over the life of the contract and at any given point in time due to changes in facility usage.

8.1 Attachment 1/TE-1 – Performance Requirements Summary.

TECHNICAL EXHIBIT 1

PERFORMANCE REQUIREMENT SUMMARY

Required Services	Performance Standard	ACCEPTABLE QUALITY LEVEL	Method of Surveillance	Incentive (Positive and/or Negative)
# 1. Contractor shall ensure all work accomplished meets all maintenance and repair standards listed in TE 02 and all applicable Federal, State, and local laws, regulations and directives to include, but not limited to applicable publications in Section 7, Related Documents.	The Contractor shall provide services IAW PWS	2% Deviation from performance Standard; % calculated by dividing the number of defects by the number of observations.	Random Sampling IAW ANSI/ASQ Z1.4 Inspections performed by the COR General Inspection level II and Validated Customer Complaints	Contractor compliance rate shall be utilized as objective evidence of contract compliance and documented into the CPAR System; Contractor shall re-perform the service.
# 2. The Project/Program Manager shall be available after normal duty hours to serve as the central point of contact for Contractor operations.	The Contractor shall provide a QPC IAW PWS	Zero Deviation from performance standard	Review and acceptance by the by the KO on submission of QCP and each revised QCP.	Non-conforming services will result in Non-Conforming Reports issued and a potential negative CPARS narrative.
# 4. The Contractor shall remove from the job site, any employee for reasons of misconduct or security.	Employee conduct complies with 41 U.S.C. 423, Procurement Integrity, IAW PWS	Zero Deviation from performance Standard	The COR/ACOR will review 100% of Contractor reported occurrences of Contractor employee misconduct, including but not limited to violations of any provision indicated at 41 U.S.C. 423, and/or security violation to ensure the offending employee is removed from the job site.	Non-conforming services will result in Non-Conforming Reports issued to Contractor and potential equitable adjustment by the Contracting Officer.
#5. Damages caused by Contractor employees shall be repaired at no cost to the Government.	The Contractor shall notify the COR/ACOR and return the damaged area to its previous condition IAW PWS	Zero Deviation from performance standard	COR/ACOR will review 100% of damage reports.	Non-conforming services will result in Non-Conforming Reports issued and a potential negative CPARS narrative.
#6. The Contractor will ensure that the licenses or certificates and training of Contractor personnel are kept current. Copies of these licenses or certifications will be provided to the COR/ACOR.	The Contractor shall perform IAW PWS	Zero Deviation from performance standard (Risk assessed high risk)	100% Inspection of copies of these licenses or certifications	Non-conforming services will result in Non-Conforming Reports issued and a potential negative CPARS narrative

#7. Cleaning of Fitness Center and Admin Buildings Clean and disinfect all surfaces PWS 5.6.1.	Contractor shall provide services IAW PWS	10% Deviation from performance Standard Percent calculated by dividing the number of omissions/defects by the number of surfaces to be cleaned and disinfected multiplied by 100	Periodic Inspections performed by the COR per frequency defined in the QASP 5.2 and Validated Customer Complaints	TBD
#6. Cleaning of Fitness Center and Admin Buildings Remove Trash All trash containers shall be emptied, new bags placed and containers returned to their initial location. PWS 5.6.5.	Contractor shall provide services IAW PWS	10% Deviation from performance Standard Percent calculated by dividing the number of omissions/defects by the number of trash containers to be emptied multiplied by 100	Periodic Inspections performed by the COR per frequency defined in the QASP 5.2 and Validated Customer Complaints	TBD
#7. Cleaning of Fitness Center and Admin Buildings Drinking Fountains Clean and disinfect with approved disinfectant PWS 5.6.6.	Contractor shall provide services IAW PWS	10% Deviation from performance Standard Percent calculated by dividing the number of omissions/defects by the number of drinking fountains to be cleaned and disinfected multiplied by 100	Periodic Inspections performed by the COR per frequency defined in the QASP 5.2 and Validated Customer Complaints	TBD
#8. Cleaning of Fitness Center and Admin Buildings Windows exterior/interior wash: Clean exterior/interior glass windows surfaces PWS 5.9.	Contractor shall provide services IAW PWS	10% Deviation from performance Standard Percent calculated by dividing the omissions/defects by the number of windows to be cleaned exterior/interior multiplied by 100	Periodic Inspections performed by the COR per frequency defined in the QASP 5.2 and Validated Customer Complaints	TBD

#9. Cleaning of Fitness Center and Admin Buildings Carpet Cleaning/Shampoo carpets shall be cleaned in accordance with standard commercial practices that have been approved by DPW PWS 5.10.	Contractor shall provide services IAW PWS	Zero Deviation from performance Standard	100% Inspection of Carpet Annual Cleaning/Shampooing	TBD
---	---	--	--	-----

8.2 Attachment 2/TE-2 – Deliverables Schedule.

TECHNICAL EXHIBIT 2**DELIVERABLES SCHEDULE**

Deliverables shall be submitted to the COR by electronic mail. The COR's email address will be provided to the Contractor at the post-award meeting.

<u>DELIVERABLE</u>	<u>FREQUENCY</u>	<u># OF COPIES</u>	<u>MEDIUM/FORMAT</u>	<u>DISTRIBUTION</u>
Work schedule	Not later than ten (10) days prior to commencing work	3 Electronic Copies	MS Word, Excel, or pdf	KO and COR/ACOR
Access and Condition Report	As required, not later than not later than close of business for same day's afternoon and evening services, and not later than 12:00 PM for same day morning services	1	Email	COR/ACOR
Accident Requiring Emergency Medical Treatment	Immediate. Not later than two (2) hours after the incident	N/A	Email or Telephone	KO or COR/ACOR
Transition Phase In	The Contractor shall prepare and submit a Phase In Plan to be implemented by the Contractor	1 Electronic Copy	MS Word, Excel, or pdf	KO and COR/ACOR
Quality Control Plan	Initial: within 30 days of contract award (or with the Contractor's proposal if it is used in the evaluation process) Updates: All QCP updates shall be accepted by the KO	1 Electronic Copy	MS Word or pdf	KO
Key Personnel – Provide name of Project/ Program Manager	Submit resumes and organization chart (to include contact info) for initial and replacements	1 Electronic Copy	MS Word or pdf	KO

<u>DELIVERABLE</u>	<u>FREQUENCY</u>	<u># OF COPIES</u>	<u>MEDIUM/FORMAT</u>	<u>DISTRIBUTION</u>
Physical Security Checklist or Log	Submit NLT the 10 th of each month following the month of surveillance	1 Electronic Copy	Army Standard Form (SF) 701 Activity Security Checklist	COR/ACOR
Lost or Duplicate Keys	Immediately report any occurrences	1 Electronic Copy	Immediate personal contact by phone call followed up by written correspondence	COR/ACOR
Training Completion Certificates	Certificates filed within twenty-four (24) hours prior to employees commencing performance.	1 Copy of Certificate	Electronic	COR/ACOR
Safety Plan	Review and Acceptance: During phase in and within 10 days of commencement of work Revisions: five (5) calendar days prior to effective date of change	1 Electronic Copy	Email	COR/ACOR
Recycled or Recovered Products Report and Certification	Annual, upon completion of the basic year and each option year	1 Electronic Copy	MS Word or pdf Report IAW requirements at: FAR 52.223-9 Certification and Estimate of Percentage of Recovered Material Content for EPA Designated Items	COR/ACOR
Safety Data Sheets (SDS) for approval on all materials	Five (5) days before delivery of the material	1 Electronic Copy of each sheet	PDF See FAR 52.223-3 Hazardous Material Identification and Material Safety Data	COR/ACOR
Environmental Compliance, All environmental and hazardous material records	Beginning of the next duty day after the Government's request to view the records	Make records available	Coordinate with COR/ACOR	COR/ACOR
Damage Report	Monthly	1 Electronic Copy	PDF with digital signature	COR/ACOR

<u>DELIVERABLE</u>	<u>FREQUENCY</u>	<u># OF COPIES</u>	<u>MEDIUM/FORMAT</u>	<u>DISTRIBUTION</u>
Spill Plan	Contact by written notification within one (1) hour	1 Electronic Copy	Coordinate with COR	KO

8.3 Attachment 3/TE-3 – Estimated Workload Data.

NA

**8.4 Attachment 4/TE-4 – Enterprise Municipal Custodial Services Tasks
and Frequency Performance Standards.**

TE-3 TECHNICAL EXHIBIT - LIST OF FACILITIES TO RECEIVE SERVICES PER SSP A AND B

PREPARED 12/12/2024

NO.	FACILITY NO.	ADDRESS	SSP / CLEANING FREQUENCY SCHEDULE	NO. OF FLOORS	TOTAL BUILDING SPACE (SQ. FT)	TOTAL SPACE TO BE CLEANED (SQ. FT)	CLEANS PER WEEK	TOTAL SPACE TO BE CLEANED WEEKLY	TYPE	OCCUPANTS
1	601	62 Queenstown St	A	1	5,105	630	1	630	VEHICLE MAINTENANCE FACILITY	3rd BN 313th Regt
2	602	60 Queenstown St	A	1	4,788	1,014	1	1,014	VEHICLE MAINTENANCE FACILITY	DPTMS Operations
3	603	44 Queenstown St	A	1	5,105	414	1	414	VEHICLE MAINTENANCE FACILITY	HHC 804th Medical Brigade and Others
4	604	46 Queenstown St	A	1	4,788	630	1	630	VEHICLE MAINTENANCE FACILITY	399th Combat Support Hospital
5	616	80 Queenstown St	A	1	4,788	698	1	698	VEHICLE MAINTENANCE FACILITY	Co. C 3rd BN 319th Regt
6	617	78 Queenstown St	A	1	5,105	698	1	698	VEHICLE MAINTENANCE FACILITY	401st Chemical Co.
7	623	42 Givry St	A+	1	15,190	11,981	1	11,981	COMMUNITY ACTIVITY CENTER	DPTMS Operations
8	637	67 Queenstown St	A+	3	41,566	28,896	2	57,796	TRANSIENT TRAINING BARRACKS	DPTMS Billeting
9	638	11 Lafayette St	A	3	41,514	27,568	1	27,568	USAR OPERATIONS / TRAINING FACILITY	2nd BN 310th REGT, 3rd BN 313th REGT, 1st BN 304th REGT
10	642	4 Lexington St	A	3	51,847	41,682	1	41,682	BDE/REGT HQ BLDG	HQs 25th Marine Regiment and Others
11	642A	4 Lexington St	A	1	4,153	3,945	1	3,945	BDE/REGT HQ BLDG	HQs 25th Marine Regiment
12	643	8 Lexington St	A	1	2,596	1,918	1	1,918	ADMINISTRATIVE FACILITY	LRC Fort Devens Transportation Office
13	644	12 Lexington St	A	3	60,000	32,603	1	32,603	USAR OPERATIONS / TRAINING FACILITY	DPW, 325TH MI BN, 7th 98th Regt
14	646	14 MacArthur Ave.	A	1	10,376	9,109	1	9,109	USAR OPERATIONS / TRAINING FACILITY	TTC Fort Devens and 6th BN (MI) 98th REGT
15	653	22 MacArthur Ave.	A	1	12,970	3,268	1	3,268	TRANSIENT OPERATIONS / STORAGE FACILITY	DPTMS Operations & 401st Chemical Co.
16	656	37 Quebec St	A	1	13,618	8,383	1	8,383	COMMUNICATIONS CENTER / DISTANCE LEARNING CENTER	NEC Fort Devens and DPTMS Operations
17	658	10 Lafayette St	A+	3	41,744	30,398	2	60,796	TRANSIENT TRAINING BARRACKS	DPTMS Billeting
18	665	24 Quebec St	A+	1	13,618	4,456	1	4,456	DINING FACILITY	DPTMS Operations
19	666	30 Quebec St	A	3	41,379	32,191	1	32,191	OPERATIONS AND TRAINING FACILITY	DPW/DPTMS Classrooms/NEC/USAR Units: TTC, 99th RSC Education Office, 7th BN 98th Regt, 11th BN 98th Regt, Co. C 3rd BN 319th Regt
20	667	11 10th Mountain Div Rd	A+	3	19,120	17,755	2	35,509	TRANSIENT TRAINING BARRACKS	DPTMS Billeting
21	668	15 10th Mountain Div Rd	A+	3	9,785	8,874	2	17,748	TRANSIENT TRAINING BARRACKS	DPTMS Billeting
22	669	17 10th Mountain Div Rd	A+	3	9,785	8,761	2	17,522	TRANSIENT TRAINING BARRACKS	DPTMS Billeting
23	670	56 MacArthur Ave.	A+	3	19,120	17,409	2	34,818	TRANSIENT TRAINING BARRACKS	DPTMS Billeting
24	672	53 Quebec St	A	2	29,455	20,439	1	20,439	BN HQ BLDG	1ST BN 25th Marine Regiment
25	673	57 Quebec St	A+	3	40,639	29,970	2	59,939	TRANSIENT TRAINING BARRACKS	DPTMS Billeting
26	674	49 Quebec St	A+	3	40,639	30,981	1	30,981	TRANSIENT TRAINING BARRACKS	DPTMS Billeting
27	675	70 Quebec St	A	1	3,516	2,685	1	2,685	COMPUTER-AIDED INSTRUCTION CLASSROOMS	DPTMS Operations
28	676	68 Quebec St	A	1	3,516	2,531	1	2,531	COMPUTER-AIDED INSTRUCTION CLASSROOMS	DPTMS Operations
29	678	27 Quebec St	A	1	25,125	3,611	1	3,611	COMPUTER-AIDED INSTRUCTION CLASSROOMS	DPTMS Operations
30	679	31 Quebec St	A	1	6,136	4,793	1	4,793	ADMINISTRATIVE FACILITY	Garrison Headquarters
31	680	43 Quebec St	A	3	9,842	6,710	1	6,710	ADMINISTRATIVE FACILITY	Garrison Staff: DPTMS, Budget, Legal, PAIO
32	681	47 Quebec St	A	1	4,060	1,942	1	1,942	POLICE STATION	DA (Department of Army) Police
33	683	61 Quebec St	B	1	7,964	7,111	1	7,111	ADMINISTRATIVE FACILITY	Welcome Center / Visitor Control Center - Army Community Services/Chaplain/Police
34	684	28 MacArthur Ave.	A	1	6,150	4,361	1	4,361	COMPUTER-AIDED INSTRUCTION CLASSROOMS	TTC Fort Devens
35	685	32 MacArthur Ave.	B+ (CL1 Green)	1	8,060	6,379	3	19,138	GYM - PHYSICAL FITNESS FACILITY	DPTMS Operations
36	686	36 MacArthur Ave.	C	3	9,842	4,999	0.25	1,250	USAR OPERATIONS / TRAINING FACILITY	VACANT - DPW CONTROLLED
37	687	40 MacArthur Ave.	A	1	6,150	4,536	1	4,536	COMPUTER-AIDED INSTRUCTION CLASSROOMS	DPTMS Operations
38	689	50 MacArthur Ave.	A	1	12,970	10,663	1	10,663	ADMINISTRATIVE FACILITY	USACE New England District and 99th RSC DPW
39	693	9 Charlestown	A+	3	42,600	32,560	1	32,560	TRANSIENT TRAINING BARRACKS	DPTMS Billeting
40	694	112 Jackson Ave	A	1	15,142	8,523	1	8,523	GENERAL INSTRUCTION FACILITY	DPTMS Operations
41	695	118 Jackson Ave	A+	3	42,600	33,300	1	33,300	TRANSIENT TRAINING BARRACKS	DPTMS Billeting
42	697	53 MacArthur Ave.	C	1	42,600	2,613	0.25	653	TRANSIENT TRAINING BARRACKS	DPTMS Billeting (PARTIAL), DPW CONTROLLED
43	701	64 Quebec St.	A	1	80	76	1	76	ACCESS CONTROL FACILITY	Main Gate DA Police
44	3411	50 Lovell St	C	2	4,252	3,165	0.25	791	ADMINISTRATIVE FACILITY	VACANT - DPW CONTROLLED
45	3412	7 Liberty	C	2	18,695	10,285	0.25	2,571	GENERAL INSTRUCTION FACILITY	VACANT - DPW CONTROLLED
46	3413	51 Lovell St	A	2	118,592	43,560	2	87,121	ARMED FORCES RESERVE OPERATIONS BUILDING / SCIF	DET 1 Northeastern ARISC and Others
47	3415	2 Liberty St	A	1	40,662	1,573	1	1,573	ECS WAREHOUSE	ECS 65, 99th RSC
48	3416	8 Liberty St	A	1	26,600	8,219	1	8,219	VEHICLE MAINTENANCE FACILITY	ECS 65, 99th RSC
49	3426	12 Liberty St	A	1	7,564	152	1	152	TACTICAL EQUIPMENT MAINT FACILITY	

TE-3 TECHNICAL EXHIBIT - LIST OF FACILITIES TO RECEIVE SERVICES PER SSP A AND B


PREPARED 12/12/2024

NO.	FACILITY NO.	ADDRESS	SSP / CLEANING FREQUENCY SCHEDULE	NO. OF FLOORS	TOTAL BUILDING SPACE (SQ. FT)	TOTAL SPACE TO BE CLEANED (SQ. FT)	CLEANS PER WEEK	TOTAL SPACE TO BE CLEANED WEEKLY	TYPE	OCCUPANTS	
50	3574	12 Feinberg St	A	1	14,400	1,319	1	1,319	GENERAL PURPOSE WAREHOUSE	LRC Fort Devens, Supply Division	
50	3586	98 Queenstown St	A	1	7,382	3,226	1	3,226	DPW MAINTENANCE & STORAGE	DPW Maintenance Division	
51	4217	Jackson Rd	A	1	8,785	804	1	804	ASP WAREHOUSE	LRC Fort Devens, Ammunition Branch	
52	4217A	Jackson Rd	A	1	1,215	1,154	1	1,154	ADMINISTRATIVE FACILITY	DPTMS Range Control	
53	4233	Jackson Rd	A	1	8,064	175	1	175	DPW MAINTENANCE & STORAGE	DPW Maintenance Division	
54	4260	4260 Jackson Road	A	1	3,574	3,125	1	3,125	RANGE CONTROL BUILDING	DPTMS Range - General Instruction Building	
55	4322	4326 Dixie Road	A	1	2,800	2,119	1	2,119	RANGE SUPPORT BUILDING	DPTMS Range - Facility 11 Classroom	
56	4411	4411 Jackson Road	A	1	800	313	1	313	RANGE SUPPORT BUILDING	DPTMS Range - Urban Assault Course	
57	4412	4412 Jackson Road	A	1	1,152	598	1	598	RANGE SUPPORT BUILDING	DPTMS Range - AAR Building	
58	4413	4413 Jackson Road	A	1	800	313	1	313	RANGE SUPPORT BUILDING	DPTMS Range - Live-Fire Shoot House	
59	FBI02	FBI Range, Trainfire Road	A	1	1,350	143	1	143	RANGE SUPPORT BUILDING	FBI Boston Office - General Instruction Building	
60	FBI05	FBI Range, Trainfire Road	A	1	4,752	2,643	1	2,643	RANGE SUPPORT BUILDING	FBI Boston Office - General Instruction Building	
61	RB004	Range B, Dixie Road	A	1	800	317	1	317	RANGE SUPPORT BUILDING	DPTMS Range - Admin/Storage	
62	RB005	Range B, Dixie Road	A	1	800	760	1	760	RANGE SUPPORT BUILDING	DPTMS Range - General Instruction Building	
63	RE004	Range E, Dixie Road	A	1	800	317	1	317	RANGE SUPPORT BUILDING	DPTMS Range - Admin/Storage	
64	RE005	Range E, Dixie Road	A	1	800	760	1	760	RANGE SUPPORT BUILDING	DPTMS Range - General Instruction Building	
65	RV004	Range V, Trainfire Road	A	1	800	317	1	317	RANGE SUPPORT BUILDING	DPTMS Range - Admin/Storage	
66	RV005	Range V, Trainfire Road	A	1	800	760	1	760	RANGE SUPPORT BUILDING	DPTMS Range - General Instruction Building	
TOTAL BUILDING SPACE					1,075,955	598,182		780,768	Square Feet		
FREQUENCY SCHEDULE					A	TABLE A STANDARD CLEANING					
					A+	TABLE A STANDARD CLEANING PLUS INSTALLATION SERVICES. SEE TE-4					
					B	TABLE B INTENSIVE CLEANING					
					B+	TABLE B INTENSIVE CLEANING (Daily clean to include wipedown of equipment)					
					C	TABLE A STANDARD CLEANING ONCE PER MONTH					

8.5 Attachment 5/TE-5 – List of Facilities to receive services.

See TE-4.

8.6 Attachment 6/TE 6 – Installation Map(s).



8.7 Attachment 7/TE-7 – Floor Plans.

Upon request.