

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE		PAGE	OF	PAGES
2. AMENDMENT/MODIFICATION NUMBER		3. EFFECTIVE DATE		4. REQUISITION/PURCHASE REQUISITION NUMBER		5. PROJECT NUMBER (If applicable)	
6. ISSUED BY		CODE		7. ADMINISTERED BY (If other than Item 6)		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (Number, street, county, State and ZIP Code)				(X)		9A. AMENDMENT OF SOLICITATION NUMBER	
				☐		9B. DATED (SEE ITEM 11)	
				☐		10A. MODIFICATION OF CONTRACT/ORDER NUMBER	
				☐		10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

☐ The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers ☐ is extended. ☐ is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)


13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NUMBER AS DESCRIBED IN ITEM 14.

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NUMBER IN ITEM 10A.
☐	
☐	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation data, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
☐	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
☐	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor ☐ is not ☐ is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR		16B. UNITED STATES OF AMERICA	
15C. DATE SIGNED		16C. DATE SIGNED	
			

Previous edition unusable

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

Section A - Solicitation/Contract Form

The following changes have been made:

INFORMATION	FROM	TO
Response Due Date	27 Apr 2026	29 Apr 2026

Section B - Supplies or Services & Prices or Costs

The following CLIN(s) / SLIN(s) / ELIN(s) were modified:

0002

INFORMATION	FROM	TO
Description	Installation Kit for Ductless Mini-Split Air Conditioner Minimum Specifications: The quoted product must be a complete installation kit fully compatible for use with the Air Conditioner model quoted under CLIN 0001. It must contain, at a minimum, the following components: Refrigerant Piping: One set of pre-flared copper refrigerant pipes with flare nuts attached. Pipe Diameters: 6.35 mm and 9.52 mm. Length: Must be at least 7 meters. Installation Hardware: Wall Cap / Sleeve Non-Adhesive Tape (for wrapping pipes) Adhesive Tape Saddle Bands / Pipe Clamps Wood Screws Sealing Putty Drainage & Electrical: Drain Hose (minimum 14mm diameter, 3m length) VVF Electrical Cable (2.0mm, 3-core) Instructions: Quoters must provide manufacturer's specification sheets for the exact model being quoted to allow the Government to verify compliance with all minimum specifications listed above.	Installation Kit for Ductless Mini-Split Air Conditioner Minimum Specifications: The quoted product must be a complete installation kit fully compatible for use with the Air Conditioner model quoted under CLIN 0001. It must contain, at a minimum, the following components: Refrigerant Piping: One set of pre-flared copper refrigerant pipes with flare nuts attached. Pipe Diameters: 6.35 mm and 9.52 mm. Length: Must be at least 7 meters. Installation Hardware: Wall Cap / Sleeve Non-Adhesive Tape (for wrapping pipes) Adhesive Tape Saddle Bands / Pipe Clamps Wood Screws Sealing Putty Drainage & Electrical: Drain Hose (minimum 14mm diameter, 3m length) VVF Electrical Cable (2.0mm, 3-core), minimum 6.8 meters Instructions: Quoters must provide manufacturer's specification sheets for the exact model being quoted to allow the Government to verify compliance with all minimum specifications listed above.