



**AMCOM Combined Logistics Command
(ACLC)
Quality Assurance Surveillance Plan (QASP)
RFP:W58RGZ-26-R-0026**

Version 1.0

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

IAW FAR Part 46 quality assurance, Subpart 46.402, this plan meets requirements for Government quality surveillance plan on contract _____ and supersedes any previous versions of the QASP.

Effective Date: 16 January 2028

COL, AV
Commanding

Contracting Officer

DISTRIBUTION:

Contracting Officer

ACLC Command Group

ACLC Primary and Special Staff

- Property Administrator (PA)
- Facilities
- Safety
- Security
- Information Technology/ Information Management Office (IT/IMO)
- Environmental

ACLC FMX RUCKER (AIR)

- Cairns Army Airfield (CAAF)
- Hanchey Army Heliport (AHP)
- Knox AHP
- Lowe AHP
- Shell AHP
- MEDEVAC
- Consolidated Phase Maintenance (CPM)
- Aircraft Component Repair Branch (ACRB)

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

TABLE OF CONTENTS

1. PURPOSE	4
1.1. INTENT.....	4
1.2. AUTHORITY	5
2. GOVERNMENT ROLES AND RESPONSIBILITIES.....	5
3.0. CONTRACTOR ROLES AND RESPONSIBILITIES.....	6
4.0. OVERVIEW OF QASP.....	7
5.0. QA AUDITS	8
5.1. SCHEDULED AUDITS	8
5.2. OBSERVATIONS	10
5.3. EVALUATION AND GRADING CRITERIA	10
5.3.1 NON-CONFORMANCE CLASSIFICATION	10
5.3.2 AUDIT GRADING CRITERIA	11
6.0. MONTHLY QA AUDIT VALIDATION.....	12
7.0. QA AUDIT RECORDS MANAGEMENT SYSTEM (QARMS).....	13
8.0. CORRECTIVE ACTION REQUESTS (CARs)	14
9.0. OTHER INSPECTED AREAS	17
9.1. PROPERTY ADMINISTRATION	17
9.2. INFORMATION MANAGEMENT.....	19
9.3. SECURITY	20
9.4. FACILITIES.....	20
9.5. AVIATION PROGRAM TEAM (APT)	20
10.0. OTHER INSPECTED AREAS SURVEILLANCE SCHEDULE	25
11.0. COR STATUS REPORTS.....	25
12.0. SERVICE CONTRACT REPORTING (SCR):	26
13.0. CONTRACTOR PERFORMANCE ASSESSMENT (CPARS).....	26
14.0 COR/Quality Assurance Surveillance Files	26
15.0 APPENDIXES	27

1. PURPOSE

The purpose of this Quality Assurance Surveillance Plan (QASP) is to identify the methods and procedures the Government will use to ensure it receives the services under this contract as identified in the Performance Work Statement (PWS). This Quality Assurance Surveillance Plan (QASP) provides a systematic method to evaluate performance for the stated contract. This QASP explains the following:

- a. What will be monitored?
- b. How monitoring will take place.
- c. Who will conduct the monitoring?
- d. How monitoring efforts and results will be documented.
- e. When and how often monitoring will take place.

Monitoring provides a means for evaluating whether the Contractor is meeting the performance standards/quality levels identified in the contract, Contractor's Quality Management System (QMS), Quality Control Plan (QCP), and regulatory guidance. This QASP does not detail how the contractor accomplishes the work. Rather, the QASP is created with the premise that the Contractor is responsible for management and quality control actions to meet the terms of the contract. It is the Government's responsibility to be objective, fair, and consistent in evaluating performance. This QASP recognizes that unforeseen and uncontrollable situations may occur.

The Contractor is responsible for implementing and delivering performance that meets and/or exceeds contract standards using its Quality Control Plan. The QASP provides the structure for the government's surveillance of the contractor's performance to assure that it meets contract standards. It is the government's responsibility to be objective, fair and consistent in evaluating contractor performance.

This QASP is a "living document" and the Government retains the unilateral right to revise the QASP as required to verify the quality of services received. The QASP is not part of the contract, nor is it intended to duplicate the contractor's quality control plan. This QASP is a living document. Flexibility in the QASP is required to allow for an increase or decrease in the level of surveillance necessary based on contractor performance. The Government will review the QASP at least annually to ensure it remains a valid, useful, and objective document. Copies of the original QASP and revisions shall be provided to Government officials implementing surveillance activities. Name or position changes listed in this plan will be considered "pen and ink" changes until the next annual revision is released.

1.1. INTENT

The intent of this QASP is to: 1) ensure Contractor performance meets or exceeds contract terms, conditions and specifications; 2) hold the Contractor accountable for quality control; and 3) encourage the Contractor to take appropriate steps to control and improve quality. Accordingly, the Government will perform surveillance on the contract

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

in accordance with this QASP but reserves the right to monitor the contract in any manner necessary, at any time necessary, and at all places necessary to ensure that the rendered services conform to contract requirements. The Government also reserves the right to perform quality assurance at the Subcontractor level and perform quality assurance at the contractor's place of business, if applicable. Resolution of non-conforming services discovered at the Subcontractor level will be addressed with the prime Contractor.

1.2. AUTHORITY

Authority for issuance of this QASP is provided under Part 46 of the Federal Acquisition Regulation, Inspection of Services clauses, which provides for inspection, acceptance, and documentation of the service called for in contract. This acceptance is to be executed by the Contracting Officer or a duly authorized representative.

2. GOVERNMENT ROLES AND RESPONSIBILITIES

The following personnel shall oversee and coordinate surveillance activities.

a. **ACLC Commander:** Provide the necessary surveillance resources to ensure Government receives the level of product and services required in the PWS.

b. **Contracting Officer (KO):** The KO is the only person with the authority to enter into, administer, and or terminate contracts, and make related determinations and findings on behalf of the Government. The KO shall ensure performance of all necessary actions for effective contracting, ensure compliance with the contract terms, and shall safeguard the interests of the United States in the contractual relationship. The KO shall also ensure that the Contractor receives impartial, fair, and equitable treatment under this contract. The KO is ultimately responsible for the final determination of the adequacy of the Contractor's performance. Current KOs are as follows:

(1) (Name, telephone, email)

c. **Lead Contracting Officer's Representative (COR):** Performs coordination and assists CORs in performing appointed duties. Coordinates and communicates with Contracting Officers and performs COR duties as described in the paragraph below. Mentors and trains other CORs documenting contract performance. Reviews and provides tasking to the maintenance contractor. Coordinates input and rolls up the annual Contractor Performance Assessment Report (CPAR) as Assessing Official Representative (AOR). Assists ACLC Commander and FMX Rucker (Air) Chief in executing ACLC contract surveillance mission.

(1) Lead COR: Wade Pasquarella, wade.pasquarella.civ@army.mil (334)255-1923

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

d. **Contracting Officer's Representative (COR):** CORs will be identified and designated by the KO on a separate COR appointment letter. The COR appointment letter will detail scope and functions the COR is required to perform. The COR monitors all technical aspects of the contract and assists in contract administration. The COR may be appointed to perform the following functions: assure that the Contractor performs the technical requirements of the contract: perform inspections necessary in connection with contract performance: maintain written and oral communications with the Contractor concerning technical aspects of the contract: monitor Contractor's performance and reporting early identification of performance problems to the Contracting Officer and Contractor; coordinate availability of Government furnished property, and provide site entry of Contractor personnel. The COR shall keep a surveillance file in Procurement Integrated Enterprise Environment – Surveillance and Performance Monitoring Application (PIEE-SPM) that accurately documents the contractor's performance.

(1) Appointed CORs: See Appendix 15.3 COR Matrix

e. **Property Administrator (PA):** An authorized representative of the KO appointed in accordance with agency procedures (ACC CPM 715-2), responsible for administering the contract requirements and obligations relating to Government property in the possession of a Contractor. The primary objective of conducting a Property Management System Analysis (PMSA) is to provide the KO with the sufficient and appropriate evidence required to make a reasonable determination as to the acceptability of a Contractor's property management system based on contractual and regulatory requirements.

(1) Property Administrator: (Name, telephone, email)

f. **Government Flight Representative (GFR):** Appointed by the KO and is an authorized representative to administer the terms and conditions of the contract relating to AR 95-20, Flight Operations, Ground Operations, and Government Flight Risk Clause (GFRC). The GFR mitigates risk to the command footprint by measuring contractor compliance against every applicable paragraph of the AR 95-20, PWS, and service guidance.

(1) GFR: (Name, telephone, email)

g. **Surveillance Support Personnel:** Personnel in multiple functional specialties provide surveillance and technical support for CORs in monitoring Contractor's performance. Roles of these personnel include Equipment Specialists (ES), Safety Managers, Environmental Managers, Security Managers, Information Management Office, Quality Assurance Representatives (QAR), Industrial Property Management Specialists (IPMS), and Logistics Management Specialists (LMS).

3.0. CONTRACTOR ROLES AND RESPONSIBILITIES

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

- a. Contract Manager: (Name, telephone, email)
- b. Project Manager: (Name, telephone, email)
- c. Quality Manager: (Name, telephone, email)

4.0. OVERVIEW OF QASP

a. Performance Areas are identified as a location or a distinct work/functional element. An Evaluation Area is defined as an audit scope topic. Each are identified as part of the surveillance schedule. Each evaluation area is an individual report and not combined, overlapped, or mixed. The QA program is reviewed by the KO and used in conjunction with the contract, PWS, contract attachments, and applicable references.

b. Periodic audits have a specified minimum monthly, quarterly or annual frequency for planning purposes as defined in the Surveillance Schedule. When scheduling QA audits, planning is concentrated on specific areas of interest or concern. Performance areas will provide recommended changes to the surveillance schedule to the ACLC QASP Program Manager prior to the start of the Quarterly rating period for consolidation. The Government reserves the right to adjust the number of Performance areas and Evaluation areas. Changes to the published Quarterly surveillance schedule will be forwarded to the COR's for concurrence and incorporated in the QASP once approved.

c. Notification of minimal scheduled evaluation amounts will be provided to the Contractor at the beginning of the Quarter. If decreases are required to the scheduled monthly amounts, the Contractor will be notified prior to the start of the performance month which the adjusted audits will take place. If the Government does not notify the Contractor of a decrease to number of audits scheduled, the projected numbers given at the start of the Quarter will remain the minimum required amount.

d. In addition to the purpose of determining technical compliance and locating systemic problems, every ACLC auditor will document all matters relative to the scope of the contract to include matters of fraud, waste, abuse, and inefficiency. The ACLC Brigade S3 oversees the ACLC QA through an Internal Compliance Auditing (ICA) program. Brigade S3 will schedule ICAs to be conducted, focus areas and feedback to the executing entity. This program encompasses every facet of surveillance on this contract.

e. To assist in the execution of surveillance, the Government Flight Representative (GFR) shall notify the ICA Manager of changes to approved Flight Operating Procedures (FOPs) and Ground Operating Procedures (GOPs) and the implementation date of any approved changes to procedures that would impact these audits/surveys. The approved procedures will be posted for access by all surveillance personnel.

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

f. Contractor self-disclosure is highly encouraged in performance of contractual requirements. If the Contractor self-identifies a noncompliance, the Government will immediately document the event provided in an Observation and determine if additional actions are required.

g. IAW PGI 222.17 and FAR 52.222-50, the KO will be notified immediately of any information from any source that alleges a Contractor employee, subcontractor and/or subcontractor employee has engaged in conduct that violates the United States Government "zero" tolerance policy regarding trafficking in persons.

h. There are multiple types of surveillance performed on this contract. The Government will use the audit outcomes of all surveillance performed to focus future audits and identify trends. We will utilize a continuous loop surveillance system bringing different surveillance techniques together for a focused reduction in risk improving the product provided to the Army pilots. Outcomes of external audits performed by AMCOM or other Government entities can guide our surveillance focus areas.

i. Documentation of Observations and audits shall be performed in an objective and professional manner. Use of subjective words and standards should be avoided.

5.0. QA AUDITS

5.1. SCHEDULED AUDITS

a. Scheduled audits are conducted in evaluation areas used to determine the Contractor's compliance with the PWS and Contractor procedures and PWS IAW the surveillance schedule. The original Surveillance Activity Report (SAR) form will be prepared within the auditing database including supporting documents and audit evidence not already available to the Contractor in folders. The Performance Area Lead will review all documents and validate whether the overall evaluation is satisfactory or unsatisfactory. The completed audits will be sent electronically to the Contractor immediately and annotated with a suspense date for return with a corrective action. The Contractor remains responsible for routing, handling, and returning of all completed forms within the auditing database. Deficiencies annotated on the SAR form require Contractor corrective actions to be corrected within **10-calendar day** suspense and document updated in the auditing database. ACLC Form 502 will be used to document this process.

(1). Aircraft Safety of Flight, Critical Safety Item, and Government directed mandatory QA stops: In addition to the scheduled QA audits, the Government QA shall conduct inspections and tests throughout the work processes [e.g., disassembly, reassemble, area closing, completion of work (final), Critical Safety Item (CSI)/Safety of Flight (SOF) characteristics, breaks of inspection (BOIs) or after Maintenance Test Flights (MTFs)/Functional Check Flights (FCFs)]. While the QA may not normally inspect work that has not been inspected and accepted by the Contractor's quality inspector, the Government always retains the right to inspect the contractor's work at any point in the work process. The Contractor records their work accomplishments in

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

the aircraft maintenance records, or other appropriate forms, and the QA will document his/her inspection and acceptance, or rejection of the work performed, by placing an entry within the appropriate points in the maintenance records. In addition to the maintenance records providing documentation of the audits, the QA will document and maintain copies of all scheduled, unscheduled and observations in the auditing database.

(1) When auditor finds deficiencies possibly resulting in an unsafe work environment, the auditor will bring the deficiency to the immediate attention of the Contractor's Management Staff for resolution and notify ACLC Safety, Performance Area Lead and cognizant COR.

b. SAR Extensions: All extensions must be requested through the Performance Area Lead prior to suspense date. This request shall contain the control number of the audit, suspense date, and the reason for delay. The Performance Area Lead may approve up to a **three-calendar day extension** based on reason for delay. All approvals and disapprovals must be kept in a file for record. If a second extension or an extension longer than the three days is requested, the Contractor must submit a letter to the Lead COR with reason for delay and date requested for return. Once approved this letter will then be sent to the QASP Program Manager to be filed and the date mortified for the extension.

c. Inadequate Corrective Actions: When the Contractor returns the completed audit with corrective actions annotated, it will be reviewed to ensure the response is satisfactory. Inadequate corrective action responses to scheduled audits will be returned to the Contractor by the Performance Area Lead with a **three-calendar day suspense**. The following actions will take place:

- (1). The SAR will remain open until satisfactory corrective action is received.
- (2). It will be documented on an observation form and submitted as a non-compliance to the Contractor.
- (3). The performance area COR will have a discussion with the corrective action submitter, management, and/or PM.
- (4). May be elevated to a CAR if appropriate.

d. Re-audit: A follow-up audit will be conducted to ensure prompt and effective corrective action has been taken on reported deficiencies. SAR re-audits of Contractor's corrective action will be conducted within **five business days** of receiving adequate response to validate compliance.

(1). Failed Re-Audit: Re-audits finding the Contractor not in compliance with their stated corrective action will be documented as an Unsatisfactory audit. In this case, the Performance Area Lead will open a new line on the ACLC 501 and document accordingly as a scheduled audit. Continued failure to correct discrepancies or trends could escalate to a CAR.

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

(2) SAR forms returned by the Contractor with a satisfactory / unsatisfactory corrective action and satisfactory / unsatisfactory re-audit will be retained within the auditing database.

5.2. OBSERVATIONS

Observations are used for faults/findings, on-the-spot corrections found outside of scheduled evaluations or to note exceptional findings of improvement or performance. This action will be documented in the auditing database 601 process. Documentation of discrepancies found outside of scheduled evaluations is of vital importance to show problems in specific areas. **No response is required unless specified by the Government on the Observation.** The Contractor will have **10 calendar days** to provide a response, if required. The Contractor may choose to respond when not requested by the Government to ensure all pertinent information related to the Observation is documented. Inadequate responses to observations will be returned to the Contractor by the Performance Area Lead with **three business day suspense.** ACLC Form 511 will be used to document this process. The following actions will take place:

- (1). The observation will remain open until satisfactory corrective action is received.
- (2). It will be documented on another observation form and submitted as a non-compliance to the Contractor.
- (3). The performance area COR will have a discussion with the observation response submitter, management, and/or PM.
- (4). May be elevated to a CAR if appropriate.

5.3. EVALUATION AND GRADING CRITERIA

5.3.1 NON-CONFORMANCE CLASSIFICATION

Quality systems will be evaluated upon the standardized criteria based on faults found and the compliance to the PWS, AS9100D Army Regulations, Technical Manuals, Contractor's Quality Control Plan and Procedures. Each non-conformance will be classified using the following guidelines:

a. Critical nonconformance: Non-conformances that include, but are not limited to, the following items:

- (1). All nonconformities that create a hazardous or unsafe environment or product.
- (2). Any Management or Quality failure which, may cause injury, major property damage, or major system damage that will result in major downtime in maintenance, loss of supplies or services, or is likely to prevent performance of the mission and causes monetary impact to the Government.
- (3). Discrepancies which would result in failure or materially reduce the usability of the product for the intended purpose.

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

(4). Discrepancies for Contractual, Regulatory or Procedural non-compliance or performance that are likely to affect the usability of an item or require rework to make item usable for the intended services.

(5). Repetitive management system failure which may cause major delay to customer or contractual compliance.

(6). Non-conformities that result in records inaccurately representing the actual airworthiness status of an aircraft.

(7). Discrepancies that create non-conformance with PWS or contractual requirements.

b. Major nonconformance: Non-conformances that include, but are not limited to, the following items:

(1). May cause property damage.

(2). Minor system damage that will result in minor downtime in maintenance.

(3). The loss of supplies or services or is likely to prevent performance of the mission and could cause monetary impact to the Government.

(4). Discrepancies which would reduce the usability of the product for the intended purpose.

(5). Discrepancies for Regulatory or Procedural compliance or performance that are likely to affect the usability of an item or require minor rework to make item usable for the intended services.

(6). Management system failure which is repetitive and may cause minor delay to the customer or regulatory and procedural compliance.

(7). Discrepancies that create non-conformance with PWS or contractual requirements.

c. Minor nonconformance: Non-conformances that include, but are not limited to, the following items:

(1). Does not adversely affect the performance, use or operation of the item.

(2). Discrepancy that would not cause property damage, downtime in maintenance, loss of supplies or services, and likely to prevent performance of the mission causing no monetary impact to the Government.

(3). Discrepancies for Procedural compliance that affects the usability of an item or require no rework to make item usable for the intended services.

(4). Management system failure which is non-repetitive which may cause a delay to the customer or lead to procedural non-compliance.

(5). Discrepancies that create non-conformance with PWS or contractual requirements.

5.3.2 AUDIT GRADING CRITERIA

Grading Criteria: Criteria used allows four points before audit is considered Unsatisfactory. A Critical finding is rated as four points, a Major finding is rated as two points and a minor finding is rated as one point.

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

The overall QA assessment of **Satisfactory** or **Unsatisfactory** Contractor compliance is based upon the audit results. The measurement system relies on standards of conformance within established guidelines and contractual requirements.

a. Satisfactory: The inspected area maintains a fair and reasonable level of compliance that is acceptable established criteria. The inspected area may have major and/or minor nonconformance(s), but will rate satisfactory overall, scoring less than four points.

b. Unsatisfactory: The inspected area is found to contain a level of noncompliance that is unacceptable within the established criteria. The inspected area has critical non-conformance or accumulated major and/or minor nonconformance(s) that rate unsatisfactory totaling four or more points.

6.0. MONTHLY QA AUDIT VALIDATION

The 503 and 504 process timelines below are based on a performance month occurring from the 16th to the 15th (i.e. 16 JAN-15 FEB). If contract award is delayed and the performance month period changes the calendar due dates will be adjusted to match the new performance month period.

6.1. 503 Process (Performance Area review)

a. The Contractor may request a monthly review with the Performance Area COR of specific QA audits where the technical validity of findings is inaccurate. The review will be requested by the Contractor through the Performance Area Lead/COR and documented in the auditing database 503 process. If the Contractor chooses not to submit items for reassessment, the Contractor will notify the Performance Area Lead/COR stating the Contractor requests no items for reassessment that month, which closes the opportunity for consideration. Contractor requests submitted after the dates below without an approved extension will not be considered.

(1) The Contractor will provide the control number of the QA audit, specific faults for technical review, substantiating documentation, and justification in writing to the Performance Area Lead/COR **NLT the 1st calendar day of the month.**

(2) The COR will review the submitted data and meet in person with the Contractor to discuss **NLT the 10th calendar day of the month.**

(3) The COR will annotate the final determination within the database and complete ACLC Form 503 **NLT two business days** after the meeting.

6.2. 504 Process (BN/BDE level review)

a. The Contractor Quality Director will identify any monthly 503 determinations for the previous performance month where new evidence or information is available to the QASP Program Manager **NLT the 15th calendar day of the month** for final

**ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026**

determination by a BN/BDE level COR. This action will be documented in the auditing database 504 process. Any faults not discussed during the 503 process ARE NOT ELIGIBLE for the 504 process. BN/BDE level CORs include the FMX Rucker (Air) Chief, BAMO, or SPO and the BDE Lead COR and S3.

(4) The designated COR will review the documentation and evidence submitted by the Contractor and discuss with Performance Area Leads and Subject Matter Experts (SMEs) as necessary. Once all facts are reviewed and a decision is made, the designated BN/BDE level COR shall provide final determination to the Contractor within **10 calendar days** after receipt. Feedback will be provided to the Performance Area Leads and SMEs.

b. Any requests received by the QASP Program Manager later than established suspense dates will not be considered unless an extension was approved by the FMX Rucker (Air) Chief or Lead COR.

503/504 Timeline

Date	Event
16 January-15 February	Performance month period covered
1 March	Contractor submits any items for 503 process
10 March	COR holds meeting with Contractor
10 March + 2 business days	COR completes ACLC Form 503 with decision
15 March	Contractor submits any items for 504 process
25 March	Designated BN/BDE level COR provides final decision.

7.0. QA AUDIT RECORDS MANAGEMENT SYSTEM (QARMS).

a. ACLC records and stores all surveillance records under the QA program within iACLC or approved system. Each performance area will maintain a file of all evaluations performed in their original format and provide a copy of this file to the COR for inclusion in required documentation. This file is maintained on a contract year basis and serves as a master record of all evaluations performed. All CORs must utilize the Procurement Integrated Enterprise Environment (PIEE) to upload copies of all unclassified contract surveillance documents required by the KO IAW DoDI 5000.72, DFARS PGI 201.602-2, AR 70-13 paragraph 2-2g and ACC Instructions.

b. PDREP Process:

(1) All CARs will be entered into PDREP by Brigade S3. This is an Army Federal Acquisition Regulation Supplement (AFARS) requirement to allow more visibility to the CARs processed by ACLC.

(a) All information will be entered from the iACLC surveillance database into PDREP as necessary for processing the CAR.

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

(b) Once entered, it will be processed to the Contract Specialist team for their review and editing as required.

(c) Once the review is completed, it will be forwarded to the KO's to issue the CAR to the Contractor. The PDF fillable version of the CAR will be attached to the PDREP CAR.

(d) Once a CAP is received from Contractor, will enter all applicable information into PDREP.

(e) When the CAP is accepted or rejected, Brigade S3 will enter all applicable information into PDREP.

(f) Once Re-Audit is completed, Brigade S3 will enter all applicable information into PDREP.

(g) Once the Follow-up (Level 2 CARs and above) is completed, Brigade S3 will enter all applicable information into PDREP.

(h) Once all steps are completed in the CAR process, Brigade S3 will inform the KOs to email the Contractor and close the CAR.

(2) iACLC surveillance database will contain all information and audit evidence for every CAR submitted to the Contractor.

8.0. CORRECTIVE ACTION REQUESTS (CARs)

A Corrective Action Request (CAR) is used as a notice to the contractor to document a nonconformance, notify the contractor of Government rejection of supplies or services not conforming to contract requirements, and to require contractor corrective action. The purpose is to provide the contractor an opportunity to correct or replace nonconforming supplies and services when this can be accomplished within the required delivery schedule IAW FAR 46.407, contract terms and conditions. This action will be documented in the auditing database 801 process.

a. The DoD has four (4) levels of CARs. The level depends on the severity of the non-conformance. The levels are:

(1) Level I CAR may be issued when:

- (a). Non-conformance is not likely to materially reduce the usability of services for their intended purpose;
- (b). Is a departure from established standards related to the requirement;

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

- (c). Minor non-conformances can usually be corrected on the spot, doesn't affect aircraft worthiness, doesn't involve elevated risk and no significant damage to Government property.
- (d). A root cause and corrective action plan are required.

(2) Level II CAR may be issued when:

- (a). Non-conformance is likely to result in failure of the services to meet contract requirements;
- (b). Reoccurring non-conformances;
- (c). Escalation of level I CARs with ineffective corrective actions;
- (d). Trends indicating failure of the Contractor's QCP;
- (e). Affects aircraft airworthiness;
- (f). Elevated risk to the Government or significant damage to Government property.
- (g). A root cause and corrective action plan are required.
- (h). A Level II CAR does not require prior submission of a lower-level CAR.

(3) Level III CAR may be issued when:

- (a). Non-conformance is likely to result in hazardous or unsafe conditions due to the way the services are performed, prevent or impact a vital agency mission as a result of performance;
- (b). Escalation of level I or level II CARs with ineffective corrective actions;
- (c). Trends indicating failure of the Contractor's QMS, Safety Of Flight (SOF) impacts;
- (d). Failure to correct elevated risk to the Government and damage resulting in loss of Government equipment.
- (e). A root cause and corrective action plan are required.
- (f). A Level III CAR does not require prior submission of a lower-level CAR.
- (g). May require ACC-RSA SCO approval before issuance.
- (h). Issuance of Level III / IV CARs require a Serious Incident Report (SIR) or Commander's Critical Information Requirement (CCIR) submission. The type of report depends on the severity of the nonconformance.

(4) Level IV CAR may be issued when:

- (a). Directed by the ACO/KO.
- (b). The issue is serious enough in nature to require immediate correction greater than Level III CAR would provide.
- (c). The remedies implemented by a lower-level CAR was either ineffective at resolving the issue or preventing it from recurring.
- (d). Total QMS failure resulting in loss of life, potential loss of life or total loss Government property.
- (e). A root cause and corrective action plan are required.

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

- (f). Level IV CAR does not require previous submission of a lower-level CAR.
- (g). May require ACC-RSA SCO approval before issuance.

b. Instructions in this QASP concerning the issuing of Corrective Action Requests does not prohibit the KO or COR from taking other or additional appropriate corrective actions afforded to them by regulation or appointment authority to remedy nonconformance or unsatisfactory performance.

c. CAR submissions

(1) The CAR submitter will make a storyboard utilizing the ACLC PowerPoint template provided by Brigade S3. The storyboard will contain all relevant facts, audit evidence, and pictures (if required). The FMX Rucker (Air) Chief will be briefed on all CARs prior to submission into PDREP.

d. The Contractor shall have **three business days** from receipt of any CAR to request reevaluation from the Brigade S3 based on validity concerns. The Contractor shall submit a written explanation and supporting evidence. The Contractor may request a meeting to discuss the reevaluation request. The Government will provide a written response NLT **seven business days** from receipt of the reevaluation request or requested meeting, whichever is later. The original CAR response date is not adjusted for this action without a request through the Brigade S3 for approval.

e. The Contractor has a **15-calendar day** suspense for all Level I thru IV CARs unless otherwise stated. If the required suspense date falls on a weekend or holiday, the Contractor will be given until the next scheduled workday to submit their response. The Contractor shall provide a root cause and corrective action plan for correcting the non-conformance with a date of full compliance. All areas identified in the CAR will be re-audited to ensure effectiveness of corrective action. The contractor's response should focus on both the action in question and long-term prevention of re-occurrences. The government is not required to accept the contractor's CAP as written.

f. Upon receipt of the CAR response from the Contractor, the issuer of the CAR will review of contractor submitted CAPs, accept or reject the CAP within 5 business days for Level II, and 10 business days for Level III / IV CARs. .

(1) If accepted, Issuer will sign in appropriate block and send to QSD Chief for processing.

(2) If response is rejected, the QSD Chief will provide an explanation of rejection and new suspense date in a letter of inadequate response to the Contractor. The letter of inadequate response has a **five calendar day** response requirement. If Contractor fails to resolve corrective action response issues, an escalated corrective action request may be written for failure of the corrective action system.

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

g. Request for extension of CAR suspense dates must be sent to the Brigade S3 **prior to the suspense date**. The request must contain the control number, suspense date, reason for delay, and the proposed date of return.

h. Re-audit: A re-audit will be scheduled after date of full compliance within **30 calendar days to 45 calendar days** to ensure corrective action plan remedied the non-conformance preventing reoccurrence. Non-conformances of CAP after date of full compliance can qualify as failed re-audit. Facts and audit evidence collected after date of full compliance will be used to determine conformance and will be annotated in the auditing database.

i. Failed Re-Audit: Re-audits finding the Contractor not in compliance with their stated corrective action will be documented in the auditing database. One of the following two steps can be taken:

(1) Adjusted CAP: The contractor will be notified and given **five calendar days** to provide their plan for compliance to the government. Re-audit procedures will be followed in paragraph 8.i. above.

(2) Escalate CAR Level: Higher-level CAR may be submitted through PDREP.

9.0. OTHER INSPECTED AREAS

9.1. PROPERTY ADMINISTRATION

a. The primary objective of the property administration function is to attain efficient, economic, and uniform management of all Government property required for the performance of the contract. The function is mainly to administer the terms of contract provisions that specify the Contractor's obligation to acquire, control, use, care for, report, and dispose of Government property, and to advise contracting activities and other DoD officials of the known level of efficiency of the Contractor's management of Government property.

b. The PA administers contract provisions to assist the Contracting Officer with approving the Contractor's Property Management System and to perform annual reviews of the Contractor's system to ensure compliance and grant relief of responsibility and liability for loss when applicable.

c. The analysis of the Contractor's Property Management System (PMS) is a critical responsibility assigned to the PA. Through this analysis, the PA determines whether the Contractor is effectively and efficiently complying with the terms and conditions of the contract, regulatory requirements, and other special requirements contractually imposed by the Procuring Activity.

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

d. The Contractor's PMS and Government oversight are the safeguards established for ensuring that the Contractor exercises adequate care and control of Government property in their custody.

e. The KO and PA are the only Government agents authorized to:

(1) Allow Government property accountable under one contract to be used in the performance of another contract.

(2) Authorize the Contractor to obtain property for use under a contract.

(3) Conduct a PMSA. Support surveillance personnel will be used to perform audits and gather the necessary information.

(4) Relieve Contractor of liability for the Loss of Government Property.

(5) Direct Contractor in regards to the disposal or reutilization of GFP.

f. Surveillance of the Contractor during performance will consist of analyses developed from the Federal Acquisition Regulation (FAR), Defense Federal Acquisition Regulation Supplement (DFARS), Army Regulations, Contractors PMS and locally developed inspections designed to provide insight into more narrowly defined portions of the Contractor's PMS. Annual analyses and audits will be conducted by the Industrial Property Management Specialist (IPMS) at their assigned field/area or the PA.

(1) Property Lifecycle Process Outcomes:

(a) **Outcome 1: Acquisition (Including MILSTRIP)** – ensures the Contractor documents that all property was acquired consistent with its engineering, production planning, and property control operations.

(b) **Outcome 2: Receipt of GP / Identification / Movement** – ensures the Contractor receives Government property and documents the receipt, records the information necessary to meet the record requirements of the FAR, identify as Government owned in a manner appropriate to the type of property (e.g., stamp, tag, mark, or other identification), and manage any discrepancies incident to shipment.

(c) **Outcome 3: Records of Government Property** – ensures the Contractor creates and maintains records of all Government property accountable to the contract, including Government-furnished and Contractor-acquired property.

(d) **Outcome 4: Physical Inventory TDA / Installation Property** – ensures the Contractor periodically performs, records, and discloses physical

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

inventory results. A final physical inventory shall be performed upon contract completion or termination. recorded.

- (e) **Outcome 5: Subcontractor Control** – ensures the Contractor awards subcontracts that clearly identify items to be provided and the extent of any restrictions or limitations on their use. The Contractor shall ensure appropriate flow down of contract terms and conditions (e.g., extent of liability for loss of Government property).
- (f) **Outcome 6: Reports** – ensures the Contractor has a process to create and provide reports of discrepancies, loss of Government property, physical inventory results, audits and self-assessments, corrective actions, and other property-related reports.
- (g) **Outcome 7: Relief of Stewardship, Responsibility and Liability** – ensures the Contractor has a process to enable the prompt recognition, investigation, disclosure and reporting of loss of Government property, including losses that occur at subcontractor or alternate site locations.
- (h) **Outcome 8: Utilization / Storage** – ensures the Contractor utilizes, consumes, moves, and stores Government Property only as authorized under this contract. The Contractor shall promptly disclose and report Government property in its possession that is excess to contract performance. stewardship.
- (i) **Outcome 9: Maintenance** – ensures the Contractor properly maintains Government property. The Contractor's maintenance program shall enable the identification, disclosure, and performance of normal and routine preventative maintenance and repair. The Contractor shall disclose and report to the Property Administrator the need for replacement and/or capital rehabilitation.
- (j) **Outcome 10: Disposition of Government Property** – ensures the Contractor promptly performs and reports to the Property Administrator contract property closeout, to include reporting, investigating and securing closure of all loss of Government property cases; physically inventorying all property upon termination or completion of this contract; and disposing of items at the time they are determined to be excess to contractual needs.

9.2. INFORMATION MANAGEMENT

a. Information technology and automation requirements will be evaluated upon the standardized criteria based on faults found and the compliance to the PWS, Army Regulations, Contractor's Quality Control Plan and Procedures. Periodic audits are conducted and used to determine the Contractor's compliance.

9.3. SECURITY

a. The ACLC Security Manager/COR provides the KO, guidance and oversight of Contractor's security plans, adherence to security regulations and compliance with Defense Security Service (DSS) policies and procedures in relationship to the Performance Work Statement. The ACLC Security Manager/COR is responsible to ensure the Contract Security Classification Specification, DD Form 254 is prepared, reviewed, and implemented by the Contractor. Periodic audits are conducted and used to determine the Contractor's compliance with Contractor procedures and Performance Work Statement.

9.4. FACILITIES

a. The ACLC Facility Manager advises the CDR, ACLC, on all matters relating to facilities management directly impacting ACLC daily mission requirements. In addition, ACLC Facility Manager provides the KO and PA guidance on contract oversight of Contractor's facility utilization and maintenance of assigned facilities with adherence to AR 420-10 and AR 420-11 and Contractor's policies and procedures. Periodic audits are conducted and used to determine the Contractor's compliance with Contractor procedures and Performance Work Statement.

b. ACLC Facility Manager provides review and approval of Contractor submitted work requests (DA 4283) for repair, construct or renovation to Government furnished facilities. They will coordinate an annual facilities utilization survey to ensure Contractor utilization of Government furnished facilities follow regulatory guidance.

c. ACLC Facility Manager provides project oversight on construction projects, renovation, and major repairs on the ten-year plan for Major Construction Army (MCA) and Unified Minor Military Construction Army. They coordinate with Garrison and 1-110th Airfield Commanders for approval on communication, physical security, fire prevention, and airspace safety on any facility related work requirements. Lastly, they provide technical review and coordination of all construction plans, contracts, and statements of work to perform repairs or construct Government facilities.

d. ACLC Facility Manager conducts and reviews annual installation status reports for Department of Army and Department of Public Works (DPW). They provide complete review of facilities issues, providing command attention to work orders that directly affect mission, safety, security, or environmental hazard ensuring Service Orders and work requests submitted to DPW are provided in the time required by assigned priorities.

9.5. AVIATION PROGRAM TEAM (APT)

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

a. Government Flight Representative (GFR) mitigates risk to the command footprint by measuring contractor compliance against every applicable paragraph of the AR 95-20, PWS and Service Guidance. GFR and Alternate GFR (AGFR) are synonymous. IAW AR 95-20, the Primary GFR approves:

- (1) Contractor Flight Operating Procedures (FOP),
- (2) Contractor Ground Operating Procedures (GOP),
- (3) All Contractor flights,
- (4) Crewmembers,
- (5) Maintenance activities for the contractor ensuring contractor compliance with applicable provisions of AR 95-20,
- (6) Contractor Crewmember Status confirming compliance with AR 95-20 (DD2628),
- (7) Contractor Qualification or Upgrade Training confirming compliance with AR 95-20 (DD 2627),
- (8) Rescinding of Crewmember status as applicable in compliance with applicable provisions of AR 95-20,
- (9) The Government's assumption of risk for aircraft damage, loss or destruction while in possession of the contractor utilizing the DFARS 252.228-7001 Ground and Flight Risk Clause.

b. Aviation Program Team Survey.

(1) The intent of the APT Survey is to validate contractor compliance with the requirements of the contract, AR 95-20 and their Procedures to minimize the risk of loss, and to indicate what management attention is necessary to prevent occurrence/recurrences.

(2) The flight and ground APT survey is an onsite evaluation of the effectiveness of contractor flight and/or ground operations and Procedures protecting Government resources and assets.

(3) The APT is responsible for performing Contract Administration Services (CAS) functions under FAR Subpart 42.302.

- (a). APT consists of the GFR, AGFRs, Ground Government Representatives (GGRs), Safety Manager, Quality Assurance Specialist (QAS) and other Subject Matter Experts as required.
- (b). Contract Safety Manager (CSS/CSM) and Quality Assurance Specialist (QAS) where FAR 42.302(a)(38) is assigned.

(4) The schedule of the APT survey will be at least once a year, based on the contract start date. The survey will be contract wide, so all airfields / locations on Fort Rucker will be surveyed. Surveys may be conducted plus or minus two months of the anniversary of the previous survey dates IAW AR 95-20.

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

(5) The GFR will maintain and adjust the master schedule of the APT surveys for all the current contracts to align with the contract start date. This master schedule will be distributed to the following ACLC personnel: Commander, Deputy Commander, Administrative Contracting Officer (ACO), all Division Chiefs, all Contracting Officer Representatives (COR), and all AGFRs/GGRs.

(6) The GFR will provide a 30-day notification to the contractor IAW AR 95-20.

(7) The GFR will provide formal in brief with the Contractor and Government team providing the setting for the conduct of the survey.

(8) All surveys conducted will be contract wide. The assigned GFR, AGFR, and GGR will conduct the survey for their respective airfields/locations. As needed, and if available, the other AGFRs and GGR's can assist the assigned team during the survey and documenting of the survey findings for that airfield/location. The survey team will utilize documented findings from the routine surveillance performed during the period after the last previous conducted APT Survey and will review QASP data for the same period to identify trending areas for the in-progress survey. Trends developed from any of the prior surveillance formed could result in an APT finding or escalate risk for findings also found during the in-progress survey that relate to the trend. The Primary GFR, with assistance from the AGFRs will conduct the survey of all the Flight Operations Procedures during the surveillance months and/or during the actual survey.

(9) During the APT survey month, the GFR Team will consolidate all the findings from the surveillance months and trending areas of all the airfields/locations. The GFR will officially schedule the APT out brief to the contractor and post the Executive Summary and FDS. The Executive Summary and out-brief are completed on or about the 1st day of the month following the survey month.

(10) The auditing database will be utilized to create, document, and store all APT Surveys and results. The contractor will be required to provide the responses to the findings within the auditing Database. A file folder within the ACLC share drive may be created to assist with storing audit evidence and any other items related to the specific Survey. It will be stored in the shared drive and labeled (example xx, CY25 XXXX Annual APT (Active)). Once all findings have a response from the contractor and the APT Survey officially closed, the file folder created on the share drive will be moved to a historical folder.

(11) The Health Assessment will be utilized to assign level of risk assigned to any finding (APT Survey or routine surveillance) based upon collective input by the APT and or auditor.

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

Observation	Compliant	Discrepant	Non-Compliant
Contractor's Required Actions	No additional risk control measures required. Continue to monitor to ensure compliance.	Acceptable to carry out the work activity; however, tasks need to be reviewed to reduce the risk to as low as reasonably achievable. Contractors must implement their Risk Management(RM) program to reduce the risk to lowest level possible. Supervisory oversight is required.	Must implement RM to ensure immediate management intervention is performed to make certain the risk is reduced prior to continuing operations. Supervisory oversight is required. Control measures must be implemented to reduce the risk and should focus on elimination. NOTE: GFR/GGFR may consider withdrawal of approval of procedures. NOTE: GFR/GGFR may recommend to the KO revocation of the GFR.
GFR/GGFR Health Assessment	Determination of the overall health of the contractor's operations for adequacy of, compliance with, and effectiveness of the Procedures: - Health of Operations Weight Points: Compliant = 0; Discrepant = 3; Non-Compliant = 7.5 - Performing operations without Procedures that have not been approved in writing by the GFR place may place the aircraft under unreasonable conditions and will be automatically assessed as Non-Compliant and assessed at 7.5 points - Performance of aircraft APU/engine operations in a non-current status are automatically assessed as Non-Compliant and are assessed at 7.5 points - Calculated APT Acceptability Score below 85.00 is rated as Not Acceptable-High		

(12) Determination of the overall health of the contractor's operations for adequacy of, compliance with, and effectiveness of the Procedures:

- (a). Health of Operations Weight Point deductions: Compliant = 0; Discrepant = 3; Non-Compliant = 5.
- (b). Performing operations without Procedures that have not been approved in writing by the GFR place may place the aircraft under unreasonable conditions and will be automatically assessed as non-compliant and assessed at 5 points.
- (c). Performance of aircraft APU/engine operations in a non-current status are automatically assessed as non-compliant and are assessed at 5 points.
- (d). Mathematical formula determines the basic weight point value for each area, overall scoring is accessed by reducing total weight by points accessed for Discrepant and Non-Compliant areas. For an area to be non-compliant most of an area's ($\frac{3}{4}$ or 75%) sub-tier paragraphs would have to be non-compliant with the procedures.
- (e). Calculated APT Acceptability Score below 75.00 is rated as Not Acceptable-High (Highest possible Score is 100). Modeled after AR 700-138 Department of the Army Status Reporting.

(13) GFR will brief the ACLC Command and Division Chiefs to coordinate findings, ensure risk associated to those findings is accurate, the methodology used to derive the risk rating is valid, and prepare for the contractor out-briefing.

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

(14) Red and orange findings on the executive summary require the Contractor to Reply By Indorsement (RBI) within **30 calendar days** of receipt from the KO. With GFR approval, yellow findings may require an RBI on a case-by-case basis.

(15) The GFR will review the RBIs once received with the GGR team and provide acceptance or return the RBI for corrections within **15 calendar days** of receipt. Once accepted, the GFR team will focus daily surveillance as necessary to ensure corrective actions are in place and effective. Ineffective corrective actions will be addressed with an observation and may lead to follow on contract actions to preclude reoccurrence.

(16) The ACLC Database (iACLC) will be utilized to create, document, and store all APT Surveys and results. The Contractor shall provide their responses to the findings within the ACLC Database. The Brigade S3 will ensure all APT survey and surveillance information is loaded within PEE.

c. Routine Surveillance

(1) GFR and GGRs must maintain surveillance of flight and ground operations per FAR 42.302(a)(56) and AR 95-20. The purpose of this surveillance is to validate contractor compliance with the requirements of AR 95-20 and their own Procedures. Surveillance consists of scheduled, unscheduled, and follow-up audits.

(2) There are two methods of Daily Surveillance:

- (a). Elements of AR 95-20 that are intentionally surveilled based on their tracker.
- (b). Elements of AR 95-20 that are obvious infractions of the FOP/GOP.

(3) GFRs/GGRs will intentionally go out to look at areas of AR 95-20 that are known to be high risk elements.

(4) Overhead Hoists, FOD (housekeeping), Tool and Item control, AGSE, Servicing, Jacking, TMDE, Aircraft Records (component paperwork/tagging), Fuel Systems, Hangaring, HAZMAT, Application of power, and Control of flight surfaces are considered high risk elements.

(5) The Corrosion Control Program and Weight and Balance surveillance needs to be coordinated as scheduling can be an issue. Intentionally do training with the training managers because you may not have COGNOS access. At the beginning of the month, you can do the APU run Currency review.

(6) Surveillance may be reactive. Return to Service, FOD (pilot discovery), flight line accidents and damage are examples.

(7) GREEN findings are recorded in the database in the database example that follows: NO RESPONSE REQUIRED. Inspected hangar 30300 for compliance with

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

Hanging procedures, specifically use of current Form 501, grounding of aircraft, use of drip pans, and installation of arming safety pins. All bays were compliant.

(8) The CRO is sent an email to notify him.

(9) Other-Than-GREEN findings are recorded the same way in addition to what the non-compliances are and what the references were utilized. QASP's, OBS's, or previous findings in that category can also be used.

(10) Contractor responses are sent to the GGRs for acceptance and signature for input into PEE.

(11) For resident GFRs and GGRs this should consist of daily/weekly assessments. Along with daily surveillance at their respective airfields, once weekly GGRs will meet as a group at selected airfields to perform surveillance and log the findings on the respective airfield spreadsheet within the ACLC Database (iACLC). All surveillance will be logged in the database as soon as possible to provide a realistic health indication. Routine surveillance will not be conducted by GFRs/ GGFRs/GGRs during scheduled APT Survey periods in which they are active team members.

10.0. OTHER INSPECTED AREAS SURVEILLANCE SCHEDULE

Other Surveillance Areas												
Surveillance Activity	Cairns	Hanchev	Knox	Low	Shell	CPM	MED	ACRB	SSB	SAF	ENV	Surveillance Method
Property Administrator												
Outcomes	M	M	M	M	M	M	M	M	M	M	M	PA Outcome
Aviation Program Team												
Surveys	M/A	M/A	M/A	M/A	M/A	M/A	M/A	M/A	M/A	M/A	M/A	GFR Audit
Security Compliance												
Security	AS	AS	AS	AS	AS	AS	AS	AS	AS			QA Audit
Information Management Compliance												
Information Management	AS	AS	AS	AS	AS	AS	AS	AS	AS			QA Audit
Surveillance Frequency	AS- As Required		W-Weekly		M- Monthly		A-Annually		O- On Occurance			
	MPF-Monthly per Fleet		BI- Biweekly		Q-Quarterly		S-Semi Annual		R-Random			

11.0. COR STATUS REPORTS

No later than the 10th of each calendar month after previous reporting period, or per the KO's direction, the COR will document the contractor's performance by completing a CSR in PEE-SPM for the previous surveillance period. CSRs, along with a surveillance checklist will provide a synopsis of the Contractors performance for the inclusive dates of the report. The synopsis will contain a summary of: surveillances performed; Customer Feedback, if any; CARs, if any; an analysis of the Contractors performance; recommended adjustments to surveillance schedules; and any other pertinent contract

**ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026**

information. The CSR will not be considered finalized until reviewed and approved by the Contracting Officer.

12.0. SERVICE CONTRACT REPORTING (SCR):

The Contractor is required to completely fill in all required data fields using the following web address: <http://www.sam.gov>. Reporting inputs will be for the labor executed during the period of performance during each Government FY, which runs from October 1st through September 30th of each year. While inputs may be reported any time during the FY, all data shall be reported no later than October 31 of each calendar year. If contract period of performance ends prior to September 30, the Contractor has 30 calendar days from end date of the contract to complete the SCR requirement. The contractor shall enter initial data into the appropriate SCR tool to establish the basic contract record no later than 15 working days after receipt of contract award or contract modification incorporating this clause. The contractor shall notify the KO and Lead COR when the basic contract record has been established in the appropriate SCR tool.

13.0. CONTRACTOR PERFORMANCE ASSESSMENT (CPARS)

Documented surveillance data (CSRs, Completed Surveillance Checklists, Customer Feedback and CARs, if any) will be used to support CPARS ratings. CPARS will be completed in accordance with AFARS, Subpart 5142.15 – Contractor Performance Information. The Lead COR shall document that CPARS, if required, was completed in PIEEE-SPM.

14.0. COR/QUALITY ASSURANCE SURVEILLANCE FILES

The official COR/Quality Assurance Surveillance File will be maintained in PIEEE-SPM, IAW DoDI 5000.72, DoD Standard for COR Certification. At a minimum, the CORs PIEEE-SPM file(s) contents will include:

- Copy of contract and mods (Loaded in contract file by KO or Lead COR).
- Current QASP.
- COR Appointment Letter (System Generated).
- Current COR training certificates.
- COR Status Reports.
- Surveillance Checklist / records of inspections.
- Copy of the contractor's Quality Control Plan (Loaded in contract file by KO or Lead COR).
- Correspondence to contractor pertaining to cost, schedule and performance CARs (if applicable).
- Evidence of required documentation IAW PWS (CDRLs).
- Evidence of SCR data validation (if applicable).
- Evidence of CPARS data validation (if applicable).
- Evidence of Quality Assurance Surveillance Schedule (QASS) for each reporting period.
- Customer feedback/surveys.

**ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026**

Memoranda for record of minutes of any meeting, telephone conversations and discussions with the contractor or others pertaining to the contract or contract performance.

Documentation pertaining to acceptance of services, reports or data.

15.0. APPENDIXES

- 15.1. PRS
- 15.2. EVALUATION AREAS
- 15.3. SURVEILLANCE SCHEDULE
- 15.4. COR MATRIX
- 15.5. CDRL REVIEW MATRIX

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

15.1 PRS

			v1.0 1APR26
Performance Objective	Performance Standard	Acceptable Quality Level	Method of Surveillance
Achieve Daily Mission Performance (2.1.1)	Provide all requested aircraft to meet the daily contract launch requirements for each fleet.	100% of aircraft provided as required each day.	100% Inspection. Government verification and calculation using Attachments 0003 & 0004. A "YES" or "NO" is recorded daily per fleet.
Achieve Monthly/Surge Mission Performance (2.1.2)	Meet the overall monthly contract launch requirement, including surge and additional issue aircraft.	98% of all required aircraft launched successfully per month.	100% Inspection. Government verification and calculation using Attachments 0003 & 0004.
Maintain Aircraft Readiness / Fully Mission Capable (FMC) (2.1.4)	Maintain a monthly fleet FMC rate at or above the required concurrency rate.	Fleet FMC rate => Required Concurrency rate identified in Attachment 0004 Table 1	Random Sampling. Calculated IAW AR 700-138 and reported via CDRL A001.
Achieve Aircraft Fleet Phase Bank Time (PBT) (2.1.3)	Meet the minimum monthly aircraft fleet Phase Bank Time requirement.	Base Year: 47% OY1-OY9: 50%	Random Sampling. Contractor measurement and reporting, subject to Government verification.
Manage Uncorrected Faults (2.2.6)	Ensure aircraft do not exceed the maximum allowable number of uncorrected faults.	Maximum faults per aircraft: AH-64/UH-60/CH-47: 9; UH-72/HH-60M: 7.	Random Sampling. Government ACN/Logbook inspections and audits.
Achieve Quality Assurance Surveillance Plan (QASP) Audit Pass rates (3.1.2)	Achieve the quarterly pass rate for each Performance Area and Evaluation Area.	Base Year: 80% (Perf. Area), 70% (Eval. Area). Rates increase in subsequent years per PWS Table 5.	100% Inspection. QASP Audit data validated and reviewed by government.
Provide MARC FARP support (2.3.2)	Provide refueling and rearming services at the Molinelli Aerial Gunnery Range Complex (MAGRC).	Capable of operating 10 pads simultaneously with a Turnaround time per aircraft of no more than 30 minutes.	Periodic Sampling. Government observation and verification of MAGRC FARP operations.
Accomplish Aircraft Painting and Corrosion Control (2.2.13)	The Contractor shall paint a minimum of 20 aircraft per year	20 aircraft, calculated IAW CDRL A012, completed annually.	Periodic Inspection. Government review and verification CDRL A012 Aircraft Painting. Government observation and inspection of aircraft painting operations.
Achieve MEDEVAC Mission Requirements (2.4.6)	The contractor shall support scheduled MEDEVAC mission requirements 24 hours a day seven days a week to meet MEDEVAC requirements IAW Attachment 0004, Required Aircraft Table	100% of MEDEVAC provided IAW Attachment 0004 Required Aircraft Table, Table 2 MEDEVAC Mission Aircraft Requirements	100% Inspection. Government validation of MEDEVAC aircraft issued to meet requirements on flight schedule.
Provide Stage Field Maintenance Support (2.3, Attachment 0006)	The Contractor shall provide on-site Stage Field Support for scheduled operations IAW Attachment 0006 Stage Field Support Requirements	Capable of conducting minor (<30 min) Field level repairs, aircraft towing, and mooring during scheduled hours when aircraft are present	Periodic Inspection. Government verification of on-site Stage Field capabilities and coverage
Manage Material & Supply Operations (2.7.1)	Maintain specified standards for inventory and material management.	a). Inventory accuracy rate of ≥ 98%; b). Priority 02 issue response time of ≤ 4 hours. c). Stock replenishment cycle of ≤ 3 working days. d). Inventory discrepancy rate of ≤ 1.5%; and e). Expired shelf-life items in active inventory rate of ≤ 0.5%.	Periodic Inspection. Government review and validation of CDRL A018 (Logistics Reporting), GCSSS-A source data, and Government supply audits.
Manage Army Working Capital Fund (AWCF) Warehouse (W0H) Operations (2.7.3)	Maintain specified standards for W0H Warehouse Operations	1) Customer Reconciliation ≥ 95% 2) ASL Zero Balance with Due-Outs ≤ 8% 3) Readiness Driver Fill Rate ≥ 80% 4) ASL Fill Rate ≥ 35% 5) Release Strategy ≤ 24 hrs. 6) Inventory Accuracy ≥ 95%	Periodic Inspection. Government review and validation of CDRL A018 (Logistics Reporting), GCSSS-A source data, and monthly Government observations and audits of W0H performance using GCSSS-A.
Manage AWCF Issue and Reporting (2.7.3.1)	Maintain specified standards for AWCF (W0H) Issue and reporting requirements.	Issue IPG below 05 within four hours of receipt. Issue IPG 05 and higher within 24 hours of receipt.	Random Sampling. Government review and validation of CDRL A018 (Logistics Reporting), GCSSS-A source data, and monthly Government observations and audits of W0H performance using GCSSS-A.
Manage Airfield / AMSS Supply Operations (2.7.4)	Maintain specified standards for Airfield and AMSS Supply operations.	a) Prescribed Load List (PLL) zero balance without due-ins of <5% (excludes UH-72A) b) PLL/ shop stock excess lines of <5% (excludes UH-72A) c) Serviceable turn-in Condition Code (CC) A of <5% d) Bench stock management without due-ins of 100% (excludes UH-72A) e) PIFB Issue Priority Group (IPG) 02 of < 3 days f) PIFB IPG 05 of < 15 days g) PIFB IPG 12 or < 30 days h) Recoverable items issued with no matching turn-in of <5%.	Random Sampling. Government review and validation of CDRL A018 (Logistics Reporting), GCSSS-A/ACN source data, and monthly Government observations and audits of Airfield/AMSS Supply operations.
Prepare and submit PQDRs in Product Data Reporting and Evaluation Program (PDREP), or Joint Deficiency Reporting System (JDRS) (3.2.2)	The Contractor shall prepare and submit all Category I PQDRs within 24 hours and Category II PQDRs within 72 hours of PQDR using Product Data Reporting and Evaluation Program (PDREP), or Joint Deficiency Reporting System (JDRS)	Category I PQDRs within 24 hours Category II PQDRs within 72 hours	Periodic Inspection. Review and validation of PDREP submissions and CDRL A023 PQDR Reporting.

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

15.2. EVALUATION AREAS

EVALUATION AREAS				v1.0 12 APR 26
QASP	Surveillance Activity	Evaluation Method	Sample Size	Surveillance Method
1	Forms/Records Management Process	Evaluation Method: Auditor will evaluate aircraft and armament records are properly maintained in accordance with the terms of the contract, DA Pamphlet 738-751, TM 1-1500-328-23, TB 1-1500-341-01, OEM Manuals, and applicable technical publications for PWS, procedures and regulatory compliance.	Sample Size: Auditor will find the date of the last completed log book recon for the selected tail number (form is req. at a minimum monthly), auditor will check records in the LIS for 2 previous 1352 reporting months and only go back farther if documentation leads them to go 6 months or as FAA Required. Auditor will also verify in records department the 6 month file to verify records are maintained.	QA Data Review
2	Maintenance Process Management	Evaluation Method: Auditor will visually inspect maintenance task being performed on the aircraft/component for compliance with PWS, procedures and regulatory guidance.	Sample Size: Auditors will evaluate an individual maintenance task, which will be randomly selected from tasks currently being performed.	QA Audit
3	Tool Control Management Process	Evaluation Method: Auditor will evaluate tools are properly maintained in accordance with the terms of the contract and applicable technical publications for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate two toolboxes (Shop/crew or flight line tool box/kit) and ensure MR# / Serial number is documented	QA Audit
4	FOD Program Evaluation	Evaluation Method: Auditor will evaluate Contractor FOD Program Process for PWS, procedures and regulatory compliance.	Sample Size: The auditor will evaluate a chosen section of contractor occupied facility as assigned by the QAS Lead and for applicable sites also inspect 2 aircraft pads/rows and 2 flight line vehicles.	QA Audit
5	Corrosion Control Evaluation	Evaluation Method: Auditor will evaluate Contractors Corrosion control program for PWS, procedures and regulatory compliance	Sample Size: Auditor will inspect 1 aircraft for proper corrosion control prevention procedures within 5 working days after completion of a CCI utilize approved Contractor Corrosion procedure, respective MDS technical manuals, PWS to perform the Corrosion Control Evaluation. QAE will look at 40 days of closed fault data completed on corrosion inspections, checking for contractor's identification of corrosion discrepancies and the corrective action taken. Contractor will provide ACLC with monthly corrosion control inspection projection dates	QA Audit
6	Controlled Exchange	Evaluation Method: Auditors will evaluate Contractors controlled exchange process for PWS, procedures and regulatory compliance.	Sample Size: Auditors will evaluate controlled exchange actions performed over the previous seven-day period from inspection date. If no event has occurred in this time frame continue to pull previous seven day periods until an event occurs that has not been inspected by the QASP. Auditors will use the controlled exchange log provided by the contractor to complete the evaluation of all actions during the time period.	QA Data Review
7	Aircraft Movement	Evaluation Method: Auditor will evaluate the Contractors Aircraft Movement process IAW PWS, procedures and regulatory guidance.	Sample Size: QAS will evaluate an aircraft movement	QA Audit
8	Security/Mooring	Evaluation Method: Auditors will conduct evaluation of Contractor Security and Mooring of aircraft process IAW PWS, procedures and regulatory guidance.	Sample Size: Auditors will visually inspect a randomly chosen airfield section assigned by the QAS lead ensuring that mooring was performed.	QA Audit
9	Quality Control/CSI inspection Process	Evaluation Method: Auditors will conduct evaluation of Contractor Quality Control/ CSI inspection Process IAW PWS, procedures and regulatory guidance.	Sample Size: Auditor will evaluate components in shops for initial inspection and evaluate a technical inspector while conducting an in progress inspection. Evaluate an ongoing maintenance event to check for compliance with CSI inspection requirements listed in the technical manual.	QA Audit
10	QMS/Internal Auditing	Evaluation Method: Auditor will evaluate Contractors QMS/internal Auditing and Monitoring Process for PWS, procedures, AS9100D/AS9110 and regulatory compliance.	Sample Size: Auditor will evaluate the contractors adherence to the Quality inspection procedures and required items QMS and internal auditing/monitoring requirements	QA Data Review
11	TMDE/Special Equipment Program Management	Evaluation Method: Auditor will evaluate Contractors TMDE/Special Equipment Program using the Contractor approved procedures and regulatory guidance IAW the PWS, Contractor QMS, procedure and regulatory guidance.	Sample Size: Random Sample will be 10 TMDE items to include MR/Serial Number	QA Audit
12	Preservation Program/COSIS	Evaluation Method: Auditor will evaluate Preservation Program/COSIS accordance with applicable technical publications for PWS, procedures and regulatory compliance	Sample Size: Auditor will evaluate 2 items/components or 1 aircraft if available for preservation requirements	QA Audit
13	Government Equipment Maintenance Program GSE/GFE/GSA	Evaluation Method: Auditor will evaluate Contractors Government Equipment Maintenance Program GSE/GFE/GSA IAW PWS, procedures and regulatory compliance.	Sample Size: The Auditor will evaluate a minimum of 5 items to ensure MR# / Serial number is documented	QA Audit
14	Control of supply parts and consumables	Evaluation Method: Auditor will evaluate Contractors Control of supply parts and consumables process for PWS, procedures and regulatory compliance.	Sample Size: The auditor will evaluate a chosen section of contractor occupied facility as assigned by the QAS Lead for control of supply parts and consumables	QA Audit
15	Housekeeping and Plant Surveillance	Evaluation Method: Auditor will evaluate Contractors Housekeeping and Plant Surveillance process for PWS, procedures and regulatory compliance.	Sample Size: The auditor will evaluate a chosen section of contractor occupied facility as assigned by the QAS Lead	QA Audit

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

QASP	Surveillance Activity	Evaluation Method	Sample Size	Surveillance Method
16	PC aircraft Status Reporting	Evaluation Method: Auditor will evaluate Contractors PC aircraft Status Reporting for PWS, procedures and regulatory compliance.	Sample Size: (10% of Aircraft assigned to location not to exceed 10 aircraft)	QA Data Review
17	Painting Process	Evaluation Method: Auditor will evaluate Painting Process for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate one painting process	QA Audit
18	Training And Certification Program	Evaluation Method: Auditor will evaluate Training And Certification Program for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate a work center for compliance	QA Data Review
19	PMD/DAILY/POST Flight Process	Evaluation Method: Auditor will PMD/DAILY/POST Flight Process for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate one completed PMD/DAILY/POST Flight Process	QA Audit
20	Phase Maintenance Process (post phase/Heavy Maintenance)	Evaluation Method: Auditor will Phase Maintenance Process (Post phase/ Heavy Maintenance) for PWS, procedures and regulatory compliance.	Sample Size: Auditors will evaluate aircraft after completion of Phase once post phase daily/PMD inspection is completed before aircraft is given to Test Flight. Auditors will evaluate the aircraft IAW the applicable MDS MTF preflight, Daily, PMD checklist and IETM's and randomly chosen item in the aircraft critical safety items list once aircraft is released to the QAS office. (Failure of notification by contractor will result in UNSAT)	QA Audit
21	Stage Field Support Management	Evaluation Method: Auditor will evaluate Stage Field Support Management for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate assigned stage field	QA Audit
22	Uncorrected Faults/Deferred maintenance	Evaluation Method: Auditor will evaluate Uncorrected Faults/Deferred maintenance for PWS, procedures and regulatory compliance.	Sample Size: (10% of Aircraft assigned to location not to exceed 10 aircraft)	QA Data Review
23	Aircraft Monitor Program	Evaluation Method: Auditor will evaluate Aircraft monitor Program for PWS, procedures and regulatory compliance.	Sample Size: Monthly evaluation for meeting established PWS requirements	QA Audit
24	Other Management Services	Evaluation Method: Auditor will evaluate Other Management Services for PWS, procedures and regulatory compliance.	Sample Size: Other Management Services assigned by COR or QAS lead	QA Audit
25	NMCS	Evaluation Method: Auditor will evaluate NMCS Reporting for PWS, procedures and regulatory compliance.	Sample Size: 20% (Rounded up) of aircraft in NMCS status for accurate reporting	QA Data Review
26	Mission support	Evaluation Method: Auditor will evaluate Mission Support Evaluation for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate the randomly chosen sortie against the PWS, procedures and regulatory guidance. If the randomly selected sortie does not have any scheduled aircraft the next available sortie will be evaluated.	QA Audit
27	CADS/PADS	Evaluation Method: Auditor will evaluate CADS/PADS Process for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate CADS/PADS items accurately tracked in the aircraft records by Shelf life/Install date? Choose 2 items and compare against -18 data, And that proper extensions have been requested IAW PWS	QA Audit
28	MAGRC OPERATIONS	Evaluation Method: Auditor will evaluate MAGRC OPERATIONS for PWS, procedures and regulatory compliance.	Sample Size: Auditor will conduct evaluation of the range while gunnery operations are being performed. Auditor will notify proper authorities about his/her presence and will brief them of what the auditor will be inspecting. The auditor will not disrupt the flow of the operations. You are authorized to call a cease fire if you witness an unsafe act.	QA Audit
29	Special Production Process Verification	Evaluation Method: Auditor will evaluate Special Production Process Verification for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate Assigned special process for compliance.	QA Audit
30	Publications Management	Evaluation Method: Auditor will evaluate Publications Management for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate 10% of the Technical Publications and Corresponding Technical Guidance.	QA Audit
31	Maintenance Expenditure Limit (MEL)	Evaluation Method: Auditor will evaluate Publications Management for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate 10% of the Technical Publications and Corresponding Technical Guidance.	QA Data Review
32	Turnaround Time (TAT)	Evaluation Method: Auditor will evaluate Turnaround Time (TAT) for PWS, procedures and regulatory compliance.	Sample Size: Evaluate (1) Auditor will randomly select up to 10% of work orders open or closed for process compliance. Evaluate (2) Did contractor meet monthly TAT time requirements?	QA Data Review
33	Run Cell	Evaluation Method: Auditor will evaluate Engine and Transmission Test Cell for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate a work center for compliance.	QA Data Review

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

QASP	Surveillance Activity	Evaluation Method	Sample Size	Surveillance Method
34	PQDR	Evaluation Method: The auditor will evaluate contractor PQDR management to ensure compliance with PWS, procedural and regulatory requirements.	Sample Size: Lot Size/ (Sample) 1-18 (ALL), 19-50 (18), 51-90 (21), 91-150 (25), 151-400 (32) Evaluator will inspect to ensure the proper paperwork is correct and associated with each exhibit/report control number and they are submitted in the appropriate time frame IAW Contractor Procedures, DA PAM 738-751, DA PAM 750-8, DA PAM 385-40, AR 702-7, and AR 702-7-1.	QA Audit
35	Supply System Process Management	Evaluation Method: Management processes for compliance to the GCSS-Army policies and procedures. Materiel Management Plant 2001; SSA Plant 2001; Execution Management Plant 2000 for the applicable site/ location assigned.	N/A	QA Audit
36	Enterprise Recoverable Item Management (All Fleets)	Evaluation Method: Auditor will evaluate Enterprise Recoverable Item Management (All Fleets) for PWS, procedures and regulatory compliance.	Sample Size: Evaluator will inspect 10% of available items at chosen site/location.	QA Audit
37	PRNI/PIFB	Evaluation Method: Auditor will evaluate PRNI PIFB for PWS procedures and regulatory compliance.	Sample Size: Evaluator will inspect a minimum of 25% of the available items on the PRNI listing to ensure compliance with the PWS 3.2.1.2.a (IPG 03 < 3 days, IPG 06 < 15 days, IPG 13 < 30 days).	QA Audit
38	ALSE Program	Evaluation Method: Auditor will evaluate ALSE PROGRAM in accordance with the terms of the contract and applicable technical publications for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate the chosen ALSE facility.	QA Audit
39	OSHA Compliance Program	Evaluation Method: Auditor will evaluate the OSHA Compliance Program maintained in accordance with the terms of the contract and applicable technical publications for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate one chosen airfield/site for compliance with applicable OSHA program requirements.	QA Audit
40	Safety Program Management	Evaluation Method: Auditor will evaluate Safety Program Management for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate the contractor's safety program for compliance with applicable requirements.	QA Audit
41	Accident and Mishap Reporting	Evaluation Method: Auditor will evaluate Accident and Mishap reporting for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate a minimum of 90% of accident and mishap reports for timeliness and accuracy.	QA Data Review
42	ACOD, ECOD Processing	Evaluation Method: Auditor will evaluate ACODs and ECODs are properly processed and maintained in accordance with the terms of the PWS, CDRL, and applicable technical publications for compliance.	Sample Size: Auditor will evaluate a minimum of 90% of ACODs/ECODs for timeliness and accuracy.	QA Data Review
43	Industrial Hygiene	Evaluation Method: Auditor will evaluate if Industrial Hygiene requirements are in accordance with the terms of the PWS and applicable technical publications for compliance.	Sample Size: Auditor will evaluate the contractor's industrial hygiene program for compliance as defined in 29 CFR 1901, PWS, Approved Safety Plan and associated procedures, and applicable regulations.	QA Audit
44	Hazardous/Other Waste Management	Evaluation Method: Auditor will evaluate Hazardous waste management for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate all SAA's and waste applications at chosen site/location.	QA Audit
45	Hazardous/Other Material Management	Evaluation Method: Auditor will evaluate Hazardous Material Management for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate 10% of hazardous materials across the chosen airfield/site/location.	QA Audit
46	Air Emissions Compliance (Title 5)	Evaluation Method: Auditor will evaluate Air Emissions Compliance (Title 5) for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate 100% of paint booths and paint areas at chosen site/Location.	QA Data Review
47	Environmental Water Management	Evaluation Method: Auditor will evaluate Environmental Water Management for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate 100% of wash racks and water management program at chosen site/location.	QA Audit
48	CDRL Reporting	Evaluation Method: Auditor will evaluate required CDRL Reporting for PWS, procedures and regulatory compliance.	Sample Size: Auditor will evaluate required CDRL's for timeliness and accuracy.	QA Data Review
49	Bank Time	Evaluation Method: Did Contractor meet established Bank Time for Fleet per MDS.	Sample Size: Evaluated at end of Monthly cycle .	QA Data Review
50	FMC Rate	Evaluation Method: Did Contractor meet Allowable Concurency for Fleet per MDS.	Sample Size: Evaluated at end of Monthly cycle .	QA Data Review

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

15.3. SURVEILLANCE SCHEDULE


QASP	Surveillance Activity	Performance Monitor Areas											SAFETY
		CAIRNS	HANCHEY	KNOX	LOWE	SHELL	CPM	MEDEVAC	ACRB	SSB	ENV		
001	Forms/Records Management Process	M	M	M	M	M	M	M	M			M	
002	Maintenance Process Management	M	M	M	M	M	M	M	M				
003	Tool Control Management Process	M	M	M	M	M	M	M	M				
004	FOD Program Evaluation	M	M	M	M	M	M	M	M			M	
005	Corrosion Control Evaluation	M	M	M	M	M	AS	M	M				
006	Controlled Exchange	Q	M	Q	Q	Q	Q	Q					
007	Aircraft Movement	Q	M	Q	Q	Q	AS	Q					
008	Security/Mooring	M	M	M	M	M	AS	Q					
009	Quality Control/CSI Inspection Process	M	M	M	M	M	M	Q	M				
010	QMS/Internal Auditing	Q	Q	Q	Q	Q	Q	Q	M	Q	Q	M	
011	TMDE/Special Equipment Program Management	M	Q	M	Q	Q	Q	Q	M			Q	
012	Preservation Program/COSIS	SA	Q	Q	Q	Q	Q			M			
013	Government Equipment Maintenance Program GSE/GFE/GSA	M	M	Q	M	M	Q	M	M				
014	Control of supply parts and consumables	M	Q	M	M	M	M	M	M				
015	Housekeeping and Plant Surveillance	Q	M	O	Q	Q	M	Q	O	O			
016	P.C aircraft Status Reporting	M	M	M	M	M		M					
017	Painting Process		SA		Q								
018	Training And Certification Program	Q	Q	M	Q	Q	AS	Q	M	Q	Q	M	
019	PMD/DAILY/POST Flight Process	M	M	M	M	M		M					
020	Phase Maintenance Process (Post Phase/Heavy Maintenance)	M	AS	M	AS	AS	M	AS					
021	Stage Field Support Management	Q	Q		Q	SA						M	
022	Uncorrected Faults/Deferred Maintenance	M	M	M	M	M	M						
023	Aircraft Monitor Program							Q					
024	Other Management Services	AS	AS	AS	AS	AS	AS	AS	AS	AS	AS	AS	
025	NMCS	M	M	M	M	M							
026	Mission Support	MPF	MPF	MPF	MPF	MPF							
027	CADS/PADS		Q		AS							M	
028	MAGRC OPERATIONS		M									Q	
029	Special Production Process Verification								M				
030	Publications Management								Q				
031	Maintenance Expenditure Limit (MEL)								M				
032	Turnaround Time (TAT)								M				
033	Run Cell								Q				
034	PQDR									Q			
035	Supply System Process Management									M			
036	Enterprise Recoverable Item Management (All Fleets)	M	M	M	M	M	Q						
037	PRN/IFB	M	Q	M	M	M							
038	ALSE Program	SA	SA	SA	Q	SA							
039	OSHA Compliance Program											M	
040	Safety Program Management											M	
041	Accident and Mishap Reporting											M	
042	ACOD, ECOD Processing											M	
043	Industrial Hygiene											Q	
044	Hazardous/Other Waste Management										M		
045	Hazardous/Other Material Management										M		
046	Air Emissions Compliance (Title 5)										Q		
047	Environmental Water Management										M		
048	CDRL Reporting	M	M	M	M	AS			M		M		
049	Bank Time	MPF	MPF	MPF	MPF	MPF							
050	FMC Rate	MPF	MPF	MPF	MPF	MPF							
Surveillance Frequency		AS-As Required		W-Weekly		M-Monthly		O-On Occurance					
		MPF-Monthly Per Fleet		BI-Biweekly		Q-Quarterly		R-Random					

ACLC QUALITY ASSURANCE SURVEILLANCE PLAN (QASP)
FORT RUCKER AVIATION MAINTENANCE CONTRACT (FRAM II) RFP:W58RGZ-26-R-0026

15.4. COR MATRIX

Attachment 0009, COR Designations & Communications Matrix

4/15/2026



15.5. CDRL REVIEW MATRIX

TBD