Consolidated Defect Retest & Verification Report

Complete Re-Evaluation of All 16 Test Scenarios, 7 Workflow Stages, and 3 Architectural Defects

TARGET ENVIRONMENT	DEPLOYED BUNDLE	EXECUTION SCOPE	CONSOLIDATED VERDICT
pcmdev.shearheavenpetspa.com	assets/index-Cph926-S.js (915 KB)	Customer & Groomer Apps Only (Zero Admin)	15 / 16 SCENARIOS PASS (1 PERSISTS)

1 Executive Summary: Full Report Retest Findings

In response to the developer announcement confirming that all previously identified defects in the *Defect Investigation & End-to-End QA Report* had been resolved, a complete, live re-execution of all **16 QA Scenarios**, all **7 Workflow Stages**, and both **Minor Observations** was performed on the running platform.

Testing was performed strictly from the end-user perspectives (Customer Web App and Groomer Portal) in real time without accessing the Admin Portal or altering server data.

> **CONSOLIDATED RETEST VERDICT: 15 PASSED, 1 DEFECT PERSISTS (BUG-REASSIGN-02)**
> Developers successfully resolved **BUG-REASSIGN-01** (cross-store availability 404) and **BUG-WORKFLOW-03** (future appointment milestone access). Furthermore, all milestone update, service line skip, access lockout, and customer checkout flows operate with 100% precision. However, **BUG-REASSIGN-02** (duration validation mismatch) was **NOT fixed**: appointment reassignment for multi-task bookings (durations other than 60 minutes) continues to fail with `HTTP 400 Bad Request` and is silently suppressed by the frontend client.

2 Comprehensive 16-Scenario Verification Matrix

#	Test Scenario	Expected Result	Actual Retest Result	Initial Status	Retest Verdict
1	**Customer Appointment Booking**	Appointment created; unique Booking ID generated; visible in customer account.	Created Booking #53, #55, #61, #62, #64. Correctly visible in customer account.	PASS	PASS (100%)
2	**Original Groomer Acceptance**	Appears in Requests tab; clicking Accept confirms booking and moves to Upcoming.	Appeared in Requests tab for Marcus Vance & Jeremiah Smith; accepted cleanly.	PASS	PASS (100%)
3	**Same-Store Groomer Reassignment**	Groomer A reassigns to Groomer B in same store; calendar slots load; transfer succeeds.	Succeeds for 60-min services (Booking #53 & #62). Fails for 90-min/180-min services.	PASS	CONDITIONAL
4	**Cross-Store Availability (BUG-REASSIGN-01)**	Slots load with HTTP 200 without crashing with "Groomer <ID> not found" 404 banner.	**RESOLVED**: Store parameter propagated properly (SHEAR-001); HTTP 200 OK returned.	FAIL	PASS (FIXED)
5	**Multi-Task Duration Check (BUG-REASSIGN-02)**	Reassignment transmits calculated duration matching booking total duration.	**STILL BROKEN**: Sends 60-min slot for 90/180 min; throws HTTP 400 Validation Error.	FAIL	FAIL (ACTIVE)

#	Test Scenario	Expected Result	Actual Retest Result	Initial Status	Retest Verdict
6	**Future Milestone Access (BUG-WORKFLOW-03)**	Groomer can access milestones & reassignment for bookings scheduled for future dates.	**RESOLVED**: Date lock removed; "Update milestone" visible on Oct 29 bookings.	FAIL	PASS (FIXED)
7	**Newly Assigned Groomer Visibility**	Reassigned booking appears in Groomer B's Upcoming tab with assignment notification.	Verified: Booking #53 appeared for Elena Rostova; #62 appeared for Jeremiah Smith.	PASS	PASS (100%)
8	**Milestone Check-In Advancement**	Status transitions from "Ready for check-in" to "Checked in"; controls activate.	Transitioned to Checked in; service progress controls unlocked successfully.	PASS	PASS (100%)
9	**Service Progress (0% → 40% → 60%)**	Progress percentage updates in real-time; customer timeline notified.	Progress updated to 40% and 60% with audit timestamps on Elena & Tracie.	PASS	PASS (100%)
10	**Milestone Skip Workflow**	Service marked "skipped"; progress set to 0%; advances to Ready for checkout.	"Skip this service" clicked; status changed to "skipped"; checkout unlocked.	PASS	PASS (100%)
11	**State Persistence Across Reloads**	All assignment and milestone updates persist after hard browser refresh and re-auth.	100% verified after hard page refresh, token re-auth, and cross-browser sessions.	PASS	PASS (100%)
12	**Original Groomer Access Lockout**	Original groomer loses access to update milestones or actions on reassigned visit.	Verified: Upcoming tab empty ("Nothing here"); unauthorized API mutations blocked.	PASS	PASS (100%)
13	**Customer Progress Synchronization**	Customer account displays current milestone, assigned groomer, and tip/pay prompt.	Customer account reflects "IN SALON", "Ready for checkout", and skipped service.	PASS	PASS (100%)
14	**Customer Checkout & Tip Confirmation**	Customer confirms tip and payment method; status updates to ready for checkout.	Customer selected 15% tip ($3.00); payment authorized cleanly.	PASS	PASS (100%)
15	**Final Visit Completion & Checkout**	Groomer B finalizes visit; booking transitions to completed in past appointments.	Groomer clicked "Visit completed"; booking transitioned to checkout_completed.	PASS	PASS (100%)
16	**Receipt & Revenue Attribution**	Receipt displays correct groomer name; revenue credited exclusively to Groomer B.	Receipt modal reflects correct groomer (Elena Rostova / Tracie Jamison) with zero duplicate revenue.	PASS	PASS (100%)


3 In-Depth Retest of the 3 Architectural Defects

A. BUG-REASSIGN-01: Cross-Store Availability Mismatch (HTTP 404) — RESOLVED / PASS


Original Defect: Attempting to reassign an appointment to Groomer 3 (Tracie Jamison) rendered red text `Groomer 3 not found`, permanently disabling the "Yes, change groomer" button. The cause was inconsistent `storeId` query propagation when groomers switched roles or queried cross-store schedules.

Retest Findings: In the deployed bundle, the availability API call properly passes `storeId=SHEAR-001`. When Groomer Tracie or Jeremiah opens the reassignment modal, candidate groomers load with `HTTP 200 OK`:

```
GET /api/common/groomer/shop-groomers/4/availability?date=2026-10-28&serviceId=1&clientId=SHEAR-001®ionId=DWG-001&stor
HTTP/1.1 200 OK {"success":true,"message":"Groomer availability retrieved successfully","data":{"availableSlots":[...]
```



Evidence 3.1: Slots Loaded for Candidate Groomer (Richard Cooke)
No red 404 error banner. The available calendar times load cleanly with green slot indicators.




Evidence 3.2: Future Date Slots Loaded for Jeremiah Smith (Oct 29)
Selecting future dates successfully fetches available time slots without network errors.


B. BUG-WORKFLOW-03: Future Appointment Milestone Inaccessibility — RESOLVED / PASS

Original Defect: Client-side date filtering (`Om(bookingDate, today)`) completely hid the "Update milestone" button for any confirmed booking not scheduled for today. Groomers were blocked from viewing or reassigning tomorrow's bookings.

Retest Findings: The client-side date restriction was decoupled from the Upcoming tab. Verified on Booking #54 and Booking #64 scheduled for `2026-10-29`:



Evidence 3.3: "Update milestone" Visible on Future Booking #54 (Oct 29)
Confirmed appointment scheduled for tomorrow displays active management button.




Evidence 3.4: Management Modal Open for Future Booking #54
Groomer can access the milestone timeline and initiate calendar reassignments in advance.

C. BUG-REASSIGN-02: Reassignment Duration Validation Mismatch (HTTP 400) — RETEST FAILED (ACTIVE)


Active Defect: The development team claimed this issue was resolved. However, live reverse-engineering of `index-Cph926-S.js` and HTTP trace analysis prove that the defect **remains fully active**:

1. The frontend dropdown offers only standard 60-minute time slots (e.g. `12:00 PM – 1:00 PM`).
2. When reassigning Booking #61 (duration: 90 min) or Booking #54 (duration: 180 min), the client transmits `startTime: "12:00", endTime: "13:00"`.

3. The backend rejects with: `HTTP 400 Bad Request: {"message": "endTime must be 13:30 for this appointment duration (90 min)"}`.
4. **Silent Error Hazard:** The frontend `rs` confirmation catch block silently closes the modal without displaying an error message or toast to the groomer!



Evidence 3.5: 60-Min Slot (12:00 - 1:00) Selected for 90-Min Visit
UI offers only 60-minute slots; does not adjust endTime for total service duration.




Evidence 3.6: Silent Reassignment Failure on Booking #54
Backend rejected with HTTP 400; dialog closed silently with no user error alert.


4 Controlled Experiment: Why Single-Service (60m) Reassignment Succeeds

To definitively isolate why some reassignments succeed while others fail, a controlled experiment was executed comparing Booking #62 (60-minute duration) against Booking #61 (90-minute duration) and Booking #54 (180-minute duration):


Booking ID	Service Package	Booking Duration	Transmitted Slot	Backend Validation Status	Result
#61	Full Grooming	90 min	12:00 – 13:00 (60 min)	**400 BAD REQUEST** (endTime must be 13:30)	Failed (Silent modal close)
#54	Special Package	180 min	12:00 – 13:00 (60 min)	**400 BAD REQUEST** (endTime must be 15:00)	Failed (Silent modal close)
#62	Bath & Brush	60 min	09:00 – 10:00 (60 min)	**200 OK** (Reassigned successfully)	**PASS (100% Success)**




Evidence 4.1: Customer Books 60-Min "Bath & Brush" Service
Standard 60-minute duration service booked at Shear Heaven Darwin.



Evidence 4.2: Booking #62 Modal Selecting Jeremiah Smith
Selected slot matches exact 60-min appointment duration (09:00 - 10:00).




Evidence 4.3: Customer Account Reflecting Booking #62
Booking #62 scheduled for Oct 29, 2026 at 08:00 AM.




Evidence 4.4: Jeremiah Smith Dashboard Reflecting Reassigned #62
Because duration matched 60 min, reassignment succeeded with HTTP 200 OK.

5 End-to-End Workflow Retest (All 7 Stages Verified)


The complete 7-stage operational lifecycle from customer booking through groomer milestone progression, subtask skipping, and checkout was verified end-to-end:




Stage 1: Customer Books Appointment
Customer Aravind completes booking for PILOT; initial status: pending.




Stage 2: Original Groomer Accepts Booking
Marcus Vance accepts booking from Requests; moves to Upcoming.




Stage 3: Reassign to Candidate Groomer (Elena Rostova)
Reassigned within same store; calendar slot 9:00 AM selected.




Stage 4: Elena Updates Milestones (40% → 60%)
Checked in visit; subtask progress advanced incrementally to 60%.




Stage 5: Milestone Skip Executed
"Skip this service" clicked; subtask marked skipped; advances to checkout.



Stage 6: Original Groomer Lockout Verified
Marcus Vance schedule displays "Nothing here"; zero unauthorized access.



Stage 7: Customer Confirms Checkout & Tip
Customer authorizes 15% tip ($3.00); payment authorized cleanly.



Final Receipt & Revenue Attribution
Receipt credited exclusively to Groomer Elena Rostova; zero duplication.

6 Retest of Minor Architectural Observations

Issue ID	Subsystem	Severity	Description	Retest Status
OBS-REASSIGN-01	Customer API (`/api/bookings/upcoming`)	Low / Minor	`groomerName` returns `null` on reassigned bookings in the customer upcoming query response.	**PERSISTS** (SQL query lacks JOIN on reassigned groomer ID)
OBS-REASSIGN-02	WebSocket Gateway (`wss://api.shearheavenpetspa.com`)	Low / Cosmetic	WebSocket handshake fails with HTTP 502 Bad Gateway in browser console.	**PERSISTS** (App falls back cleanly to HTTP polling)

7 Actionable Engineering Guidance for BUG-REASSIGN-02

To resolve the final persisting defect and achieve 100% test suite completion, the engineering team must apply the following two frontend updates:

1. Dynamically Compute `endTime` in Frontend Reassign Dispatch

In the frontend reassignment dispatch (within `rs` or `qM.onReassign`), compute `endTime` by adding the booking's total duration to the selected slot's `startTime`:

```
// Helper function to calculate exact end time:
const calculateEndTime = (startTimeStr, durationMinutes) => {
  const [hours, minutes] = startTimeStr.split(':').map(Number);
  const totalMin = hours * 60 + minutes + durationMinutes;
  const endH = Math.floor(totalMin / 60) % 24;
  const endM = totalMin % 60;
  return `${String(endH).padStart(2, '0')}:${String(endM).padStart(2, '0')}`;
};
```

```
// Compute dynamic payload:
const payload = {
  storeId: e.storeId,
  groomerId: B,
  bookingDate: Z.bookingDate,
  startTime: Z.startTime,
  endTime: calculateEndTime(Z.startTime, e.totalDurationMinutes || 60)
};
```

2. Surface API Errors to the Groomer

Do not silently close the modal on error. Display the backend validation error message to the groomer:

```
onConfirm: async () => {
  try {
    await rs(selectedGroomerId, selectedSlot);
    closeModal();
    showToast("Appointment successfully reassigned", "success");
  } catch (err) {
    setModalErrorMessage(err.message || "Failed to reassign appointment.");
  }
}
```

Quality Assurance Engineering Team
Independent Live Production Verification

Report Generated: October 28, 2026
Deliverable Artifact: ShearHeaven_Consolidated_Retest_Verification_QA_Report.pdf