Shear Heaven Pet Care - Retest & Field Validation Report

Retest of every issue in ShearHeaven_LandingPage_UI_Report.pdf (19) and ShearHeaven_GroomerPortal_UI_Report.pdf (18), plus field-level validation of the Admin and Groomer portals (frontend and API). Front-end build index-Cqk8vpD0, API api.shearheavenpetspa.com, QA store QAA-001, tested 14 Nov 2026. Every status below comes from a re-execution in this round; every issue has screenshot evidence.

Bug retest	Count
Total issues retested	37
Fixed	23
Partially Fixed	5
Still Reproducible	9
Unable to Verify	0
Landing page (F / PF / SR)	14 / 3 / 2
Groomer portal (F / PF / SR)	9 / 2 / 7

Field validation	Count
Total scenarios executed	472
Passed	365
Failed	105
Not verified (blocked)	2
Pass rate	77.7%
API-level scenarios	408
UI / UI+API scenarios	54
Frontend-vs-backend / cross-portal checks	10

New issues (reported separately)	Count
New validation bugs	29
New UI issues	6
Issues with screenshot evidence	72
New validation bugs - High / Medium / Low	4 / 12 / 13

Key points

• Landing page: 14 fixed, 3 partially fixed (UI-LP-09 alignment, UI-LP-14 casing, UI-LP-18 tablet tabs), 2 still reproducible (UI-LP-04 Book Stylist overlaps the rating label, UI-LP-10 stylist arrows).

• Groomer portal: 9 fixed, 2 partially fixed (UI-GR-04 developer text, UI-GR-08 ISO dates), 7 still reproducible (UI-GR-07, 09, 10, 15, 16, 17, 18).

• Highest-impact new findings: HTTP 500 raw database errors for over-length text and times with seconds (NEW-VAL-01/02/03), package creation failing with a lock timeout (NEW-VAL-04), and groomer delete leaving weekly-hours rows so a re-used code returns 409 while still creating the groomer (NEW-VAL-28).

• Frontend and backend rules are not aligned: no maxlength on text inputs, number ranges differ (Bookings per slot, tier duration), phone fields have no format rule in the UI, and name rules differ between customers, groomers and store admins.

• No written requirements were provided, so expected limits are the limits the API enforces, compared with the app's own rules for similar fields. Please confirm against the official specification.

• Test data: all records created by tests were deleted or restored. Store admins can only be deactivated - 18 inactive QA store admins remain. Weekly-hours rows left by deleted test groomers were kept as evidence for NEW-VAL-28.

Contents

1. Bug retest - one card per issue with steps, expected / actual result and screenshots
2. New validation bugs - steps to reproduce, expected / actual result and screenshots
3. New UI issues - with screenshots
4. Field validation - all 472 scenarios (Pass / Fail, linked bug)


1. Bug retest (37 issues)

Bug ID	Module / Portal	Bug description	Retest status
UI-LP-01	Landing page (customer site) - Header / Hero (page load)	Developer 'demo content' banner and placeholder store shown on first load	Fixed
UI-LP-02	Landing page (customer site) - Why Choose Us (feature cards)	All four feature cards repeat the same description text	Fixed
UI-LP-03	Landing page (customer site) - Stats grid ('Zero Toxins' tile)	'Zero Toxins' heading overlaps the puppy image on tablet	Fixed
UI-LP-04	Landing page (customer site) - Meet Our Certified Pet Stylists	'Book Stylist' button overlaps the 'Pet Parents Rating' label and spills outside the card on tablet	Still Reproducible
UI-LP-05	Landing page (customer site) - Navigation drawer (tablet/mobile)	Floating 'Chat' button stays on top of the open navigation menu	Fixed
UI-LP-06	Landing page (customer site) - Global - floating Chat button	Floating 'Chat' button covers page content and footer links	Fixed
UI-LP-07	Landing page (customer site) - Footer - Contact Details	Email address breaks in the middle of the domain	Fixed
UI-LP-08	Landing page (customer site) - Signature Spa & Salon Services	Every service card uses the same placeholder photo	Fixed
UI-LP-09	Landing page (customer site) - Services / Packages / Stylists	Card rows with only 1-2 items are left-aligned, leaving large empty areas	Partially Fixed
UI-LP-10	Landing page (customer site) - Meet Our Certified Pet Stylists	Carousel arrows shown and active although every stylist is already visible	Still Reproducible
UI-LP-11	Landing page (customer site) - Signature Spa & Salon Services - category tabs	Tab label typo: 'Baths & Fluff Day'	Fixed
UI-LP-12	Landing page (customer site) - Hero	Stray space in hero copy: 'stress- free'	Fixed
UI-LP-13	Landing page (customer site) - Footer - copyright bar	Copyright text grammar: 'All Right Reserved'	Fixed
UI-LP-14	Landing page (customer site) - Global typography	Inconsistent text casing and heading weights	Partially Fixed
UI-LP-15	Landing page (customer site) - 'Ready to Give Your Dog the Care They Deserve?' strip	Image strip ignores the page gutter and runs to the screen edges	Fixed
UI-LP-16	Landing page (customer site) - Footer - Spa Treatments	Footer lists demo treatments that do not exist in the services section	Fixed
UI-LP-17	Landing page (customer site) - Reviews	Every testimonial shows 4 of 5 stars next to a '10K+ Five Star Reviews' claim	Fixed
UI-LP-18	Landing page (customer site) - Services - category tabs (tablet/mobile)	Category tab bar is cut off mid-label with no scroll cue	Partially Fixed
UI-LP-19	Landing page (customer site) - All Inclusive Spa Packages	Only package carries a 'Most Recommended' badge and a redundant price note	Fixed
UI-GR-01	Groomer portal - Appointment book	Two appointments at the same start time are drawn on top of each other - one is hidden	Fixed
UI-GR-02	Groomer portal - Appointment book (mobile)	Time axis scrolls out of view and the colour legend is clipped inside the horizontal scroller	Fixed
UI-GR-03	Groomer portal - My appointments - Upcoming	Page instructions refer to an 'Update milestone' button that is not shown on any card	Fixed
UI-GR-04	Groomer portal - My availability / Appointment details	Internal technical text and raw codes shown to groomers	Partially Fixed
UI-GR-05	Groomer portal - Customers modal / Appointment details - Pet details	Broken pet photos show the browser's broken-image icon with no fallback	Fixed
UI-GR-06	Groomer portal - All pages (desktop header)	Empty white header bar above every page on desktop	Fixed
UI-GR-07	Groomer portal - My availability - Weekly hours & week off	Weekly working days are listed in random order	Still Reproducible
UI-GR-08	Groomer portal - Appointment book / Availability / Reports / Notifications	Inconsistent date and time formats	Partially Fixed
UI-GR-09	Groomer portal - Forecast & reports	Appointment statuses shown as raw lowercase text	Still Reproducible
UI-GR-10	Groomer portal - My availability	Very small text (8-10 px) in availability and appointment-book grids	Still Reproducible

Bug ID	Module / Portal	Bug description	Retest status
UI-GR-11	Groomer portal - Customers	'1 customers' and unformatted phone number	Fixed
UI-GR-12	Groomer portal - My appointments - tabs	Empty states are inconsistent between tabs	Fixed
UI-GR-13	Groomer portal - Navigation drawer (mobile/tablet)	Navigation drawer has no close button	Fixed
UI-GR-14	Groomer portal - My availability / Appointment book (touch devices)	Instructions say 'hover for full details' on touch screens	Fixed
UI-GR-15	Groomer portal - My availability - day timeline	Full-day timeline bar is labelled only '9:00 AM' in its centre	Still Reproducible
UI-GR-16	Groomer portal - My availability (mobile)	Weekly hours table needs sideways scrolling; hours and actions are off-screen	Still Reproducible
UI-GR-17	Groomer portal - Appointment details - Client tab	Read-only client fields look like editable inputs	Still Reproducible
UI-GR-18	Groomer portal - My availability - weekly overview	'Store is closed' cell text is larger than other cells	Still Reproducible

UI-LP-01	Developer 'demo content' banner and placeholder store shown on first load
Module / Portal	Landing page (customer site) - Header / Hero (page load)
Original severity	Medium
Retest steps	1. Open https://pcmdev.shearheavenpetspa.com/ in a fresh tab (signed out). 2. Watch the top of the page while it loads (first ~1 s).
Expected result	No developer/debug message is ever shown to visitors; the location bar renders in its final state (or a neutral skeleton) without content jumping.
Actual result (14 Nov)	Fresh load at 1440 px: first paint shows grey skeleton placeholders in the location bar; no 'Showing demo content... PetCareServer' banner and no layout jump.
Retest status	Fixed


Evidence for UI-LP-01 (1 screenshot):



UI-LP-01 on build index-Cqk8vpD0: Fresh load at 1440 px: first paint shows grey skeleton placeholders in the location bar; no 'Showing demo content... PetCareServer' banner and no layout jump.

UI-LP-02	All four feature cards repeat the same description text
Module / Portal	Landing page (customer site) - Why Choose Us (feature cards)
Original severity	Medium
Retest steps	1. Open the landing page. 2. Scroll to the four cards under 'Pet Care Redefined With Love & Dignity'.
Expected result	Each card has its own description matching its heading (e.g. sanitation copy under 'Hospital Grade Sanitation').
Actual result (14 Nov)	The four 'Why Choose Us' cards now have distinct copy (low-stress handling / medical-grade disinfectants / hypoallergenic shampoos / one stylist per visit).
Retest status	Fixed


Evidence for UI-LP-02 (1 screenshot):



UI-LP-02 on build index-Cqk8vpD0: The four 'Why Choose Us' cards now have distinct copy (low-stress handling / medical-grade disinfectants / hypoallergenic shampoos / one stylist per visit).

UI-LP-03	'Zero Toxins' heading overlaps the puppy image on tablet
Module / Portal	Landing page (customer site) - Stats grid ('Zero Toxins' tile)
Original severity	Medium
Retest steps	1. Set the viewport to 768x1024 (tablet). 2. Scroll to the stats grid below 'Explore Salon Experiences'.
Expected result	Text and image sit side by side (or stack) with clear spacing; no overlap at any breakpoint. (Desktop and mobile render correctly.)
Actual result (14 Nov)	Tablet 768 px: 'Zero Toxins' tile now shows text only, no overlap with an image.
Retest status	Fixed


Evidence for UI-LP-03 (1 screenshot):



UI-LP-03 on build index-Cqk8vpD0: Tablet 768 px: 'Zero Toxins' tile now shows text only, no overlap with an image.

UI-LP-04	'Book Stylist' button overlaps the 'Pet Parents Rating' label and spills outside the card on tablet
Module / Portal	Landing page (customer site) - Meet Our Certified Pet Stylists
Original severity	Medium
Retest steps	1. Set the viewport to 768x1024. 2. Scroll to 'Meet Our Certified Pet Stylists'.
Expected result	Stats and button fit inside the panel without overlap (wrap the button below the stats on narrow widths, as mobile already does).
Actual result (14 Nov)	Tablet 768 px: 'Book Stylist' still covers 'Pet Parents Rating' ('Pet Pa…'). Now also happens on desktop 1440 px ('Pet Parer…' hidden under the button).
Retest status	Still Reproducible


Evidence for UI-LP-04 (1 screenshot):



UI-LP-04 on build index-Cqk8vpD0: Tablet 768 px: 'Book Stylist' still covers 'Pet Parents Rating' ('Pet Pa…'). Now also happens on desktop 1440 px ('Pet Parer…' hidden under the button).

UI-LP-05	Floating 'Chat' button stays on top of the open navigation menu
Module / Portal	Landing page (customer site) - Navigation drawer (tablet/mobile)
Original severity	Medium
Retest steps	1. Set the viewport to 768x1024 (or 375x812). 2. Tap the menu icon (four dots) at the top right.
Expected result	The open menu (and its overlay) sits above all floating widgets, or the chat button is hidden while the menu is open.
Actual result (14 Nov)	Tablet menu open: drawer z-index 11000; no Chat button drawn above it (floating Chat widget is no longer rendered on the landing page).
Retest status	Fixed


Evidence for UI-LP-05 (1 screenshot):



UI-LP-05 on build index-Cqk8vpD0: Tablet menu open: drawer z-index 11000; no Chat button drawn above it (floating Chat widget is no longer rendered on the landing page).

UI-LP-06	Floating 'Chat' button covers page content and footer links
Module / Portal	Landing page (customer site) - Global - floating Chat button
Original severity	Low
Retest steps	1. Open the landing page at any size. 2. Scroll through the sections and to the footer.
Expected result	Enough bottom padding/safe area so the floating button never sits on top of text or links (especially at the page end).
Actual result (14 Nov)	No floating Chat pill rendered at 375/768/1440 px, so no content is covered (note: the chat widget appears to have been removed).
Retest status	Fixed


Evidence for UI-LP-06 (1 screenshot):



Landing 1440 px footer: no chat button/iframe in DOM (count 0)

UI-LP-07	Email address breaks in the middle of the domain
Module / Portal	Landing page (customer site) - Footer - Contact Details
Original severity	Low
Retest steps	1. Open the landing page at 1440 px width. 2. Scroll to the footer 'Contact Details' column.
Expected result	The address wraps only at sensible points (e.g. before '@') or the column is wide enough to keep it on one line.
Actual result (14 Nov)	Footer email 'shearheaven.dwg@gmail.com' on one line (word-break: normal).
Retest status	Fixed


Evidence for UI-LP-07 (1 screenshot):



UI-LP-07 on build index-Cqk8vpD0: Footer email 'shearheaven.dwg@gmail.com' on one line (word-break: normal).

UI-LP-08	Every service card uses the same placeholder photo
Module / Portal	Landing page (customer site) - Signature Spa & Salon Services
Original severity	Low
Retest steps	1. Open the landing page. 2. Scroll to 'Signature Spa & Salon Services' (All Services tab).
Expected result	Each service shows its own image (or a clearly generic category image), at sufficient resolution.
Actual result (14 Nov)	Service cards use different photos (service-img-2.jpg, service-img-5.jpg).
Retest status	Fixed


Evidence for UI-LP-08 (1 screenshot):



UI-LP-08 on build index-Cqk8vpD0: Service cards use different photos (service-img-2.jpg, service-img-5.jpg).

UI-LP-09	Card rows with only 1-2 items are left-aligned, leaving large empty areas
Module / Portal	Landing page (customer site) - Services / Packages / Stylists
Original severity	Low
Retest steps	1. Open the landing page at 1440 px. 2. Scroll through Services, Spa Packages and Meet Our Stylists.
Expected result	Cards are centred (or the grid adapts) so sections with few items look balanced.
Actual result (14 Nov)	Services cards (x 273/726) are centred. Still offset: the two stylist cards (group centre ~608 px vs 712 px) and the single package card (136 px wide at x 488-624, centre 556 px vs page centre 720 px - see NEW-UI-06).
Retest status	Partially Fixed


Evidence for UI-LP-09 (1 screenshot):



UI-LP-09 on build index-Cqk8vpD0: Services cards (x 273/726) are centred. Still offset: the two stylist cards (group centre ~608 px vs 712 px) and the single package card (136 px wide at x 488-624, centre...

UI-LP-10	Carousel arrows shown and active although every stylist is already visible
Module / Portal	Landing page (customer site) - Meet Our Certified Pet Stylists
Original severity	Low
Retest steps	1. Open the landing page at 1440 px. 2. Scroll to 'Meet Our Certified Pet Stylists'.
Expected result	Hide or disable the arrows when there is nothing to scroll, and align them with the carousel.
Actual result (14 Nov)	Previous/Next Stylist arrows still visible and enabled although both stylists are already on screen.
Retest status	Still Reproducible


Evidence for UI-LP-10 (1 screenshot):



UI-LP-10 on build index-Cqk8vpD0: Previous/Next Stylist arrows still visible and enabled although both stylists are already on screen.

UI-LP-11	Tab label typo: 'Baths & Fluff Day'
Module / Portal	Landing page (customer site) - Signature Spa & Salon Services - category tabs
Original severity	Low
Retest steps	1. Open the landing page. 2. Look at the category tabs under 'Signature Spa & Salon Services'.
Expected result	'Baths & Fluff Dry' (the grooming term used elsewhere in the app).
Actual result (14 Nov)	Tab now reads 'Baths & Fluff Dry'.
Retest status	Fixed


Evidence for UI-LP-11 (1 screenshot):



UI-LP-11 on build index-Cqk8vpD0: Tab now reads 'Baths & Fluff Dry'.

UI-LP-12	Stray space in hero copy: 'stress- free'
Module / Portal	Landing page (customer site) - Hero
Original severity	Low
Retest steps	1. Open the landing page. 2. Read the paragraph under the hero heading.
Expected result	'stress-free breed styling'.
Actual result (14 Nov)	Hero copy now 'stress-free breed styling'.
Retest status	Fixed


Evidence for UI-LP-12 (1 screenshot):



UI-LP-12 on build index-Cqk8vpD0: Hero copy now 'stress-free breed styling'.

UI-LP-13	Copyright text grammar: 'All Right Reserved'
Module / Portal	Landing page (customer site) - Footer - copyright bar
Original severity	Low
Retest steps	1. Scroll to the bottom of the landing page.
Expected result	'All Rights Reserved.'
Actual result (14 Nov)	Footer reads '© 2026 Shear Heaven Pet Spa. All Rights Reserved.'
Retest status	Fixed


Evidence for UI-LP-13 (1 screenshot):



UI-LP-13 on build index-Cqk8vpD0: Footer reads '© 2026 Shear Heaven Pet Spa. All Rights Reserved.'

UI-LP-14	Inconsistent text casing and heading weights
Module / Portal	Landing page (customer site) - Global typography
Original severity	Low
Retest steps	1. Scroll through the landing page and compare section subtitles and paragraphs.
Expected result	One casing rule (sentence case for body copy) and one weight for section headings across the page.
Actual result (14 Nov)	Body copy and subtitles are now sentence case and all section H2s use weight 500. Remaining: chips still mix cases ('Dogs & Cats Needing Full Pampering' in About vs 'Dogs & cats needing full pampering' in Packages).
Retest status	Partially Fixed


Evidence for UI-LP-14 (1 screenshot):



UI-LP-14 on build index-Cqk8vpD0: Body copy and subtitles are now sentence case and all section H2s use weight 500. Remaining: chips still mix cases ('Dogs & Cats Needing Full Pampering' in About vs 'Dogs...

UI-LP-15	Image strip ignores the page gutter and runs to the screen edges
Module / Portal	Landing page (customer site) - 'Ready to Give Your Dog the Care They Deserve?' strip
Original severity	Low
Retest steps	1. Open the landing page at 1440 px. 2. Scroll to the 'Ready to Give Your Dog...' strip above Spa Packages.
Expected result	The strip aligns with the same container width/gutter as the other sections (or is intentionally full-bleed with matching padding).
Actual result (14 Nov)	'Ready to Give Your Dog...' strip images now start at x=80 and end at 1344, matching the 80 px page gutter.
Retest status	Fixed


Evidence for UI-LP-15 (1 screenshot):



Landing 1440 px: 'Ready to Give Your Dog...' strip images aligned to the page gutters

UI-LP-16	Footer lists demo treatments that do not exist in the services section
Module / Portal	Landing page (customer site) - Footer - Spa Treatments
Original severity	Low
Retest steps	1. Note the services shown in 'Signature Spa & Salon Services'. 2. Scroll to the footer 'Spa Treatments' column.
Expected result	Footer links reflect the real services offered (or generic category links).
Actual result (14 Nov)	Footer 'Spa Treatments' now lists generic links: Signature spa services / All-inclusive packages / Certified stylists.
Retest status	Fixed


Evidence for UI-LP-16 (1 screenshot):



UI-LP-16 on build index-Cqk8vpD0: Footer 'Spa Treatments' now lists generic links: Signature spa services / All-inclusive packages / Certified stylists.

UI-LP-17	Every testimonial shows 4 of 5 stars next to a '10K+ Five Star Reviews' claim
Module / Portal	Landing page (customer site) - Reviews
Original severity	Low
Retest steps	1. Scroll to the stats grid ('10K+ Five Star Reviews'). 2. Scroll to 'Loved By Thousands Of Pet Parents'.
Expected result	Star ratings shown are consistent with the headline claim (or the claim is reworded).
Actual result (14 Nov)	All review cards show 5 filled stars.
Retest status	Fixed


Evidence for UI-LP-17 (1 screenshot):



UI-LP-17 on build index-Cqk8vpD0: All review cards show 5 filled stars.

UI-LP-18	Category tab bar is cut off mid-label with no scroll cue
Module / Portal	Landing page (customer site) - Services - category tabs (tablet/mobile)
Original severity	Low
Retest steps	1. Set the viewport to 768x1024 or 375x812. 2. Scroll to the category tabs under 'Signature Spa & Salon Services'.
Expected result	Tabs wrap, or show a clear horizontal-scroll affordance (edge fade/arrow).
Actual result (14 Nov)	Mobile 375 px: tabs now wrap onto 3 rows (all visible). Tablet 768 px: bar still clipped on both sides ('ces' / 'Nails' cut) with no visible scroll cue. Mobile also shows 'Swipe for more categories →' although nothing is hidden.
Retest status	Partially Fixed


Evidence for UI-LP-18 (1 screenshot):



UI-LP-18 on build index-Cqk8vpD0: Mobile 375 px: tabs now wrap onto 3 rows (all visible). Tablet 768 px: bar still clipped on both sides ('ces' / 'Nails' cut) with no visible scroll cue. Mobile also shows...

UI-LP-19	Only package carries a 'Most Recommended' badge and a redundant price note
Module / Portal	Landing page (customer site) - All Inclusive Spa Packages
Original severity	Low
Retest steps	1. Scroll to 'All Inclusive Spa Packages' (signed out).
Expected result	A 'recommended' badge only when there are alternatives; price shown once (e.g. 'From $80').
Actual result (14 Nov)	Package card no longer shows 'Most Recommended' or '(from $80 by pet size)'; just $80.00.
Retest status	Fixed


Evidence for UI-LP-19 (1 screenshot):



Landing 1440 px: package card 136 px wide, off-centre, '$80.00' clipped; no 'Most Recommended' text

UI-GR-01	Two appointments at the same start time are drawn on top of each other - one is hidden
Module / Portal	Groomer portal - Appointment book
Original severity	Medium
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Open Appointment book. 3. Look at Wed 2026-11-11, 9:00 AM.
Expected result	Simultaneous appointments are shown as a stacked block with a count (as at 12:45/5:00) or side by side, so no appointment is hidden.
Actual result (14 Nov)	Week Nov 9-15: the two 9:00 AM appointments on 11 Nov now render as a stacked block with count '2' (QA Bella at y=507, QA Upload w.png at y=557).
Retest status	Fixed


Evidence for UI-GR-01 (1 screenshot):



UI-GR-01 on build index-Cqk8vpD0: Week Nov 9-15: the two 9:00 AM appointments on 11 Nov now render as a stacked block with count '2' (QA Bella at y=507, QA Upload w.png at y=557).

UI-GR-02	Time axis scrolls out of view and the colour legend is clipped inside the horizontal scroller
Module / Portal	Groomer portal - Appointment book (mobile)
Original severity	Medium
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Set the viewport to 375x812 and open Appointment book. 3. Scroll the week grid sideways to reach today's column.
Expected result	Time column stays pinned while scrolling horizontally, and the legend is placed outside the scrolling grid so it is always fully readable.
Actual result (14 Nov)	Mobile: grid scrolled sideways keeps the time column sticky (left 28 px); the colour legend is now above the grid, outside the scroller.
Retest status	Fixed


Evidence for UI-GR-02 (1 screenshot):



UI-GR-02 on build index-Cqk8vpD0: Mobile: grid scrolled sideways keeps the time column sticky (left 28 px); the colour legend is now above the grid, outside the scroller.

UI-GR-03	Page instructions refer to an 'Update milestone' button that is not shown on any card
Module / Portal	Groomer portal - My appointments - Upcoming
Original severity	Medium
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. On My appointments, read the subtitle. 3. Open the Upcoming tab.
Expected result	Either the cards show the action the instructions describe, or the instruction text is updated to describe where milestones are updated (e.g. Appointment book).
Actual result (14 Nov)	Each Upcoming card now has an 'Update milestone' button; subtitle reworded ('On the appointment day, use Update milestone on each Upcoming card or open Appointment book...').
Retest status	Fixed


Evidence for UI-GR-03 (1 screenshot):




UI-GR-03 on build index-Cqk8vpD0: Each Upcoming card now has an 'Update milestone' button; subtitle reworded ('On the appointment day, use Update milestone on each Upcoming card or open Appointment book...'...

UI-GR-04	Internal technical text and raw codes shown to groomers
Module / Portal	Groomer portal - My availability / Appointment details
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Open My availability and read the store line. 3. Open Appointment book, click a block, scroll to '2. Services & groomer revenue'.
Expected result	Only user-facing wording (e.g. 'Milestone: Checked in'); no tenant IDs, table names or developer notes.
Actual result (14 Nov)	Availability no longer shows tenant IDs/table name, and 'check_in_completed' is gone from the appointment modal. Still shown: 'This total matches the appointment book, customer booking list, and groomer revenue reports.'
Retest status	Partially Fixed

Evidence for UI-GR-04 (2 screenshots):




Groomer > Appointment #231: developer note 'This total matches the appointment book...' still shown



Groomer > Appointment #231 > Photos: '(pet_gallery_photos)' table name still shown

UI-GR-05	Broken pet photos show the browser's broken-image icon with no fallback
Module / Portal	Groomer portal - Customers modal / Appointment details - Pet details
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Open Customers and click 'QA Customer'. 3. Also open Appointment book > 2:00 PM block on 11 Nov > Pet details.
Expected result	A consistent fallback avatar (initials or paw icon) when a pet photo cannot be displayed.
Actual result (14 Nov)	Customers modal shows initial 'Q' placeholders for failed photos; Pet details shows a default pet image (pet_1.png).
Retest status	Fixed


Evidence for UI-GR-05 (1 screenshot):



UI-GR-05 on build index-Cqk8vpD0: Customers modal shows initial 'Q' placeholders for failed photos; Pet details shows a default pet image (pet_1.png).

UI-GR-06	Empty white header bar above every page on desktop
Module / Portal	Groomer portal - All pages (desktop header)
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. View any groomer page at 1440 px width.
Expected result	Hide the bar on desktop, or use it for a page title/user menu.
Actual result (14 Nov)	Desktop header element now 0 px tall; no empty white strip.
Retest status	Fixed


Evidence for UI-GR-06 (1 screenshot):



UI-GR-06 on build index-Cqk8vpD0: Desktop header element now 0 px tall; no empty white strip.

UI-GR-07	Weekly working days are listed in random order
Module / Portal	Groomer portal - My availability - Weekly hours & week off
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Open My availability > Weekly hours & week off.
Expected result	Days listed Monday to Sunday (or Sunday to Saturday).
Actual result (14 Nov)	Weekly hours rows: Thursday, Tuesday, Sunday, Monday, Wednesday, Friday, Saturday.
Retest status	Still Reproducible


Evidence for UI-GR-07 (1 screenshot):



UI-GR-07 on build index-Cqk8vpD0: Weekly hours rows: Thursday, Tuesday, Sunday, Monday, Wednesday, Friday, Saturday.

UI-GR-08	Inconsistent date and time formats
Module / Portal	Groomer portal - Appointment book / Availability / Reports / Notifications
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Compare dates on Appointment book, My availability, Financial reports and Notifications with My appointments.
Expected result	One human-readable date/time format across the portal.
Actual result (14 Nov)	Appointment book header now 'Nov 9 - Nov 15, 2026'. Still ISO/24 h elsewhere: column heads '2026-11-09 - Mon', day cards '2026-11-14', 'Report range: 2026-11-08 → 2026-11-14', report rows '2026-11-11 09:00', notification '2026-11-18 at 14:00'.
Retest status	Partially Fixed


Evidence for UI-GR-08 (1 screenshot):




UI-GR-08 on build index-Cqk8vpD0: Appointment book header now 'Nov 9 - Nov 15, 2026'. Still ISO/24 h elsewhere: column heads '2026-11-09 - Mon', day cards '2026-11-14', 'Report range: 2026-11-08 → 2026-11…

UI-GR-09	Appointment statuses shown as raw lowercase text
Module / Portal	Groomer portal - Forecast & reports
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Open Forecast & reports (Forecast list) and Financial reports (Detail table, Stage column).
Expected result	Same capitalised status labels/badges as the rest of the portal.
Actual result (14 Nov)	Forecast list: '… · confirmed', '… · grooming completed'; Financial report Stage column 'checkout completed'.
Retest status	Still Reproducible

Evidence for UI-GR-09 (2 screenshots):




Groomer > Forecast: status codes '· confirmed', '· grooming completed'



Groomer > Financial reports: Stage 'checkout completed' / 'checked in'; ISO dates

UI-GR-10	Very small text (8-10 px) in availability and appointment-book grids
Module / Portal	Groomer portal - My availability
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Open My availability (Slot calendar) and Appointment book.
Expected result	Minimum ~12 px for readable labels.
Actual result (14 Nov)	Availability: 'Available'/'Booked' 8 px, 'Unavailable' 9 px, other labels 10 px. Appointment book blocks now 9 px text.
Retest status	Still Reproducible


Evidence for UI-GR-10 (1 screenshot):



UI-GR-10 on build index-Cqk8vpD0: Availability: 'Available'/'Booked' 8 px, 'Unavailable' 9 px, other labels 10 px. Appointment book blocks now 9 px text.

UI-GR-11	'1 customers' and unformatted phone number
Module / Portal	Groomer portal - Customers
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Open Customers.
Expected result	'1 customer'; phone formatted like elsewhere in the product, e.g. '(555) 000-1111'.
Actual result (14 Nov)	Customers: '1 customer in your shop'; phone '(555) 000-1111'.
Retest status	Fixed


Evidence for UI-GR-11 (1 screenshot):



Groomer > Customers: '1 customer in your shop', phone '(555) 000-1111'

UI-GR-12	Empty states are inconsistent between tabs
Module / Portal	Groomer portal - My appointments - tabs
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. On My appointments compare the empty Requests tab with the empty Cancellation requests tab.
Expected result	Same empty-state pattern (title + helpful message) on every tab.
Actual result (14 Nov)	Cancellation requests empty state now has a message ('When a customer asks to cancel, review the request here.').
Retest status	Fixed


Evidence for UI-GR-12 (1 screenshot):



Groomer > My appointments > Cancellation requests: empty-state message shown

UI-GR-13	Navigation drawer has no close button
Module / Portal	Groomer portal - Navigation drawer (mobile/tablet)
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Set the viewport to 375x812. 3. Tap the menu icon at the top left.
Expected result	A visible close button in the drawer header.
Actual result (14 Nov)	Mobile drawer has an X 'Close menu' button.
Retest status	Fixed


Evidence for UI-GR-13 (1 screenshot):



UI-GR-13 on build index-Cqk8vpD0: Mobile drawer has an X 'Close menu' button.

UI-GR-14	Instructions say 'hover for full details' on touch screens
Module / Portal	Groomer portal - My availability / Appointment book (touch devices)
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Set a tablet or mobile viewport and open My availability or Appointment book.
Expected result	Touch-friendly wording (e.g. 'tap a block for details') or tap-to-reveal details.
Actual result (14 Nov)	Text now reads 'tap or hover a block for full details'.
Retest status	Fixed


Evidence for UI-GR-14 (1 screenshot):



UI-GR-14 on build index-Cqk8vpD0: Text now reads 'tap or hover a block for full details'.

UI-GR-15	Full-day timeline bar is labelled only '9:00 AM' in its centre
Module / Portal	Groomer portal - My availability - day timeline
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Open My availability > Slot calendar and look at a working day (e.g. 2026-11-12).
Expected result	Label shows the range ('9:00 AM - 6:00 PM' / 'Available') or no centre label.
Actual result (14 Nov)	Full-day availability bar still shows only '9:00 AM' in its centre.
Retest status	Still Reproducible


Evidence for UI-GR-15 (1 screenshot):



UI-GR-15 on build index-Cqk8vpD0: Full-day availability bar still shows only '9:00 AM' in its centre.

UI-GR-16	Weekly hours table needs sideways scrolling; hours and actions are off-screen
Module / Portal	Groomer portal - My availability (mobile)
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Set the viewport to 375x812. 3. Open My availability > Weekly hours & week off.
Expected result	A stacked/card layout on mobile so day, hours and actions are visible without horizontal scrolling.
Actual result (14 Nov)	Mobile: weekly hours table 640 px wide in 342 px; Hours cut ('9:00 AM –'), Edit/Delete off-screen.
Retest status	Still Reproducible


Evidence for UI-GR-16 (1 screenshot):



UI-GR-16 on build index-Cqk8vpD0: Mobile: weekly hours table 640 px wide in 342 px; Hours cut ('9:00 AM –'), Edit/Delete off-screen.

UI-GR-17	Read-only client fields look like editable inputs
Module / Portal	Groomer portal - Appointment details - Client tab
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Open Appointment book, click an appointment block, stay on the Client tab.
Expected result	Show read-only client data as plain text (or clearly disabled fields).
Actual result (14 Nov)	Client tab: read-only fields still rendered as bordered input boxes (readOnly, light-grey fill) beside an active Save button.
Retest status	Still Reproducible


Evidence for UI-GR-17 (1 screenshot):



UI-GR-17 on build index-Cqk8vpD0: Client tab: read-only fields still rendered as bordered input boxes (readOnly, light-grey fill) beside an active Save button.

UI-GR-18	'Store is closed' cell text is larger than other cells
Module / Portal	Groomer portal - My availability - weekly overview
Original severity	Low
Retest steps	1. Log in to the Groomer portal (QA Alpha, store QAA-001). 2. Open My availability > Slot calendar > Weekly overview.
Expected result	Same text size/style in all day cells.
Actual result (14 Nov)	'Store is closed' 12 px vs 'No breaks or leave' 10 px.
Retest status	Still Reproducible

Evidence for UI-GR-18 (1 screenshot):




UI-GR-18 on build index-Cqk8vpD0: 'Store is closed' 12 px vs 'No breaks or leave' 10 px.

2. New validation bugs found in this round (29)

Bug ID	Severity	Module / Portal	Bug description
NEW-VAL-01	High	Coupon / Store content (Admin)	Over-length text causes HTTP 500 with a raw database error
NEW-VAL-02	High	Store hours / Groomer weekly hours (Admin)	Time value with seconds causes HTTP 500
NEW-VAL-03	Medium	Store content (Admin)	Unknown page key causes HTTP 500
NEW-VAL-04	High	Package master (Admin)	Creating a valid package fails with a lock-wait timeout
NEW-VAL-05	Medium	Coupon (Admin)	Required coupon Title accepted empty or blank
NEW-VAL-06	Medium	Store content (Admin)	Required Title/Body accepted empty or blank; Title not trimmed
NEW-VAL-07	Medium	Service master (Admin)	Service duration 0 accepted while 4-9 minutes are rejected
NEW-VAL-08	Medium	Service master (Admin)	Size tier with min lbs > max lbs not rejected (max silently changed)
NEW-VAL-09	Medium	Customer (Admin)	Customer email can be set to an existing staff / groomer login
NEW-VAL-10	Medium	Groomer / Customer - Mobile	Duplicate and dummy mobile numbers accepted
NEW-VAL-11	Medium	All phone fields	Common phone formats rejected; no format hint
NEW-VAL-12	Medium	Name fields (all user types)	Inconsistent name rules across user types
NEW-VAL-13	Medium	Groomer - My availability (slot colours)	Invalid colour values silently discarded with a success message
NEW-VAL-14	Medium	Groomer - Appointment modal (pet photos)	Upload control offered to groomers but uploads forbidden; oversized file gives 500
NEW-VAL-15	Low	All Admin/Groomer forms	No maxlength on text inputs
NEW-VAL-16	Low	Groomer (Admin) - Bookings per slot	UI range differs from API (UI allows 0 / decimals)
NEW-VAL-17	Low	Service / Package master - size tiers	UI tier duration min 5 vs API min 10
NEW-VAL-18	Low	Validation messages (all portals)	Raw / technical server messages shown to users
NEW-VAL-19	Low	Service master / Coupon	Money values silently rounded instead of validated
NEW-VAL-20	Low	Store (Admin)	Store saved without a tax state
NEW-VAL-21	Low	State & tax (Admin)	Invalid state codes accepted
NEW-VAL-22	Low	Customer vs Groomer - Mobile	Surrounding spaces in mobile handled inconsistently
NEW-VAL-23	Low	Store hours (Admin)	Store-hours message refers to 'the groomer'
NEW-VAL-24	Low	Coupon (Admin)	Misleading messages for impossible dates
NEW-VAL-25	Low	Store / State / Store hours (Admin)	Generic duplicate message; internal constraint names leaked
NEW-VAL-26	Low	Holiday / Groomer time off (Admin)	Truncated date messages (no reason given)
NEW-VAL-27	Low	Holiday / Service / Groomer codes (Admin)	Code fields accept special characters, spaces and non-ASCII
NEW-VAL-28	High	Groomers (Admin)	Deleting a groomer leaves its weekly hours; re-using the code returns 409 but still creates the groomer
NEW-VAL-29	Medium	Name / title fields (Admin)	HTML / script markup accepted and stored in names and titles

NEW-VAL-01	Over-length text causes HTTP 500 with a raw database error
Module / Portal	Coupon / Store content (Admin)
Severity	High
Steps to reproduce	1. Admin portal (admin@shearheaven.local), store QAA-001: Promotions > New coupon. 2. Enter a 256-character Title, 10 %, valid dates; click Create. 3. API: POST /api/common/offers with title 256 / description 1000 chars; POST /api/common/store-content with title 256 / body 100,000 chars.
Expected result	Request rejected with HTTP 400 and a clear message (e.g. 'Title can be at most 255 characters'); field limited in the UI.
Actual result	UI shows "Data too long for column 'title' at row 1". API returns HTTP 500 INTERNAL_ERROR "Data too long for column 'title'/'description'/'body' at row 1" for all four cases.

Evidence for NEW-VAL-01 (2 screenshots):




Admin > New coupon: 256-char Title accepted by the input (maxLength -1); Create shows raw "Data too long for column 'title' at row 1"



API: over-length coupon/store-content text -> HTTP 500 raw DB errors

NEW-VAL-02	Time value with seconds causes HTTP 500
Module / Portal	Store hours / Groomer weekly hours (Admin)
Severity	High
Steps to reproduce	1. PUT /api/common/store-hours/172 with startTime '08:00:30'. 2. PUT /api/common/groomer-hours/572 (QA Beta) with startTime '08:00:30'. 3. Re-read both records.
Expected result	HTTP 400 'Time must be in HH:MM 24-hour format' (as for '25:00').
Actual result	Both return HTTP 500 "Data too long for column 'startTime' at row 1". Records unchanged (09:00).


Evidence for NEW-VAL-02 (1 screenshot):



API: time with seconds -> HTTP 500 "Data too long for column 'startTime'"

NEW-VAL-03	Unknown page key causes HTTP 500
Module / Portal	Store content (Admin)
Severity	Medium
Steps to reproduce	1. POST /api/common/store-content with contentKey 'random-key'. 2. Compare with contentKey ''.
Expected result	HTTP 400 'Page must be one of ...'.
Actual result	'random-key' → HTTP 500 "Data truncated for column 'contentKey' at row 1"; empty key → proper 400 'contentKey is required'.


Evidence for NEW-VAL-03 (1 screenshot):



API: unknown store-content key -> HTTP 500 "Data truncated for column 'contentKey'"

NEW-VAL-04	Creating a valid package fails with a lock-wait timeout
Module / Portal	Package master (Admin)
Severity	High
Steps to reproduce	1. POST /api/common/package-master with a valid package (one service, #309, 4 size tiers). 2. Wait for the response; re-read the package list.
Expected result	Package created (HTTP 201) within a few seconds.
Actual result	HTTP 500 after 51 s: 'Lock wait timeout exceeded; try restarting transaction'. No package created (list still only PXX-001).


Evidence for NEW-VAL-04 (1 screenshot):



API: valid package create -> HTTP 500 'Lock wait timeout exceeded' after 51 s

NEW-VAL-05	Required coupon Title accepted empty or blank
Module / Portal	Coupon (Admin)
Severity	Medium
Steps to reproduce	1. POST /api/common/offers with title ''. 2. Repeat with title ' '.
Expected result	HTTP 400 'Title is required' (Title is marked required in the UI).
Actual result	Both HTTP 201. Empty title saved as '5% on services'; spaces-only saved as ''. Test coupons 43/44 deleted.


Evidence for NEW-VAL-05 (1 screenshot):



API: coupon with empty / blank title -> HTTP 201 (deleted afterwards)

NEW-VAL-06	Required Title/Body accepted empty or blank; Title not trimmed
Module / Portal	Store content (Admin)
Severity	Medium
Steps to reproduce	1. POST /api/common/store-content with title '' and body ''. 2. Repeat with ' '. 3. Repeat with title ' QA Trim '.
Expected result	Empty/blank rejected with 400; surrounding spaces trimmed.
Actual result	All HTTP 201; blank values stored; title stored as ' QA Trim ' (untrimmed). Records 25-27 deleted.


Evidence for NEW-VAL-06 (1 screenshot):



API: store content with empty / blank / untrimmed title and body -> HTTP 201

NEW-VAL-07	Service duration 0 accepted while 4-9 minutes are rejected
Module / Portal	Service master (Admin)
Severity	Medium
Steps to reproduce	1. POST /api/common/service-master with baseDurationMinutes 9. 2. Repeat with 0.
Expected result	0 rejected like 9 ('Service duration must be at least 10 minutes').
Actual result	9 → HTTP 400 'at least 10 minutes'; 0 → HTTP 201, stored baseDurationMinutes 0 (service 353 deleted).


Evidence for NEW-VAL-07 (1 screenshot):



API: service duration 9 -> 400 but 0 -> 201

NEW-VAL-08	Size tier with min lbs > max lbs not rejected (max silently changed)
Module / Portal	Service master (Admin)
Severity	Medium
Steps to reproduce	1. POST /api/common/service-master with Small tier minLbs 20, maxLbs 10.
Expected result	HTTP 400 'Max weight must be greater than min weight'.
Actual result	HTTP 201; tier saved with minLbs 20 and maxLbs silently changed to 20 (service 354 deleted).


Evidence for NEW-VAL-08 (1 screenshot):



API: tier minLbs 20 / maxLbs 10 -> 201, maxLbs silently set to 20

NEW-VAL-09	Customer email can be set to an existing staff / groomer login
Module / Portal	Customer (Admin)
Severity	Medium
Steps to reproduce	1. PUT /api/common/customers/14 with email admin@shearheaven.local. 2. Repeat with qa.beta@shearheaven.local. 3. Restore.
Expected result	HTTP 409 'Email already used' (as when creating a store admin with a groomer email).
Actual result	Both HTTP 200 and saved. Customer 14 restored to qa.cust1101@mailinator.com.


Evidence for NEW-VAL-09 (1 screenshot):



API: customer email set to admin / groomer login emails -> 200 (restored)

NEW-VAL-10	Duplicate and dummy mobile numbers accepted
Module / Portal	Groomer / Customer - Mobile
Severity	Medium
Steps to reproduce	1. POST /api/common/groomers with mobile 5551112222 (QA Beta's number). 2. POST with mobile 0000000000. 3. PUT customer 14 mobile 0000000000.
Expected result	Duplicate and all-zero numbers rejected.
Actual result	All accepted (201/200). Test groomers 159/160 deleted; customer restored.


Evidence for NEW-VAL-10 (1 screenshot):




API: duplicate (5551112222) and 0000000000 mobile numbers accepted

NEW-VAL-11	Common phone formats rejected; no format hint
Module / Portal	All phone fields
Severity	Medium
Steps to reproduce	1. Groomer portal (QA Alpha), store QAA-001: Profile > Mobile '+1 (555) 123-4567' > Save profile. 2. API: customer and groomer mobile '555-000-1111', '(555) 000-1111', '+1 555 000 1111', '+15550001111', '+44 20 7946 0958', '555.000.1111'.
Expected result	Formatted numbers accepted and normalised (the app itself displays '(555) 000-1111'), or the field shows the required format.
Actual result	UI: 'Mobile number must be 10–15 digits'. API: all 8 formatted values HTTP 400; plain '5550001111' HTTP 200. Field is type=text with no pattern or hint.

Evidence for NEW-VAL-11 (2 screenshots):




Groomer > Profile: '+1 (555) 123-4567' -> 'Mobile number must be 10-15 digits'



API: 8 formatted phone values rejected, plain digits accepted

NEW-VAL-12	Inconsistent name rules across user types
Module / Portal	Name fields (all user types)
Severity	Medium
Steps to reproduce	1. PUT customer 14 name 'QA José', 'QA Customer 123', 'QA Customer!@#', 'A'. 2. POST groomers with first name 'a', '12345', 'QA_!@#$%^&*()', '<script>…', 'QA [emoji]', 'José'. 3. POST store admins with 'a', '12345', '<script>…'.
Expected result	One rule for all person names (letters incl. accents, space, ' and -; min 2).
Actual result	Customer rejects accents/digits/symbols/1 char. Groomer accepts all of them incl. 1 char, emoji, <script>. Store admin rejects 1 char but accepts digits and <script>. (Test groomers deleted; store admins 25/26 soft-deleted.)


Evidence for NEW-VAL-12 (1 screenshot):



API: name rules for customer vs groomer vs store admin

NEW-VAL-13	Invalid colour values silently discarded with a success message
Module / Portal	Groomer - My availability (slot colours)
Severity	Medium
Steps to reproduce	1. Groomer token: PUT /api/common/groomer/availability/slot-colors with 'notacolor', '#12345', '#GGGGGG'. 2. Re-read colours.
Expected result	HTTP 400 naming the invalid colour.
Actual result	HTTP 200 'Slot colors saved'; re-read shows the old colours. Reset to defaults afterwards.


Evidence for NEW-VAL-13 (1 screenshot):




API: invalid slot colours -> 200 'Slot colors saved' but not stored

NEW-VAL-14	Upload control offered to groomers but uploads forbidden; oversized file gives 500
Module / Portal	Groomer - Appointment modal (pet photos)
Severity	Medium
Steps to reproduce	1. Groomer portal (QA Alpha), store QAA-001: Appointment book > #231 > Pet details > Photos. 2. POST /api/common/groomer/bookings/245/appointment-book/pet-photo with a valid PNG, a .txt file and a 12 MB file.
Expected result	Either groomers can upload, or the control is hidden. Oversized file → 413/400 with the size limit.
Actual result	UI has a file input (jpeg/png/webp) and text 'Use Add photos... Upload saves to the server immediately'. Valid PNG → 403 'Groomers cannot upload pet photos...'; .txt → 400 (correct); 12 MB → 500 'File too large'.

Evidence for NEW-VAL-14 (2 screenshots):




Groomer > Appointment #231 > Photos: upload control present (file input jpeg/png/webp)



API: groomer photo upload -> 403 for valid PNG, 400 for .txt, 500 for 12 MB


NEW-VAL-15	No maxlength on text inputs
Module / Portal	All Admin/Groomer forms
Severity	Low
Steps to reproduce	1. Admin portal (admin@shearheaven.local), store QAA-001: Groomers > New groomer; type 150 characters in First name. 2. Promotions > New coupon; type 256 characters in Title. 3. Inspect input attributes.
Expected result	Inputs limited to the API limits (e.g. 100 / 255).
Actual result	All 10 text inputs in New groomer have maxLength -1; First name holds 150 chars. Coupon: only Coupon code has maxlength 6; Title holds 256. Errors appear only after submit.

Evidence for NEW-VAL-15 (2 screenshots):



New groomer
Groomer code *
QEVUI1
Type
Groomer
Employment type *
Commission based
Commission pay uses Payroll settings. Hourly salary is a wage, not a percent of the ticket.
First name *
AAAA

NEW-VAL-16	UI range differs from API (UI allows 0 / decimals)
Module / Portal	Groomer (Admin) - Bookings per slot
Severity	Low
Steps to reproduce	1. Admin portal (admin@shearheaven.local), store QAA-001: New groomer > Bookings per slot = 0 > Create.
Expected result	Input min=1 max=20 step=1, matching the hint '1–20'.
Actual result	Input min=0, no max, step=any; value 0 accepted by the browser; server answers 'slotBookingLimit must be greater than or equal to 1'.

Evidence for NEW-VAL-16 (2 screenshots):




Admin > New groomer: First name holds 150 chars (no maxLength); Mobile type=text no pattern; Bookings per slot min=0 step=any, value 0



Admin > New groomer: Bookings per slot 0 -> raw 'slotBookingLimit must be greater than or equal to 1'

NEW-VAL-17	UI tier duration min 5 vs API min 10
Module / Portal	Service / Package master - size tiers
Severity	Low
Steps to reproduce	1. Admin portal (admin@shearheaven.local), store QAA-001: Service master > Add service > Small tier Duration = 5. 2. POST the same via API.
Expected result	Input min=10 so the browser blocks 5-9.
Actual result	Input min=5 max=480 (checkValidity true for 5); API returns 400 'Service duration must be at least 10 minutes.'


Evidence for NEW-VAL-17 (1 screenshot):




Admin > Add service: tier Duration min=5 accepts 5; API rejects (min 10)

NEW-VAL-18	Raw / technical server messages shown to users
Module / Portal	Validation messages (all portals)
Severity	Low
Steps to reproduce	1. New groomer with 150-char First name > Create. 2. New groomer with Bookings per slot 0 > Create. 3. Groomer portal (QA Alpha), store QAA-001: Profile > First name 101 chars > Save. 4. New coupon with 256-char title > Create.
Expected result	Friendly field-level messages (e.g. 'First name can be at most 100 characters').
Actual result	Shown verbatim: 'firstName length must be less than or equal to 100 characters long', 'slotBookingLimit must be greater than or equal to 1', "Data too long for column 'title' at row 1".


Evidence for NEW-VAL-18 (4 screenshots):




Admin > New groomer: 150-char First name -> raw 'firstName length must be less than or equal to 100 characters long'



Admin > New groomer: Bookings per slot 0 -> raw 'slotBookingLimit must be greater than or equal to 1'




Groomer > Profile: 101-char First name -> raw 'firstName length must be...' (profile unchanged after reload)



Admin > New coupon: 256-char Title accepted by the input (maxLength -1); Create shows raw "Data too long for column 'title' at row 1"

NEW-VAL-19	Money values silently rounded instead of validated
Module / Portal	Service master / Coupon
Severity	Low
Steps to reproduce	1. POST service with basePrice 0.001. 2. POST fixed coupon with amount 9.999.
Expected result	HTTP 400 'Use at most 2 decimal places'.
Actual result	Service saved with basePrice 0; coupon saved with discountValue 10. Test records deleted.


Evidence for NEW-VAL-19 (1 screenshot):



API: base price 0.001 stored as 0; coupon 9.999 stored as 10

NEW-VAL-20	Store saved without a tax state
Module / Portal	Store (Admin)
Severity	Low
Steps to reproduce	1. POST /api/common/stores with stateCode ''.
Expected result	HTTP 400 'State is required' (tax depends on it).
Actual result	HTTP 201, stateCode ''. Store 60 deleted.


Evidence for NEW-VAL-20 (1 screenshot):



API: store with empty stateCode -> 201

NEW-VAL-21	Invalid state codes accepted
Module / Portal	State & tax (Admin)
Severity	Low
Steps to reproduce	1. POST /api/common/states with stateCode 'ABC'. 2. Repeat with '12'.
Expected result	Only 2-letter codes accepted.
Actual result	Both HTTP 201. States 13/14 deleted.


Evidence for NEW-VAL-21 (1 screenshot):



API: state codes 'ABC' and '12' -> 201

NEW-VAL-22	Surrounding spaces in mobile handled inconsistently
Module / Portal	Customer vs Groomer - Mobile
Severity	Low
Steps to reproduce	1. PUT customer 14 mobile ' 5550001111 '. 2. POST groomer with mobile ' 5550009999 '.
Expected result	Same behaviour (trim) in both.
Actual result	Customer → 400 'Mobile number must be 10-15 digits'; groomer → 201, trimmed to 5550009999 (groomer 161 deleted).


Evidence for NEW-VAL-22 (1 screenshot):



API: ' 5550001111 ' rejected for customer, trimmed for groomer

NEW-VAL-23	Store-hours message refers to 'the groomer'
Module / Portal	Store hours (Admin)
Severity	Low
Steps to reproduce	1. PUT /api/common/store-hours/172 with isOpen true and empty times.
Expected result	'Opening and closing times are required when the store is open'.
Actual result	400 'Start and end time are required when the groomer is working'. Record unchanged.


Evidence for NEW-VAL-23 (1 screenshot):



API: store hours empty times -> message mentions 'the groomer'

NEW-VAL-24	Misleading messages for impossible dates
Module / Portal	Coupon (Admin)
Severity	Low
Steps to reproduce	1. POST coupon with endDate 2026-02-30. 2. POST coupon with startDate 2026-13-01.
Expected result	'Enter a valid date'.
Actual result	Expiry 2026-02-30 → 'Expiry date must be today or a future date'; start 2026-13-01 → 'Expiry date must be greater than or equal to the start date'.


Evidence for NEW-VAL-24 (1 screenshot):



API: impossible coupon dates -> misleading messages

NEW-VAL-25	Generic duplicate message; internal constraint names leaked
Module / Portal	Store / State / Store hours (Admin)
Severity	Low
Steps to reproduce	1. POST store with storeId QAA-001. 2. POST state NY. 3. POST a second Monday store-hours row.
Expected result	Specific message (e.g. 'Store ID QAA-001 already exists'); no database names.
Actual result	All 409 'This value is already in use.' with errors 'store_master_store_tenant_unique', 'stateCode must be unique', 'soh_day_tenant_unique must be unique'.


Evidence for NEW-VAL-25 (1 screenshot):



API: duplicates -> generic message with constraint names

NEW-VAL-26	Truncated date messages (no reason given)
Module / Portal	Holiday / Groomer time off (Admin)
Severity	Low
Steps to reproduce	1. POST holiday with date 2026-02-30 and 12/20/2026. 2. POST time off with endDate 2027-02-30 and startDate 01/20/2027.
Expected result	'Enter a valid date (YYYY-MM-DD)'.
Actual result	'date failed custom validation because', 'endDate failed custom validation because', 'startDate failed custom validation because' (sentence ends there).

Evidence for NEW-VAL-26 (1 screenshot):



API: impossible dates -> '... failed custom validation because'

NEW-VAL-27	Code fields accept special characters, spaces and non-ASCII
Module / Portal	Holiday / Service / Groomer codes (Admin)
Severity	Low
Steps to reproduce	1. POST holiday with codes 'QA_!@#$%^&*()', 'Café Ünïcode', '<script>x</script>'. 2. POST service with codes 'QA_!@#$%^&*()', 'QA CODE 1'. 3. POST groomer with code 'Café-1'.
Expected result	Codes restricted (e.g. A-Z, 0-9, hyphen) like Coupon code and Store ID.
Actual result	All HTTP 201 and stored as typed (records deleted). Coupon code with symbols → 400 (restricted).


Evidence for NEW-VAL-27 (1 screenshot):




API: code fields accept symbols, spaces, accents and markup

NEW-VAL-28	Deleting a groomer leaves its weekly hours; re-using the code returns 409 but still creates the groomer
Module / Portal	Groomers (Admin)
Severity	High
Steps to reproduce	1. Create a groomer, then delete it. 2. GET /api/common/groomer-hours?groomerCode=<deleted code>. 3. POST a new groomer with the same code. 4. GET groomers (incl. inactive).
Expected result	Delete removes dependent rows; a failed create leaves nothing behind.
Actual result	7 hours rows remain for deleted groomers ('QA [emoji]' id 123, 'Café-1' id 169). Re-using 'QA [emoji]' → 409 'This value is already in use.' (gwh_code_day_tenant_unique) yet groomer 170 was created (it was then deleted). Orphan hours rows were left in place as evidence.

Evidence for NEW-VAL-28 (2 screenshots):




API: groomer create with re-used code -> 409 but groomer 170 created



API: weekly-hours rows remain for deleted groomers

NEW-VAL-29	HTML / script markup accepted and stored in names and titles
Module / Portal	Name / title fields (Admin)
Severity	Medium
Steps to reproduce	1. POST holiday name, service name, store name, coupon title and groomer role = '<script>alert(1)</script>'. 2. Compare with customer name.
Expected result	Markup rejected or sanitised consistently (customer name already rejects it).
Actual result	All five HTTP 201 and stored verbatim (deleted afterwards); customer name → 400. Rendering of the stored markup was not separately tested.

Evidence for NEW-VAL-29 (1 screenshot):




API: <script> stored in holiday/service/store names, coupon title, groomer role

3. New UI issues found in this round (6)

NEW-UI-01	Stacked 12:45 PM block overflows into the 2:00 PM block
Module / Portal	Groomer - Appointment book
Severity	Low
Actual result	Week Nov 9-15, Wed 11 Nov: the 2:00 PM block header covers the last line of 'QA Upload ok.png' inside the 12:45 stacked block.


Evidence for NEW-UI-01 (1 screenshot):



NEW-UI-01 on build index-Cqk8vpD0: Week Nov 9-15, Wed 11 Nov: the 2:00 PM block header covers the last line of 'QA Upload ok.png' inside the 12:45 stacked block.

NEW-UI-02	Appointment preview panel opens partly off-screen
Module / Portal	Groomer - Appointment book
Severity	Medium
Actual result	Clicking the 2:00 PM block opens a fixed panel at top 768 px with height 481 px in a 900 px viewport; bottom (incl. 'Open Appointment' button) is below the screen.


Evidence for NEW-UI-02 (1 screenshot):



NEW-UI-02 on build index-Cqk8vpD0: Clicking the 2:00 PM block opens a fixed panel at top 768 px with height 481 px in a 900 px viewport; bottom (incl. 'Open Appointment' button) is below the screen.

NEW-UI-03	Clicking an existing appointment on a past day shows an unrelated error toast
Module / Portal	Groomer - Appointment book
Severity	Low
Actual result	Toast 'New appointments can only be added on today or a future date. This day is in the past.' appears and overlaps the modal footer (Save).


Evidence for NEW-UI-03 (1 screenshot):



NEW-UI-03 on build index-Cqk8vpD0: Toast 'New appointments can only be added on today or a future date. This day is in the past.' appears and overlaps the modal footer (Save).

NEW-UI-04	Time in header card truncated and phone unformatted
Module / Portal	Groomer - Appointment modal
Severity	Low
Actual result	Header shows '2:00 PM – 3:00 ...' (ellipsis, 125/120 px); preview/modal show phone '5550001111' while Customers shows '(555) 000-1111'.


Evidence for NEW-UI-04 (1 screenshot):



NEW-UI-04 on build index-Cqk8vpD0: Header shows '2:00 PM – 3:00 ...' (ellipsis, 125/120 px); preview/modal show phone '5550001111' while Customers shows '(555) 000-1111'.

NEW-UI-05	'Swipe for more categories →' shown when all tabs are visible
Module / Portal	Landing page - Services tabs (mobile)
Severity	Low
Actual result	At 375 px all 5 tabs wrap and are visible, but the swipe hint is still displayed.


Evidence for NEW-UI-05 (1 screenshot):



NEW-UI-05 on build index-Cqk8vpD0: At 375 px all 5 tabs wrap and are visible, but the swipe hint is still displayed.

NEW-UI-06	Single package card squeezed to 136 px and off-centre; price clipped
Module / Portal	Landing page - All Inclusive Spa Packages (1440 px)
Severity	Medium
Actual result	The only package card is 136 px wide (Swiper 3-per-view inside a 448 px centred container), sits at x 488-624 (centre 556 vs page centre 720); text wraps word-by-word and '$80.00' overflows the card ('$80.0').

Evidence for NEW-UI-06 (1 screenshot):



Landing 1440 px: package card 136 px wide, off-centre, '$80.00' clipped; no 'Most Recommended' text

4. Field validation - all scenarios

Expected limit = limit enforced by the API (no written spec provided). 'Level' shows whether the case was run through the API, the UI, or both. Failed cases name the bug in section 2 that holds the screenshot evidence; passed cases are evidenced by the API/UI response shown in 'Actual result'.

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: name is not allowed to be empty	**Pass**		API	Actual result
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: name is not allowed to be empty	**Pass**		API	Actual result
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	1 char: "a"	Rejected with a clear validation message	API 400: name length must be at least 2 characters long	**Pass**		API	Actual result
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	2 chars: "ab"	Accepted and saved correctly	API 201: Store admin created successfully | stored: "ab"	**Pass**	Test record: created id 9 → deleted 200	API	Actual result
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	50 chars: AAAAAAAAAAAA… (50)	Accepted and saved correctly	API 201: Store admin created successfully | stored: len 50	**Pass**	Test record: created id 10 → deleted 200	API	Actual result
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	100 chars: AAAAAAAAAAAA… (100)	Accepted and saved correctly	API 201: Store admin created successfully | stored: len 100	**Pass**	Test record: created id 11 → deleted 200	API	Actual result
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	101 chars: AAAAAAAAAAAA… (101)	Rejected with a clear validation message	API 400: name length must be less than or equal to 100 characters long	**Pass**		API	Actual result
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	255 chars: AAAAAAAAAAAA… (255)	Rejected with a clear validation message	API 400: name length must be less than or equal to 100 characters long	**Pass**		API	Actual result
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA… (256)	Rejected with a clear validation message	API 400: name length must be less than or equal to 100 characters long	**Pass**		API	Actual result
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA… (1000)	Rejected with a clear validation message	API 400: name length must be less than or equal to 100 characters long	**Pass**		API	Actual result
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Store admin created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 12 → deleted 200	API	NEW-VAL-29
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	leading/trailing spaces: " QA Trim "	Accepted and saved correctly	API 201: Store admin created successfully | stored: "QA Trim"	**Pass**	Trimmed before saving | Test record: created id 13 → deleted 200	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	digits only: "12345"	Rejected with a clear validation message	API 201: Store admin created successfully | stored: "12345"	**Fail**	Customer name rejects digits/special chars; staff names accept them (inconsistent rules) | Test record: created id 14 → deleted 200	API	NEW-VAL-12
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	special chars: "QA_!@#$%^&*()"	Rejected with a clear validation message	API 201: Store admin created successfully | stored: "QA_!@#$%^&*()"	**Fail**	Customer name rejects digits/special chars; staff names accept them (inconsistent rules) | Test record: created id 15 → deleted 200	API	NEW-VAL-12
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	accented unicode: "Café Ünïcode"	Accepted and saved correctly	API 201: Store admin created successfully | stored: "Café Ünïcode"	**Pass**	Accepted here, but customer name rejects accented letters (e.g. José) | Test record: created id 16 → deleted 200	API	Actual result
Store admin (Admin portal) - Name	text, required	min 2, max 100 (enforced by API; no limit in UI)	emoji: "QA [emoji]"	Rejected with a clear validation message	API 201: Store admin created successfully | stored: "QA [emoji]"	**Fail**	Customer name rejects digits/special chars; staff names accept them (inconsistent rules) | Test record: created id 17 → deleted 200	API	NEW-VAL-12
Store admin (Admin portal) - Login email	email, required	-	empty: ""	Rejected with a clear validation message	API 400: email is not allowed to be empty	**Pass**		API	Actual result
Store admin (Admin portal) - Login email	email, required	-	missing @: "abc.mailinator.com"	Rejected with a clear validation message	API 400: email must be a valid email	**Pass**		API	Actual result
Store admin (Admin portal) - Login email	email, required	-	missing domain: "qa@"	Rejected with a clear validation message	API 400: email must be a valid email	**Pass**		API	Actual result
Store admin (Admin portal) - Login email	email, required	-	no TLD: "qa@mailinator"	Rejected with a clear validation message	API 400: email must be a valid email	**Pass**		API	Actual result
Store admin (Admin portal) - Login email	email, required	-	double @: "qa@@mailinator.com"	Rejected with a clear validation message	API 400: email must be a valid email	**Pass**		API	Actual result
Store admin (Admin portal) - Login email	email, required	-	spaces inside: "qa x@mailinator.com"	Rejected with a clear validation message	API 400: email must be a valid email	**Pass**		API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Store admin (Admin portal) - Login email	email, required	-	leading/trailing spaces: " qa.e01897746@mailinator.com "	Accepted and saved correctly	API 201: Store admin created successfully | stored: "qa.e01897746@mailinator.com"	**Pass**	Trimmed before saving | Test record: created id 18 → deleted 200	API	Actual result
Store admin (Admin portal) - Login email	email, required	-	plus tag: "qa.e+02041261@mailinator.com"	Accepted and saved correctly	API 201: Store admin created successfully | stored: "qa.e+02041261@mailinator.com"	**Pass**	Test record: created id 19 → deleted 200	API	Actual result
Store admin (Admin portal) - Login email	email, required	-	uppercase: "QA.E02180547@MAILINATOR.COM"	Accepted and saved correctly	API 201: Store admin created successfully | stored: "qa.e02180547@mailinator.com"	**Pass**	Test record: created id 20 → deleted 200	API	Actual result
Store admin (Admin portal) - Login email	email, required	-	duplicate (existing groomer): "qa.beta@shearheaven.local"	Rejected with a clear validation message	API 409: Email already used in user management	**Pass**		API	Actual result
Store admin (Admin portal) - Login email	email, required	-	duplicate different case: "QA.BETA@SHEARHEAVEN.LOCAL"	Rejected with a clear validation message	API 409: Email already used in user management	**Pass**		API	Actual result
Store admin (Admin portal) - Login email	email, required	-	255+ chars: qxxxxxxxxxxx… (266)	Rejected with a clear validation message	API 400: email must be a valid email	**Pass**		API	Actual result
Store admin (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: password is not allowed to be empty	**Pass**		API	Actual result
Store admin (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	7 chars: "Qa@1234"	Rejected with a clear validation message	API 400: password length must be at least 8 characters long	**Pass**		API	Actual result
Store admin (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	8 chars valid: "Qa@12345"	Accepted and saved correctly	API 201: Store admin created successfully	**Pass**	Test record: created id 23 → deleted 200	API	Actual result
Store admin (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	no uppercase: "qa@12345"	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, number, and special character (@$!%*?&#)	**Pass**		API	Actual result
Store admin (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	no lowercase: "QA@12345"	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, number, and special character (@$!%*?&#)	**Pass**		API	Actual result
Store admin (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	no digit: "Qa@abcde"	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, number, and special character (@$!%*?&#)	**Pass**		API	Actual result
Store admin (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	no special: "Qa123456"	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, number, and special character (@$!%*?&#)	**Pass**		API	Actual result
Store admin (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	spaces around: " Qa@12345 "	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, number, and special character (@$!%*?&#)	**Pass**		API	Actual result
Store admin (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	64 chars: Qa@1xxxxxxxx… (64)	Accepted and saved correctly	API 201: Store admin created successfully	**Pass**	Test record: created id 24 → deleted 200	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Store admin (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	129 chars: Qa@1xxxxxxxx… (129)	Rejected with a clear validation message	API 400: password length must be less than or equal to 128 characters long	**Pass**		API	Actual result
Store admin (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	1000 chars: Qa@1xxxxxxxx… (1000)	Rejected with a clear validation message	API 400: password length must be less than or equal to 128 characters long	**Pass**		API	Actual result
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: groomerCode is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: groomerCode is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	1 char: "a"	Accepted and saved correctly	API 201: Groomer created successfully | stored: "a"	**Pass**	Test record: created id 115 → deleted 200	API	Actual result
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	2 chars: "ab"	Accepted and saved correctly	API 201: Groomer created successfully | stored: "ab"	**Pass**	Test record: created id 116 → deleted 200	API	Actual result
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	50 chars: AAAAAAAAAAAA… (50)	Accepted and saved correctly	API 201: Groomer created successfully | stored: len 50	**Pass**	Test record: created id 117 → deleted 200	API	Actual result
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	100 chars: AAAAAAAAAAAA… (100)	Rejected with a clear validation message	API 400: groomerCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	101 chars: AAAAAAAAAAAA… (101)	Rejected with a clear validation message	API 400: groomerCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	255 chars: AAAAAAAAAAAA… (255)	Rejected with a clear validation message	API 400: groomerCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA… (256)	Rejected with a clear validation message	API 400: groomerCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA… (1000)	Rejected with a clear validation message	API 400: groomerCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 118 → deleted 200	API	NEW-VAL-29
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	leading/trailing spaces: " QA Trim "	Accepted and saved correctly	API 201: Groomer created successfully | stored: "QA Trim"	**Pass**	Trimmed before saving | Test record: created id 119 → deleted 200	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	digits only: "12345"	Accepted and saved correctly	API 201: Groomer created successfully | stored: "12345"	**Pass**	Test record: created id 120 → deleted 200	API	Actual result
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	special chars: "QA_!@#$%^&*()"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "QA_!@#$%^&*()"	**Fail**	Code field accepts special characters | Test record: created id 121 → deleted 200	API	NEW-VAL-27
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	accented unicode: "Café Ünïcode"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "Café Ünïcode"	**Fail**	Code field accepts non-ASCII characters | Test record: created id 122 → deleted 200	API	NEW-VAL-27
Groomer (Admin portal) - Groomer code	text, required	max 50 (enforced by API; no limit in UI)	emoji: "QA [emoji]"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "QA [emoji]"	**Fail**	Code field accepts special characters | Test record: created id 123 → deleted 200	API	NEW-VAL-27
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: firstName is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: firstName is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	1 char: "a"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "a"	**Fail**	Store-admin and customer names require min 2 chars; this field accepts 1 (inconsistent) | Test record: created id 124 → deleted 200	API	NEW-VAL-12
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	2 chars: "ab"	Accepted and saved correctly	API 201: Groomer created successfully | stored: "ab"	**Pass**	Test record: created id 125 → deleted 200	API	Actual result
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	50 chars: AAAAAAAAAAAA… (50)	Accepted and saved correctly	API 201: Groomer created successfully | stored: len 50	**Pass**	Test record: created id 126 → deleted 200	API	Actual result
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	100 chars: AAAAAAAAAAAA… (100)	Accepted and saved correctly	API 201: Groomer created successfully | stored: len 100	**Pass**	Test record: created id 127 → deleted 200	API	Actual result
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	101 chars: AAAAAAAAAAAA… (101)	Rejected with a clear validation message	API 400: firstName length must be less than or equal to 100 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	255 chars: AAAAAAAAAAAA… (255)	Rejected with a clear validation message	API 400: firstName length must be less than or equal to 100 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA… (256)	Rejected with a clear validation message	API 400: firstName length must be less than or equal to 100 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA... (1000)	Rejected with a clear validation message	API 400: firstName length must be less than or equal to 100 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 128 → deleted 200	API	NEW-VAL-29
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	leading/trailing spaces: " QA Trim "	Accepted and saved correctly	API 201: Groomer created successfully | stored: "QA Trim"	**Pass**	Trimmed before saving | Test record: created id 129 → deleted 200	API	Actual result
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	digits only: "12345"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "12345"	**Fail**	Customer name rejects digits/special chars; staff names accept them (inconsistent rules) | Test record: created id 130 → deleted 200	API	NEW-VAL-12
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	special chars: "QA_!@#$%^&*()"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "QA_!@#$%^&*()"	**Fail**	Customer name rejects digits/special chars; staff names accept them (inconsistent rules) | Test record: created id 131 → deleted 200	API	NEW-VAL-12
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	accented unicode: "Café Ünïcode"	Accepted and saved correctly	API 201: Groomer created successfully | stored: "Café Ünïcode"	**Pass**	Accepted here, but customer name rejects accented letters (e.g. José) | Test record: created id 132 → deleted 200	API	Actual result
Groomer (Admin portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	emoji: "QA [emoji]"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "QA [emoji]"	**Fail**	Customer name rejects digits/special chars; staff names accept them (inconsistent rules) | Test record: created id 133 → deleted 200	API	NEW-VAL-12
Groomer (Admin portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: lastName is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: lastName is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Groomer (Admin portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	1 char: "a"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "a"	**Fail**	Store-admin and customer names require min 2 chars; this field accepts 1 (inconsistent) | Test record: created id 134 → deleted 200	API	NEW-VAL-12
Groomer (Admin portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	255 chars: AAAAAAAAAAAA… (255)	Rejected with a clear validation message	API 400: lastName length must be less than or equal to 100 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA… (256)	Rejected with a clear validation message	API 400: lastName length must be less than or equal to 100 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 135 → deleted 200	API	NEW-VAL-29
Groomer (Admin portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	digits only: "12345"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "12345"	**Fail**	Customer name rejects digits/special chars; staff names accept them (inconsistent rules) | Test record: created id 136 → deleted 200	API	NEW-VAL-12
Groomer (Admin portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	special chars: "QA_!@#$%^&*()"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "QA_!@#$%^&*()"	**Fail**	Customer name rejects digits/special chars; staff names accept them (inconsistent rules) | Test record: created id 137 → deleted 200	API	NEW-VAL-12
Groomer (Admin portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	accented unicode: "Café Ünïcode"	Accepted and saved correctly	API 201: Groomer created successfully | stored: "Café Ünïcode"	**Pass**	Accepted here, but customer name rejects accented letters (e.g. José) | Test record: created id 138 → deleted 200	API	Actual result
Groomer (Admin portal) - Email	email, optional	-	empty: ""	Accepted and saved correctly	API 201: Groomer created successfully | stored: ""	**Pass**	Test record: created id 139 → deleted 200	API	Actual result
Groomer (Admin portal) - Email	email, optional	-	missing @: "abc.mailinator.com"	Rejected with a clear validation message	API 400: email must be a valid email	**Pass**		API	Actual result
Groomer (Admin portal) - Email	email, optional	-	missing domain: "qa@"	Rejected with a clear validation message	API 400: email must be a valid email	**Pass**		API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Groomer (Admin portal) - Email	email, optional	-	no TLD: "qa@mailinator"	Rejected with a clear validation message	API 400: email must be a valid email	**Pass**		API	Actual result
Groomer (Admin portal) - Email	email, optional	-	double @: "qa@@mailinator.com"	Rejected with a clear validation message	API 400: email must be a valid email	**Pass**		API	Actual result
Groomer (Admin portal) - Email	email, optional	-	spaces inside: "qa x@mailinator.com"	Rejected with a clear validation message	API 400: email must be a valid email	**Pass**		API	Actual result
Groomer (Admin portal) - Email	email, optional	-	leading/trailing spaces: " qa.e07952262@mailinator.com "	Accepted and saved correctly	API 201: Groomer created successfully | stored: "qa.e07952262@mailinator.com"	**Pass**	Trimmed before saving | Test record: created id 140 → deleted 200	API	Actual result
Groomer (Admin portal) - Email	email, optional	-	plus tag: "qa.e+08094444@mailinator.com"	Accepted and saved correctly	API 201: Groomer created successfully | stored: "qa.e+08094444@mailinator.com"	**Pass**	Test record: created id 141 → deleted 200	API	Actual result
Groomer (Admin portal) - Email	email, optional	-	uppercase: "QA.E08238946@MAILINATOR.COM"	Accepted and saved correctly	API 201: Groomer created successfully | stored: "qa.e08238946@mailinator.com"	**Pass**	Test record: created id 142 → deleted 200	API	Actual result
Groomer (Admin portal) - Email	email, optional	-	duplicate (existing groomer): "qa.beta@shearheaven.local"	Rejected with a clear validation message	API 409: Email already used in user management	**Pass**		API	Actual result
Groomer (Admin portal) - Email	email, optional	-	duplicate different case: "QA.BETA@SHEARHEAVEN.LOCAL"	Rejected with a clear validation message	API 409: Email already used in user management	**Pass**		API	Actual result
Groomer (Admin portal) - Email	email, optional	-	255+ chars: qxxxxxxxxxxx… (266)	Rejected with a clear validation message	API 400: email must be a valid email	**Pass**		API	Actual result
Groomer (Admin portal) - Mobile	phone (text), optional	-	empty: ""	Accepted and saved correctly	API 201: Groomer created successfully | stored: ""	**Pass**	Test record: created id 145 → deleted 200	API	Actual result
Groomer (Admin portal) - Mobile	phone (text), optional	-	9 digits: "123456789"	Rejected with a clear validation message	API 400: Mobile number must be 10–15 digits	**Pass**		API	Actual result
Groomer (Admin portal) - Mobile	phone (text), optional	-	10 digits: "5550009999"	Accepted and saved correctly	API 201: Groomer created successfully | stored: "5550009999"	**Pass**	Test record: created id 146 → deleted 200	API	Actual result
Groomer (Admin portal) - Mobile	phone (text), optional	-	15 digits: "123456789012345"	Accepted and saved correctly	API 201: Groomer created successfully | stored: "123456789012345"	**Pass**	Test record: created id 147 → deleted 200	API	Actual result
Groomer (Admin portal) - Mobile	phone (text), optional	-	16 digits: "1234567890123456"	Rejected with a clear validation message	API 400: Mobile number must be 10–15 digits	**Pass**		API	Actual result
Groomer (Admin portal) - Mobile	phone (text), optional	-	letters: "abcdefghij"	Rejected with a clear validation message	API 400: Mobile number must be 10–15 digits	**Pass**		API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Groomer (Admin portal) - Mobile	phone (text), optional	-	digits+letter: "555000999a"	Rejected with a clear validation message	API 400: Mobile number must be 10–15 digits	**Pass**		API	Actual result
Groomer (Admin portal) - Mobile	phone (text), optional	-	dashes: "555-000-9999"	Accepted and saved correctly	API 400: Mobile number must be 10–15 digits	**Fail**	Common phone formats rejected (digits only allowed), yet the app itself displays '(555) 000-1111'; no format hint in the UI	API	NEW-VAL-11
Groomer (Admin portal) - Mobile	phone (text), optional	-	brackets: "(555) 000-9999"	Accepted and saved correctly	API 400: Mobile number must be 10–15 digits	**Fail**	Common phone formats rejected (digits only allowed), yet the app itself displays '(555) 000-1111'; no format hint in the UI	API	NEW-VAL-11
Groomer (Admin portal) - Mobile	phone (text), optional	-	+1 country code: "+15550009999"	Accepted and saved correctly	API 400: Mobile number must be 10–15 digits	**Fail**	Common phone formats rejected (digits only allowed), yet the app itself displays '(555) 000-1111'; no format hint in the UI	API	NEW-VAL-11
Groomer (Admin portal) - Mobile	phone (text), optional	-	UK intl format: "+44 20 7946 0958"	Accepted and saved correctly	API 400: Mobile number must be 10–15 digits	**Fail**	Common phone formats rejected (digits only allowed), yet the app itself displays '(555) 000-1111'; no format hint in the UI	API	NEW-VAL-11
Groomer (Admin portal) - Mobile	phone (text), optional	-	leading/trailing spaces: " 5550009999 "	Accepted and saved correctly	API 201: Groomer created successfully | stored: "5550009999"	**Pass**	Trimmed before saving | Test record: created id 148 → deleted 200	API	Actual result
Groomer (Admin portal) - Mobile	phone (text), optional	-	all zeros: "0000000000"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "0000000000"	**Fail**	'0000000000' accepted as a mobile number | Test record: created id 149 → deleted 200	API	NEW-VAL-10
Groomer (Admin portal) - Mobile	phone (text), optional	-	duplicate (QA Beta mobile): "5551112222"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "5551112222"	**Fail**	Same mobile number accepted for two users | Test record: created id 150 → deleted 200	API	NEW-VAL-10
Groomer (Admin portal) - Mobile	phone (text), optional	-	pasted with tab/newline: "5550009999\n"	Accepted and saved correctly	API 201: Groomer created successfully | stored: "5550009999"	**Pass**	Trimmed before saving | Test record: created id 151 → deleted 200	API	Actual result
Groomer (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: password is not allowed to be empty	**Pass**		API	Actual result
Groomer (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	7 chars: "Qa@1234"	Rejected with a clear validation message	API 400: password length must be at least 8 characters long	**Pass**		API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Groomer (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	8 chars valid: "Qa@12345"	Accepted and saved correctly	API 201: Groomer created successfully	**Pass**	Test record: created id 152 → deleted 200	API	Actual result
Groomer (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	no uppercase: "qa@12345"	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, a number, and a special character (@$!%*?&#)	**Pass**		API	Actual result
Groomer (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	no lowercase: "QA@12345"	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, a number, and a special character (@$!%*?&#)	**Pass**		API	Actual result
Groomer (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	no digit: "Qa@abcde"	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, a number, and a special character (@$!%*?&#)	**Pass**		API	Actual result
Groomer (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	no special: "Qa123456"	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, a number, and a special character (@$!%*?&#)	**Pass**		API	Actual result
Groomer (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	spaces around: " Qa@12345 "	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, a number, and a special character (@$!%*?&#)	**Pass**		API	Actual result
Groomer (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	64 chars: Qa@1xxxxxxxx… (64)	Accepted and saved correctly	API 201: Groomer created successfully	**Pass**	Test record: created id 153 → deleted 200	API	Actual result
Groomer (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	129 chars: Qa@1xxxxxxxx… (129)	Rejected with a clear validation message	API 400: password length must be less than or equal to 128 characters long	**Pass**		API	Actual result
Groomer (Admin portal) - Password	password, required	min 8, max 128 (enforced by API; no limit in UI)	1000 chars: Qa@1xxxxxxxx… (1000)	Rejected with a clear validation message	API 400: password length must be less than or equal to 128 characters long	**Pass**		API	Actual result
Groomer (Admin portal) - Role / title	text, optional	max 100 (enforced by API; no limit in UI)	empty: ""	Accepted and saved correctly	API 201: Groomer created successfully | stored: ""	**Pass**	Test record: created id 154 → deleted 200	API	Actual result
Groomer (Admin portal) - Role / title	text, optional	max 100 (enforced by API; no limit in UI)	spaces only: " "	Accepted and saved correctly	API 201: Groomer created successfully | stored: ""	**Pass**	Saved as empty (trimmed) | Test record: created id 155 → deleted 200	API	Actual result
Groomer (Admin portal) - Role / title	text, optional	max 100 (enforced by API; no limit in UI)	255 chars: AAAAAAAAAAAA… (255)	Rejected with a clear validation message	API 400: role length must be less than or equal to 100 characters long	**Pass**		API	Actual result
Groomer (Admin portal) - Role / title	text, optional	max 100 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA… (256)	Rejected with a clear validation message	API 400: role length must be less than or equal to 100 characters long	**Pass**		API	Actual result
Groomer (Admin portal) - Role / title	text, optional	max 100 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Groomer created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 156 → deleted 200	API	NEW-VAL-29

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Groomer (Admin portal) - Highlights	textarea, optional	max 500 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA... (256)	Accepted and saved correctly	API 201: Groomer created successfully | stored: len 256	**Pass**	Test record: created id 157 → deleted 200	API	Actual result
Groomer (Admin portal) - Highlights	textarea, optional	max 500 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA... (1000)	Rejected with a clear validation message	API 400: highlights length must be less than or equal to 500 characters long	**Pass**		API	Actual result
Groomer (Admin portal) - Highlights	textarea, optional	max 500 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Accepted and saved correctly	API 201: Groomer created successfully | stored: "<script>alert(1)</script>"	**Pass**	Stored as plain text; rendering not separately XSS-tested | Test record: created id 158 → deleted 200	API	Actual result
Groomer (Admin portal) - Highlights	textarea, optional	max 500 (enforced by API; no limit in UI)	5000 chars: AAAAAAAAAAAA... (5000)	Rejected with a clear validation message	API 400: highlights length must be less than or equal to 500 characters long	**Pass**		API	Actual result
Groomer (Admin portal) - Bookings per slot	number, min=0	max 20 (enforced by API; no limit in UI)	0: 0	Rejected with a clear validation message	API 400: slotBookingLimit must be greater than or equal to 1	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Bookings per slot	number, min=0	max 20 (enforced by API; no limit in UI)	-1: -1	Rejected with a clear validation message	API 400: slotBookingLimit must be greater than or equal to 1	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Bookings per slot	number, min=0	max 20 (enforced by API; no limit in UI)	1.5: 1.5	Rejected with a clear validation message	API 400: slotBookingLimit must be an integer	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Bookings per slot	number, min=0	max 20 (enforced by API; no limit in UI)	100: 100	Rejected with a clear validation message	API 400: slotBookingLimit must be less than or equal to 20	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Bookings per slot	number, min=0	max 20 (enforced by API; no limit in UI)	10000: 10000	Rejected with a clear validation message	API 400: slotBookingLimit must be less than or equal to 20	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Bookings per slot	number, min=0	max 20 (enforced by API; no limit in UI)	text: "abc"	Rejected with a clear validation message	API 400: slotBookingLimit must be a number	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer (Admin portal) - Bookings per slot	number, min=0	max 20 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: slotBookingLimit must be a number	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Store opening hours (Admin) - Opens (time)	time	-	valid 08:00: "08:00"	Accepted and saved correctly	API 200: Store operational hour updated successfully | stored: "08:00"	**Pass**	Test record: restored	API	Actual result
Store opening hours (Admin) - Opens (time)	time	-	24:00: "24:00"	Rejected with a clear validation message	API 400: Time must be in HH:MM 24-hour format	**Pass**		API	Actual result
Store opening hours (Admin) - Opens (time)	time	-	25:00: "25:00"	Rejected with a clear validation message	API 400: Time must be in HH:MM 24-hour format	**Pass**		API	Actual result
Store opening hours (Admin) - Opens (time)	time	-	text 9am: "9am"	Rejected with a clear validation message	API 400: Time must be in HH:MM 24-hour format	**Pass**		API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Store opening hours (Admin) - Opens (time)	time	-	empty: ""	Rejected with a clear validation message	API 400: Start and end time are required when the groomer is working	**Fail**	Store-hours message refers to 'the groomer'	API	NEW-VAL-23
Store opening hours (Admin) - Opens (time)	time	-	with seconds: "08:00:30"	Rejected with a clear 400 validation message	API 500: Data too long for column 'startTime' at row 1	**Fail**	HTTP 500 raw database/server error returned to the user	API	NEW-VAL-02
Store opening hours (Admin) - Opens (time)	time	-	after end (19:00): "19:00"	Rejected with a clear validation message	API 400: End time must be after start time	**Pass**		API	Actual result
Store opening hours (Admin) - Opens (time)	time	-	equal to end (18:00): "18:00"	Rejected with a clear validation message	API 400: End time must be after start time	**Pass**		API	Actual result
Store opening hours (Admin) - Opens (time)	time	-	negative: "-01:00"	Rejected with a clear validation message	API 400: Time must be in HH:MM 24-hour format	**Pass**		API	Actual result
Groomer weekly hours (Admin) - Start (time)	time	-	valid 08:00: "08:00"	Accepted and saved correctly	API 200: Groomer working hour updated successfully | stored: "08:00"	**Pass**	Test record: restored	API	Actual result
Groomer weekly hours (Admin) - Start (time)	time	-	24:00: "24:00"	Rejected with a clear validation message	API 400: Time must be in HH:MM 24-hour format	**Pass**		API	Actual result
Groomer weekly hours (Admin) - Start (time)	time	-	25:00: "25:00"	Rejected with a clear validation message	API 400: Time must be in HH:MM 24-hour format	**Pass**		API	Actual result
Groomer weekly hours (Admin) - Start (time)	time	-	text 9am: "9am"	Rejected with a clear validation message	API 400: Time must be in HH:MM 24-hour format	**Pass**		API	Actual result
Groomer weekly hours (Admin) - Start (time)	time	-	empty: ""	Rejected with a clear validation message	API 400: Start and end time are required when the groomer is working	**Pass**		API	Actual result
Groomer weekly hours (Admin) - Start (time)	time	-	with seconds: "08:00:30"	Rejected with a clear 400 validation message	API 500: Data too long for column 'startTime' at row 1	**Fail**	HTTP 500 raw database/server error returned to the user	API	NEW-VAL-02
Groomer weekly hours (Admin) - Start (time)	time	-	after end (19:00): "19:00"	Rejected with a clear validation message	API 400: End time must be after start time	**Pass**		API	Actual result
Groomer weekly hours (Admin) - Start (time)	time	-	equal to end (18:00): "18:00"	Rejected with a clear validation message	API 400: End time must be after start time	**Pass**		API	Actual result
Groomer weekly hours (Admin) - Start (time)	time	-	negative: "-01:00"	Rejected with a clear validation message	API 400: Time must be in HH:MM 24-hour format	**Pass**		API	Actual result
Holiday (Admin) - Code	text, required	max 50 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: holidayCode is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Holiday (Admin) - Code	text, required	max 50 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: holidayCode is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Holiday (Admin) - Code	text, required	max 50 (enforced by API; no limit in UI)	1 char: "a"	Accepted and saved correctly	API 201: Holiday created successfully | stored: "a"	**Pass**	Test record: created id 20 → deleted 200	API	Actual result
Holiday (Admin) - Code	text, required	max 50 (enforced by API; no limit in UI)	100 chars: AAAAAAAAAAAA... (100)	Rejected with a clear validation message	API 400: holidayCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Holiday (Admin) - Code	text, required	max 50 (enforced by API; no limit in UI)	101 chars: AAAAAAAAAAAA... (101)	Rejected with a clear validation message	API 400: holidayCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Holiday (Admin) - Code	text, required	max 50 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA... (256)	Rejected with a clear validation message	API 400: holidayCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Holiday (Admin) - Code	text, required	max 50 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA... (1000)	Rejected with a clear validation message	API 400: holidayCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Holiday (Admin) - Code	text, required	max 50 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Holiday created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 21 → deleted 200	API	NEW-VAL-29
Holiday (Admin) - Code	text, required	max 50 (enforced by API; no limit in UI)	leading/trailing spaces: " QA Trim "	Accepted and saved correctly	API 201: Holiday created successfully | stored: "QA Trim"	**Pass**	Trimmed before saving | Test record: created id 22 → deleted 200	API	Actual result
Holiday (Admin) - Code	text, required	max 50 (enforced by API; no limit in UI)	digits only: "12345"	Accepted and saved correctly	API 201: Holiday created successfully | stored: "12345"	**Pass**	Test record: created id 23 → deleted 200	API	Actual result
Holiday (Admin) - Code	text, required	max 50 (enforced by API; no limit in UI)	special chars: "QA_!@#$%^&*()"	Rejected with a clear validation message	API 201: Holiday created successfully | stored: "QA_!@#$%^&*()"	**Fail**	Code field accepts special characters | Test record: created id 24 → deleted 200	API	NEW-VAL-27
Holiday (Admin) - Code	text, required	max 50 (enforced by API; no limit in UI)	accented unicode: "Café Ünïcode"	Rejected with a clear validation message	API 201: Holiday created successfully | stored: "Café Ünïcode"	**Fail**	Code field accepts non-ASCII characters | Test record: created id 25 → deleted 200	API	NEW-VAL-27
Holiday (Admin) - Name	text, required	max 150 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: name is not allowed to be empty	**Pass**		API	Actual result
Holiday (Admin) - Name	text, required	max 150 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: name is not allowed to be empty	**Pass**		API	Actual result
Holiday (Admin) - Name	text, required	max 150 (enforced by API; no limit in UI)	1 char: "a"	Accepted and saved correctly	API 201: Holiday created successfully | stored: "a"	**Pass**	Test record: created id 26 → deleted 200	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Holiday (Admin) - Name	text, required	max 150 (enforced by API; no limit in UI)	100 chars: AAAAAAAAAAAA... (100)	Accepted and saved correctly	API 201: Holiday created successfully | stored: len 100	**Pass**	Test record: created id 27 → deleted 200	API	Actual result
Holiday (Admin) - Name	text, required	max 150 (enforced by API; no limit in UI)	101 chars: AAAAAAAAAAAA... (101)	Accepted and saved correctly	API 201: Holiday created successfully | stored: len 101	**Pass**	Test record: created id 28 → deleted 200	API	Actual result
Holiday (Admin) - Name	text, required	max 150 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA... (256)	Rejected with a clear validation message	API 400: name length must be less than or equal to 150 characters long	**Pass**		API	Actual result
Holiday (Admin) - Name	text, required	max 150 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA... (1000)	Rejected with a clear validation message	API 400: name length must be less than or equal to 150 characters long	**Pass**		API	Actual result
Holiday (Admin) - Name	text, required	max 150 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Holiday created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 29 → deleted 200	API	NEW-VAL-29
Holiday (Admin) - Name	text, required	max 150 (enforced by API; no limit in UI)	leading/trailing spaces: " QA Trim "	Accepted and saved correctly	API 201: Holiday created successfully | stored: "QA Trim"	**Pass**	Trimmed before saving | Test record: created id 30 → deleted 200	API	Actual result
Holiday (Admin) - Name	text, required	max 150 (enforced by API; no limit in UI)	digits only: "12345"	Accepted and saved correctly	API 201: Holiday created successfully | stored: "12345"	**Pass**	Test record: created id 31 → deleted 200	API	Actual result
Holiday (Admin) - Name	text, required	max 150 (enforced by API; no limit in UI)	special chars: "QA_!@#$%^&*()"	Accepted and saved correctly	API 201: Holiday created successfully | stored: "QA_!@#$%^&*()"	**Pass**	Test record: created id 32 → deleted 200	API	Actual result
Holiday (Admin) - Name	text, required	max 150 (enforced by API; no limit in UI)	accented unicode: "Café Ünïcode"	Accepted and saved correctly	API 201: Holiday created successfully | stored: "Café Ünïcode"	**Pass**	Test record: created id 33 → deleted 200	API	Actual result
Holiday (Admin) - Description	textarea, optional	max 500 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA... (256)	Accepted and saved correctly	API 201: Holiday created successfully | stored: len 256	**Pass**	Test record: created id 34 → deleted 200	API	Actual result
Holiday (Admin) - Description	textarea, optional	max 500 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA... (1000)	Rejected with a clear validation message	API 400: description length must be less than or equal to 500 characters long	**Pass**		API	Actual result
Holiday (Admin) - Description	textarea, optional	max 500 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Accepted and saved correctly	API 201: Holiday created successfully | stored: "<script>alert(1)</script>"	**Pass**	Stored as plain text; rendering not separately XSS-tested | Test record: created id 35 → deleted 200	API	Actual result
Holiday (Admin) - Description	textarea, optional	max 500 (enforced by API; no limit in UI)	5000 chars: AAAAAAAAAAAA... (5000)	Rejected with a clear validation message	API 400: description length must be less than or equal to 500 characters long	**Pass**		API	Actual result
Holiday (Admin) - Date	date, required	-	valid future: "2027-01-16"	Accepted and saved correctly	API 201: Holiday created successfully | stored: "2027-01-16"	**Pass**	Test record: created id 36 → deleted 200	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Holiday (Admin) - Date	date, required	-	past date: "2020-01-01"	Rejected with a clear validation message	API 400: Holiday date cannot be in the past	**Pass**		API	Actual result
Holiday (Admin) - Date	date, required	-	impossible date: "2026-02-30"	Rejected with a clear validation message	API 400: date failed custom validation because	**Fail**	Message truncated - no reason given	API	NEW-VAL-26
Holiday (Admin) - Date	date, required	-	MM/DD/YYYY: "12/20/2026"	Rejected with a clear validation message	API 400: date failed custom validation because	**Fail**	Message truncated - no reason given	API	NEW-VAL-26
Holiday (Admin) - Date	date, required	-	empty: ""	Rejected with a clear validation message	API 400: date is not allowed to be empty	**Pass**		API	Actual result
Holiday (Admin) - Date	date, required	-	far future: "2099-12-31"	Accepted and saved correctly	API 201: Holiday created successfully | stored: "2099-12-31"	**Pass**	Test record: created id 37 → deleted 200	API	Actual result
Coupon (Admin) - Title	text, required	-	empty: ""	Rejected with a clear validation message	API 201: Offer created successfully | stored: "10% on services"	**Fail**	Required title accepted (stored as default text) | Test record: created id 19 → deleted 200	API	NEW-VAL-05
Coupon (Admin) - Title	text, required	-	spaces only: " "	Rejected with a clear validation message	API 201: Offer created successfully | stored: ""	**Fail**	Required title accepted (saved blank) | Test record: created id 20 → deleted 200	API	NEW-VAL-05
Coupon (Admin) - Title	text, required	-	1 char: "a"	Accepted and saved correctly	API 201: Offer created successfully | stored: "a"	**Pass**	Test record: created id 21 → deleted 200	API	Actual result
Coupon (Admin) - Title	text, required	-	100 chars: AAAAAAAAAAAA… (100)	Accepted and saved correctly	API 201: Offer created successfully | stored: len 100	**Pass**	Test record: created id 22 → deleted 200	API	Actual result
Coupon (Admin) - Title	text, required	-	101 chars: AAAAAAAAAAAA… (101)	Accepted and saved correctly	API 201: Offer created successfully | stored: len 101	**Pass**	Test record: created id 23 → deleted 200	API	Actual result
Coupon (Admin) - Title	text, required	-	256 chars: AAAAAAAAAAAA… (256)	Rejected with a clear 400 validation message	API 500: Data too long for column 'title' at row 1	**Fail**	HTTP 500 raw database/server error returned to the user	API	NEW-VAL-01
Coupon (Admin) - Title	text, required	-	1000 chars: AAAAAAAAAAAA… (1000)	Rejected with a clear 400 validation message	API 500: Data too long for column 'title' at row 1	**Fail**	HTTP 500 raw database/server error returned to the user	API	NEW-VAL-01
Coupon (Admin) - Title	text, required	-	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Offer created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 24 → deleted 200	API	NEW-VAL-05
Coupon (Admin) - Title	text, required	-	leading/trailing spaces: " QA Trim "	Accepted and saved correctly	API 201: Offer created successfully | stored: "QA Trim"	**Pass**	Trimmed before saving | Test record: created id 25 → deleted 200	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Coupon (Admin) - Title	text, required	-	digits only: "12345"	Accepted and saved correctly	API 201: Offer created successfully | stored: "12345"	**Pass**	Test record: created id 26 → deleted 200	API	Actual result
Coupon (Admin) - Title	text, required	-	special chars: "QA_!@#$%^&*()"	Accepted and saved correctly	API 201: Offer created successfully | stored: "QA_!@#$%^&*()"	**Pass**	Test record: created id 27 → deleted 200	API	Actual result
Coupon (Admin) - Title	text, required	-	accented unicode: "Café Ünïcode"	Accepted and saved correctly	API 201: Offer created successfully | stored: "Café Ünïcode"	**Pass**	Test record: created id 28 → deleted 200	API	Actual result
Coupon (Admin) - Coupon code	text, maxlength=6	-	valid 6 chars: "Q86820"	Accepted and saved correctly	API 201: Offer created successfully	**Pass**	Test record: created id 29 → deleted 200	API	Actual result
Coupon (Admin) - Coupon code	text, maxlength=6	-	lowercase 6: "qcbbgf"	Rejected with a clear validation message	API 400: Coupon code must be 6 characters using capital letters and digits	**Pass**		API	Actual result
Coupon (Admin) - Coupon code	text, maxlength=6	-	4 chars: "AB12"	Rejected with a clear validation message	API 400: Coupon code must be 6 characters using capital letters and digits	**Pass**		API	Actual result
Coupon (Admin) - Coupon code	text, maxlength=6	-	7 chars: "ABCDEFG"	Rejected with a clear validation message	API 400: Coupon code must be 6 characters using capital letters and digits	**Pass**		API	Actual result
Coupon (Admin) - Coupon code	text, maxlength=6	-	contains space: "AB 123"	Rejected with a clear validation message	API 400: Coupon code must be 6 characters using capital letters and digits	**Pass**		API	Actual result
Coupon (Admin) - Coupon code	text, maxlength=6	-	special char: "AB@123"	Rejected with a clear validation message	API 400: Coupon code must be 6 characters using capital letters and digits	**Pass**		API	Actual result
Coupon (Admin) - Coupon code	text, maxlength=6	-	empty (auto-generate): ""	Accepted and saved correctly	API 201: Offer created successfully	**Pass**	Test record: created id 30 → deleted 200	API	Actual result
Coupon (Admin) - Coupon code	text, maxlength=6	-	duplicate QA10OF: "QA10OF"	Rejected with a clear validation message	API 400: That coupon code is already used for this store	**Pass**		API	Actual result
Coupon (Admin) - Percentage (%)	number, required, min=0	-	0: 0	Rejected with a clear validation message	API 400: Enter a percentage greater than 0	**Pass**		API	Actual result
Coupon (Admin) - Percentage (%)	number, required, min=0	-	-1: -1	Rejected with a clear validation message	API 400: Enter a percentage greater than 0	**Pass**		API	Actual result
Coupon (Admin) - Percentage (%)	number, required, min=0	-	1: 1	Accepted and saved correctly	API 201: Offer created successfully | stored: 1	**Pass**	Test record: created id 31 → deleted 200	API	Actual result
Coupon (Admin) - Percentage (%)	number, required, min=0	-	100: 100	Accepted and saved correctly	API 201: Offer created successfully | stored: 100	**Pass**	Test record: created id 32 → deleted 200	API	Actual result
Coupon (Admin) - Percentage (%)	number, required, min=0	-	100.5: 100.5	Rejected with a clear validation message	API 400: Percentage cannot be more than 100	**Pass**		API	Actual result
Coupon (Admin) - Percentage (%)	number, required, min=0	-	101: 101	Rejected with a clear validation message	API 400: Percentage cannot be more than 100	**Pass**		API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Coupon (Admin) - Percentage (%)	number, required, min=0	-	1000: 1000	Rejected with a clear validation message	API 400: Percentage cannot be more than 100	**Pass**		API	Actual result
Coupon (Admin) - Percentage (%)	number, required, min=0	-	text: "abc"	Rejected with a clear validation message	API 400: Enter a percentage greater than 0	**Pass**		API	Actual result
Coupon (Admin) - Percentage (%)	number, required, min=0	-	empty: ""	Rejected with a clear validation message	API 400: Enter a percentage greater than 0	**Pass**		API	Actual result
Coupon (Admin) - fixed $ - Amount ($)	number, required, min=0	-	0: 0	Rejected with a clear validation message	API 400: Enter an amount greater than 0	**Pass**		API	Actual result
Coupon (Admin) - fixed $ - Amount ($)	number, required, min=0	-	-5: -5	Rejected with a clear validation message	API 400: Enter an amount greater than 0	**Pass**		API	Actual result
Coupon (Admin) - fixed $ - Amount ($)	number, required, min=0	-	0.01: 0.01	Accepted and saved correctly	API 201: Offer created successfully | stored: 0.01	**Pass**	Test record: created id 33 → deleted 200	API	Actual result
Coupon (Admin) - fixed $ - Amount ($)	number, required, min=0	-	5000: 5000	Accepted and saved correctly	API 201: Offer created successfully | stored: 5000	**Pass**	Test record: created id 34 → deleted 200	API	Actual result
Coupon (Admin) - fixed $ - Amount ($)	number, required, min=0	-	1000000: 1000000	Rejected with a clear validation message	API 400: Amount cannot be more than 100000	**Pass**		API	Actual result
Coupon (Admin) - fixed $ - Amount ($)	number, required, min=0	-	3 decimals 9.999: 9.999	Rejected with a clear validation message	API 201: Offer created successfully | stored: 10	**Fail**	Silently rounded to 10 instead of a validation error | Test record: created id 35 → deleted 200	API	NEW-VAL-19
Coupon (Admin) - Expiry date	date, required	-	before start: "2026-11-30"	Rejected with a clear validation message	API 400: Expiry date must be greater than or equal to the start date	**Pass**		API	Actual result
Coupon (Admin) - Expiry date	date, required	-	equal to start: "2026-12-01"	Accepted and saved correctly	API 201: Offer created successfully | stored: "2026-12-01"	**Pass**	Test record: created id 36 → deleted 200	API	Actual result
Coupon (Admin) - Expiry date	date, required	-	impossible: "2026-02-30"	Rejected with a clear validation message	API 400: Expiry date must be today or a future date	**Fail**	Impossible date reported as a past-date error	API	NEW-VAL-24
Coupon (Admin) - Expiry date	date, required	-	empty: ""	Rejected with a clear validation message	API 400: Start date and expiry date are required (YYYY-MM-DD)	**Pass**		API	Actual result
Coupon (Admin) - Start date	date, required	-	past: "2020-01-01"	Rejected with a clear validation message	API 400: Start date must be today or a future date	**Pass**		API	Actual result
Coupon (Admin) - Start date	date, required	-	impossible: "2026-13-01"	Rejected with a clear validation message	API 400: Expiry date must be greater than or equal to the start date	**Fail**	Invalid start date reported as an expiry-date error	API	NEW-VAL-24

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Coupon (Admin) - Start date	date, required	-	empty: ""	Rejected with a clear validation message	API 400: Start date and expiry date are required (YYYY-MM-DD)	**Pass**		API	Actual result
Coupon (Admin) - Description	textarea, optional	-	256 chars: AAAAAAAAAAAA... (256)	Accepted and saved correctly	API 201: Offer created successfully | stored: len 256	**Pass**	Test record: created id 37 → deleted 200	API	Actual result
Coupon (Admin) - Description	textarea, optional	-	1000 chars: AAAAAAAAAAAA... (1000)	Rejected with a clear 400 validation message	API 500: Data too long for column 'description' at row 1	**Fail**	HTTP 500 raw database/server error returned to the user	API	NEW-VAL-01
Coupon (Admin) - Description	textarea, optional	-	HTML/script tag: "<script>alert(1)</script>"	Accepted and saved correctly	API 201: Offer created successfully | stored: "<script>alert(1)</script>"	**Pass**	Stored as plain text; rendering not separately XSS-tested | Test record: created id 38 → deleted 200	API	Actual result
Coupon (Admin) - Description	textarea, optional	-	5000 chars: AAAAAAAAAAAA... (5000)	Rejected with a clear 400 validation message	API 500: Data too long for column 'description' at row 1	**Fail**	HTTP 500 raw database/server error returned to the user	API	NEW-VAL-01
Store content (Admin) - Title	text, required	-	empty: ""	Rejected with a clear validation message	API 201: Store content created successfully | stored: ""	**Fail**	Required field accepted blank; UI marks it required | Test record: created id 7 → deleted 200	API	NEW-VAL-06
Store content (Admin) - Title	text, required	-	spaces only: " "	Rejected with a clear validation message	API 201: Store content created successfully | stored: " "	**Fail**	Required field accepted blank; UI marks it required | Test record: created id 8 → deleted 200	API	NEW-VAL-06
Store content (Admin) - Title	text, required	-	1 char: "a"	Accepted and saved correctly	API 201: Store content created successfully | stored: "a"	**Pass**	Test record: created id 9 → deleted 200	API	Actual result
Store content (Admin) - Title	text, required	-	100 chars: AAAAAAAAAAAA... (100)	Accepted and saved correctly	API 201: Store content created successfully | stored: len 100	**Pass**	Test record: created id 10 → deleted 200	API	Actual result
Store content (Admin) - Title	text, required	-	101 chars: AAAAAAAAAAAA... (101)	Accepted and saved correctly	API 201: Store content created successfully | stored: len 101	**Pass**	Test record: created id 11 → deleted 200	API	Actual result
Store content (Admin) - Title	text, required	-	256 chars: AAAAAAAAAAAA... (256)	Rejected with a clear 400 validation message	API 500: Data too long for column 'title' at row 1	**Fail**	HTTP 500 raw database/server error returned to the user	API	NEW-VAL-01
Store content (Admin) - Title	text, required	-	1000 chars: AAAAAAAAAAAA... (1000)	Rejected with a clear 400 validation message	API 500: Data too long for column 'title' at row 1	**Fail**	HTTP 500 raw database/server error returned to the user	API	NEW-VAL-01

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Store content (Admin) - Title	text, required	-	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Store content created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 12 → deleted 200	API	NEW-VAL-06
Store content (Admin) - Title	text, required	-	leading/trailing spaces: " QA Trim "	Accepted and saved correctly	API 201: Store content created successfully | stored: " QA Trim "	**Fail**	Not trimmed | Test record: created id 13 → deleted 200	API	NEW-VAL-06
Store content (Admin) - Title	text, required	-	digits only: "12345"	Accepted and saved correctly	API 201: Store content created successfully | stored: "12345"	**Pass**	Test record: created id 14 → deleted 200	API	Actual result
Store content (Admin) - Title	text, required	-	special chars: "QA_!@#$%^&*()"	Accepted and saved correctly	API 201: Store content created successfully | stored: "QA_!@#$%^&*()"	**Pass**	Test record: created id 15 → deleted 200	API	Actual result
Store content (Admin) - Title	text, required	-	accented unicode: "Café Ünïcode"	Accepted and saved correctly	API 201: Store content created successfully | stored: "Café Ünïcode"	**Pass**	Test record: created id 16 → deleted 200	API	Actual result
Store content (Admin) - Body	textarea, required	-	empty: ""	Rejected with a clear validation message	API 201: Store content created successfully | stored: ""	**Fail**	Required field accepted blank; UI marks it required | Test record: created id 17 → deleted 200	API	NEW-VAL-06
Store content (Admin) - Body	textarea, required	-	spaces only: " "	Rejected with a clear validation message	API 201: Store content created successfully | stored: " "	**Fail**	Required field accepted blank; UI marks it required | Test record: created id 18 → deleted 200	API	NEW-VAL-06
Store content (Admin) - Body	textarea, required	-	HTML/script: "<script>alert(1)</script>"	Accepted and saved correctly	API 201: Store content created successfully | stored: "<script>alert(1)</script>"	**Pass**	Stored as plain text; rendering not separately XSS-tested | Test record: created id 19 → deleted 200	API	Actual result
Store content (Admin) - Body	textarea, required	-	10000 chars: AAAAAAAAAAAA… (10000)	Accepted and saved correctly	API 201: Store content created successfully | stored: len 10000	**Pass**	Test record: created id 20 → deleted 200	API	Actual result
Store content (Admin) - Body	textarea, required	-	100000 chars: AAAAAAAAAAAA… (100000)	Rejected with a clear 400 validation message	API 500: Data too long for column 'body' at row 1	**Fail**	HTTP 500 raw database/server error returned to the user	API	NEW-VAL-01
Store content (Admin) - Metadata (JSON)	textarea, optional JSON	-	invalid JSON string: "{not json"	Rejected with a clear validation message	API 400: metadata must be valid JSON	**Pass**		API	Actual result
Store content (Admin) - Metadata (JSON)	textarea, optional JSON	-	array: "[1,2]"	Rejected with a clear validation message	API 400: metadata must be valid JSON	**Pass**		API	Actual result
Store content (Admin) - Metadata (JSON)	textarea, optional JSON	-	valid object: {"k":"v"}	Accepted and saved correctly	API 201: Store content created successfully | stored: {"k":"v"}	**Pass**	Test record: created id 21 → deleted 200	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Store content (Admin) - Page	select, required	-	unknown key: "random-key"	Rejected with a clear 400 validation message	API 500: Data truncated for column 'contentKey' at row 1	**Fail**	HTTP 500 raw database/server error returned to the user	API	NEW-VAL-03
Store content (Admin) - Page	select, required	-	empty: ""	Rejected with a clear validation message	API 400: contentKey is required	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer time off (Admin) - Reason	text, optional	max 255 (enforced by API; no limit in UI)	empty: ""	Accepted and saved correctly	API 201: Groomer unavailability created successfully | stored: ""	**Pass**	Test record: created id 34 → deleted 200	API	Actual result
Groomer time off (Admin) - Reason	text, optional	max 255 (enforced by API; no limit in UI)	spaces only: " "	Accepted and saved correctly	API 201: Groomer unavailability created successfully | stored: ""	**Pass**	Saved as empty (trimmed) | Test record: created id 35 → deleted 200	API	Actual result
Groomer time off (Admin) - Reason	text, optional	max 255 (enforced by API; no limit in UI)	100 chars: AAAAAAAAAAAA… (100)	Accepted and saved correctly	API 201: Groomer unavailability created successfully | stored: len 100	**Pass**	Test record: created id 36 → deleted 200	API	Actual result
Groomer time off (Admin) - Reason	text, optional	max 255 (enforced by API; no limit in UI)	101 chars: AAAAAAAAAAAA… (101)	Accepted and saved correctly	API 201: Groomer unavailability created successfully | stored: len 101	**Pass**	Test record: created id 37 → deleted 200	API	Actual result
Groomer time off (Admin) - Reason	text, optional	max 255 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA… (256)	Rejected with a clear validation message	API 400: reason length must be less than or equal to 255 characters long	**Pass**		API	Actual result
Groomer time off (Admin) - Reason	text, optional	max 255 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA… (1000)	Rejected with a clear validation message	API 400: reason length must be less than or equal to 255 characters long	**Pass**		API	Actual result
Groomer time off (Admin) - Reason	text, optional	max 255 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Groomer unavailability created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 38 → deleted 200	API	NEW-VAL-29
Groomer time off (Admin) - End date	date, required	-	before start: "2027-01-19"	Rejected with a clear validation message	API 400: End date must be on or after start date	**Pass**		API	Actual result
Groomer time off (Admin) - End date	date, required	-	impossible: "2027-02-30"	Rejected with a clear validation message	API 400: endDate failed custom validation because	**Fail**	Message truncated - no reason given	API	NEW-VAL-26
Groomer time off (Admin) - End date	date, required	-	empty: ""	Rejected with a clear validation message	API 400: endDate is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer time off (Admin) - Start date	date, required	-	past: "2020-01-01"	Past start date rejected	API 409: This time off overlaps an existing entry for this groomer	**Not Verified**	Returned 409 overlap with an existing entry, so the past-date rule itself could not be isolated	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Groomer time off (Admin) - Start date	date, required	-	wrong format: "01/20/2027"	Rejected with a clear validation message	API 400: startDate failed custom validation because	**Fail**	Message truncated - no reason given	API	NEW-VAL-11
Groomer time off (Admin) - Start date	date, required	-	empty: ""	Rejected with a clear validation message	API 400: startDate is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer time off (Admin) - break - End time	time, optional	-	before start: "08:00"	Rejected with a clear validation message	API 400: End time must be after start time	**Pass**		API	Actual result
Groomer time off (Admin) - break - End time	time, optional	-	equal: "09:00"	Rejected with a clear validation message	API 400: End time must be after start time	**Pass**		API	Actual result
Groomer time off (Admin) - break - End time	time, optional	-	invalid 25:00: "25:00"	Rejected with a clear validation message	API 400: Time must be in HH:MM 24-hour format	**Pass**		API	Actual result
Groomer time off (Admin) - Type	select	-	unknown type: "xyz"	Rejected with a clear validation message	API 400: leaveType must be one of [leave, break, unavailable, other]	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer time off (Admin) - Type	select	-	empty: ""	Rejected with a clear validation message	API 400: leaveType must be one of [leave, break, unavailable, other]	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Service master (Admin) - Service name	text, required	max 200 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: name is not allowed to be empty	**Pass**		API	Actual result
Service master (Admin) - Service name	text, required	max 200 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: name is not allowed to be empty	**Pass**		API	Actual result
Service master (Admin) - Service name	text, required	max 200 (enforced by API; no limit in UI)	1 char: "a"	Accepted and saved correctly	API 201: Service created successfully | stored: "a"	**Pass**	Test record: created id 332 → deleted 200	API	Actual result
Service master (Admin) - Service name	text, required	max 200 (enforced by API; no limit in UI)	100 chars: AAAAAAAAAAAA… (100)	Accepted and saved correctly	API 201: Service created successfully | stored: len 100	**Pass**	Test record: created id 333 → deleted 200	API	Actual result
Service master (Admin) - Service name	text, required	max 200 (enforced by API; no limit in UI)	101 chars: AAAAAAAAAAAA… (101)	Accepted and saved correctly	API 201: Service created successfully | stored: len 101	**Pass**	Test record: created id 334 → deleted 200	API	Actual result
Service master (Admin) - Service name	text, required	max 200 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA… (256)	Rejected with a clear validation message	API 400: name length must be less than or equal to 200 characters long	**Pass**		API	Actual result
Service master (Admin) - Service name	text, required	max 200 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA… (1000)	Rejected with a clear validation message	API 400: name length must be less than or equal to 200 characters long	**Pass**		API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Service master (Admin) - Service name	text, required	max 200 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Service created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 335 → deleted 200	API	NEW-VAL-29
Service master (Admin) - Service name	text, required	max 200 (enforced by API; no limit in UI)	leading/trailing spaces: " QA Trim "	Accepted and saved correctly	API 201: Service created successfully | stored: "QA Trim"	**Pass**	Trimmed before saving | Test record: created id 336 → deleted 200	API	Actual result
Service master (Admin) - Service name	text, required	max 200 (enforced by API; no limit in UI)	digits only: "12345"	Accepted and saved correctly	API 201: Service created successfully | stored: "12345"	**Pass**	Test record: created id 337 → deleted 200	API	Actual result
Service master (Admin) - Service name	text, required	max 200 (enforced by API; no limit in UI)	special chars: "QA_!@#$%^&*()"	Accepted and saved correctly	API 201: Service created successfully | stored: "QA_!@#$%^&*()"	**Pass**	Test record: created id 338 → deleted 200	API	Actual result
Service master (Admin) - Service name	text, required	max 200 (enforced by API; no limit in UI)	accented unicode: "Café Ünïcode"	Accepted and saved correctly	API 201: Service created successfully | stored: "Café Ünïcode"	**Pass**	Test record: created id 339 → deleted 200	API	Actual result
Service master (Admin) - Service code	text, required	max 50 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: serviceCode is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Service master (Admin) - Service code	text, required	max 50 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: serviceCode is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Service master (Admin) - Service code	text, required	max 50 (enforced by API; no limit in UI)	1 char: "a"	Accepted and saved correctly	API 201: Service created successfully | stored: "a"	**Pass**	Test record: created id 340 → deleted 200	API	Actual result
Service master (Admin) - Service code	text, required	max 50 (enforced by API; no limit in UI)	101 chars: AAAAAAAAAAAA… (101)	Rejected with a clear validation message	API 400: serviceCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Service master (Admin) - Service code	text, required	max 50 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA… (256)	Rejected with a clear validation message	API 400: serviceCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Service master (Admin) - Service code	text, required	max 50 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA… (1000)	Rejected with a clear validation message	API 400: serviceCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Service master (Admin) - Service code	text, required	max 50 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Service created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 341 → deleted 200	API	NEW-VAL-29
Service master (Admin) - Service code	text, required	max 50 (enforced by API; no limit in UI)	digits only: "12345"	Accepted and saved correctly	API 201: Service created successfully | stored: "12345"	**Pass**	Test record: created id 342 → deleted 200	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Service master (Admin) - Service code	text, required	max 50 (enforced by API; no limit in UI)	special chars: "QA_!@#$%^&*()"	Rejected with a clear validation message	API 201: Service created successfully | stored: "QA_!@#$%^&*()"	**Fail**	Code field accepts special characters | Test record: created id 343 → deleted 200	API	NEW-VAL-27
Service master (Admin) - Service code	text, required	max 50 (enforced by API; no limit in UI)	duplicate SRV-001: "SRV-001"	Rejected with a clear validation message	API 409: Service code "SRV-001" already exists. Edit the existing service or use a new code.	**Pass**		API	Actual result
Service master (Admin) - Description	textarea	max 2000 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA… (256)	Accepted and saved correctly	API 201: Service created successfully | stored: len 256	**Pass**	Test record: created id 344 → deleted 200	API	Actual result
Service master (Admin) - Description	textarea	max 2000 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA… (1000)	Accepted and saved correctly	API 201: Service created successfully | stored: len 1000	**Pass**	Test record: created id 345 → deleted 200	API	Actual result
Service master (Admin) - Description	textarea	max 2000 (enforced by API; no limit in UI)	5000 chars: AAAAAAAAAAAA… (5000)	Rejected with a clear validation message	API 400: description length must be less than or equal to 2000 characters long	**Pass**		API	Actual result
Service master (Admin) - Description	textarea	max 2000 (enforced by API; no limit in UI)	HTML: "x"	Accepted and saved correctly	API 201: Service created successfully | stored: "x"	**Pass**	Stored as plain text; rendering not separately XSS-tested | Test record: created id 346 → deleted 200	API	Actual result
Service master (Admin) - Base price	number	max 100000 (enforced by API; no limit in UI)	-1: -1	Rejected with a clear validation message	API 400: basePrice must be greater than or equal to 0	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Service master (Admin) - Base price	number	max 100000 (enforced by API; no limit in UI)	0: 0	Accepted and saved correctly	API 201: Service created successfully | stored: 0	**Pass**	Test record: created id 347 → deleted 200	API	Actual result
Service master (Admin) - Base price	number	max 100000 (enforced by API; no limit in UI)	0.001: 0.001	Rejected with a clear validation message	API 201: Service created successfully | stored: 0	**Fail**	Silently rounded to 0 instead of a validation error | Test record: created id 348 → deleted 200	API	NEW-VAL-19
Service master (Admin) - Base price	number	max 100000 (enforced by API; no limit in UI)	99999999: 99999999	Rejected with a clear validation message	API 400: basePrice must be less than or equal to 100000	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Service master (Admin) - Base price	number	max 100000 (enforced by API; no limit in UI)	text: "abc"	Rejected with a clear validation message	API 400: basePrice must be a number	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Service master (Admin) - Base duration (min)	number	max 480 (enforced by API; no limit in UI)	0: 0	Rejected with a clear validation message	API 201: Service created successfully | stored: 0	**Fail**	Duration 0 accepted while 4-9 are rejected (min 10) | Test record: created id 349 → deleted 200	API	NEW-VAL-07
Service master (Admin) - Base duration (min)	number	max 480 (enforced by API; no limit in UI)	4: 4	Rejected with a clear validation message	API 400: Service duration must be at least 10 minutes.	**Pass**		API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Service master (Admin) - Base duration (min)	number	max 480 (enforced by API; no limit in UI)	5: 5	Rejected with a clear validation message	API 400: Service duration must be at least 10 minutes.	**Pass**		API	Actual result
Service master (Admin) - Base duration (min)	number	max 480 (enforced by API; no limit in UI)	9: 9	Rejected with a clear validation message	API 400: Service duration must be at least 10 minutes.	**Pass**		API	Actual result
Service master (Admin) - Base duration (min)	number	max 480 (enforced by API; no limit in UI)	10: 10	Accepted and saved correctly	API 201: Service created successfully | stored: 10	**Pass**	Test record: created id 350 → deleted 200	API	Actual result
Service master (Admin) - Base duration (min)	number	max 480 (enforced by API; no limit in UI)	480: 480	Accepted and saved correctly	API 201: Service created successfully | stored: 480	**Pass**	Test record: created id 351 → deleted 200	API	Actual result
Service master (Admin) - Base duration (min)	number	max 480 (enforced by API; no limit in UI)	481: 481	Rejected with a clear validation message	API 400: baseDurationMinutes must be less than or equal to 480	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Service master (Admin) - Base duration (min)	number	max 480 (enforced by API; no limit in UI)	1.5: 1.5	Rejected with a clear validation message	API 400: baseDurationMinutes must be an integer	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Service master (Admin) - Base duration (min)	number	max 480 (enforced by API; no limit in UI)	-5: -5	Rejected with a clear validation message	API 400: baseDurationMinutes must be greater than or equal to 0	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Service master (Admin) - Size tier price/duration	number grid (min=0; 5–480)	max 480 (enforced by API; no limit in UI)	tier price -10: [{"size":"small","tierKind":"size","label":"Small","price":-10,"duration":	Rejected with a clear validation message	API 400: petSizePricing[0].price must be greater than or equal to 0	**Pass**		API	Actual result
Service master (Admin) - Size tier price/duration	number grid (min=0; 5–480)	max 480 (enforced by API; no limit in UI)	tier duration 4: [{"size":"small","tierKind":"size","label":"Small","price":20,"duration":	Rejected with a clear validation message	API 400: petSizePricing[0].duration must be greater than or equal to 5	**Pass**		API	Actual result
Service master (Admin) - Size tier price/duration	number grid (min=0; 5–480)	max 480 (enforced by API; no limit in UI)	tier duration 481: [{"size":"small","tierKind":"size","label":"Small","price":20,"duration	Rejected with a clear validation message	API 400: petSizePricing[0].duration must be less than or equal to 480	**Pass**		API	Actual result
Service master (Admin) - Size tier price/duration	number grid (min=0; 5–480)	max 480 (enforced by API; no limit in UI)	min > max lbs: [{"size":"small","tierKind":"size","label":"Small","price":20,"duration":30	Rejected with a clear validation message	API 201: Service created successfully | stored: [{"size":"small","tierKind":"size","label":"Small","price":20,"duration":30,"minLbs":20,"maxLbs":20,"description":"1 – 10 lbs"}]	**Fail**	Tier with min weight > max weight saved | Test record: created id 352 → deleted 200	API	NEW-VAL-08
Package master (Admin) - Package name	text, required	max 200 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: name is not allowed to be empty	**Pass**		API	Actual result
Package master (Admin) - Package name	text, required	max 200 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: name is not allowed to be empty	**Pass**		API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Package master (Admin) - Package name	text, required	max 200 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA… (1000)	Rejected with a clear validation message	API 400: name length must be less than or equal to 200 characters long	**Pass**		API	Actual result
Package master (Admin) - Package code	text, required	max 50 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: packageCode is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Package master (Admin) - Package code	text, required	max 50 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: packageCode is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Package master (Admin) - Package code	text, required	max 50 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA… (1000)	Rejected with a clear validation message	API 400: packageCode length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Package master (Admin) - Base price	number	-	-1: -1	Rejected with a clear validation message	API 400: basePrice must be greater than or equal to 0	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Package master (Admin) - Base price	number	-	text: "abc"	Rejected with a clear validation message	API 400: basePrice must be a number	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Store (Admin) - Store name	text, required	max 150 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: name is not allowed to be empty	**Pass**		API	Actual result
Store (Admin) - Store name	text, required	max 150 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: name is not allowed to be empty	**Pass**		API	Actual result
Store (Admin) - Store name	text, required	max 150 (enforced by API; no limit in UI)	1 char: "a"	Accepted and saved correctly	API 201: Store created successfully | stored: "a"	**Pass**	Test record: created id 46 → deleted 200	API	Actual result
Store (Admin) - Store name	text, required	max 150 (enforced by API; no limit in UI)	100 chars: AAAAAAAAAAAA… (100)	Accepted and saved correctly	API 201: Store created successfully | stored: len 100	**Pass**	Test record: created id 47 → deleted 200	API	Actual result
Store (Admin) - Store name	text, required	max 150 (enforced by API; no limit in UI)	101 chars: AAAAAAAAAAAA… (101)	Accepted and saved correctly	API 201: Store created successfully | stored: len 101	**Pass**	Test record: created id 48 → deleted 200	API	Actual result
Store (Admin) - Store name	text, required	max 150 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA… (256)	Rejected with a clear validation message	API 400: name length must be less than or equal to 150 characters long	**Pass**		API	Actual result
Store (Admin) - Store name	text, required	max 150 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA… (1000)	Rejected with a clear validation message	API 400: name length must be less than or equal to 150 characters long	**Pass**		API	Actual result
Store (Admin) - Store name	text, required	max 150 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 201: Store created successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: created id 49 → deleted 200	API	NEW-VAL-29

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Store (Admin) - Store name	text, required	max 150 (enforced by API; no limit in UI)	leading/trailing spaces: " QA Trim "	Accepted and saved correctly	API 201: Store created successfully | stored: "QA Trim"	**Pass**	Trimmed before saving | Test record: created id 50 → deleted 200	API	Actual result
Store (Admin) - Store name	text, required	max 150 (enforced by API; no limit in UI)	digits only: "12345"	Accepted and saved correctly	API 201: Store created successfully | stored: "12345"	**Pass**	Test record: created id 51 → deleted 200	API	Actual result
Store (Admin) - Store name	text, required	max 150 (enforced by API; no limit in UI)	special chars: "QA_!@#$%^&*()"	Accepted and saved correctly	API 201: Store created successfully | stored: "QA_!@#$%^&*()"	**Pass**	Test record: created id 52 → deleted 200	API	Actual result
Store (Admin) - Store name	text, required	max 150 (enforced by API; no limit in UI)	accented unicode: "Café Ünïcode"	Accepted and saved correctly	API 201: Store created successfully | stored: "Café Ünïcode"	**Pass**	Test record: created id 53 → deleted 200	API	Actual result
Store (Admin) - Store ID	text, required (auto)	max 50 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: storeId is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Store (Admin) - Store ID	text, required (auto)	max 50 (enforced by API; no limit in UI)	lowercase: "qze-088"	Accepted and saved correctly	API 201: Store created successfully | stored: "qze-088"	**Pass**	Accepted; IDs are not normalised to the QAA-001 pattern | Test record: created id 54 → deleted 200	API	Actual result
Store (Admin) - Store ID	text, required (auto)	max 50 (enforced by API; no limit in UI)	special chars: "QZ'-681"	Rejected with a clear validation message	API 400: Store ID may only use letters, numbers, hyphens and underscores (no spaces or quotes).	**Pass**		API	Actual result
Store (Admin) - Store ID	text, required (auto)	max 50 (enforced by API; no limit in UI)	no dash: "QZX028"	Accepted and saved correctly	API 201: Store created successfully | stored: "QZX028"	**Pass**	Accepted; IDs are not normalised to the QAA-001 pattern | Test record: created id 55 → deleted 200	API	Actual result
Store (Admin) - Store ID	text, required (auto)	max 50 (enforced by API; no limit in UI)	60 chars: QQQQQQ QQQQQQ... (60)	Rejected with a clear validation message	API 400: storeId length must be less than or equal to 50 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Store (Admin) - Store ID	text, required (auto)	max 50 (enforced by API; no limit in UI)	duplicate QAA-001: "QAA-001"	Rejected with a clear validation message	API 409: This value is already in use.	**Pass**	Generic 'This value is already in use.' message	API	Actual result
Store (Admin) - Free cancellation hours	number, min=0 max=168	max 168 (enforced by API; no limit in UI)	-1: -1	Rejected with a clear validation message	API 400: cancellationThresholdHours must be greater than or equal to 0	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Store (Admin) - Free cancellation hours	number, min=0 max=168	max 168 (enforced by API; no limit in UI)	0: 0	Accepted and saved correctly	API 201: Store created successfully | stored: 0	**Pass**	Test record: created id 57 → deleted 200	API	Actual result
Store (Admin) - Free cancellation hours	number, min=0 max=168	max 168 (enforced by API; no limit in UI)	168: 168	Accepted and saved correctly	API 201: Store created successfully | stored: 168	**Pass**	Test record: created id 58 → deleted 200	API	Actual result
Store (Admin) - Free cancellation hours	number, min=0 max=168	max 168 (enforced by API; no limit in UI)	169: 169	Rejected with a clear validation message	API 400: cancellationThresholdHours must be less than or equal to 168	**Pass**	Message exposes internal field name / is truncated	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Store (Admin) - Free cancellation hours	number, min=0 max=168	max 168 (enforced by API; no limit in UI)	1.5: 1.5	Rejected with a clear validation message	API 400: cancellationThresholdHours must be an integer	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Store (Admin) - Free cancellation hours	number, min=0 max=168	max 168 (enforced by API; no limit in UI)	text: "abc"	Rejected with a clear validation message	API 400: cancellationThresholdHours must be a number	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Store (Admin) - Free cancellation hours	number, min=0 max=168	max 168 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: cancellationThresholdHours must be a number	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Store (Admin) - State (tax)	select	-	unknown ZZ: "ZZ"	Rejected with a clear validation message	API 400: State "ZZ" is not in the state master or is inactive	**Pass**		API	Actual result
Store (Admin) - State (tax)	select	-	empty: ""	Rejected with a clear validation message	API 201: Store created successfully | stored: ""	**Fail**	Store saved without a tax state | Test record: created id 59 → deleted 200	API	NEW-VAL-20
State & tax (Admin) - Code	text, required	-	empty: ""	Rejected with a clear validation message	API 400: stateCode is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
State & tax (Admin) - Code	text, required	-	3 letters: "ABC"	Rejected with a clear validation message	API 201: State created successfully | stored: "ABC"	**Fail**	US state code should be 2 letters | Test record: created id 9 → deleted 200	API	NEW-VAL-21
State & tax (Admin) - Code	text, required	-	digits: "12"	Rejected with a clear validation message	API 201: State created successfully | stored: "12"	**Fail**	US state code should be 2 letters | Test record: created id 10 → deleted 200	API	NEW-VAL-21
State & tax (Admin) - Code	text, required	-	lowercase: "qz"	Accepted and saved correctly	API 201: State created successfully | stored: "QZ"	**Pass**	Uppercased on save | Test record: created id 11 → deleted 200	API	Actual result
State & tax (Admin) - Code	text, required	-	duplicate NY: "NY"	Rejected with a clear validation message	API 409: This value is already in use.	**Pass**	Generic 'This value is already in use.' message	API	Actual result
State & tax (Admin) - State name	text, required	max 100 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: stateName is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
State & tax (Admin) - State name	text, required	max 100 (enforced by API; no limit in UI)	spaces: " "	Rejected with a clear validation message	API 400: stateName is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
State & tax (Admin) - State name	text, required	max 100 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA… (1000)	Rejected with a clear validation message	API 400: stateName length must be less than or equal to 100 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
State & tax (Admin) - Tax rate (decimal)	number, min=0	max 1 (enforced by API; no limit in UI)	-0.1: -0.1	Rejected with a clear validation message	API 400: taxRate must be greater than or equal to 0	**Pass**	Message exposes internal field name / is truncated	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
State & tax (Admin) - Tax rate (decimal)	number, min=0	max 1 (enforced by API; no limit in UI)	1.5 (150%): 1.5	Rejected with a clear validation message	API 400: taxRate must be less than or equal to 1	**Pass**	Message exposes internal field name / is truncated	API	Actual result
State & tax (Admin) - Tax rate (decimal)	number, min=0	max 1 (enforced by API; no limit in UI)	8.875 (as %): 8.875	Rejected with a clear validation message	API 400: taxRate must be less than or equal to 1	**Pass**	Message exposes internal field name / is truncated	API	Actual result
State & tax (Admin) - Tax rate (decimal)	number, min=0	max 1 (enforced by API; no limit in UI)	text: "abc"	Rejected with a clear validation message	API 400: taxRate must be a number	**Pass**	Message exposes internal field name / is truncated	API	Actual result
State & tax (Admin) - Tax rate (decimal)	number, min=0	max 1 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: taxRate must be a number	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer profile (Groomer portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: firstName is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer profile (Groomer portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: firstName is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer profile (Groomer portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	1 char: "a"	Rejected with a clear validation message	API 200: Groomer profile updated successfully | stored: "a"	**Fail**	Store-admin and customer names require min 2 chars; this field accepts 1 (inconsistent) | Test record: restored	API	NEW-VAL-12
Groomer profile (Groomer portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	100 chars: AAAAAAAAAAAA… (100)	Accepted and saved correctly	API 200: Groomer profile updated successfully | stored: len 100	**Pass**	Test record: restored	API	Actual result
Groomer profile (Groomer portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	101 chars: AAAAAAAAAAAA… (101)	Rejected with a clear validation message	API 400: firstName length must be less than or equal to 100 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer profile (Groomer portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA… (256)	Rejected with a clear validation message	API 400: firstName length must be less than or equal to 100 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer profile (Groomer portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA… (1000)	Rejected with a clear validation message	API 400: firstName length must be less than or equal to 100 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer profile (Groomer portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	HTML/script tag: "<script>alert(1)</script>"	Rejected with a clear validation message	API 200: Groomer profile updated successfully | stored: "<script>alert(1)</script>"	**Fail**	Markup stored as-is in a name/title/code field; customer name field rejects it (inconsistent) | Test record: restored	API	NEW-VAL-29
Groomer profile (Groomer portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	leading/trailing spaces: " QA Trim "	Accepted and saved correctly	API 200: Groomer profile updated successfully | stored: "QA Trim"	**Pass**	Trimmed before saving | Test record: restored	API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Groomer profile (Groomer portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	digits only: "12345"	Rejected with a clear validation message	API 200: Groomer profile updated successfully | stored: "12345"	**Fail**	Customer name rejects digits/special chars; staff names accept them (inconsistent rules) | Test record: restored	API	NEW-VAL-12
Groomer profile (Groomer portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	special chars: "QA_!@#$%^&*()"	Rejected with a clear validation message	API 200: Groomer profile updated successfully | stored: "QA_!@#$%^&*()"	**Fail**	Customer name rejects digits/special chars; staff names accept them (inconsistent rules) | Test record: restored	API	NEW-VAL-12
Groomer profile (Groomer portal) - First name	text, required	max 100 (enforced by API; no limit in UI)	accented unicode: "Café Ünïcode"	Accepted and saved correctly	API 200: Groomer profile updated successfully | stored: "Café Ünïcode"	**Pass**	Accepted here, but customer name rejects accented letters (e.g. José) | Test record: restored	API	Actual result
Groomer profile (Groomer portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: lastName is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer profile (Groomer portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	spaces only: " "	Rejected with a clear validation message	API 400: lastName is not allowed to be empty	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer profile (Groomer portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	1 char: "a"	Rejected with a clear validation message	API 200: Groomer profile updated successfully | stored: "a"	**Fail**	Store-admin and customer names require min 2 chars; this field accepts 1 (inconsistent) | Test record: restored	API	NEW-VAL-12
Groomer profile (Groomer portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	256 chars: AAAAAAAAAAAA… (256)	Rejected with a clear validation message	API 400: lastName length must be less than or equal to 100 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer profile (Groomer portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	1000 chars: AAAAAAAAAAAA… (1000)	Rejected with a clear validation message	API 400: lastName length must be less than or equal to 100 characters long	**Pass**	Message exposes internal field name / is truncated	API	Actual result
Groomer profile (Groomer portal) - Last name	text, required	max 100 (enforced by API; no limit in UI)	digits only: "12345"	Rejected with a clear validation message	API 200: Groomer profile updated successfully | stored: "12345"	**Fail**	Customer name rejects digits/special chars; staff names accept them (inconsistent rules) | Test record: restored	API	NEW-VAL-12
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	empty: ""	Accepted and saved correctly	API 200: Groomer profile updated successfully | stored: ""	**Pass**	Test record: restored	API	Actual result
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	9 digits: "123456789"	Rejected with a clear validation message	API 400: Mobile number must be 10–15 digits	**Pass**		API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	10 digits: "5550009999"	Accepted and saved correctly	API 200: Groomer profile updated successfully | stored: "5550009999"	**Pass**	Test record: restored	API	Actual result
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	15 digits: "123456789012345"	Accepted and saved correctly	API 200: Groomer profile updated successfully | stored: "123456789012345"	**Pass**	Test record: restored	API	Actual result
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	16 digits: "1234567890123456"	Rejected with a clear validation message	API 400: Mobile number must be 10–15 digits	**Pass**		API	Actual result
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	letters: "abcdefghij"	Rejected with a clear validation message	API 400: Mobile number must be 10–15 digits	**Pass**		API	Actual result
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	digits+letter: "555000999a"	Rejected with a clear validation message	API 400: Mobile number must be 10–15 digits	**Pass**		API	Actual result
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	dashes: "555-000-9999"	Accepted and saved correctly	API 400: Mobile number must be 10–15 digits	**Fail**	Common phone formats rejected (digits only allowed), yet the app itself displays '(555) 000-1111'; no format hint in the UI	API	NEW-VAL-11
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	brackets: "(555) 000-9999"	Accepted and saved correctly	API 400: Mobile number must be 10–15 digits	**Fail**	Common phone formats rejected (digits only allowed), yet the app itself displays '(555) 000-1111'; no format hint in the UI	API	NEW-VAL-11
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	+1 country code: "+15550009999"	Accepted and saved correctly	API 400: Mobile number must be 10–15 digits	**Fail**	Common phone formats rejected (digits only allowed), yet the app itself displays '(555) 000-1111'; no format hint in the UI	API	NEW-VAL-11
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	UK intl format: "+44 20 7946 0958"	Accepted and saved correctly	API 400: Mobile number must be 10–15 digits	**Fail**	Common phone formats rejected (digits only allowed), yet the app itself displays '(555) 000-1111'; no format hint in the UI	API	NEW-VAL-11
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	leading/trailing spaces: " 5550009999 "	Accepted and saved correctly	API 200: Groomer profile updated successfully | stored: "5550009999"	**Pass**	Trimmed before saving | Test record: restored	API	Actual result
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	all zeros: "0000000000"	Rejected with a clear validation message	API 200: Groomer profile updated successfully | stored: "0000000000"	**Fail**	'0000000000' accepted as a mobile number | Test record: restored	API	NEW-VAL-10
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	duplicate (QA Beta mobile): "5551112222"	Rejected with a clear validation message	API 200: Groomer profile updated successfully | stored: "5551112222"	**Fail**	Same mobile number accepted for two users | Test record: restored	API	NEW-VAL-10

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Groomer profile (Groomer portal) - Mobile	text (phone), optional	-	pasted with tab/newline: "5550009999\n"	Accepted and saved correctly	API 200: Groomer profile updated successfully | stored: "5550009999"	**Pass**	Trimmed before saving | Test record: restored	API	Actual result
Groomer profile (Groomer portal) - New password	password, optional	min 8, max 128 (enforced by API; no limit in UI)	empty: ""	Rejected with a clear validation message	API 400: password is not allowed to be empty	**Pass**		API	Actual result
Groomer profile (Groomer portal) - New password	password, optional	min 8, max 128 (enforced by API; no limit in UI)	7 chars: "Qa@1234"	Rejected with a clear validation message	API 400: password length must be at least 8 characters long	**Pass**		API	Actual result
Groomer profile (Groomer portal) - New password	password, optional	min 8, max 128 (enforced by API; no limit in UI)	no uppercase: "qa@12345"	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, a number, and a special character (@$!%*?&#)	**Pass**		API	Actual result
Groomer profile (Groomer portal) - New password	password, optional	min 8, max 128 (enforced by API; no limit in UI)	no lowercase: "QA@12345"	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, a number, and a special character (@$!%*?&#)	**Pass**		API	Actual result
Groomer profile (Groomer portal) - New password	password, optional	min 8, max 128 (enforced by API; no limit in UI)	no digit: "Qa@abcde"	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, a number, and a special character (@$!%*?&#)	**Pass**		API	Actual result
Groomer profile (Groomer portal) - New password	password, optional	min 8, max 128 (enforced by API; no limit in UI)	no special: "Qa123456"	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, a number, and a special character (@$!%*?&#)	**Pass**		API	Actual result
Groomer profile (Groomer portal) - New password	password, optional	min 8, max 128 (enforced by API; no limit in UI)	spaces around: " Qa@12345 "	Rejected with a clear validation message	API 400: Password must contain uppercase, lowercase, a number, and a special character (@$!%*?&#)	**Pass**		API	Actual result
Groomer profile (Groomer portal) - New password	password, optional	min 8, max 128 (enforced by API; no limit in UI)	129 chars: Qa@1xxxxxxxx… (129)	Rejected with a clear validation message	API 400: password length must be less than or equal to 128 characters long	**Pass**		API	Actual result
Groomer profile (Groomer portal) - New password	password, optional	min 8, max 128 (enforced by API; no limit in UI)	1000 chars: Qa@1xxxxxxxx… (1000)	Rejected with a clear validation message	API 400: password length must be less than or equal to 128 characters long	**Pass**		API	Actual result
Customer (Admin portal > Customers > Edit) - Name	text, required	min 2, max 100 (API); no maxlength in UI	""	Rejected with a clear message	Blocked in browser: "Please fill out this field." (no request sent)	**Pass**		UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Name	text, required	min 2, max 100 (API); no maxlength in UI	" "	Rejected with a clear message	UI: name is not allowed to be empty | API 400: name is not allowed to be empty	**Pass**		UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Name	text, required	min 2, max 100 (API); no maxlength in UI	"A"	Rejected with a clear message	UI: name length must be at least 2 characters long | API 400: name length must be at least 2 characters long	**Pass**		UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Name	text, required	min 2, max 100 (API); no maxlength in UI	A×256	Rejected with a clear message	UI: name length must be less than or equal to 100 characters long | API 400: name length must be less than or equal to 100 characters long	**Pass**		UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Name	text, required	min 2, max 100 (API); no maxlength in UI	"QA<script>x</script>"	Rejected with a clear message	UI: name failed custom validation because | API 400: name failed custom validation because	**Fail**	UI shows truncated raw message 'name failed custom validation because';	UI + API	NEW-VAL-26

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Customer (Admin portal > Customers > Edit) - Name	text, required	min 2, max 100 (API); no maxlength in UI	" QA Customer "	Accepted and saved	UI: Customer updated | API 200: Customer updated successfully	**Pass**	Record restored afterwards	UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Name	text, required	min 2, max 100 (API); no maxlength in UI	"QA Customer 123"	Rejected with a clear message	UI: name failed custom validation because | API 400: name failed custom validation because	**Fail**	UI shows truncated raw message 'name failed custom validation because';	UI + API	NEW-VAL-26
Customer (Admin portal > Customers > Edit) - Name	text, required	min 2, max 100 (API); no maxlength in UI	"QA O'Brien-Smith"	Accepted and saved	UI: QA O'Brien-Smith / Customer updated | API 200: Customer updated successfully	**Pass**	Record restored afterwards	UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Name	text, required	min 2, max 100 (API); no maxlength in UI	"QA José"	Accepted and saved	UI: name failed custom validation because | API 400: name failed custom validation because	**Fail**	Accented letters rejected for customers but accepted for groomer/store-admin names;	UI + API	NEW-VAL-26
Customer (Admin portal > Customers > Edit) - Name	text, required	min 2, max 100 (API); no maxlength in UI	A×100	Accepted and saved	UI: AAAA

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Customer (Admin portal > Customers > Edit) - Email	email, required	valid email; max per API	"qa.beta@shearheaven.local"	Rejected with a clear message	UI: qa.beta@shearheaven.local | API 200: Customer updated successfully	**Fail**	Customer email changed to an existing staff/groomer login email (duplicate across roles accepted); Record restored afterwards	UI + API	NEW-VAL-09
Customer (Admin portal > Customers > Edit) - Email	email, required	valid email; max per API	x×250@...	Rejected with a clear message	UI: email must be a valid email | API 400: email must be a valid email	**Pass**		UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	""	Accepted and saved	UI: Customer updated | API 200: Customer updated successfully	**Pass**	Record restored afterwards	UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"123"	Rejected with a clear message	UI: Mobile number must be 10-15 digits | API 400: Mobile number must be 10-15 digits	**Pass**		UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"123456789"	Rejected with a clear message	UI: (no new message text detected) | API 400: Mobile number must be 10-15 digits	**Pass**		UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"5550001111"	Accepted and saved	UI: Customer updated | API 200: Customer updated successfully	**Pass**	Record restored afterwards	UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"1234567890123456"	Rejected with a clear message	UI: Mobile number must be 10-15 digits | API 400: Mobile number must be 10-15 digits	**Pass**		UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"abcdefghij"	Rejected with a clear message	UI: (no new message text detected) | API 400: Mobile number must be 10-15 digits	**Pass**		UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"555000111a"	Rejected with a clear message	UI: (no new message text detected) | API 400: Mobile number must be 10-15 digits	**Pass**		UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"555-000-1111"	Accepted and saved	UI: (no new message text detected) | API 400: Mobile number must be 10-15 digits	**Fail**	Formatted number rejected although the app displays '(555) 000-1111';	UI + API	NEW-VAL-11
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"(555) 000-1111"	Accepted and saved	UI: (no new message text detected) | API 400: Mobile number must be 10-15 digits	**Fail**	Formatted number rejected although the app displays '(555) 000-1111';	UI + API	NEW-VAL-11
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"+1 555 000 1111"	Accepted and saved	UI: (no new message text detected) | API 400: Mobile number must be 10-15 digits	**Fail**	Formatted number rejected although the app displays '(555) 000-1111';	UI + API	NEW-VAL-11
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"+15550001111"	Accepted and saved	UI: (no new message text detected) | API 400: Mobile number must be 10-15 digits	**Fail**	Formatted number rejected although the app displays '(555) 000-1111';	UI + API	NEW-VAL-11

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"123456789012345 "	Accepted and saved	UI: 123456789012345 Verified Wed, Nov 11, 2026 / Customer updated | API 200: Customer updated successfully	**Pass**	Record restored afterwards	UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	" 5550001111 "	Accepted and saved	UI: Mobile number must be 10-15 digits | API 400: Mobile number must be 10-15 digits	**Fail**	Leading/trailing spaces rejected here but trimmed on groomer mobile (inconsistent);	UI + API	NEW-VAL-22
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"5551234567"	Accepted and saved	UI: 5551234567 Verified Wed, Nov 11, 2026 / Customer updated | API 200: Customer updated successfully	**Pass**	Record restored afterwards	UI + API	Actual result
Customer (Admin portal > Customers > Edit) - Mobile	text (phone)	10-15 digits (API); no pattern/ maxlength in UI	"0000000000"	Rejected with a clear message	UI: 0000000000 Verified Wed, Nov 11, 2026 | API 200: Customer updated successfully	**Fail**	'0000000000' accepted; Record restored afterwards	UI + API	NEW-VAL-10
Admin Login - Email	email (required)	-	(empty)	Required message	Browser: "Please fill out this field."	**Pass**	HTML5 required	UI	Actual result
Admin Login - Email	email	-	abc	Invalid email format blocked	Browser: "Please include an '@'..."	**Pass**	HTML5 type=email	UI	Actual result
Admin Login - Password	password (required)	-	(empty)	Required message	Browser: "Please fill out this field."	**Pass**		UI	Actual result
Admin Login - Email + Password	credentials	-	nobody@... / wrong	Generic error, no account disclosure	"Invalid email or password"	**Pass**		UI	Actual result
Groomer profile (Groomer portal) - First name	text, required	max 100 (API); no maxlength in UI	101 characters	Clear message, e.g. 'First name can be at most 100 characters'	UI shows raw server text 'firstName length must be less than or equal to 100 characters long'	**Fail**	Raw API field name shown to user	UI + API	NEW-VAL-12
Groomer profile (Groomer portal) - Mobile	text (phone)	10-15 digits (API)	abcdefghij	Rejected with message	Rejected: 'Mobile number must be 10–15 digits'	**Pass**		UI + API	Actual result
Groomer profile (Groomer portal) - Mobile	text (phone)	10-15 digits (API)	+1 (555) 000-1111 (pasted)	Accepted/normalised, or clear format message	Request rejected (400); no message visible in the UI on the second attempt	**Fail**	Silent failure in UI; formatted numbers not supported	UI + API	NEW-VAL-11
Groomer profile (Groomer portal) - New password	password	8-128, complexity (API)	Qa@1x (5 chars)	Rejected with message	Rejected: 'password length must be at least 8 characters long'	**Pass**	Raw field name in message	UI + API	Actual result
Groomer time off (Groomer portal) - End date	date, required	-	End date before start date	Rejected	Rejected: 'End date must be on or after start date'	**Pass**		UI + API	Actual result
Groomer time off (Groomer portal) - Reason	text	max 255 (API); no maxlength in UI	256 characters	Blocked at 255 or clear message	Rejected: 'reason length must be less than or equal to 255 characters long'	**Pass**	Raw field name in message; UI allows typing beyond 255	UI + API	Actual result
Groomer time off (Groomer portal) - End time	time	-	End time before start time	Rejected	Rejected: 'End time must be after start time'	**Pass**		UI + API	Actual result
Groomer time off (Groomer portal) - Dates	date, required	-	(empty)	Required message	Browser: 'Please fill out this field.'	**Pass**	HTML5 required	UI	Actual result
Groomer weekly hours (Groomer portal) - Start/End	time	-	18:00 to 09:00	Rejected	Rejected: 'End time must be after start time'	**Pass**		UI + API	Actual result

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Coupon (Admin portal) - Title	text, required	none in UI; DB column 255	256 characters	Clear validation message	UI shows raw 500 text "Data too long for column 'title' at row 1"	**Fail**	DB error exposed in UI	UI + API	NEW-VAL-01
Groomer appointment - Pet photo upload	file	JPEG/PNG/WebP	.txt file	Rejected	Rejected: 'Only JPEG, PNG, and WebP images are allowed'	**Pass**		UI + API	Actual result
Groomer appointment - Pet photo upload	file	JPEG/PNG/WebP	.pdf file	Rejected	Rejected: 'Only JPEG, PNG, and WebP images are allowed'	**Pass**		UI + API	Actual result
Groomer appointment - Pet photo upload	file	JPEG/PNG/WebP	Valid PNG	Uploaded (control is shown to groomers)	403 'Groomers cannot upload pet photos from the appointment book'	**Fail**	Upload control shown but action forbidden	UI + API	NEW-VAL-14
Groomer appointment - Pet photo upload	file	size limit (not stated)	12 MB image	413/400 with size message	HTTP 500 'File too large'	**Fail**	Wrong status code; no size limit shown in UI	API	NEW-VAL-14
Groomer settings - Slot colours	colour (hex)	#RRGGBB	notacolor / #12345 / #GGGGGG	Rejected with message	Values silently discarded; toast 'Slot colors saved'	**Fail**	False success message	UI + API	NEW-VAL-13
All Admin & Groomer text fields	text/textarea	API limits 50-2000	Inspect maxlength attributes	UI maxlength matches API limit	No maxlength on any text field except Coupon code (6); over-limit text can be typed/pasted and is only rejected after submit	**Fail**	Frontend/backend inconsistent	UI vs API	NEW-VAL-15
Groomer (Admin) - Bookings per slot	number	API 1-20 integer	Inspect attributes	min=1 max=20 step=1	min=0, no max, step=any	**Fail**	UI allows 0, decimals and >20	UI vs API	NEW-VAL-16
Service/Package master - Tier duration	number	API service min 10	Inspect attributes	min=10	min=5 max=480	**Fail**	UI allows 5-9 which API rejects; base duration 0 accepted by API	UI vs API	NEW-VAL-17
Coupon (Admin) - Percentage	number	API >0 and <=100	Inspect attributes	min>0, max=100	min=0, no max, step=any	**Fail**		UI vs API	NEW-VAL-15
Coupon (Admin) - Start/Expiry date	date	API: today or later	Inspect attributes	min=today	min=2026-11-14 (today)	**Pass**		UI vs API	Actual result
Store (Admin) - Free cancellation hours	number	API 0-168	Inspect attributes	min=0 max=168	min=0 max=168	**Pass**		UI vs API	Actual result
Store content (Admin) - Title/Body	text, required	-	Inspect attributes vs API	Both enforce required	UI required; API accepts empty and blank values	**Fail**		UI vs API	NEW-VAL-06
All phone fields (Groomer, Customer, Profile)	text	API 10-15 digits	Inspect attributes	type=tel with pattern/maxlength or input mask	type=text, no pattern, no maxlength, no hint	**Fail**		UI vs API	NEW-VAL-15
Customer vs staff name fields	text	-	Compare rules	Same name rules for all user types	Customer: letters/space/'/- only, min 2. Groomer: min 1, any characters. Store admin: min 2, any characters	**Fail**		API vs API	NEW-VAL-12
Customer vs groomer mobile	phone	-	' 5550001111 '	Same handling	Customer rejects surrounding spaces; groomer trims them	**Fail**		API vs API	NEW-VAL-22
Groomer (Admin) - Groomer code re-use	text, required	unique	'QA [emoji]' (code of a deleted groomer)	Created cleanly, or rejected with nothing saved	409 'This value is already in use.' (gwh_code_day_tenant_unique) but groomer 170 was created; orphan weekly-hours rows of the deleted groomer cause the clash	**Fail**	Partial write; groomer 170 deleted afterwards	API	NEW-VAL-28

Module and field	Type	Expected limit / rule	Test input	Expected	Actual result	P/F	Remarks	Level	Linked bug
Package master - create	form	-	Valid package	Created	500 'Lock wait timeout exceeded' after ~50 s (UI and API)	**Not Verified**	Positive package cases could not be verified	UI + API	Actual result