NEW FEATURES QA TESTING DOCUMENT

Shear Heaven Pet Spa — End-to-End Verification of Newly Implemented Functionalities

BUILD: V2.4-PCMDEV

Target: https://pcmdev.shearheavenpetspa.com

EXECUTION DATE	SHOP SCOPE	ACTIVE TECHNICIANS	TEST EXECUTION VERDICT
October 28, 2026	SHE-001 (Manhattan 5253)	M. Vance (#82), E. Rostova (#84)	18 PASS / 4 FAIL (81.8% Passed)

1. EXECUTIVE SUMMARY & TEST SCOPE

This testing document provides an exhaustive, evidence-backed evaluation of the newly implemented functionalities in the Shear Heaven Pet Spa web and API architecture. Testing was conducted across all three core application roles (**Admin Portal**, **Groomer Portal**, and **Customer Web App**) on live environment `https://pcmdev.shearheavenpetspa.com`.

The scope encompasses five critical operational domains:

- **Domain 1: Service and Subtask Functionality:** Parent service provisioning, parent ID mapping, subtask creation, multi-groomer allocation, and cross-module consistency.
- **Domain 2: Milestone Updates:** Subtask task-level progress execution (0% → 50% → 100%), stage progression, date enforcement rules, cross-groomer authorization barriers, and reload persistence.
- **Domain 3: Groomer-Specific Revenue & Reports:** Multi-groomer service line crediting, mathematical integrity, customer-side privacy protection, and financial forecast reports.
- **Domain 4: Appointment Reassignment:** Pre-reassignment calendar validation, schedule conflict prevention (HTTP 409), audit logging, and multi-portal status synchronization.
- **Domain 5: Negative & Edge-Case Validation:** Missing groomer IDs, invalid parent keys, future appointment milestones, duplicate checkout submissions, and unauthorized modifications.

Overall Test Execution Results Matrix

FUNCTIONAL AREA	TOTAL CASES	PASSED	FAILED	BLOCKED	PASS RATE	STATUS SUMMARY
1. Service & Subtasks	5	3	**2**	0	60.0%	FAIL (UI & DB BLOCKERS)
2. Milestone Updates	4	4	0	0	100.0%	PASS (FULLY VERIFIED)
3. Revenue & Reports	5	3	**2**	0	60.0%	FAIL (FALLBACK & PRIVACY)
4. Reassignment Flow	4	4	0	0	100.0%	PASS (FULLY VERIFIED)
5. Edge & Negative Cases	4	4	0	0	100.0%	PASS (FULLY VERIFIED)
TOTAL / OVERALL	**22**	**18**	**4**	**0**	**81.8%**	ACTION REQUIRED

2. DEFECT TRACKING REGISTER & PHOTO EVIDENCE (FAILED SCENARIOS)

Four defects were uncovered during execution. Full reproduction steps, expected vs. actual outcomes, technical root causes, and visual photo evidence are documented below.

DEFECT #1 • SEVERITY: HIGH REF: TC-NEW-02 **Module:** Admin Portal • Service Master UI

Admin UI Service Form Validation Blocks Subtask Creation

Description: When an administrator selects the subtask checkbox, the UI forces service type flags to false and hides their selectors. Clicking "Save service" triggers a validation error halting submission.

Steps to Reproduce:

1. Log into the Admin Portal (`https://pcmdev.shearheavenpetspa.com/admin`) as staff/administrator.
2. Navigate to **Services > Service Master** (`/admin/services/service-master`).
3. Click the `+ Add Service` button in the upper-right corner to open the creation modal.
4. Fill in Service Name (`Royal Coat Clarifying Rinse`), Code (`SUB_CLARIFY_01`), Price (`$15.00`), Duration (`20 min`).
5. Check the checkbox: "*Yes — this line is a groomer progress step under a parent service*".
6. Select the parent service from the dropdown: "*Royal Canine Signature Spa (SRV_ROYAL_01)*".
7. Click the `Save service` button at the bottom of the modal.

Expected Result: The subtask is validated and saved under parent service ID 153.

Actual Result: Form validation function `pe()` halts submission with error: `"Select at least one type: Main, Add-on, or Walk-in"`. Because the subtask checkbox forced those radio buttons to `false` and hid their UI controls, the user is deadlocked and cannot submit the form.




Figure 2.1: Photo Evidence — Admin UI Subtask Form Validation Block displaying the blocking error banner.

DEFECT #2 • SEVERITY: HIGH REF: TC-NEW-03 **Module:** Backend API • Service Master Controller & DB Persistence

Backend Controller Ignores and Strips Subtask & Parent Service ID Persistence

Description: Direct API calls to `POST /api/common/service-master` with `isSubTask: true` and `parentServiceId: 153` return HTTP 201 Created, but the database controller strips both parameters upon insert.

Steps to Reproduce:

1. Authenticate as Administrator to acquire Bearer JWT token.
2. Submit a `POST` request to `https://api.shearheavenpetspa.com/api/common/service-master` with payload:

```
POST /api/common/service-master { "serviceName": "Royal Clarifying Rinse API", "serviceCode": "SUB_CLARIFY_API", "price": 15, "duration": 20, "isSubTask": true, "parentServiceId": 153, "mainService": true, "storeId": "SHE-001" }
```

3. Examine the returned JSON response and query `GET /api/common/service-master?storeId=SHE-001`.
4. In the Admin Portal, click the **"Sub-tasks"** filter tab.

Expected Result: API response returns `isSubTask: true` and `parentServiceId: 153`. Record is listed under the Sub-tasks tab filter.

Actual Result: API response returns `isSubTask: false` and `parentServiceId: null`. The database strips the attributes, and the Admin UI Sub-tasks tab filter displays an empty ledger ("No services match your filters").




Figure 2.2: Photo Evidence — Admin Service Master "Sub-tasks" tab filter showing 0 records due to backend persistence stripping.

DEFECT #3 • SEVERITY: MEDIUM REF: TC-NEW-12 **Module:** Backend API • Receipt Generator Endpoint

Receipt Top-Level Groomer Fields Fall Back to Darwin Default ("Merisa Brown")

Description: On completed visits, `GET /api/common/groomer/bookings/:id/receipt` correctly lists participating groomers, but top-level fields `primaryGroomer` and `assignedGroomer` default to Darwin store groomer "Merisa Brown".

Steps to Reproduce:

1. Complete Booking #51 at Manhattan store (`SHE-001`) with assigned technician Elena Rostova (#84).
2. Execute customer checkout and tip confirmation.
3. Call `GET https://api.shearheavenpetspa.com/api/common/groomer/bookings/51/receipt`.
4. Inspect `data.assignedGroomer` and `data.primaryGroomer`.

Expected Result: `assignedGroomer` and `primaryGroomer` reflect `"Elena Rostova"` or primary technician `"Marcus Vance"`.

Actual Result: Both fields return `"Merisa Brown"` (Darwin store ID: 1 default).

```
"assignedGroomer": "Merisa Brown", "primaryGroomer": "Merisa Brown", "participatingGroomers": [ "Elena Rostova" ]
```




Figure 2.3: Photo Evidence — Groomer Receipt Modal displaying line items and appointment completion details.

DEFECT #4 • SEVERITY: MEDIUM (DATA PRIVACY) REF: TC-NEW-13

Module: Backend API • Customer Receipt Payload Exposure

Customer Receipt API Payload Exposes Internal Groomer Revenue & Commission Arrays

Description: While the customer frontend UI cleanly conceals groomer revenue splits, the customer-facing API endpoint `GET /api/bookings/:id/receipt` returns the complete internal `serviceLines` and `groomerTotals` arrays containing technician IDs, names, and attributed revenue.

Steps to Reproduce:

1. Authenticate as Customer (`aravind@mailinator.com`) via `POST /api/auth/login`.
2. Execute a GET request to `https://api.shearheavenpetspa.com/api/bookings/51/receipt`.
3. Inspect JSON response keys `serviceLines` and `groomerTotals`.

Expected Result: Internal revenue distribution and commission breakdowns are sanitized before returning to the customer.

Actual Result: The response exposes `groomerTotals: [{"groomerId": 84, "groomerName": "Elena Rostova", "serviceAmount": 20, "taxAmount": 1.78}]`.




Figure 2.4: Photo Evidence — Customer Account View cleanly hiding commission splits, contrasting with raw API payload exposure.

3. COMPLETE TEST EXECUTION SPECIFICATIONS & RESULTS

3.1 Service and Subtask Functionality

TC ID	SCENARIO DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	STATUS
TC-NEW-01	Parent Service Creation & ID Mapping	Parent service created with `isSubTask: false` and `parentServiceId: null`; returns ID 153.	Provisioned "Royal Canine Signature Spa" (ID: 153, Base $50, 90m). Verified in database.	PASS
TC-NEW-02	Subtask Creation via Admin UI	Subtask form validates, associates parent ID 153, and saves record.	Blocked by UI validation error: *"Select at least one type: Main, Add-on, or Walk-in"*.	FAIL
TC-NEW-03	Subtask Backend DB Persistence via API	Backend persists `isSubTask: true` and maps `parentServiceId: 153`.	API returns 201 Created but database controller strips `isSubTask` and `parentServiceId` to false/null.	FAIL
TC-NEW-04	Subtask Groomer Assignment	Subtask `svc-1-main` assigned to Elena Rostova (#84); audit logged.	Successfully assigned via API/UI. Progress modal displays Elena with active status badge.	PASS
TC-NEW-05	Cross-Module Service Consistency	Service details ($20 Hydro Bath Var) match across Admin, Groomer, and Customer views.	Verified exact match across all three application portals.	PASS

3.2 Milestone Updates & Authorization

TC ID	SCENARIO DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	STATUS
TC-NEW-06	Subtask Progress Update (0% → 50% → 100%)	Progress advances smoothly; booking stage moves to `ready_for_checkout`.	Elena Rostova updated progress: 0% → 50% → 100%. Stage advanced to `ready_for_checkout`.	PASS
TC-NEW-07	Same-Day Milestone Update Constraint	Milestone updates on future appointments rejected with HTTP 409 Conflict.	Future booking (#50) rejected with HTTP 409: "*Visit milestones can only be updated on the appointment date.*"	PASS
TC-NEW-08	Cross-Groomer Update Authorization Guard	Non-assigned groomers blocked from modifying another groomer's subtask.	Frontend guard `if (ge && !Zf(ge, Je, dt))` disables action controls and warns non-assigned technician.	PASS
TC-NEW-09	Milestone Reload Persistence	Progress percentages and stages persist across hard reloads and re-logins.	Progress verified at 100% and stage `ready_for_checkout` persisted after hard page refresh.	PASS




Figure 3.1: Photo Evidence — Admin Booking Milestone & Subtask Modal showing Elena Rostova assigned and 100% task progress.

3.3 Groomer-Specific Revenue and Reports

TC ID	SCENARIO DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	STATUS
TC-NEW-10	Subtask Revenue Credited to Groomer Receipt	$20 subtask revenue credited to Elena Rostova (#84) in `serviceLines` and `groomerTotals`.	Verified in receipt API: `serviceLines` attributes $20.00 to Elena Rostova.	PASS
TC-NEW-11	Customer UI Revenue Privacy Check	Customer UI conceals groomer-specific revenue and commissions.	Customer account page displays total paid ($26.78) without groomer commission splits.	PASS
TC-NEW-12	Receipt Header Primary Groomer Accuracy	Receipt `primaryGroomer` and `assignedGroomer` match assigned store groomer.	Fields default to Darwin store groomer `"Merisa Brown"` instead of store technician.	FAIL
TC-NEW-13	Customer API Receipt Payload Data Privacy	Customer endpoint `/api/bookings/:id/receipt` strips internal `groomerTotals`.	Raw API response exposes internal `groomerTotals` and `serviceLines` arrays to customer.	FAIL
TC-NEW-14	Financial Balance & Duplicate Entry Audit	Exact mathematical balance: $20.00 base + $1.78 tax + $5.00 tip = $26.78 total; 0 duplicates.	Verified exact ledger match; exactly one transaction (`TXN-15`) and receipt (`REC-20261028-51`).	PASS

3.4 Appointment Reassignment Flow

TC ID	SCENARIO DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	STATUS
TC-NEW-15	Pre-Reassignment Schedule Availability Check	System checks candidate groomer schedule availability before permitting reassignment.	Queried `/api/common/shop-groomers/84/availability` returning 200 OK with open schedule slots.	PASS
TC-NEW-16	Successful Appointment Reassignment	Booking #52 reassigned from Marcus Vance to Elena Rostova for an open slot.	Reassigned via PUT `/api/common/bookings/52/reassign-primary-groomer`; verified in Admin list.	PASS
TC-NEW-17	Reassignment Schedule Conflict Prevention	Reassignment to an occupied slot blocked with HTTP 409 Conflict.	Reassigning #50 to Elena at 16:00 (matching #52) blocked: "*This groomer has no free slot at the appointment date and time.*"	PASS
TC-NEW-18	Multi-Role Synchronization Post-Reassignment	Admin, Groomer, and Customer views synchronize to reflect reassigned technician.	Admin shows Elena Rostova; Elena's upcoming portal reflects #52; Marcus calendar freed.	PASS




Figure 3.2: Photo Evidence — Admin Active Bookings Ledger showing Reassigned Appointment #52 to Elena Rostova.

3.5 Negative & Edge-Case Testing

TC ID	SCENARIO DESCRIPTION	EXPECTED RESULT	ACTUAL RESULT	STATUS
TC-NEW-19	Subtask Assignment with Missing/Null Groomer	System validates and rejects null or non-existent groomer ID with HTTP 400 Bad Request.	Rejected with HTTP 400 Bad Request: `"Invalid or missing groomerId"`.	PASS
TC-NEW-20	Subtask Creation with Non-Existent Parent ID	Backend rejects non-existent `parentServiceId: 99999`.	Rejected safely with HTTP 400 Bad Request without server exception.	PASS
TC-NEW-21	Visit Completion Without Customer Payment	Groomer completion blocked if customer has not confirmed tip and payment.	Blocked with HTTP 409 Conflict: *"Customer must confirm tip and payment in the app before you can complete the visit."*	PASS
TC-NEW-22	Duplicate Payment Confirmation Prevention	Customer cannot submit duplicate tip confirmation after checkout is closed.	Blocked with HTTP 409 Conflict: *"Tip can only be confirmed when the appointment is ready for checkout."*	PASS

4. DEFECT REMEDIATION RECOMMENDATIONS

Recommended Code Fixes

1. **Fix Subtask Form Validation in Admin UI:** Update form validation logic in `pe()`. When `isSubTask === true`, bypass the check requiring `mainService || addOnService || walkInService`, or automatically default `addOnService = true` in the background without forcing radio button selection.
2. **Enable DB Persistence for Subtasks in Backend Controller:** Update the SQL insertion/ORM update query in the service master controller to include `isSubTask` and `parentServiceId` columns in the whitelist of writeable attributes.
3. **Correct Receipt Groomer Attribution:** Modify the receipt generation query to populate `primaryGroomer` and `assignedGroomer` dynamically from the booking's assigned technician record rather than falling back to store ID 1's default staff name (`"Merisa Brown"`).
4. **Sanitize Customer Receipt Endpoint Payload:** In `GET /api/bookings/:id/receipt`, filter out the internal `serviceLines` and `groomerTotals` arrays to protect business privacy, reserving commission breakdowns exclusively for authenticated groomer/admin endpoints.

Prepared By: Quality Assurance Engineering Team**Target:** Shear Heaven Pet Spa (PCMDEV)**Document Status:** Final • Complete Evidence Attached