

West of Ireland Planting Guide

Soil, sun, and species notes for gardening on the Atlantic coast

Your available materials: Clay soil · Multipurpose compost · Ericaceous compost · Horticultural bark · Horticultural grit · Small pebbles · Vermiculite · Perlite

DRAINAGE: YOUR MOST IMPORTANT RULE

West of Ireland clay soil is typically heavy, poorly draining, and mildly acidic to neutral (pH ~6.0–7.0). The Atlantic climate brings very high rainfall year-round. **The single most important thing you can do for the majority of these plants is improve drainage before planting.**

General clay soil recipe for most non-ericaceous plants:

- Dig each planting hole at least twice the width and depth of the rootball
- Mix the excavated clay 50/50 with multipurpose compost
- Add 20–30% horticultural grit by volume to that mix
- After planting, mulch with horticultural bark (5–7cm), keeping mulch away from stems/crowns
- Test your soil pH before planting — west of Ireland soils vary considerably

HOW TO USE YOUR MATERIALS

Material	Best Use
Clay soil	Base for all in-ground plantings
Multipurpose compost	Soil amendment for most plants (50/50 with clay)
Ericaceous compost	Blueberry · Heather · Lingonberry · Cranberry · Japanese Maple (partial) · Star Magnolia (partial) · Deer Fern · Hydrangea macrophylla (for blue flowers) · Japanese Skimmia · Dicksonia antarctica (partial) · Japanese Camellia · Prickly Heath
Horticultural bark	Surface mulch for all in-ground plants (5–7cm), keep away from stems
Horticultural grit	Drainage improver mixed into clay (20–30%); vital for rosemary, lavender, roses, peonies, pasqueflower, fritillaria, creeping juniper, dianthus, phlox subulata, bearded iris, dwarf iris, alliums, freesia, ixia, sempervivum, saxifrage, campanula saxifraga, edelweiss, auricula, siberian statice
Small pebbles	Base drainage layer in pots; decorative surface mulch for Mediterranean herbs and rock plants
Vermiculite	Seed-starting; mix into potting compost for moisture retention
Perlite	Drainage improver in pots (10–20%); especially for rosemary, lavender, blueberry, acidanthera, herbs

THE PLANTS

Groups: A = Annual Flowers | B = Bulbs | C = Climbers & Wall Plants | F = Fruit Trees & Shrubs | G = Groundcover & Creeping Plants | H = Kitchen Herbs & Vegetables | P = Ornamental Perennials | S = Shade & Woodland Plants | T = Ornamental Trees & Shrubs | W = Pond & Water Plants

GROUP A: ANNUAL FLOWERS

A1. Borage (*Borago officinalis*)

Irish / Russian: *Borráiste gorm* · *Бурачник лекарственный*

Light: ☀️ Full sun to 🌥️ partial shade.

Height/Spread: 60–90cm tall, 45–60cm spread.

Soil needs: Any reasonably drained soil; pH 6.0–7.5. Very tolerant, including poor soil.

Soil prep: Minimal — an easy, undemanding annual herb.

Planting depth: Sow direct, 1cm deep, spring.

Spacing: 30–45cm between plants; self-seeds very freely.

Fertiliser: None required.

Companions: Strawberries, tomatoes — traditional companion, said to attract pollinators and deter some pests; excellent for bees.

West of Ireland: An easy, fast-growing annual herb with bristly leaves and clusters of vivid blue, star-shaped, edible flowers beloved by bees, traditionally used in salads and drinks (Pimm's). Self-seeds so readily in the mild Irish climate that it can become a permanent, if welcome, self-sustaining patch once introduced.

A2. Bush Slipperwort 'Sunshine' (*Calceolaria integrifolia* 'Sunshine')

Russian: Кальцеолярия

Light: ☀ Full sun to ☁ partial shade, sheltered from cold.

Height/Spread: 20cm–1m tall depending on form (bedding cultivars like 'Sunshine' stay compact; the species can reach 1m as a perennial), 30–45cm spread.

Soil needs: Light, moderately fertile, free-draining, slightly acidic soil; pH 5.5–6.5.

Soil prep: Mix clay with compost and grit; ericaceous compost suits it well given the acid preference.

Planting depth: At pot level.

Spacing: 30–40cm between plants.

Fertiliser: Balanced liquid feed monthly through the growing season.

Companions: Other tender summer bedding and container plants with similar sun/acid-soil needs.

West of Ireland: RHS AGM (species). A bushy evergreen sub-shrub from Chile/Argentina, grown for its clusters of bright yellow, slipper-shaped flowers through spring and summer. Borderline hardy — needs a sheltered, frost-free spot, or treat as summer bedding/container plant lifted or replaced each year in most of Ireland.

A3. California Poppy (*Eschscholzia californica*)

Russian: Эшшольция калифорнийская

Light: ☀ Full sun essential; flowers close in cloudy weather.

Height/Spread: 30–45cm tall, 15–20cm spread.

Soil needs: Poor to moderately fertile, free-draining soil; pH 6.0–7.0. Dislikes rich, wet ground.

Soil prep: Minimal — thrives on poor soil; improve heavy clay with grit if needed.

Planting depth: Sow direct, 3–5mm deep, spring; dislikes root disturbance from transplanting.

Spacing: 15–20cm between plants; self-seeds freely.

Fertiliser: None required — over-feeding produces lush leaves and fewer flowers.

Companions: Cornflower, love-in-a-mist and other easy hardy annuals sharing its sunny, well-drained preference.

West of Ireland: An easy, cheerful annual with feathery blue-green foliage and silky orange, yellow or red flowers from February to September, mainly in spring/summer. Self-seeds readily once established, so it returns reliably year after year in a sunny spot with decent drainage.

A4. Cockscomb (*Celosia argentea* (Cristata & Plumosa Groups))

Russian: Целозия серебристая

Light: ☀ Full sun, though appreciates afternoon shade in hot spells.

Height/Spread: 20–60cm tall depending on cultivar/group (Cristata types shorter, Plumosa types taller, up to 1.2m in some), 20–30cm spread.

Soil needs: Fertile, moist but well-drained soil; pH 6.0–7.0.

Soil prep: Mix clay with compost; this is a tender tropical annual best raised in pots/under cover in Ireland.

Planting depth: Sow under cover in spring, plant out after frost risk has passed, at pot level.

Spacing: 20–30cm between plants.

Fertiliser: Balanced liquid feed monthly through the growing season.

Companions: Other tender summer bedding annuals; good as a cut flower.

West of Ireland: A striking tender annual with velvety, brightly coloured crested (cockscomb) or feathery plumed flowerheads that last for weeks and dry well. Needs real summer warmth to perform at its best — start under glass and plant out only once nights are reliably warm; treat as a container or greenhouse-assisted annual in a typical Irish summer.

A5. Cornflower (*Centaurea cyanus*)

Russian: Василёк синий

Light: ☀ Full sun.

Height/Spread: 60–90cm tall, 15–30cm spread.

Soil needs: Well-drained soil; pH 6.0–7.5. Tolerant of poor soil.

Soil prep: Improve clay with compost and grit; avoid over-rich ground, which produces weak, floppy stems.

Planting depth: Sow seed 1–2cm deep, spring (or autumn for earlier flowers).

Spacing: 20–30cm between plants; annual, self-seeds

Fertiliser: Little required.

Companions: Poppies, love-in-a-mist, briza maxima — classic hardy-annual cutting garden mix, and good for pollinators.

West of Ireland: Easy, reliable, and long-flowering through summer if deadheaded regularly. Self-seeds freely; the classic bright blue form is most traditional, though pink and white forms are also available.

A6. Cosmos (*Cosmos bipinnatus*)

Russian: Космея дваждыперистая

Light: ☀ Full sun essential.

Height/Spread: 60cm–1.2m tall (occasionally to 2m), 45–60cm spread.

Soil needs: Poor to moderately fertile, free-draining soil; pH 6.0–7.5. Rich soil produces lush leaves at the expense of flowers.

Soil prep: Minimal — thrives on ordinary or even poor soil; avoid heavy feeding.

Planting depth: Sow direct or under cover, 1cm deep, spring once frost risk has passed.

Spacing: 30–45cm between plants.

Fertiliser: Little to none required.

Companions: Zinnia, cornflower and other sunny cutting-garden annuals; attractive to pollinators.

West of Ireland: An easy, floriferous annual with finely cut, feathery foliage and daisy-like pink, white or crimson flowers from summer into autumn. Deadhead regularly to prolong flowering; taller forms may need light staking in the region's wind.

A7. Drumstick Flower (*Craspedia globosa*)

Russian: Краспедия шаровидная

Light: ☀ Full sun essential.

Height/Spread: 45–60cm tall, 30–40cm spread.

Soil needs: Free-draining, moderately fertile soil; pH 6.0–7.5.

Soil prep: Improve clay with 25–30% grit.

Planting depth: At pot level, or sow under cover in spring.

Spacing: 25–30cm between plants.

Fertiliser: Little needed.

Companions: Strawflower, statice — classic dried/everlasting flower bed companions.

West of Ireland: An Australian annual/short-lived perennial grown for its perfectly spherical, golden-yellow "drumstick" flowerheads on tall wiry stems, popular fresh or dried. Needs a warm, sunny, well-drained spot to perform reliably.

A8. Globe Amaranth (*Gomphrena globosa*)

Russian: Гомфрена шаровидная

Light: ☀ Full sun essential.

Height/Spread: 30–60cm tall, 20–30cm spread.

Soil needs: Moderately fertile, free-draining soil; pH 6.0–7.0.

Soil prep: Mix clay with compost and grit; a genuinely heat-loving tropical annual, best in a warm, sheltered spot or container in Ireland.

Planting depth: Sow under cover in spring, plant out after frost risk has passed, at pot level.

Spacing: 20–30cm between plants.

Fertiliser: Balanced liquid feed monthly through the growing season.

Companions: Other tender summer bedding annuals sharing its need for warmth and sun.

West of Ireland: A tender annual with round, papery, clover-like flowerheads in magenta, purple, pink, orange or white that hold their colour when dried — popular for everlasting arrangements. Needs a warm, sheltered, sunny spot to perform well through an Irish summer; start under glass for the most reliable results.

A9. Greater Quaking Grass (*Briza maxima*)

Russian: Трясунка большая

Light: ☀ Full sun.

Height/Spread: 30–50cm tall, 15–20cm spread.

Soil needs: Well-drained soil; pH 6.0–7.5. Tolerant of poor soil.

Soil prep: Improve clay with compost and grit.

Planting depth: Sow seed 5mm deep in spring, direct or in trays.

Spacing: 15–20cm between plants; annual, self-seeds

Fertiliser: Little required; over-feeding produces floppy growth.

Companions: Cornflower, poppies, love-in-a-mist — classic annual cutting-garden/cottage border mix; the papery seed heads are excellent for dried arrangements.

West of Ireland: An easy hardy annual ornamental grass with distinctive nodding, oat-like seed heads that rustle in the breeze — self-seeds readily, so allow some heads to drop if you want it to return next year, or deadhead if not.

A10. Lacy Phacelia (*Phacelia tanacetifolia*)

Russian: Фацелия пижмолистная

Light: ☀ Full sun.

Height/Spread: 60–90cm tall, 30–45cm spread.

Soil needs: Most well-drained soils including clay; pH 6.0–7.5. Very unfussy.

Soil prep: Minimal — often used as a green manure/cover crop precisely because it grows so easily on poor or heavy ground.

Planting depth: Sow seed 1cm deep, spring through summer for successional flowering.

Spacing: 20–30cm between plants; annual, sow successional

Fertiliser: None required.

Companions: Excellent sown alongside or near vegetable beds and fruit — one of the very best plants for attracting bees and other pollinators, and can be dug in as a green manure to improve soil structure.

West of Ireland: Fast, easy, and highly valuable for pollinators, with fuzzy purple-blue flower heads. Sow a patch near the vegetable garden or fruit trees to boost pollination, or use as a soil-improving green manure between crops.

A100. Lambs Tails (*Ptilotus exaltatus*)

Light: ☀ Full sun essential.

Height/Spread: 30cm–1.2m tall depending on conditions, 30–45cm spread.

Soil needs: Free-draining soil, tolerant of poor and sandy ground; pH 6.0–7.5. Genuinely drought-tolerant once established, reflecting its arid Australian origin.

Soil prep: Improve clay with 30% horticultural grit; a raised bed, gravel garden or container gives the most reliable drainage.

Planting depth: Sow under cover in spring, plant out after frost risk has passed, at pot level.

Spacing: 30–40cm between plants.

Fertiliser: Little needed — thrives on lean soil; over-feeding produces soft, floppy growth.

Companions: Other drought-tolerant annuals and gravel-garden plants sharing its need for sun and sharp drainage.

West of Ireland: Also called Tall Mulla Mulla or Pink Mulla Mulla, an Australian annual/short-lived perennial grown for its dense, woolly, bottlebrush-like flower spikes in vivid pink to magenta, a striking and unusual addition to a sunny border or gravel garden. Native to arid and semi-arid Australia, so it is not remotely frost-hardy and must be treated as a half-hardy annual here — started under glass and planted out only once all frost risk has passed, since the mild but consistently damp west of Ireland climate is a world away from its natural home.

A11. Love-in-a-Mist (*Nigella damascena*)

Irish / Russian: Nigéal · Чернушка дамасская (девица в зелени, нигелла)

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 30–60cm tall, 15–23cm spread.

Soil needs: Well-drained soil; pH 6.0–7.5.

Soil prep: Improve clay with compost and grit.

Planting depth: Sow seed 1cm deep, spring or autumn, direct where it is to flower (dislikes root disturbance from transplanting).

Spacing: 20cm between plants; annual, self-seeds freely

Fertiliser: Light balanced feed if soil is poor; otherwise little required.

Companions: Cornflower, poppies, briza maxima — classic hardy annual cutting garden mix; the inflated seed pods are attractive dried.

West of Ireland: Airy, feathery foliage surrounds delicate blue, white or pink flowers in summer, followed by ornamental seed pods. Self-seeds very readily — thin seedlings if too dense, or deadhead before seed pods form if self-seeding isn't wanted.

A12. Mealcup Sage 'Blue Bedder' (*Salvia farinacea* 'Blue Bedder')

Russian: Шалфей мучнистый

Light: ☀ Full sun essential — at least 6 hours daily. Poor, leggy growth and reduced flavour in shade.

Height/Spread: 1–1.5m tall, 1–1.5m spread.

Soil needs: Free-draining, poor to moderately fertile soil; pH 6.0–7.5. Excellent drainage is essential — rosemary is Mediterranean in origin and will not tolerate sitting in wet clay, especially over winter.

Soil prep: Mix clay generously with 30%+ horticultural grit, or plant on a raised mound/bed. Add a layer of grit or pebbles as surface mulch to keep the crown dry.

Planting depth: At pot level; do not bury the woody base.

Spacing: 45–60cm between plants

Fertiliser: Very little required — rich soil produces soft, less aromatic growth. A light balanced feed in spring is sufficient. Container plants: occasional liquid feed through summer.

Companions: Classic companion for brassicas (deters cabbage moth), carrots and beans in the vegetable garden; also thyme, lavender and other Mediterranean herbs with the same sun/drainage needs.

West of Ireland: One of the herbs most likely to struggle on wet west of Ireland clay in winter — a raised bed, gritty mound, or a large terracotta container that can be given a sheltered spot is strongly recommended over open ground. Trim lightly after flowering to keep compact; avoid cutting into old bare wood.

A13. Poached Egg Plant (*Limnanthes douglasii*)

Irish / Russian: Cúr léana · Лимнантес Дугласа

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 15–20cm tall, 20–30cm spread.

Soil needs: Moist but well-drained soil; pH 6.0–7.5. Tolerant and easy.

Soil prep: Mix clay with compost.

Planting depth: Sow direct, 5mm deep, spring or autumn.

Spacing: 15–20cm between plants; self-seeds freely.

Fertiliser: None required.

Companions: Excellent for attracting bees and hoverflies; good edging for a vegetable bed.

West of Ireland: A low, spreading annual with cheerful yellow-and-white flowers resembling a fried/poached egg, from late spring into summer. Easy and self-seeding in the mild Irish climate; a real pollinator magnet.

A14. Poppies (*Papaver spp.*, e.g. *P. rhoeas*, *Shirley poppies*)

Irish / Russian: Cailleach dhearg · Мак самосейка

Light: ☀ Full sun.

Height/Spread: 45–90cm tall, 30cm spread.

Soil needs: Well-drained soil; pH 6.0–7.5. Tolerant of poor soil.

Soil prep: Improve clay with compost and grit; avoid over-rich ground.

Planting depth: Sow seed on the surface or just barely covered (needs light to germinate), spring or autumn, direct where it is to flower.

Spacing: 15–20cm between plants; annual, self-seeds freely

Fertiliser: Little required.

Companions: Cornflower, love-in-a-mist, briza maxima — classic hardy annual meadow/cutting garden mix.

West of Ireland: The classic annual field/Shirley poppy self-seeds very freely and is one of the easiest hardy annuals to naturalise in a sunny border or wildflower patch. (Note: perennial Oriental poppies, *Papaver orientale*, are a different, longer-lived border plant with similar sun/drainage needs if a non-annual poppy is wanted instead.)

A15. Pot Marigold (*Calendula officinalis*)

Russian: Календула лекарственная

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 30–50cm tall, 30–40cm spread.

Soil needs: Any reasonably drained soil; pH 6.0–7.5. Very tolerant, including poor soil.

Soil prep: Minimal — an easy, undemanding annual.

Planting depth: Sow direct, 1cm deep, spring or autumn.

Spacing: 30cm between plants; self-seeds freely.

Fertiliser: None required.

Companions: Vegetable beds — traditional companion said to deter aphids and attract pollinators/beneficial insects.

West of Ireland: One of the easiest annuals there is, with cheerful orange or yellow daisy flowers from late spring right through to autumn if deadheaded. Self-seeds readily in the mild Irish climate; petals are edible and traditionally used medicinally.

A16. Snapdragons (*Antirrhinum majus*)

Irish / Russian: *Srubh Iao* · Львиный зев

Light: ☀ Full sun essential.

Height/Spread: 30–90cm tall depending on variety, 25–30cm spread.

Soil needs: Free-draining, moderately fertile soil; pH 6.0–7.5.

Soil prep: Improve clay with grit.

Planting depth: Sow under cover in spring, plant out at pot level.

Spacing: 25–30cm between plants.

Fertiliser: Balanced liquid feed monthly through the growing season.

Companions: Cosmos, zinnia — classic cutting-garden annual bed companions.

West of Ireland: A classic cottage-garden annual/short-lived perennial with tall spikes of colourful, snap-jawed flowers from summer into autumn. Often grown as a half-hardy annual in Ireland; taller varieties benefit from staking in wind.

A17. Strawflower (*Xerochrysum bracteatum*)

Russian: Бессмертник прицветниковый

Light: ☀ Full sun essential.

Height/Spread: 20–80cm tall depending on cultivar, 30–40cm spread.

Soil needs: Poor to moderately fertile, free-draining soil; pH 6.0–7.5.

Soil prep: Minimal — tolerant of poor, dry soil; improve heavy clay with grit.

Planting depth: Sow under cover in spring, plant out after frost risk, at pot level.

Spacing: 25–30cm between plants.

Fertiliser: Little required.

Companions: Other everlasting/dried-flower annuals; cornflower, statice.

West of Ireland: An Australian annual with brilliant, papery-petalled daisy flowers in gold, orange, red, pink or white from spring to autumn, prized for retaining colour and shape when dried. Straightforward in a warm, sunny, well-drained spot; deadhead to prolong flowering.

A18. Sweet Alyssum (*Lobularia maritima*)

Irish / Russian: *Alasam cumhra* · Лобулярия приморская (алисрум морской)

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 10–15cm tall, 20–30cm spread.

Soil needs: Free-draining, poor to moderately fertile soil; pH 6.0–7.5.

Soil prep: Minimal — very tolerant, even of poor soil.

Planting depth: Sow direct, 3mm deep, spring.

Spacing: 15–20cm between plants; self-seeds freely.

Fertiliser: None required.

Companions: Edging for beds and containers; excellent for attracting pollinators.

West of Ireland: A low, fragrant, mat-forming annual smothered in tiny white, pink or purple flowers from early summer into autumn. Easy, self-seeding, and a genuine pollinator favourite in the mild Irish climate.

A19. Sweet Peas (*Lathyrus odoratus*)

Russian: Душистый горошек

Light: ☀ Full sun.

Height/Spread: 1.8–2.5m tall (climbing), 30–45cm spread at base.

Soil needs: Moist but well-drained, fertile soil; pH 6.0–7.5.

Soil prep: Dig in plenty of compost — sweet peas are hungrier and thirstier than most annuals. Improve drainage with grit if the site is very wet.

Planting depth: Sow seed 2cm deep, spring (or autumn under cover for earlier, stronger plants).

Spacing: 15–20cm between plants against support

Fertiliser: Balanced liquid feed weekly once flowering begins; a high-potash feed (tomato feed) encourages more blooms.

Companions: Climbing roses, clematis — grow up the same wall/trellis for a long season of colour; also a classic vegetable-garden companion, attracting pollinators.

West of Ireland: Fragrant, prolific climbing annual for a sunny wall, trellis or wigwam of canes — regular picking (rather than letting pods form) is the key to a long flowering season. Needs support to climb by tendrils and consistent moisture at the roots.

A20. Winged Everlasting (*Ammobium alatum*)

Russian: Аммобиум крылатый

Light: ☀ Full sun essential.

Height/Spread: 60–100cm tall, 30–40cm spread.

Soil needs: Poor to moderately fertile, free-draining soil; pH 6.0–7.5.

Soil prep: Minimal — an easy, undemanding Australian native; improve heavy clay with grit.

Planting depth: Sow direct or under cover, spring, at pot level once transplanted.

Spacing: 30cm between plants.

Fertiliser: Little required.

Companions: Strawflower, statice and other papery-flowered everlastings for a dried-flower bed.

West of Ireland: An easy annual/short-lived perennial with distinctive winged stems and small, bright yellow-centred flowers surrounded by papery white bracts, useful fresh or dried, summer into autumn. Straightforward in a sunny, well-drained spot.

A21. Zinnia (*Zinnia elegans*)

Russian: Цинния изящная

Light: ☀ Full sun essential.

Height/Spread: 30–90cm tall depending on variety, 25–30cm spread.

Soil needs: Moderately fertile, well-drained soil; pH 6.0–7.5. Dislikes cold, wet ground.

Soil prep: Mix clay with compost and grit for drainage.

Planting depth: Sow under cover in spring, plant out after frost risk, at pot level; dislikes root disturbance.

Spacing: 25–30cm between plants; good air circulation reduces powdery mildew risk.

Fertiliser: Balanced liquid feed monthly through the growing season.

Companions: Cosmos, cornflower and other sunny cutting-garden annuals; excellent for pollinators.

West of Ireland: A classic warmth-loving cutting-garden annual with bold, long-lasting daisy flowers in a wide range of colours, summer into autumn. Needs a warm, sheltered, sunny spot and good airflow in the region's damp climate to avoid mildew; deadhead regularly for continued flowering.

GROUP B: BULBS

B1. Acidanthera (Abyssinian Gladiolus) (*Gladiolus murielae*)

Russian: Шпажник Мюриэл

Light: ☀ Full sun — essential. Plant in the warmest, sunniest spot available.

Height/Spread: 70–100cm tall, 10–15cm spread.

Soil needs: Fertile, well-drained, pH 6.0–7.0. Plant on sharp sand base.

Planting depth: 10–16cm deep on a bed of sharp sand. Plant April–May. Lift after first frosts; dry and store frost-free.

Spacing: 15–20cm between corms

Fertiliser: Balanced bulb fertiliser or tomato feed fortnightly from when shoots appear until flowering in August–September. Feed until foliage begins to die down.

Companions: Salvias, dahlias, gladioli, ornamental grasses, white agapanthus. Elegant near deep purple salvias or against dark evergreen hedging.

B2. African Lily (*Agapanthus africanus*)

Russian: Агапантус африканский

Light: ☀ Full sun essential.

Height/Spread: 60–90cm tall, 45–60cm spread.

Soil needs: Fertile, moist but well-drained soil; pH 6.0–7.5. Dislikes winter waterlogging.

Soil prep: Improve clay with 25–30% grit; a raised bed or large container gives the most reliable results on wet clay.

Planting depth: At pot level.

Spacing: 45–60cm between plants.

Fertiliser: Balanced liquid feed monthly through the growing season.

Companions: Crocosmia, ornamental grasses — classic late-summer border companions.

Pot/container: ✅ Grows very well in a large container, which also makes winter protection straightforward on wet clay.

West of Ireland: A striking South African bulb with tall stems topped by rounded clusters of blue or white trumpet flowers in mid-to-late summer. Borderline hardy — reliable outdoors in mild, sheltered coastal gardens with sharp drainage, or grown in a container that can be given winter protection elsewhere.

B3. Anemone (*Anemone spp.*)

Irish / Russian: Lus na gaoithe · Ветреница нежная

Species	Latin name	Height	Flowering	Planting depth	Notes
Balkan Anemone	<i>A. blanda</i>	10–15cm	Early–mid spring	5–8cm deep	Daisy-like blue, pink or white flowers; naturalises well in light woodland; soak corms 24 hours before planting
Poppy Anemone	<i>A. coronaria</i>	20–40cm	Spring (April–June in Ireland's cooler climate)	5–8cm deep	Large, poppy-like single flowers in vivid red, blue, purple or white with a black centre; needs consistent moisture while in growth; less reliably perennial than the other two, often grown as a replaced-yearly display
Wood Anemone	<i>A. nemorosa</i>	10–15cm	Early–mid spring	5–8cm deep	Native Irish woodland-floor species; white, sometimes pink-flushed, star flowers; the easiest and most reliable of the three to naturalise

Light: ☁️ Partial shade (woodland conditions) for Balkan and Wood Anemone. Poppy Anemone wants full sun and consistent moisture, unlike its shade-tolerant relatives.

Height/Spread: 10–40cm tall depending on species (see table), 10–20cm spread.

Soil needs: Balkan and Wood Anemone: humus-rich, moist but well-drained soil, pH 6.0–7.5; both are genuine woodland-floor plants. Poppy Anemone: well-drained but reliably moist soil during the growing season, pH 6.0–7.5 — dislikes drying out while in leaf and flower.

Soil prep: Mix clay with compost/leaf mould for all three.

Planting depth: All three: 5–8cm deep, in autumn (September–October). Soak corms of all three for 24 hours before planting to improve establishment.

Spacing: Balkan and Wood Anemone: 10cm between corms, planted in generous drifts. Poppy Anemone: 10–15cm between corms.

Fertiliser: None of the three are heavy feeders. Light balanced fertiliser in spring; allow foliage to die back naturally.

Companions: Snowdrops, bluebells, foxgloves in a woodland-edge bed for Balkan and Wood Anemone. Poppy Anemone suits a sunnier cutting-garden bed alongside ranunculus and other spring corms.

West of Ireland: Wood Anemone is native and the easiest to naturalise here, spreading gently by rhizome into drifts under trees and shrubs. Balkan Anemone behaves similarly and combines beautifully with it for an extended display. Poppy Anemone is the odd one out — it wants full sun rather than shade, and while fully hardy, it is less reliably perennial in Ireland's wet winters than the other two; many gardeners treat it as a colourful, replaceable spring bedding corm rather than a permanent naturaliser.

B4. Camassia (*Camassia spp.*)

Russian: Камассия

Light: ☀️ Full sun to ☁️ partial shade.

Height/Spread: 60–100cm tall, 15–20cm spread.

Soil needs: Moist but well-drained, fertile soil; pH 6.0–7.5. More tolerant of damp ground than most bulbs.

Soil prep: Mix clay with compost; less reliant on heavy grit than most bulbs in this guide.

Planting depth: 10–15cm deep, autumn.

Spacing: 15–20cm between bulbs.

Fertiliser: Light bonemeal at planting; otherwise little needed.

Companions: Alliums, late tulips, ornamental grasses — a good bridge between spring bulbs and early-summer perennials.

West of Ireland: A tall, elegant North American bulb with spikes of star-shaped blue, purple or white flowers in late spring/early summer. Tolerates the region's moist soil better than many bulbs, making it a reliable, easy naturaliser in a sunny border.

B5. Corn Lily (*Ixia spp.*)

Russian: Иксия

Light: ☀ Full sun.

Height/Spread: 30–50cm tall, 5–8cm spread.

Soil needs: Light, very free-draining soil; pH 6.0–7.0. Corms rot in wet, heavy clay.

Soil prep: Improve clay heavily with grit, or grow in containers of free-draining compost for best results.

Planting depth: 8–10cm deep, pointed end up, in spring (March–April) once frost risk has passed.

Spacing: 5–8cm between corms

Fertiliser: Low-nitrogen bulb/liquid feed while in leaf; avoid feeding once foliage dies back.

Companions: Freesia and other South African corms with similar sun and drainage needs.

West of Ireland: Borderline hardy (RHS H3) — in most of the west of Ireland best grown in pots that can be given a sheltered, dry position over winter, or lifted after the foliage dies down in autumn and stored dry and frost-free like gladioli, replanting the following spring. Wiry stems of star-shaped flowers in early summer.

B6. Crocus (*Crocus spp.*)

Russian: Крокус

Species	Latin name	Height	Flowering	Planting depth	Notes
Early Crocus ('Tommie')	<i>C. tommasinianus</i>	7–10cm	Early spring (February)	7–10cm deep	Pale lilac; self-seeds prolifically and forms spreading carpets within a few years — the easiest crocus to naturalise
Snow Crocus	<i>C. chrysanthus</i>	7–10cm	Late winter–early spring	7–10cm deep	Smaller flowers in a wide colour range, often bicoloured; one of the earliest to flower alongside 'Tommie'
Dutch/Large-flowered Crocus	<i>Crocus</i> spp. (Dutch hybrids)	10–15cm	Early–mid spring	10–12cm deep	The familiar bold, large-cupped garden and lawn crocus
Autumn Crocus (Bieberstein's)	<i>C. speciosus</i>	10–15cm	Autumn (October–November)	8–10cm deep; plant in August	Lilac-blue with orange stigmas, flowers before the leaves appear; 'Albus' tolerates light shade under deciduous shrubs
Saffron Crocus	<i>C. sativus</i>	10–15cm	Autumn (October)	8–10cm deep; plant in August	Purple flowers with the vivid red stigmas harvested as saffron; needs a warm, sheltered, sharply-drained spot

Light: ☀ Full sun preferred for most types. *C. speciosus* 'Albus' tolerates light shade under deciduous shrubs. Spring crocuses: sunny border, lawn or pot. Autumn crocuses: as for spring types.

Height/Spread: 7–15cm tall depending on species (see table), 5–8cm spread per corm, spreading into clumps.

Soil needs: Well-drained to gritty, poor to moderately fertile, pH 6.0–7.5. On heavy clay, add a handful of horticultural grit beneath each corm to prevent waterlogging. Spring types tolerate summer moisture if drainage is right; *C. sativus* prefers dry summers and is best grown in a pot.

Soil prep: Add 20–25% grit to clay planting areas. In lawns, use a bulb auger or trowel to make individual holes; place a little grit beneath each corm.

Planting depth: *C. tommasinianus* and *C. chrysanthus*: 7–10cm deep in small groups. Dutch hybrids: bigger corms, can go deeper at 12cm in garden lawns. *C. speciosus* and *C. sativus*: 8–10cm deep, planted a little earlier, in August. All: space individually about 9cm apart, pointed tip facing upward, September–November for spring-flowering types. A 20cm pot holds 15–20 corms comfortably — layer them 5–8cm deep, almost touching, for a dense display. Use a mix of multipurpose compost and horticultural grit (roughly 3:1) for sharp drainage. Fully hardy — corms are left in the ground permanently and never need lifting.

Spacing: 8–9cm between corms.

Fertiliser: Feed after flowering when leaves are still in active growth. Very little feeding required otherwise. A light balanced bulb fertiliser while foliage is green is sufficient. Allow foliage to yellow before removing — this feeds the corm for the following year.

Companions: For a layered spring display in grass, combine *C. tommasinianus* and *C. chrysanthus* with snowdrops (January–February) and daffodils (March–April). The three together give nearly four months of colour before the grass needs cutting. Muscari, squill, and winter aconites are also superb companions. Excellent beneath deciduous shrubs. Do not mow for at least 6 weeks after flowering in lawns. ⚠️ Squirrels and mice dig up freshly planted corms — cover with chicken wire for the first season.

Pot size: Use pots at least 15cm deep with drainage holes. A 20cm pot holds 15–20 corms comfortably.

West of Ireland: Crocuses naturalise magnificently in Irish gardens. *C. tommasinianus* — early February, pale lilac — is the standout performer, spreading into carpets with almost no effort once established, and is the crocus most worth planting generously if naturalising is the goal. Autumn-flowering types (*C. speciosus*, *C. sativus*) extend interest into October–November.

B7. Daffodils (*Narcissus spp.*)

Irish / Russian: *Lus an chromchinn* · Нарцисс

Light: ☀️ Full sun to partial shade. Naturalise under deciduous trees.

Height/Spread: 15–45cm tall depending on variety, 15–20cm spread.

Soil needs: Well-drained, pH 6.0–7.0. Add grit at base of each planting hole.

Planting depth: 15cm (3× bulb height). Plant September–October. Fully hardy — never needs lifting.

Spacing: 10–15cm between bulbs

Fertiliser: Balanced bulb fertiliser after flowering while foliage still green. Allow foliage to yellow for at least 6 weeks before removing. Autumn compost mulch on naturalised drifts.

Companions: Snowdrops (succession), tulips (follow on), Pulmonaria and muscari for ground cover. Naturalise magnificently under apple trees.

B8. Dwarf Iris (*Iris reticulata*)

Russian: Ирис сетчатый

Light: ☀️ Full sun.

Height/Spread: 10–15cm tall, 5–8cm spread.

Soil needs: Free-draining soil essential; pH 6.0–7.5. Bulbs rot in wet, heavy clay over winter.

Soil prep: Improve clay generously with 30–40% horticultural grit; excellent drainage is the key requirement. Raised beds, troughs or pots are often more reliable than open clay ground.

Planting depth: 8–10cm deep, pointed end up, in autumn. Fully hardy — never needs lifting.

Spacing: 5–8cm between bulbs

Fertiliser: Bonemeal or bulb fertiliser at planting (autumn). Low-nitrogen liquid feed while in leaf after flowering, to build next year's bulb.

Companions: Snowdrops, crocus and dwarf daffodils for a very early, low-growing spring display; also excellent at the front of a border or in rockeries.

West of Ireland: One of the earliest bulbs to flower, often in February. Best in a very free-draining spot such as a raised bed, trough or pot given typical clay drainage; can struggle to persist in heavy wet ground.

B9. Dwarf Sword Lily (*Gladiolus nanus*)

Light: ☀ Full sun essential.

Height/Spread: 40–70cm tall, 10–15cm spread.

Soil needs: Fertile, well-drained soil; pH 6.0–7.5.

Soil prep: Plant on a bed of sharp sand to aid drainage; improve clay with 20–25% grit.

Planting depth: 10–16cm deep, spring.

Spacing: 10–15cm between corms.

Fertiliser: Balanced liquid feed monthly while in active growth.

Companions: Freesia, ixia and other South African corms with similar sun and drainage needs.

West of Ireland: A dwarf, early-flowering gladiolus (Nanus Group) — smaller and daintier than the tall, later-flowering "large-flowered" gladiolus, with star-shaped flowers in soft pastel colours in early summer. More weather-resistant than its taller relatives and generally doesn't need staking. In milder west of Ireland gardens a thick, dry winter mulch is often enough to leave corms in the ground; in colder, more exposed spots lift when foliage dies back and store dry and frost-free over winter, replanting in spring.

B10. Erythronium (Dog's Tooth Violet) (*Erythronium dens-canis*)

Russian: Кандык

Light: ☁ Partial shade; woodland conditions.

Height/Spread: 15–25cm tall, 10–15cm spread.

Soil needs: Fertile, humus-rich, well-drained soil that does not dry out; pH 5.5–7.0.

Soil prep: Mix clay with generous compost or leaf mould; keep bulbs slightly damp before planting, since they dry out and fail to establish if left dry for long.

Planting depth: 10cm deep, planted in autumn while the soil is still warm; avoid spring planting, as bulbs establish poorly outside their natural cycle.

Spacing: 10–15cm between bulbs; spreads gently into clumps over the years.

Fertiliser: Light bonemeal at planting; otherwise very little needed.

Companions: Ferns, hellebores and other woodland-floor perennials; excellent under deciduous trees, in rock gardens, or near ponds and streams.

West of Ireland: A charming, nodding, lily-shaped spring bulb (mid-spring, April–June) with recurved mauve-pink petals marked with cinnamon and yellow at the throat, above attractive mottled purple-brown foliage. Naturalises gently in the cool, consistently moist woodland-floor conditions the west of Ireland climate provides, without becoming invasive — one of the more refined, less thuggish additions to a shaded spring border.

B11. Freesia (*Freesia spp.*)

Russian: Фрезия

Light: ☀ Full sun.

Height/Spread: 30–45cm tall, 8–10cm spread.

Soil needs: Light, free-draining soil; pH 6.0–7.0. Corms are tender/half-hardy and dislike cold, wet clay.

Soil prep: Improve clay with grit and compost, or grow entirely in containers of multipurpose/free-draining compost for reliability.

Planting depth: 5–8cm deep, pointed end up, in spring (March–April) once frost risk has passed.

Spacing: 5–8cm between corms

Fertiliser: Balanced liquid feed fortnightly once in growth, until foliage yellows after flowering.

Companions: Ixia, other South African corms with similar needs; good in mixed pots with other tender bulbs.

West of Ireland: Not reliably frost-hardy (RHS H2–H3) — in most west of Ireland gardens best grown in containers that can be moved under cover, or lifted and stored dry over winter like gladioli. Fragrant, long-lasting cut flowers.

B12. Fritillaria (*Fritillaria* spp.)

Species	Latin name	Height	Flowering	Planting depth	Notes
Checkered Lily (Snake's Head Fritillary)	<i>F. meleagris</i>	20–30cm	April–May	10cm deep	Checkered purple-and-white nodding bells; tolerates damp clay far better than the rest — the easiest to naturalise
<i>F. acmopetala</i>	<i>F. acmopetala</i>	30–70cm	April	10cm deep	Bell-shaped flowers flaring at the mouth; yellowish-green outer tepals with red veins, purplish-brown and yellow inside; easy and reliable
Crown Imperial	<i>F. imperialis</i>	80cm–1.2m	April–May	20–30cm deep, on its side	Tall crown-topped spike of orange, red or yellow bells; needs alkaline, sharply drained soil
Fox's Grape Fritillary	<i>F. uva-vulpis</i>	15–30cm	April	10cm deep	Small plum-brown bells with a grey bloom; needs a dry winter position
<i>F. michailovskyi</i>	<i>F. michailovskyi</i>	10–20cm	April–May	8–10cm deep	Small maroon bells tipped bright yellow; the most demanding of the group for drainage
Persian Fritillary	<i>F. persica</i>	60cm+	May	15–20cm deep, on its side	Tall spike of small plum-purple bells; needs alkaline, sharply drained soil like Crown Imperial

Light: ☀ Full sun for all — *F. meleagris* also tolerates partial shade.

Height/Spread: 20–90cm tall depending on species (see table), 8–15cm spread.

Soil needs: pH 6.0–8.0 depending on species. *F. meleagris*: moist but reasonably drained, tolerates damp clay. All others (*acmopetala*, *imperialis*, *uva-vulpis*, *michailovskyi*, *persica*): free-draining soil essential, and *imperialis/persica* need it neutral to alkaline; none tolerate waterlogging.

Soil prep: *F. meleagris*: improve clay with compost; heavy grit is less critical given its preference for damper ground. The rest: improve clay generously with 25–40% horticultural grit (30% for *imperialis* and *persica*, worked in over a 35–40cm depth with grit at the base of the hole); a raised bed, trough or pot gives the most reliable results for *acmopetala*, *uva-vulpis* and *michailovskyi* on heavy west of Ireland clay.

Planting depth: Plant all in autumn. *F. meleagris*: 10cm deep. *F. acmopetala*: 10cm deep. *F. uva-vulpis*: 10cm deep. *F. michailovskyi*: 8–10cm deep. *F. imperialis*: 20–30cm deep, on its side. *F. persica*: 15–20cm deep, on its side. All pointed end up except where planted on their side to stop water pooling in the hollow crown top. Fully hardy — none need lifting in the west of Ireland climate, though small bulbs of *meleagris*, *acmopetala*, *uva-vulpis* and *michailovskyi* dry out quickly out of the ground, so plant promptly after purchase, and *imperialis/persica* resent disturbance once settled.

Spacing: 8–10cm between bulbs for the smaller species (including *acmopetala*); 20–25cm for Persian Fritillary; 25cm for Crown Imperial.

Fertiliser: Light bonemeal at planting for all. Crown Imperial and Persian Fritillary are hungrier: balanced bulb fertiliser as shoots emerge, plus a high-potash liquid feed once or twice before flowering. The rest need very little beyond the initial bonemeal.

Companions: *F. meleagris*: snowdrops, daffodils, damp border or pond-margin planting. *F. acmopetala*, *F. uva-vulpis*, *F. michailovskyi*: other species fritillarias, dwarf iris, crocus in a sharply drained rockery. *F. imperialis*, *F. persica*: tulips, alliums, euphorbia, wallflowers.

West of Ireland: *F. meleagris* is one of the easiest bulbs to naturalise here, thriving in the moist climate. The rest are trickier: *F. imperialis* and *F. persica* are ⚠ challenging on wet clay and are most reliable in a raised bed or large gritty container, while *F. uva-vulpis* and *F. michailovskyi* need a raised bed, trough or pot rather than open clay ground to survive winter wet.

B13. Grape Hyacinth (*Muscari spp.*)

Russian: Мышиный гиацинт (мускари)

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 15–20cm tall, 5–8cm spread.

Soil needs: Well-drained soil; pH 6.0–7.5.

Soil prep: Improve clay with 20–25% grit.

Planting depth: 8–10cm deep, autumn.

Spacing: 5–8cm between bulbs.

Fertiliser: Light bonemeal at planting.

Companions: Daffodils, tulips, crocus — classic layered spring bulb display.

West of Ireland: An easy, reliably hardy small bulb with dense spikes of tiny, bead-like blue (occasionally white) flowers in spring, smelling faintly of grapes. Naturalises readily in a sunny border or under deciduous shrubs; can self-seed generously once established.

B14. Hyacinth (*Hyacinthus orientalis*)

Light: ☀ Full sun to 🌤 light shade; flowers less freely in shade.

Height/Spread: 20–30cm tall, 10–15cm spread.

Soil needs: Moderately fertile, well-drained soil; pH 6.0–7.0.

Soil prep: Mix clay with 20–25% horticultural grit to improve drainage.

Planting depth: 10cm deep, autumn.

Spacing: 8–10cm between bulbs.

Fertiliser: Bonemeal or bulb fertiliser at planting; balanced liquid feed as foliage emerges in spring.

Companions: Daffodils, tulips, forget-me-nots — classic spring bedding companions.

West of Ireland: One of the most intensely fragrant spring bulbs, with dense, waxy racemes of bell-shaped flowers in blue, white, purple, pink or yellow, opening from March to April. Fully hardy (down to around -20°C) and easy in the mild Irish climate; excellent for pots near a door or window where the scent can be appreciated. Container-grown bulbs should be protected from excessive winter wet.

B15. Iron Cross (*Oxalis tetraphylla* 'Iron Cross')

Russian: Кислица

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 10–15cm tall, 15–20cm spread.

Soil needs: Well-drained soil; pH 6.0–7.0.

Soil prep: Improve clay with compost and grit.

Planting depth: 5cm deep, growing point up, in spring (April–May) once frost risk has passed.

Spacing: 10–15cm between tubers; lift over winter

Fertiliser: Balanced liquid feed monthly through the growing season.

Companions: Front-of-border and container planting with other low, colourful summer bulbs such as ixia or dwarf dahlias.

West of Ireland: Grown for its distinctive four-lobed leaves marked with a dark maroon "iron cross" pattern and pink summer flowers. Tuber is not reliably frost-hardy — lift and store dry over winter like a dahlia, or grow in containers that can be moved under cover.

B16. Lilies (*Lilium spp.*)

Russian: Лилия

Light: 🌤 Full sun to partial shade. Most prefer heads in sun, roots shaded by low plants.

Height/Spread: 60cm–1.8m tall depending on type, 20–30cm spread.

Soil needs: Well-drained, pH 6.0–7.0. Drainage essential.

Soil prep: Compost and 20–25% grit. Place 5cm grit at base of each hole.

Planting depth: 15cm (3× bulb height) on a bed of grit, in autumn (September–October) or early spring. Fully hardy — never needs lifting.

Spacing: 15–30cm between bulbs

Fertiliser: Balanced bulb fertiliser as shoots emerge. Tomato feed fortnightly from bud formation until flowering. Continue feeding until foliage yellows. Do not remove foliage until it dies back naturally.

Companions: Hostas, geraniums, low salvias (shade the soil around bulbs). Roses (lilies fill the midsummer gap). Alliums in the same border.

B17. Martagon Lily (*Lilium martagon*)

Russian: Лилия кудреватая

Light: 🌤️ Partial shade to sun; happier in dappled woodland-edge light than full baking sun.

Height/Spread: 90–150cm tall, 30cm spread.

Soil needs: Well-drained, humus-rich soil, tolerant of neutral to slightly alkaline conditions; pH 6.0–7.5.

Soil prep: Compost and 20% grit at planting; unlike many lilies it tolerates heavier soil reasonably well once drainage is adequate.

Planting depth: 15cm deep (3× bulb height), on a bed of grit, in autumn (September–October) or early spring. Fully hardy — never needs lifting.

Spacing: 20–30cm between bulbs

Fertiliser: Balanced bulb fertiliser as shoots emerge; otherwise undemanding once established. Do not remove foliage until it dies back naturally.

Companions: Naturalises well among shrubs, in light woodland or a shady border with hostas, ferns and hellebores — unlike many lilies, martagon lily is happy in part shade.

West of Ireland: More shade-tolerant and better suited to naturalising under trees/shrubs than most garden lilies, with distinctive nodding, "turk's cap" recurved flowers in early-mid summer. Slow to establish — settle for two to three years before flowering well, but long-lived once happy.

B18. Meadow Saffron (*Colchicum*) (*Colchicum autumnale*)

⚠️ **Warning — highly toxic:** All parts of this plant, especially the corms, are highly toxic if ingested, and it is classified by the RHS among the most toxic garden plants (alongside foxglove, monkshood and yew). Always wear gloves when handling or dividing corms, and site well away from children, pets and livestock — it has caused fatal poisoning in dogs and grazing animals.

Light: 🌞 Full sun to 🌤️ partial shade.

Height/Spread: 10–20cm tall, 10cm spread.

Soil needs: Moist but well-drained, deep, humus-rich, fertile soil; pH 4.5–7.5. Intolerant of waterlogging.

Soil prep: Mix clay with generous compost; good drainage matters more than exact pH.

Planting depth: 7–10cm deep, planted July–August.

Spacing: 15cm between corms.

Fertiliser: None needed; light balanced feed in spring if naturalised in poor turf.

Companions: Daffodils, snake's head fritillaries, camassia for sequential spring-to-autumn colour in a wildflower meadow; cyclamen coum, hellebores and ferns in a dry-shade border.

West of Ireland: Also widely sold and known as Autumn Crocus, though it is not a true crocus (it has 6 stamens and 3 styles, versus a crocus's 3 stamens and 1 style) and is unrelated to the saffron crocus. Produces large, goblet-shaped lilac-pink flowers direct from bare soil in September–October — "naked ladies" — with the coarse, strap-like leaves not appearing until the following spring, then dying back by early summer. Easy and long-lived once planted, naturalising well in rough grass or under deciduous trees in the mild, moist Irish climate; corms and emerging buds are vulnerable to slug damage, so protect with grit or copper tape if this is a problem in your garden.

B19. Native Bluebells (*Hyacinthoides non-scripta*)

Irish / Russian: Coinnle corra · Гиацинтоидес неописанный

Light: ☀️ Partial shade preferred; ideal under deciduous trees where it flowers before the canopy closes. Tolerates full sun to full shade.

Height/Spread: 20–40cm tall, 5–10cm spread per bulb, spreading into drifts.

Soil needs: Moist but well-drained, humus-rich soil; slightly acid, pH 6.0–6.8. Tolerates clay reasonably well if not waterlogged.

Soil prep: Improve clay with leaf mould or compost; heavy grit amendment is not essential.

Planting depth: 8cm deep, pointed end up, in autumn.

Spacing: 8–10cm between bulbs

Fertiliser: Little required. Bonemeal at planting is sufficient; leave foliage to die back naturally each year to feed the bulb.

Companions: Ferns, hostas, primroses, wood anemones — classic native woodland-floor planting under deciduous trees and shrubs such as hawthorn, rowan or Japanese maple.

West of Ireland: Ireland's native bluebell, distinguished from the non-native Spanish bluebell by its narrower, more strongly recurved deep violet-blue flowers borne on one side of a nodding stem, its sweet scent, and creamy-white (not blue) pollen. Naturalises readily in a woodland-style planting and is excellent for pollinators. Spreads by both offsets and self-seeding, forming drifts over time, but is less aggressive and better behaved in a garden setting than Spanish bluebell.

⚠️ Harmful if eaten; wear gloves when handling bulbs, as the sap can irritate skin.

B20. Ornamental Onion (*Allium* spp.)

Species	Latin name	Flower colour	Height	Flowering	Planting depth	Notes
Giant Onion	<i>A. giganteum</i>	Purple	1.2–1.5m	Late spring–early summer	20cm deep	Huge globes to 15cm across; RHS AGM; the classic tall border allium
Golden Garlic	<i>A. moly</i>	Bright yellow	25–30cm	Late spring	8–10cm deep	Star-shaped flowers in loose clusters; spreads readily, almost naturalising
Ostrowsky's Onion	<i>A. oreophilum</i>	Rose-pink	15–20cm	Late spring	8–10cm deep	Loose clusters on short stems; good rockery/ front-of-border allium
Naples Garlic	<i>A. cowanii</i> (syn. <i>A. neapolitanum</i>)	White	20–30cm	Early–mid spring	8–10cm deep	Fragrant star flowers; flowers earlier than the rest; slightly less reliably hardy — see note below
<i>Allium</i> 'Nigrum'	<i>A. multibulbosum</i> 'Nigrum' (= <i>A. nigrum</i>)	White, dark centre	60–90cm	Late spring–early summer	15cm deep	Unusual open, spike-like flower head rather than a tight ball
Purple-flowered Onion	<i>A. atropurpureum</i>	Deep maroon-purple	80cm–1m	Late spring–early summer	20cm deep	Smaller, darker blooms than Giant Onion; a strong eye-catcher
Honey Garlic (Sicilian Honey Lily)	<i>A. siculum</i> (syn. <i>Nectaroscordum siculum</i>)	Cream with maroon streaks	Up to 1.2m	May–early June	15–20cm deep	Graceful drooping bell-shaped flowers on tall stems, followed by decorative upright seed pods; blue-grey twisted foliage; self-seeds readily
<i>Allium</i> 'Millennium'	<i>A. nutans</i> × <i>A. lusitanicum</i> hybrid	Rose-purple	40cm	Mid–late summer (July–August)	10–15cm deep	RHS Plant of the Year-winning hybrid bred by Mark McDonough; neat, tidy clump-forming habit with glossy deep green foliage that stays attractive all season; long-lasting 5cm globe flowerheads, excellent for pollinators; less prone to self-seeding than many alliums

Light: ☀ Full sun for all.

Height/Spread: 20cm–1.2m tall depending on species (see table), 10–30cm spread.

Soil needs: Free-draining soil; pH any, but bulbs rot in waterlogged clay, so drainage is essential. All tolerate loam, sand, clay and stony ground provided it drains.

Soil prep: Improve clay with 25–30% horticultural grit before planting; raised beds or mounded planting help on heavy soil.

Planting depth: Plant all in autumn (mid to late autumn is ideal). Roughly 2–3× the bulb's own depth, pointed end up (about 20cm for Giant Onion's large bulbs, 8–10cm for the smaller species). Space bulbs about twice the bulb's diameter apart. All are fully hardy and, once planted, are left in the ground permanently — none need lifting in the west of Ireland climate. *A. cowanii* is the one partial exception: as a Mediterranean species it is slightly less robustly hardy than the others, so in colder inland gardens (rather than the milder coastal west) it benefits from a sheltered spot or a winter mulch, though it is not usually necessary to lift it.

Spacing: 10–20cm between bulbs for the smaller species; 25–30cm for Giant Onion and *A. 'Nigrum'*/*atropurpureum*.

Fertiliser: Bonemeal or bulb fertiliser at planting. Balanced liquid feed as foliage emerges in spring, stopped once flowering finishes.

Companions: Roses (alliums are classic rose-border companions and can help deter some pests), peonies, irises, ornamental grasses. The smaller species (moly, oreophilum, cowanii) suit rockeries and gravel gardens; the taller ones (*giganteum*, *'Nigrum'*, *atropurpureum*) suit borders and cut-flower beds.

West of Ireland: All flower in late spring—for *A. cowanii* it's notably earlier, into March–April. Excellent in pots for good drainage on wet clay sites; leave foliage to die back naturally to feed next year's bulb. Honey Garlic self-seeds readily in the mild, moist climate here — deadhead promptly if you want to keep it contained, or let the ornamental seed pods stand for a naturalised look.

B21. Pineapple Lily (*Eucomis* spp.)

Light: ☀ Full sun essential.

Height/Spread: 30–60cm tall, 25–30cm spread.

Soil needs: Fertile, moist but well-drained soil; pH 6.0–7.5. Dislikes waterlogging, especially in winter while dormant.

Soil prep: Mix clay 50/50 with compost and 20–30% grit for drainage; a raised bed or large container gives the most reliable results.

Planting depth: Plant the bulb with its neck/tip at or just below the soil surface, roughly 10–15cm deep, in spring once frost risk has passed.

Spacing: 25–30cm between bulbs.

Fertiliser: Balanced liquid feed fortnightly through the growing season; high-potash feed as flower spikes develop.

Companions: Alliums, crocosmia, dahlias — bold, late-summer border companions with similar sun and drainage needs.

Pot/container: ✅ Grows very well in a large container, which makes lifting for winter storage in colder areas straightforward.

West of Ireland: A dramatic, exotic-looking bulb from South Africa with rosettes of strap-shaped leaves and tall, densely packed flower spikes topped with a tuft of leafy bracts (resembling a pineapple, hence the name), in white, green, pink or maroon depending on species/cultivar, from mid-to-late summer. Borderline hardy (RHS H3–H4 depending on species) — in most of the west of Ireland, mulch the dormant bulb thickly over winter if left in the ground, or lift and store dry and frost-free, similar to a dahlia tuber; a large container that can be moved to a sheltered spot for winter is the most reliable approach on wet clay.

B22. Ranunculus (*Ranunculus asiaticus*)

Russian: Лютик азиатский

Light: 🌞 Full sun to partial shade.

Height/Spread: 30–45cm tall, 15–20cm spread.

Soil needs: Well-drained, fertile, pH 6.0–7.0. Tubers rot in wet clay.

Soil prep: Compost and 20–30% grit. Plant on a bed of grit.

Planting depth: 5–8cm deep, claws pointing downward. Soak tubers 2–4 hours before planting. Plant in spring (February–April). Not reliably hardy — lift after flowering, dry, and store frost-free over winter, or treat as a seasonal pot plant.

Spacing: 15–20cm between tubers

Fertiliser: Balanced liquid fertiliser every 2 weeks once shoots appear. Liquid tomato feed from bud formation until flowering. Container: monthly balanced liquid feed.

Companions: Pansies and violas in cool-season containers. Muscari, fritillaria, spring anemones flower simultaneously.

West of Ireland: ⚠ Treat as seasonal pot plant — lift after flowering, dry, and store frost-free.

B23. River Lily (*Hesperantha coccinea*, syn. *Schizostylis coccinea*)

Light: ☀ Full sun to 🌤 light shade.

Height/Spread: 60cm tall, 30–45cm spread.

Soil needs: Moist but well-drained, moderately fertile soil; pH 6.0–7.0. Tolerates damp ground well and even poorly-drained soil, given its native streamside habitat.

Soil prep: Mix clay with generous compost; unlike most bulbs in this guide, this plant does not need extra grit and actually prefers a moisture-retentive spot.

Planting depth: Rhizome at soil level, spring.

Spacing: 20–30cm between plants; spreads gradually by rhizome to form good-sized clumps.

Fertiliser: Balanced feed in spring; annual compost mulch.

Companions: Astilbe, Japanese anemone, ornamental grasses — good companions for a moist, sunny border or pond-margin edge.

West of Ireland: Also called Crimson Flag Lily, a South African semi-evergreen perennial with sword-shaped leaves and spikes of vivid scarlet-red, star-shaped flowers from late summer into autumn — a valuable source of late-season colour when much else has finished. Genuinely happy in the moist soil typical of the west of Ireland climate; hardy to around -5 to -10°C, so a sheltered spot or a dry winter mulch is worthwhile in colder, more exposed gardens.

B24. Siberian Squill (*Scilla siberica*)

Russian: Пролеска сибирская

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 10–15cm tall, 5–8cm spread.

Soil needs: Well-drained soil; pH 6.0–7.5.

Soil prep: Improve clay with 20–25% grit.

Planting depth: 8–10cm deep, autumn.

Spacing: 5–8cm between bulbs.

Fertiliser: Light bonemeal at planting.

Companions: Snowdrops, crocus, daffodils — classic early spring bulb layering.

West of Ireland: A small, reliably hardy bulb with vivid blue, nodding, bell-shaped flowers in early spring, naturalising readily under deciduous trees or in a lawn. Easy and low-maintenance once established.

B25. Snowdrops (*Galanthus nivalis*)

Irish / Russian: Plúirín sneachta · Подснежник белоснежный

Light: 🌤 to 🌑 Partial to full shade. Under deciduous trees is ideal — winter/spring light before canopy forms.

Height/Spread: 10–20cm tall, 5–8cm spread.

Spacing: 8–10cm between bulbs

Soil needs: Humus-rich, moisture-retentive but well-drained, pH 5.5–7.0. Best planted "in the green."

Planting depth (dry bulbs): 10cm deep, 8–10cm apart, in autumn (September–October).

Planting depth (in the green): At same depth as growing; plant in spring, just after flowering, while leaves are still on. Fully hardy either way — never needs lifting.

Fertiliser: Light balanced fertiliser in early spring while foliage is still green. Annual leaf mould or compost mulch. Allow foliage to die back completely before removing.

Companions: Hellebores (classic January–March winter combination). Aconites, early narcissus, cyclamen coum in February–March. Underplant shrubs (forsythia, lilac) with snowdrops for colour before the shrubs flower.

B26. Snowflake (Summer) (*Leucojum aestivum*)

Irish / Russian: *Plúirín samhraidh* · Белоцветник летний

Note on naming: Despite its common name, the Summer Snowflake, *Leucojum aestivum*, flowers in mid-spring and goes dormant during summer, not in summer itself. It features nodding, bell-shaped white flowers with green-tipped tepals, and is softly chocolate-scented.

Light: ☀️ Full sun to partial shade. They prefer soil that stays cool and damp, making them ideal for borders, woodland edges, or near water.

Height/Spread: 15–45cm tall depending on species, 8–10cm spread.

Soil needs: Organically rich, medium moisture, well-drained soils in full sun to part shade. Adapts to clay soils. Plants need consistent moisture during the spring period of growth and bloom. pH 5.5–7.0. They are notably tolerant of wet and clay soils.

Soil prep: Add generous compost. Plants will naturalize well by bulb offsets. Bulbs are best left undisturbed once set in the ground. Mulch to retain summer moisture.

Planting depth: Plant dry bulbs 8–10cm deep in autumn in moist, humus-rich soil. Plant bulbs in autumn about 10cm deep and 8–10cm apart. Water well after planting and keep the soil evenly moist, especially during dry spells in spring. Allow the foliage to die back completely after flowering to feed the bulbs for next year's growth.

Spacing: 8–10cm between bulbs

Fertiliser: Light balanced bulb fertiliser in spring while foliage is green, or annual compost top-dressing around the planting area. Low-maintenance once established.

Companions: Mixes beautifully with other spring flowering bulbs. Tolerates boggy spots and will do well on the edges of natural ponds. Spectacular in large sweeping drifts. Excellent with daffodils, snowdrops, hellebores, and moisture-loving plants. Plant at pond edges where it will naturalise freely.

Pot size: 30–40cm diameter, 25cm+ deep; multipurpose compost.

West of Ireland: This attractive bulb is ideal for naturalising in areas of grass or planting in generous clumps throughout the front of borders and rockeries. The moist Irish conditions and winter-spring wet suit it perfectly. An excellent naturalistic bulb for damp areas that can be challenging for other bulbs.

B27. Spring Sowbread (*Cyclamen coum*)

Russian: Цикламен косский (дряква косская)

Light: ☁️ Partial to full shade; ideal under deciduous trees and shrubs.

Height/Spread: 5–8cm tall, 10–15cm spread.

Soil needs: Well-drained, humus-rich soil; pH 6.0–7.5. Dislikes waterlogging around the tuber.

Soil prep: Improve clay with leaf mould/compost and grit.

Planting depth: Tuber just below the soil surface (2–3cm), flattest side down, planted in late summer to early autumn (August–September) while dormant. Fully hardy — never needs lifting.

Spacing: 10–15cm between tubers

Fertiliser: Light balanced feed as leaves emerge in autumn/winter. Top-dress with leaf mould annually.

Companions: Snowdrops, winter aconite, hellebores — classic winter/early-spring woodland-floor planting.

West of Ireland: Flowers from midwinter into early spring, often alongside snowdrops, with attractively marbled leaves persisting after flowering. Once settled it self-seeds gently to form a carpet under trees and shrubs — avoid disturbing the tubers once established.

B28. Tulip (*Tulipa spp.*)

Species	Latin name	Height	Flowering	Planting depth	Notes
Tulip (garden hybrids)	<i>Tulipa</i> spp.	30–60cm	April–May	20cm deep (3× bulb height)	The familiar large-flowered garden tulip; rots readily in wet clay
'Little Beauty'	<i>T. humilis</i> 'Little Beauty' (syn. <i>T. hageri</i> 'Little Beauty')	10–15cm	Mid-spring (April–early May)	10–12cm deep	RHS AGM; fragrant cherry-red flowers with a cornflower-blue heart; a true species tulip that reliably perennialises
<i>T. saxatilis</i> (syn. <i>T. bakeri</i>)	<i>T. saxatilis</i>	15–20cm	Mid-spring	10–12cm deep	Lilac-pink flowers with a yellow base; the 'Lilac Wonder' form has an RHS AGM; spreads by stolons in a warm, sharply-drained spot
<i>T. tarda</i>	<i>T. tarda</i>	10–15cm	April	8–10cm deep	RHS AGM; up to five star-shaped yellow flowers with white tips per bulb; one of the most reliable species tulips for naturalising
Turkestan Tulip	<i>T. turkestanica</i>	10–15cm	February–March	10cm deep	Up to a dozen small white, yellow-centred star flowers per bulb; one of the earliest tulips
Whittall's Tulip	<i>T. orphanidea</i>	15–20cm	Mid-spring	10–15cm deep	Copper-orange star flowers, one to four per stem; reliably perennial
Wild Tulip	<i>T. sylvestris</i>	20–30cm	Mid-spring	10–15cm deep	Fragrant, nodding, buttercup-yellow; more shade- and damp-tolerant than the rest, spreads by stolons

Light: ☀ Full sun essential for all — except Wild Tulip, which tolerates partial shade as a woodland-edge species. 'Little Beauty' tolerates a little afternoon shade too.

Height/Spread: 10–60cm tall depending on species (see table), 8–15cm spread.

Soil needs: pH 6.0–7.5. Well-drained soil essential for garden hybrids and all the smaller species tulips ('Little Beauty', *saxatilis*, *tarda*, Turkestan, Whittall's) — all rot in wet winter clay and prefer to stay dry over summer dormancy. Wild Tulip is the one exception, tolerating damper, more clay-rich conditions than the others.

Soil prep: Improve clay with compost and 20–30% horticultural grit for garden hybrids and the smaller species tulips; raised beds or pots give the most reliable results on heavy west of Ireland ground. For Wild Tulip, heavy grit amendment is less critical.

Planting depth: Plant all in autumn (November is ideal for garden hybrids, to reduce tulip fire disease risk; the species tulips can go in a little earlier). Garden hybrids: 20cm deep (3× bulb height). 'Little Beauty': 10–12cm deep. *T. saxatilis*: 10–12cm deep. *T. tarda*: 8–10cm deep. Turkestan Tulip: 10cm deep. Whittall's Tulip: 10–15cm deep. Wild Tulip: 10–15cm deep. All pointed end up. The species tulips are fully hardy and never need lifting. Garden hybrid tulips are also hardy, but in Ireland's cool, wet climate many gardeners lift the bulbs after the foliage dies back in early summer, dry them off and replant in autumn, as this improves the reliability of repeat flowering more than leaving them in permanently damp ground; treating hybrids as annuals and replanting fresh bulbs each year is also common practice here.

Spacing: 8–10cm between bulbs for the species tulips; 10–15cm for garden hybrids.

Fertiliser: Light bonemeal at planting for the species tulips; otherwise little required. Garden hybrids benefit from a high-potash bulb fertiliser in early spring as shoots emerge, and a balanced feed after flowering while the foliage is still green if being kept for a second year.

Companions: Garden hybrids: forget-me-nots, wallflowers, daffodils, alliums, stocks. 'Little Beauty', *T. saxatilis*, *T. tarda*: rockeries, gravel gardens and troughs alongside crocus, dwarf iris and sempervivum. Turkestan Tulip: crocus, dwarf iris and other very early bulbs. Whittall's Tulip: crocus, grape hyacinth and other species tulips. Wild Tulip: naturalises well in grass or light woodland with daffodils.

West of Ireland: The species tulips (including the three newer additions here) naturalise far more reliably here than showier garden hybrids, which are best treated as a shorter-lived display unless lifted and dried each summer. 'Little Beauty' and *T. tarda* in particular are among the easiest and most reliable species tulips to leave permanently in the ground, given the sharp drainage they need; *T. saxatilis* spreads readily once established in a warm, well-drained spot.

B29. Winter Aconite (*Eranthis hyemalis*)

Light: ☀ Full sun to ☁ partial shade, ideally the dappled shade of deciduous trees.

Height/Spread: 5–15cm tall, 5–8cm spread.

Soil needs: Humus-rich, moderately fertile soil that doesn't dry out; pH 6.5–7.5. RHS notes it tolerates most soil types but does best in alkaline conditions — unusual among the woodland bulbs in this guide, most of which prefer neutral to acid ground.

Soil prep: Mix clay with compost; keep tubers slightly damp before planting, since dry tubers establish poorly.

Planting depth: 5cm deep, planted in early autumn while the soil is still warm; "in the green" (as growing plants just after flowering) is a more reliable alternative to dry tubers if available.

Spacing: 5–8cm between tubers; self-seeds and naturalises into spreading carpets over the years.

Fertiliser: Little needed; a light bonemeal at planting is sufficient.

Companions: Snowdrops, crocus and other very early bulbs — classic companions for a layered winter-into-spring display.

Warnings ⚠: All parts are toxic if ingested — a documented risk to dogs in particular.

West of Ireland: RHS AGM. One of the very earliest flowers of the year, pushing bright yellow, buttercup-like cup flowers through frozen ground in January–February, often before snowdrops. Fully hardy and naturalises readily in the mild, moist Irish climate once established, though it can be slow to settle in the first year or two — patience is rewarded with increasing carpets of gold each winter.

B30. Yellow Star-of-Bethlehem (*Gagea lutea*)

Russian: Гусиный лук жёлтый

Light: ☁ Partial shade to sun; naturally a woodland-floor plant, flowering before the canopy closes.

Height/Spread: 5–15cm tall, 5cm spread.

Soil needs: Moist, humus-rich, base-rich (near-neutral to slightly alkaline) soil; pH 6.5–7.5. Never allow it to dry out during the growing season.

Soil prep: Improve clay with compost/leaf mould; avoid heavy grit amendment, since this species prefers more moisture-retentive ground than most bulbs.

Planting depth: 5–8cm deep, pointed end up, in autumn. Fully hardy — never needs lifting.

Spacing: 5–8cm between bulbs

Fertiliser: Light bonemeal at planting. Otherwise little required; allow foliage to die back naturally.

Companions: Snowdrops, wood anemones and other early woodland-floor bulbs.

West of Ireland: A delicate, early-flowering native British woodland bulb; note that it is genuinely rare across Britain and Ireland and its status as a wild Irish native is uncertain — most sources describe it as a rare/scattered Great Britain species rather than confirmed native to Ireland, so plants sold for gardens are nursery-propagated stock rather than "native Irish" in origin. Grow in a shaded, undisturbed woodland-style corner.

GROUP C: CLIMBERS & WALL PLANTS

C1. Blue Passion Flower (*Passiflora caerulea*)

Irish / Russian: *Lus na páise* · Страстоцвет голубой

Light: ☀ Full sun, sheltered from cold wind — a south- or west-facing wall is ideal.

Height/Spread: 3–4m tall as a climber, 1–2m spread.

Soil needs: Most well-drained soils including clay; pH 6.0–7.5. Good drainage is essential — this is the hardiest passion flower but still dislikes waterlogged roots in winter.

Soil prep: Dig hole twice the rootball width against the wall base. Mix excavated clay 50/50 with compost and 20–30% grit.

Planting depth: At nursery soil mark, 30–45cm from the wall, angled towards support.

Spacing: 2–3m between plants against wall/fence

Fertiliser: Balanced general or high-potash liquid feed monthly through the growing season. Avoid excess nitrogen, which favours leaf growth over flowers.

Companions: Climbing roses, clematis and honeysuckle on the same wall/structure for a long season of colour.

West of Ireland: RHS hardiness H4 (hardy to about –5 to –10°C) — reliably hardy in most west of Ireland gardens with wall shelter, though may be cut back by hard frost and regrow from the base. Needs a sturdy support (trellis or wires) to climb by tendrils.

C2. Chocolate Vine (*Akebia quinata*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 3–5m tall as a climber, 1–2m spread.

Soil needs: Any reasonably fertile, well-drained soil; pH 6.0–7.5. Very adaptable.

Soil prep: Mix clay 50/50 with compost; not fussy about soil type once drainage is reasonable.

Planting depth: At nursery soil mark.

Spacing: 3–5m between plants against a sturdy support — this is a genuinely vigorous vine.

Fertiliser: Balanced feed in spring; otherwise little needed.

Companions: Best given a large, robust structure of its own — a strong pergola, arch or substantial fence — rather than sharing a modest trellis with more restrained climbers.

Pruning: Prune hard after flowering as needed to keep within bounds; tolerates hard cutting back well.

Warnings ⚠: RHS AGM winner, but extremely vigorous — sources cite growth of 6–12m. Needs a sturdy structure and at least one hard prune a year to stay controlled; can self-seed and naturalise in mild, sheltered gardens.

West of Ireland: A semi-evergreen to deciduous twining climber with unusual spicy, chocolate-scented, deep purple-brown flowers in spring, followed occasionally by sausage-shaped purple fruit in a good summer. Tolerates the mild, moist west of Ireland climate well in sun or part shade, but its vigour means it needs a genuinely strong structure and regular management — not a plant for a delicate garden trellis expected to also support other climbers.

C3. Clematis (*Clematis spp.*)

Irish / Russian: *Gabhrán* · Клематис

Light: ☀ Roots prefer shade (cover with stone or tile), stems flower best in sun or dappled light. Evergreen types prefer sheltered, sunny, south-facing wall.

Height/Spread: 2.5–10m tall depending on species (see table), 1–3m spread.

Soil needs: Well-drained, fertile, neutral to slightly alkaline, pH 6.5–7.5.

Soil prep: Mix clay 50/50 with compost plus 20% grit. Shade the root zone.

Planting depth: Groups 2 & 3 large-flowered: 10–15cm DEEPER than pot; *C. montana* (Group 1): 8–10cm; Evergreen types: at pot level only.

Spacing: 60–90cm between; cool roots essential

Fertiliser: Balanced slow-release fertiliser in early spring. From April: high-potash liquid feed (tomato feed) fortnightly until August. Feed regularly — clematis are hungry. Do not feed after August.

Companions: Climbing roses on the same wall (classic combination). Clematis through other shrubs. Late-flowering Group 3 through roses for second flush of colour.

Species for the west of Ireland: All of the following are hardy and well suited to the Atlantic climate; pruning group is noted for each.

Species	Latin name	Height	Flowering	Planting depth	Notes
<i>C. armandii</i>	<i>C. armandii</i>	5–9m	Early–mid spring (March–April)	At pot level (evergreen type)	Evergreen, glossy leathery leaves; fragrant white (or pink in 'Apple Blossom') flowers; vigorous, needs a warm, sheltered wall for best flowering
<i>C. montana</i>	<i>C. montana</i>	8–10m	Late spring	8–10cm deep (Group 1)	The most vigorous of the nine, covering itself in single, four-petalled white or pink flowers; best given a large wall, tree or shed to scramble over
<i>C. alpina</i>	<i>C. alpina</i>	2–3m	April	8–10cm deep (Group 1)	Compact, with nodding, lantern-shaped single flowers (four narrow sepals) in blue, purple, pink or white; good for a windy or north-facing spot
<i>C. macropetala</i>	<i>C. macropetala</i>	2–3m	Mid–late spring	8–10cm deep (Group 1)	Very similar to <i>C. alpina</i> in size and season, but the flowers look "double": extra narrow petal-like staminodes fill the centre
<i>C. viticella</i>	<i>C. viticella</i>	3–4m	Midsummer–autumn	10–15cm deeper than pot (Group 3)	Small, nodding, open bell-shaped flowers in purple, red or pink; naturally resistant to clematis wilt, a reliable choice on damp Irish sites
<i>C. tangutica</i>	<i>C. tangutica</i>	3.5–4.5m	Late summer–early autumn	10–15cm deeper than pot (Group 3)	Bright yellow, nodding lantern-shaped flowers followed by large, silvery, fluffy seedheads that persist into winter
<i>C. terniflora</i>	<i>C. terniflora</i>	3–6m	Late summer–autumn	10–15cm deeper than pot (Group 3)	The latest to flower, with small, star-shaped, fragrant white flowers in large sprays; extremely vigorous, so give it plenty of room
<i>C. cirrhosa</i> (<i>'Freckles'</i> / <i>'Wisley Cream'</i>)	<i>C. cirrhosa</i>	2.5–4m	Winter (November–February)	At pot level (evergreen type)	Evergreen, fern-like foliage; nodding, bell-shaped flowers — <i>'Freckles'</i> speckled maroon on cream, <i>'Wisley Cream'</i> plain cream;

Species	Latin name	Height	Flowering	Planting depth	Notes
					wants a sunny, sheltered site for best flowering
C. 'Winter Beauty'	C. urophylla 'Winter Beauty'	About 3m	Early–late winter	At pot level (evergreen type)	Evergreen; nodding, urn-shaped, creamy-white flowers to 4cm across from pale green buds, produced right through winter; ⚠️ sap is a skin irritant

C4. Climbing Honeysuckle (*Lonicera periclymenum*)

Irish / Russian: Féithleann · Жимолость вьющаяся

Light: ☀️ to 🌤️ Full sun to partial shade. Woodland-edge habit: roots shaded, stems growing into light.

Height/Spread: 4–7m tall as a climber, 1.5–2m spread.

Soil needs: Most soils; prefers moist, humus-rich.

Soil prep: Hole the same size as rootball. Mix in compost. Firm in and mulch.

Planting depth: At pot level.

Spacing: 1.5m between plants

Fertiliser: Balanced general fertiliser in spring (Growmore) or manure mulch. Liquid tomato feed fortnightly in summer encourages flowering. Avoid excessive nitrogen.

Companions: Climbing roses, clematis (classic combination). Plant near windows or doorways for evening fragrance. Native woodbine is a superb wildlife plant.

C5. Climbing Hydrangea (*Hydrangea anomala subsp. petiolaris*)

Russian: Гортензия черешковая

Light: 🌑 to 🌤️ North or east-facing walls are ideal — will grow and flower in shade that defeats most climbers. Full sun tolerated if soil stays consistently moist. Self-clinging via aerial roots; slow to start but ultimately vigorous (can reach 10–15m). RHS hardiness rating: H5 (to -15°C).

Height/Spread: 8–15m tall as a climber, 2–3m spread.

Soil needs: Fertile, moist but well-drained soil, pH 6.0–7.0. Tolerates clay, loamy and sandy soils. Dislikes waterlogged or excessively dry conditions.

Soil prep: Dig hole twice as wide and the same depth as the rootball. Mix in compost. If against a wall or fence, allow a 45cm gap between plant and wall (rain shadow). Mulch well. Space 60cm+ between plants.

Planting depth: At pot level. Can tolerate slightly deeper planting as it forms shoot-like roots on buried stem.

Spacing: 45cm from wall; 60cm+ between plants

Fertiliser: Needs little feeding for the first three years — do not feed during establishment. After year three: balanced slow-release fertiliser in early spring if leaves appear yellow; otherwise a single spring application of balanced granular feed is sufficient. Annual mulch with compost in late summer. Low-maintenance overall.

Companions: Grows beautifully with ivy on north-facing walls for year-round coverage. Ferns at its base (same moisture preference). Shade-tolerant hostas and hellebores beneath. Invaluable for dark walls where most climbers fail.

West of Ireland: Exceptional plant for the Irish climate. One of the very few climbers that genuinely thrives on cold, north-facing or shaded walls. The moist Atlantic climate suits it perfectly. Slow in the first 2–3 years but can ultimately cover an entire house wall.

C6. Climbing Roses (*Rosa, climbing cultivars*)

Russian: Плетистая роза

Light: ☀ Full sun preferred — at least 6 hours.

Height/Spread: 2–5m tall depending on variety, 1.5–2m spread.

Soil needs: Fertile, well-drained, pH 6.0–7.0. Never plant where a rose previously grew.

Soil prep: Double-dig (50–60cm deep). Mix clay 50/50 with compost and 20% grit. Position at least 45cm from wall.

Planting depth: Graft union just below soil level.

Spacing: 45cm from wall; 2–3m between plants

Fertiliser: Specialist rose fertiliser in late March and again in early June. Liquid high-potash feed fortnightly May–August. Stop feeding by late August. Annual bark or manure mulch.

Companions: Clematis (trained together on the same wall). Lavender at base. Alliums, salvia, hardy geraniums as foreground.

C7. Common Jasmine (*Jasminum officinale*)

Light: ☀ Full sun to 🌤 partial shade, ideally against a warm, sheltered wall.

Height/Spread: 5–9m tall as a climber, 1.5–2m spread.

Soil needs: Fertile, moist but well-drained soil; pH 6.0–7.5.

Soil prep: Mix clay 50/50 with compost and 20% grit; provide a sturdy trellis or wires for its twining stems.

Planting depth: At nursery soil mark, 30–45cm out from the wall or fence base.

Spacing: 2–3m between plants against a wall or pergola.

Fertiliser: Balanced fertiliser in spring; high-potash liquid feed through summer to encourage flowering.

Companions: Climbing roses, clematis and honeysuckle on the same wall or pergola for a long season of scent and colour.

Pruning: Prune immediately after flowering, thinning out crowded and dead growth; flowers on the current year's growth, so avoid hard pruning in late winter/spring, which removes the coming season's flowers.

West of Ireland: A vigorous, twining deciduous-to-semi-evergreen climber grown above all for its powerfully fragrant white summer flowers, beloved for training over an archway, pergola or seating area where its scent can be appreciated. Fully hardy in the mild, moist west of Ireland climate, though a sheltered spot gives the healthiest growth and the best flowering.

C8. Hardy Grapes (*Vitis vinifera*)

Irish / Russian: Fíonchaora · Виноград культурный

Light: ☀ Full sun — south-facing wall essential. Without maximum sun, fruit will not ripen.

Height/Spread: 6–9m tall as a climber, 2–3m spread.

Soil needs: Well-drained, pH 6.0–6.5. Neutral to slightly alkaline preferred; mulch to keep soil moist.

Soil prep: Clay/compost/grit plus coarse gravel at base. At least 20cm from wall.

Planting depth: At pot depth; graft above soil.

Spacing: 1.2–1.5m between vines; 20cm from wall

Fertiliser: Balanced fertiliser with potassium in early spring. High-potash liquid feed fortnightly through summer. Do not overfeed with nitrogen. Grapevines on somewhat lean soil often fruit better.

Companions: Lavender, rosemary, garlic, hyssop at base. Good air circulation is critical in Irish conditions to reduce fungal disease risk.

Your varieties:

'Phoenix' — A mid-season white dessert and wine grape with large bunches of pale green fruits. Bred in Germany; its most important attribute for west of Ireland growing is its excellent built-in resistance to both powdery mildew and downy mildew, making it one of the most reliable outdoor grapes in the UK and Ireland. Hardy and very productive. Harvest: mid-September. One of the very best choices for Irish conditions (source: RHS outdoor cultivation guide; Pomona Fruits; Roots Plants).

'Regent' — A vigorous, disease-resistant red/blue-black dual-purpose grape for wine-making, juice or dessert eating. Originally bred in Germany (Chambourcin × Müller-Thurgau parentage). Bunches of large, dark red grapes mature to blue-black in early autumn; foliage turns red and purple in autumn. Excellent resistance to fungal diseases including downy mildew; slightly less resistant to mildew in

unusually humid seasons. Hardy to northern European conditions. Harvest: September–October depending on season. RHS recommends growing in full sun in well-drained, humus-rich, neutral to slightly alkaline soil (RHS plant profile, Vitis 'Regent').

'Boskoop Glory' (also sold as 'Gloire of Boskoop') — A very popular and reliable outdoor dessert and wine grape developed in the Netherlands in the 1950s; a hybrid between *V. vinifera* and *V. labrusca*. Vigorous, disease-resistant and very cold-tolerant — one of the hardiest outdoor grape varieties available, RHS Award of Garden Merit holder. Large bunches of sweet, blue-black, seedless grapes ripen in early autumn (typically late August–September). Suitable for outdoor cultivation almost anywhere in the UK and Ireland. Leaves turn shades of red and purple in autumn. Can grow to an impressive 10m high and 4m wide. ⚠️ Harmful to dogs if eaten. (Source: RHS plant profile Vitis 'Boskoop Glory'; Wikipedia; Roots Plants; Marshalls Garden.)

C9. Hops (*Humulus lupulus*)

Irish / Russian: *Lus an leanna* · Хмель обыкновенный

Light: 🌞 Full sun to partial shade. Full sun produces more vigorous growth and larger cones.

Height/Spread: 6m tall as a climber, 1–1.5m spread.

Soil needs: Rich, moist, well-drained, pH 6.0–8.0. Tolerates clay well.

Soil prep: Dig and enrich generously with compost. Heavy feeders.

Planting depth: Rhizome 5–8cm deep; pot-grown plants at pot level.

Spacing: 1–1.5m between plants

Fertiliser: High-nitrogen fertiliser in spring, then balanced fertiliser with potassium once flowering begins. Thick compost or manure mulch each spring. Container: balanced liquid feed monthly throughout the growing season.

Companions: Climbing roses, clematis, ornamental grasses. Golden hop ('Aureus') looks spectacular against dark-foliaged plants (yew, holly).

C10. Ivy (*Hedera helix* / *H. hibernica* — native Irish ivy)

Irish / Russian: *Eidhneán* · Плющ обыкновенный

Light: 🌑 Full shade to 🌞 full sun. One of the most light-tolerant plants. In deep shade variegated forms lose markings; green forms thrive.

Height/Spread: 10–20m tall as a climber (self-clinging), 3–5m spread.

Soil needs: Almost any soil including heavy clay, pH 5.0–8.0.

Soil prep: Minimal — basic compost addition to planting hole.

Planting depth: At pot level.

Spacing: 30–50cm between plants

Fertiliser: Little required. Balanced slow-release in spring if plant appears weak. Annual bark mulch. Container: balanced liquid fertiliser monthly during the growing season.

Companions: Native *H. hibernica* is one of Ireland's most important wildlife plants — nesting habitat, late nectar, winter berries. Grows beautifully under trees alongside ferns, snowdrops, and bluebells. With Virginia creeper on walls for year-round interest.

C11. Kiwi 'Jenny' (*Actinidia deliciosa* 'Jenny')

Light: 🌞 Full sun to partial shade. Best fruiting in full sun; a south- or west-facing wall gives the most reliable cropping in Ireland.

Height/Spread: 4–9m tall as a climber, 2–3m spread.

Soil needs: Fertile, moist but well-drained soil, pH 6.0–7.0. Sandy loam is ideal; dislikes waterlogging, so on clay, drainage improvement is essential.

Soil prep: Dig a generous hole at least 60cm wide and 45cm deep, 45cm out from the wall or fence. Mix the excavated clay 50/50 with multipurpose compost and 20–25% horticultural grit to guarantee free drainage at the root zone. Install a strong permanent support (trellis, wires or pergola) at planting time — the vine is vigorous and support is far harder to add later. Mulch generously with bark after planting to retain moisture and suppress weeds.

Planting depth: At pot level; do not bury the crown. Plant in spring once frost risk has passed (April–May).

Spacing: 3–5m between plants, trained against a wall or over a sturdy pergola.

Fertiliser: Balanced granular fertiliser (e.g. Growmore) in early spring as buds swell, then a high-potash liquid feed (tomato feed) fortnightly from May to August. Do not feed after August. Mulch annually with well-rotted compost each spring.

Companions: Climbing roses, wisteria or clematis on adjacent structures. Lavender and rosemary at the base suit its preference for a warm, sheltered spot; garlic or chives nearby help deter aphids.

Pruning: Prune in late winter to establish a framework, then again in summer to control vigorous growth. Fruit forms on the current season's lateral shoots — shorten these to 4–6 leaves beyond the last fruit cluster each summer.

Hardiness & pot growing: Hardy to about -10°C to -15°C once established; young plants need frost protection over their first winter. ⚠️ Can be grown in a large container (60–80L minimum) but fruits far less freely than in the ground.

West of Ireland: 'Jenny' is self-fertile, removing the need for a second pollinator plant, which makes it the practical choice for most gardens here. Kiwi is at the northern edge of its reliable fruiting range in Ireland, so a sheltered, sun-warmed wall is essential and a modest crop is realistic rather than a heavy one.

C12. Necklace Vine (Maidenhair Vine) (*Muehlenbeckia complexa*)

Light: ☀️ Full sun to ☁️ partial shade.

Height/Spread: 3–4m tall (or as groundcover mounds), 1–2m spread.

Soil needs: Most well-drained soils, including poor or dry ground; pH 5.5–7.5. Very adaptable.

Soil prep: Minimal — tolerant of poor soil; improve heavy waterlogged clay with grit.

Planting depth: At nursery soil mark.

Spacing: 1–1.5m between plants against a support, or as ground-covering mounds if left unsupported.

Fertiliser: Little needed once established.

Companions: Works well trained over a wire frame or topiary form, or left to scramble as groundcover among rocks; combines with ornamental grasses and other textural foliage plants.

Warnings ⚠️: Can self-seed and spread vigorously in mild, sheltered gardens — monitor and control if this is unwanted, particularly near hedgerows or wild areas.

West of Ireland: A wiry-stemmed, small-leaved evergreen (semi-evergreen in colder spots) climber or scrambling groundcover from New Zealand, useful for softening fences, trained over topiary frames, or as dense low cover on a bank. Tolerates coastal exposure and salt-laden wind well, making it a useful, tough choice for an exposed west of Ireland garden, though its spreading habit needs occasional control.

C13. Schisandra (*Schisandra spp.*)

Species	Latin name	Height	Flowering	Planting depth	Notes
Five-Flavour Berry (Magnolia Vine)	<i>S. chinensis</i>	6–9m	Late spring (April–May)	At nursery soil mark	Fragrant cream to pale-pink flowers; hanging clusters of red "five-flavour" berries on female plants; RHS-confirmed hardy
Red-Flowered Magnolia Vine	<i>S. rubriflora</i>	6–9m	Late spring–early summer	At nursery soil mark	Deep crimson, waxy, cup-shaped flowers — showier than <i>S. chinensis</i> ; pea-sized red berries on dangling spikes; hardy to about -15°C

Light: ☁️ Partial or dappled shade is preferred by both, though *S. chinensis* also tolerates full sun provided the soil stays consistently moist. *S. rubriflora* is the more shade-loving of the two and does well against a shady wall or trained up through a tree.

Height/Spread: 6–9m tall as a climber, 2–3m spread.

Soil needs: Fertile, humus-rich, moist but well-drained soil for both; pH 6.0–7.5, tolerant of light, medium and heavy soils including clay.

Soil prep: Mix clay 50/50 with well-rotted compost; mulch well after planting to help retain the consistent moisture both species need — they resent drying out.

Planting depth: At the same depth as in the nursery pot for both. Plant climbers 30–60cm out from a wall or fence base to avoid the driest soil directly beneath, angling the young plant towards its support.

Spacing: Allow at least 2–3m for a mature plant of either species against a wall, trellis or through a large shrub or tree.

Fertiliser: Feed lightly in spring with a balanced fertiliser to support healthy growth and flowering; an annual mulch of garden compost is otherwise sufficient.

Companions: Both are well suited to growing through a large, sturdy shrub or small tree, or trained on a shady wall alongside climbing hydrangea or ivy.

Pruning: Tie in young shoots to their support until established. Both flower and fruit on the current season's growth, so prune lightly immediately after flowering to control shape; avoid hard pruning, and remove only damaged, weak or overcrowded stems.

Warnings ⚠️: Both species are dioecious (separate male and female plants) — for berries, plant at least one of each sex reasonably close together, since a single plant grown alone will flower but will not fruit.

West of Ireland: Both are genuinely hardy woody twining climbers native to the forests of China and neighbouring parts of Asia, well suited to a sheltered spot in an Irish garden. *S. chinensis* ("wu wei zi", the five-flavour berry, so called because its fruit combines sweet, sour, salty, bitter and pungent tastes) is the more commonly available and more sun-tolerant of the two, while *S. rubriflora* has showier, richer crimson flowers and prefers more shade — ideal for a north- or east-facing wall or growing up through an established tree where little else will flower well. Both give attractive yellow autumn colour before leaf fall.

C14. Tufted Vetch (*Vicia cracca*)

Irish / Russian: *Peasair na luch* · Горошек мышиный

Light: ☀️ Full sun to 🌤️ partial shade.

Height/Spread: 1–2m tall (scrambling), 1m spread.

Soil needs: Most soils including clay; pH 6.0–7.5. Tolerant and unfussy, as a nitrogen-fixing legume.

Soil prep: Minimal — very adaptable. Improve heaviest clay with compost if desired.

Planting depth: At pot level, or sow seed directly 1–2cm deep in spring.

Spacing: 20–30cm between plants; scrambles via tendrils

Fertiliser: None required — like other vetches, it fixes its own nitrogen. Avoid rich feeding, which encourages excess soft growth.

Companions: Grasses, other wildflower meadow and hedgerow species; scrambles happily through shrubs or a wildlife-friendly fence/trellis via tendrils.

West of Ireland: A native climbing/scrambling wildflower with clusters of blue-purple pea flowers, valuable for bees and other pollinators. Best suited to a wildflower area, informal hedge or meadow planting rather than a formal border, as it can spread and scramble vigorously.

C15. Virginia Creeper (*Parthenocissus quinquefolia*)

Russian: Виноград девичий пятилисточковый

Light: 🌤️ Full sun to partial shade. Autumn colour more vivid in sunnier positions.

Height/Spread: 10–20m tall as a climber, 3–5m spread.

Soil needs: Wide range including clay, pH 5.5–7.5.

Soil prep: Dig twice the rootball, backfill with clay/compost mix.

Planting depth: At pot level.

Spacing: 1.5–3m between plants

Fertiliser: Low-maintenance. Balanced general fertiliser in spring. Annual bark mulch. In poor soils, slow-release granular fertiliser provides sufficient nutrition for the season.

Companions: Ivy on same wall for year-round coverage. Late-flowering clematis. Good companion for climbing roses (extends season of interest).

C16. Wisteria (*Wisteria sinensis* / *W. floribunda*)

Russian: Глициния китайская

Light: ☀️ Full sun — south- or west-facing wall essential. Flowers very poorly in shade.

Height/Spread: 9–18m tall as a climber, 2–4m spread.

Soil needs: Well-drained, fertile, pH 6.0–7.0.

Soil prep: 60cm wide, 40cm deep, at least 45cm from wall base. Clay/compost/grit blend over a wide area.

Planting depth: At pot level; graft union above soil. Buy grafted plants — seed-grown can take 15–20 years to flower.

Spacing: 45cm from wall; 3m between plants

Fertiliser: High-potash fertiliser (tomato feed) from spring through early summer — avoid nitrogen (produces leaves, not flowers). Light dressing of bonemeal in spring. Do not feed after midsummer.

Companions: Climbing roses on adjacent wall, alliums and irises at its feet, spring bulbs at the base. Do not plant near drains or gutters.

GROUP F: FRUIT TREES & SHRUBS

F1. Almond (*Prunus dulcis*)

Light: ☀️ Full sun essential, in the warmest, most sheltered spot available.

Height/Spread: 4–6m tall (free-standing), 4–5m spread.

Soil needs: Well-drained, fertile soil; pH 6.0–7.5. Dislikes waterlogging.

Soil prep: Dig a hole twice the rootball width. Mix clay 50/50 with compost and 20–30% grit for drainage.

Planting depth: At nursery soil mark; graft union above soil level.

Spacing: 4–6m between plants if free-standing; fan-trained against a wall needs 4–5m of wall space.

Fertiliser: Balanced fruit tree fertiliser each February; potash-rich feed as nuts develop.

Companions: Chives and garlic nearby to deter aphids; spring bulbs beneath, timed with the very early blossom.

Pruning: Prune in summer only, to reduce the risk of silver leaf and bacterial canker common to Prunus species.

Warnings ⚠️: Flowers extremely early (often February), so blossom is highly vulnerable to frost damage — this is the single biggest obstacle to a reliable nut crop in a cool climate.

West of Ireland: Grown more for its beautiful very early pink-white blossom than for a reliable nut harvest in this climate — most self-fertile ornamental almonds flower before pollinating insects are reliably active, and the region's damp, cool spring rarely gives the sustained summer warmth almonds need to ripen a worthwhile crop of nuts. Best treated as a beautiful, hardy flowering tree in a warm, sheltered, south-facing spot, with any nuts a welcome bonus rather than the main reason to grow it. Self-fertile cultivars remove the need for a pollination partner, but a sheltered site is essential regardless.

F2. Apple (*Malus domestica*)

Irish / Russian: Crann úll · Яблоня домашняя

Popular garden varieties — UK/Ireland:

Variety	Season	Notes
'Baya Marisa'	September–October	Compact, disease-resistant modern variety bred specifically for pots and small gardens; usually sold on P22 rootstock
Cox's Orange Pippin	October	The classic English dessert apple; complex, aromatic flavour; needs a warm, sheltered site and a pollination partner
'Granny Smith'	Late season	Crisp, tart, green-skinned; needs a long, warm growing season to ripen fully, so cropping is less reliable in a cool Irish summer than the varieties above

Popular garden varieties — Russia:

Variety	Season	Notes
White Transparent (Белый налив, Bely/Beliy Naliv)	Mid-late summer	One of the most famous and widely grown Russian apples; very early ripening, extremely hardy, sharp/tart flavour best suited to cooking; also grown across Poland and the Baltic states
Antonovka (Антоновка)	Autumn/keeper	"The people's apple" — Russia's classic dacha-garden variety; strongly acidic, aromatic; exceptionally cold-hardy and long-storing; also widely used as a cold-hardy seedling rootstock
Grushovka Moskovskaya (Грушовка московская)	Mid-summer	An old, very early-ripening Russian variety, sweet-sour flavour, extremely frost-tolerant (to about -30°C); needs a pollination partner

Apple rootstocks:

Rootstock	Vigour	Approx. height	Notes
M27	Extremely dwarfing	1.2–1.8m	For a container or the very smallest garden; needs permanent staking and good soil
M9	Dwarfing	1.8–2.4m	The most popular rootstock for a garden bush tree; needs permanent staking
P22	Very dwarfing	1.2–1.8m	Polish rootstock (M.9 × Common Antonovka cross); good winter hardiness and good resistance to root rots, a real advantage on wet Irish clay; needs permanent staking for life
M26	Dwarfing	2.4–3m	A popular choice for a slightly larger bush; usually needs staking for its first years
MM106	Semi-vigorous	3–4m	A good general-purpose choice for a free-standing garden tree; does not usually need permanent staking once established
M25	Vigorous	Over 4.5m	For a full-sized standard tree; not suitable for a small garden

Light: ☀ Full sun essential — at least 6 hours daily.

Height/Spread: 1.2m–4.5m+ tall depending on rootstock (see table), similar spread.

Soil needs: Well-drained, moderately fertile soil; pH 6.0–7.0.

Soil prep: Dig wider and deeper than the root system. Break up clay beneath. Mix excavated clay 50/50 with multipurpose compost over a broad area. Keep a 60cm weed-free circle around the base permanently.

Planting depth: Graft union (bulge near stem base) at or just above soil level. Plant to the nursery soil mark.

Spacing: Depends entirely on rootstock — see table above.

Fertiliser: Balanced fruit tree fertiliser (Growmore or specialist fruit feed) each February. Liquid high-potash feed (tomato feed) fortnightly from late spring to midsummer. Do not feed after July. Bonemeal in the planting hole at planting.

Companions: Chives and garlic deter aphids (dwarfing rootstocks like P22 are particularly susceptible to woolly apple aphid). Nasturtiums attract beneficial insects. Most apples need a compatible pollination partner flowering at the same time — plant two or more varieties, or rely on neighbouring gardens/wild crab apple, for a reliable crop.

West of Ireland: Permanent staking is essential on any of the dwarfing rootstocks (M27, M9, P22, M26) given Atlantic winds. 'Baya Marisa' on P22 is a good, compact, disease-resistant choice for a small garden or large pot; Cox's Orange Pippin rewards a warm, sheltered spot with real flavour but is fussier about site than the others; the Russian varieties (White Transparent, Antonovka, Grushovka Moskovskaya) are all exceptionally cold-hardy and were bred for climates considerably harsher than Ireland's, so they generally thrive here with no special protection needed, though most need a pollination partner. 'Granny Smith' is the least reliable cropper of the group in a cool Irish summer, since it evolved for a warmer climate with a longer ripening season.

F3. Blackberries (*Rubus fruticosus* agg.)

Irish / Russian: Sméara dubha · Ежевика кустистая

Cultivar	Habit	Height/Spread	Notes
Black Satin	Thornless, vigorous, semi-erect	1.25–1.5m / 80cm–1m	Self-fertile; deep blue-black berries, mid-late season; resistant to cane spot; white spring flowers
Navaho Thornless	Thornless, upright, moderately vigorous	1.5–2m / 1–1.2m	Compact and self-supporting, needing little to no staking; very sweet berries when fully ripened; good disease resistance
Chester Thornless	Thornless, semi-erect, vigorous	1.8–2.5m / 1.2–1.8m	Late-season; very high yields; good resistance to cane blight and sunscald; one of the hardiest thornless varieties
Loch Ness	Thornless, compact, upright	1.5–1.8m / 1–1.2m	RHS AGM; bred in Scotland, well suited to Irish and UK conditions; very heavy cropping; large, firm fruit; mid-late season

Light: ☀ Full sun to 🌤 partial shade for best fruiting.

Height/Spread: 1.8–3m tall (trained on wires), 1.5–2m spread.

Soil needs: Most moist, well-drained soils including clay; pH 5.5–7.0. One of the most clay-tolerant fruiting plants.

Soil prep: Dig hole twice the rootball width. Mix excavated clay 50/50 with compost.

Planting depth: At nursery soil mark.

Spacing: 2–3m between plants against wires

Fertiliser: Balanced general fertiliser (Growmore) in spring. Annual mulch with compost.

Companions: Raspberries and other cane fruit with similar needs; avoid planting near wild bramble, which can cross-pollinate and revert vigour.

West of Ireland: Extremely easy and productive on Irish clay — thornless cultivars (e.g. 'Loch Ness', 'Oregon Thornless') are more manageable than wild bramble for a garden setting. Provide a sturdy wire support and tie in new canes each summer; cut back fruited canes after harvest.

F4. Blackcurrant (*Ribes nigrum*)

Irish / Russian: Cuiríní dubha · Смородина чёрная

Light: 🌤 Full sun to partial shade — tolerates shade better than other currants.

Height/Spread: 1.2–1.5m tall, 1.2–1.5m spread.

Soil prep: Double dig; compost generously; 15–20% grit on heavy clay.

Planting depth: 5–7cm deeper than nursery mark. Cut all stems to 10cm after planting.

Spacing: 1.2–1.5m between plants

Fertiliser: High-nitrogen fertiliser in early spring. Again after harvest. Generous compost or manure mulch each winter. Potassium deficiency (brown leaf edges) common — use balanced feed with potassium.

Companions: Alliums, garlic, nasturtiums nearby; redcurrant, gooseberry in the same bed.

F5. Blueberry (*Vaccinium corymbosum*)

Russian: Голубика высокорослая

Popular garden varieties:

Variety	Season	Notes
'Bluecrop'	Mid-season	The world's most widely planted blueberry; large, sweet, powder-blue berries; very hardy; reliable all-rounder
'Duke'	Early	RHS-listed; flowers late (avoiding frost) but ripens early; firm, tangy-sweet berries
'Patriot'	Early	RHS AGM; large, sweet, firm berries; vigorous and hardy, with good tolerance of less-than-ideal soil
'Sunshine Blue'	Mid-season	Compact (to about 1m), semi-evergreen; the most reliably self-fertile variety if only growing one bush; ideal for a container

Light: 🌞 Full sun to partial shade. More berries in full sun.

Height/Spread: 1–1.8m tall depending on variety, 1–1.5m spread.

Soil needs: Ericaceous, pH 4.0–5.5. Use ericaceous compost only. Rainwater preferred for watering.

Pot size: Start in 40cm diameter pot; scale up every 2–3 years. Final container: minimum 50 litres (~60cm diameter, 45–60cm deep). One blueberry per pot. Heather and lingonberry compatible at edges of a wide trough (same pH).

Planting depth: At pot level.

Spacing: 1 plant per pot; 60cm between pots

Fertiliser: Use only ericaceous liquid fertiliser fortnightly April–August. Top-dress with fresh ericaceous compost in spring. Sulphur chips to maintain acidity over time.

Companions: Heather, lingonberry, cranberry, other *Vaccinium*. Dedicated ericaceous bed with rhododendrons and azaleas if naturally acidic area. Most varieties are only partially self-fertile — planting two different varieties nearby significantly improves berry size and yield, even though a single bush of 'Sunshine Blue' will crop well alone.

F6. Cranberry (*Vaccinium macrocarpon*)

Russian: Клюква крупноплодная

Light: 🌞 Full sun to partial shade. Best fruiting in full sun.

Height/Spread: 10–20cm tall (trailing groundcover), 60–90cm spread.

Soil needs: Highly acidic, pH 4.0–5.0. Bog plant — prefers consistently moist, peaty, acidic conditions. Must be grown in ericaceous compost container or purpose-made acidic bog bed.

Pot size: 30–45cm wide, 20–30cm deep container; 100% ericaceous compost. Keep consistently moist. Do not add grit.

Planting depth: At pot level; shallow-rooting.

Spacing: 30–45cm in acidic bed

Fertiliser: Ericaceous liquid fertiliser monthly April–August. Do not use general-purpose fertilisers. Adapted to nutrient-poor conditions — do not overfeed.

Companions: Heather, lingonberry, blueberry (all share ericaceous requirements). Low carpet beneath taller blueberry bushes.

West of Ireland: The moist, mild Atlantic climate is naturally ideal for cranberry — but only if you provide or replicate acidic bog soil. Container with ericaceous compost is most practical.

F7. Fig (*Ficus carica*)

Popular hardy varieties:

Variety	Notes
'Brown Turkey'	RHS AGM; the most popular and reliable variety for outdoor UK/Ireland growing; large, sweet, red-fleshed fruit; hardy to about -10°C
'Brunswick'	Very hardy, suited to cooler areas; large fruit, pink-yellow flesh, ripens a little earlier than 'Brown Turkey'
'White Marseilles'	Compact, self-fertile; pale, very sweet fruit

Light: ☀ Full sun essential, ideally against a warm, south- or west-facing wall.

Height/Spread: 3–4m tall (roots restricted), 3–4m spread.

Soil needs: Free-draining soil; pH 6.0–7.5. Figs actually crop best when their roots are restricted — overly rich, deep soil produces lush leaves at the expense of fruit.

Soil prep: If planting in the ground, restrict the roots using paving slabs or a buried bottomless container, packed with rubble at the base — this is essential for reliable fruiting, not optional. In a pot, use a loam-based compost such as John Innes No. 3 with added grit.

Planting depth: At nursery soil mark.

Spacing: 3–4m if free-standing in the ground with roots restricted; large containers (35–45cm diameter) suit patio growing well.

Fertiliser: Weekly liquid tomato feed once the fruit has formed; annual mulch.

Companions: Best given its own space, since it casts fairly dense shade once mature.

Pruning: Prune in late winter/early spring to shape, and pinch out growing tips in early summer to encourage the embryonic fruit that will overwinter and ripen the following year.

Pot/container: ✅ Figs grow very well in a large pot, which naturally restricts the roots and encourages fruiting — often the easiest way to grow a productive fig in a cooler climate.

West of Ireland: In a temperate climate like Ireland's, figs typically produce two flushes of embryonic fruit a year: the young "embryo" figs that form in late summer survive winter on the bare branches and ripen the following year, while a second flush that forms in spring rarely has time to ripen outdoors and is best removed at the end of the season if larger than a pea. A warm, sheltered wall out of the worst of the Atlantic wind and rain gives the best results; all three varieties above are reliably hardy and self-fertile, needing no pollination partner (indeed no pollinating wasp, unlike wild figs).

F8. Garden Plum (*Prunus domestica*)

Irish / Russian: *Crann plumaí* · Слива домашняя

Light: ☀ Full sun essential for best fruiting — at least 6 hours daily, sheltered from wind.

Height/Spread: 3–5m tall depending on rootstock, 2.5–4m spread.

Soil needs: Well-drained, moderately fertile soil, pH 6.0–7.0. Dislikes waterlogged clay — good drainage is essential.

Soil prep: Dig wider and deeper than the root system. Break up clay beneath. Mix excavated clay 50/50 with compost and 20–30% grit over a broad area. Keep a weed-free circle around the base.

Planting depth: Graft union (bulge near stem base) at or just above soil level. Plant to the nursery soil mark.

Spacing: 3–5m between trees depending on rootstock; permanent stake

Fertiliser: Balanced fruit tree fertiliser (Growmore or specialist fruit feed) each February. Do not feed after midsummer, to allow wood to ripen before winter. Potash feed helps fruiting.

Companions: Chives and garlic to deter aphids. Comfrey or nasturtiums nearby to attract beneficial insects. Many plums (though not all) need a compatible pollination partner flowering at the same time — check the variety before buying.

Popular hardy cultivars: 'Victoria' — RHS AGM, self-fertile, the best-known English plum, dual-purpose (eating and cooking), late August–early September, though can crop unreliably some years. 'Czar' — RHS AGM, self-fertile, compact and very reliable, a traditional culinary plum that will even fruit on a north-facing wall, early August. 'Opal' — RHS AGM, self-fertile, early dessert plum with good flavour, very easy to grow, early August.

West of Ireland: Permanent staking recommended against Atlantic winds, especially on dwarfing rootstocks. Choose a sheltered, sunny spot away from frost pockets — plum blossoms early and late frosts can damage the crop. 'Czar' is a particularly good choice for a cooler, more exposed west of Ireland garden given its reliability and tolerance of less-than-ideal conditions.

F9. Gooseberry (*Ribes uva-crispa*)

Irish / Russian: *Spíonán* · Крыжовник обыкновенный

Light: 🌞 Full sun to partial shade. Tolerates semi-shade better than most fruit.

Height/Spread: 1.2–1.5m tall, 1.2–1.5m spread.

Soil prep: Compost and grit amendment. Bonemeal at planting.

Planting depth: At nursery mark; roots covered ~5cm. Cut all stems to 30cm after planting.

Spacing: 1.5m between plants

Fertiliser: Sulphate of potash in late winter/early spring. Balanced fertiliser after flowering. Annual compost mulch. Avoid excessive nitrogen.

Companions: Redcurrants, whitecurrants. Tansy nearby reportedly repels gooseberry sawfly.

F10. Green Strawberry (*Fragaria viridis*)

Russian: Клубника луговая (клубника степная, клубника лесная, земляника зелёная)

Light: 🌞 Full sun essential for maximum fruiting.

Height/Spread: 20–30cm tall, 30–45cm spread.

Soil needs: pH 5.5–6.8, well-drained. Raised bed on clay strongly recommended.

Soil prep: Compost and grit. Raised bed 20–25cm high.

Planting depth: Crown exactly at soil level — too deep = crown rot; too shallow = roots dry out.

Spacing: 30–45cm between plants (or 45cm × 75cm rows if in open ground)

Fertiliser: High-potash fertiliser (tomato feed) fortnightly from first flowers until fruiting ceases. Balanced granular fertiliser in early spring. Do not use high-nitrogen fertiliser.

Companions: Borage, garlic, chives, marigolds. Avoid planting near brassicas.

Popular garden varieties:

Variety	Type	Season	Notes
'Korona'	Summer-fruiting	Early–mid-season (from mid-June)	Large, glossy, dark red, very juicy fruit; excellent resistance to verticillium wilt, botrytis and grey mould — a real advantage in the wet west of Ireland climate
'Ostara'	Perpetual (everbearing)	Early summer, then mid-July until first frosts	Conical, medium-sized, firm, juicy fruit with a flavour recalling wild strawberry; vigorous, spreading habit suits raised beds and hanging baskets
'Summer Breeze'	Perpetual (everbearing)	Throughout the growing season	Compact, ornamental patio strawberry, grown as much for its decorative flowers and habit as for its small, sweet berries; good for containers and borders

F11. Hazelnut (*Corylus avellana*)

Light: 🌞 Full sun to 🌤️ partial shade.

Height/Spread: 4–5m tall (or 2m coppiced), 4–5m spread.

Soil needs: Any well-drained soil, including clay and chalk; pH 6.0–7.5. Very adaptable.

Soil prep: Minimal — one of the easiest, most tolerant fruiting plants of clay in this guide.

Planting depth: At nursery soil mark.

Spacing: 4–5m between plants for a full-sized bush, or 2m if grown as a managed, regularly coppiced hedge.

Fertiliser: Little needed once established; a balanced feed in spring for young plants.

Companions: Native Irish hedgerow species (blackthorn, hawthorn) if grown as informal hedging; primroses and bluebells beneath.

Pruning: Traditionally pruned in late winter ("brutting" — snapping over long sideshoots in late summer improves nut set); can be coppiced or kept as an open-centred bush.

West of Ireland: A native Irish tree/large shrub, found wild in hedgerows throughout the country, producing edible nuts in autumn. Fully hardy and thoroughly at home in the mild, moist Atlantic climate. Wind-pollinated by catkins in late winter, so plant at least two bushes (or rely on wild hazel nearby) for a reliable nut crop, since a single isolated bush often crops poorly. Squirrels are usually quicker than gardeners at harvesting the nuts.

F12. Honeyberry (Камчатка) (*Lonicera caerulea* var. *kamtschatica*)

Russian: Жимолость камчатская

Popular garden varieties:

Variety	Taste	Height	Notes
'Altaj'	Sweet-sour, aromatic, honey-like	1.5–2m	From southern Siberia; extremely cold-hardy (to -40°C); thornless, compact habit; produces more aromatic fruit than many varieties
'Larisa'	Fresh, sweet	1.5–1.8m	Elongated berries rich in vitamins B and C; self-pollinating but crops better with a second variety nearby

Light: 🌞 Full sun to partial shade. Fruits better in full sun.

Height/Spread: 1.5–2m tall, 1–1.5m spread.

Soil needs: Very flexible, pH 4.5–7.5, tolerates clay. Plant two different varieties for cross-pollination.

Soil prep: Standard clay improvement with compost and grit.

Planting depth: At pot level or slightly deeper.

Spacing: 1–1.5m between plants

Fertiliser: Balanced fertiliser in early spring. Annual compost mulch. Liquid balanced feed monthly during flowering and fruiting can improve yields.

Companions: Blueberry, lingonberry in adjacent beds. Pollinator-attracting flowers nearby (important for early February–April flowers). Needs 2+ varieties: e.g. 'Borealis' and 'Tundra', or 'Altaj' and 'Larisa'.

F13. Lingonberry (*Vaccinium vitis-idaea*)

Russian: Брусника обыкновенная

Light: 🌤️ Partial shade preferred — woodland edge as recommended by the RHS. Tolerates full sun if soil stays consistently moist.

Height/Spread: 15–20cm tall (trailing groundcover), 30–50cm spread.

Soil needs: Acidic, moist but well-drained, pH 4.2–5.5. Same requirements as blueberry. Will not tolerate neutral or alkaline soil.

Pot size: 30cm diameter, 20cm+ deep container; 100% ericaceous compost. Or a dedicated acidic bed.

Planting depth: At pot level. Space 30cm apart.

Spacing: 30cm between plants

Fertiliser: Ericaceous liquid fertiliser monthly April–August only. Mulch with pine bark to maintain acidity.

Companions: Blueberry, heather, cranberry. Low ground cover under taller blueberry bushes. Also combines well with deer fern (same acidic conditions) in a naturalistic ericaceous bed.

West of Ireland: Produces berries twice per year (late July and late September). Self-fertile. Excellent for west of Ireland mild, moist climate.

F14. Olive (*Olea europaea*)

Light: ☀ Full sun essential, in the warmest, most sheltered spot available.

Height/Spread: 2–3m tall in open ground (mild areas), 2–3m spread.

Soil needs: Very free-draining soil, tolerant of poor, dry, alkaline ground; pH 6.0–8.5. Hates waterlogging above all else.

Soil prep: Improve clay heavily with 40–50% horticultural grit, or grow in a large container of free-draining, loam-based compost — strongly preferable to open ground on Irish clay.

Planting depth: At nursery soil mark.

Spacing: 2–3m between plants if grown in open ground in a mild area; more commonly grown singly as a container specimen.

Fertiliser: Balanced fertiliser in spring; avoid feeding late in the season.

Companions: Lavender, rosemary and other Mediterranean plants sharing its need for sun and sharp drainage.

Pot/container: ✅ Strongly recommended in this climate — growing in a large container allows the plant to be moved to a sheltered spot, porch or unheated glasshouse during the coldest, wettest spells of winter, which it tolerates far better than being left out in waterlogged ground.

West of Ireland: Borderline hardy (RHS H4, roughly to -5°C, though damage typically comes from wet cold rather than dry cold) — reliably surviving outdoors only in the very mildest, most sheltered coastal west of Ireland gardens, and even then rarely ripening a useful crop of fruit given the lack of sustained summer heat. Best treated as a handsome, silvery-leaved evergreen container specimen for its foliage and gnarled form, with any olives a curiosity rather than a realistic harvest. Winter wet, far more than winter cold, is what usually kills an olive in this climate — sharp drainage is essential.

F15. Peach (*Prunus persica*)

Popular varieties for Ireland/UK:

Variety	Season	Notes
'Peregrine'	Mid-August	RHS AGM; one of the most reliable croppers for a cooler climate thanks to later flowering; white flesh, excellent flavour
'Rochester'	Mid-August	RHS AGM; yellow flesh, reasonable flavour; large, juicy fruit; later flowering gives some frost protection
'Melred'	Early August	Self-fertile; compact (~2m), well suited to a large container; double deep pink-red ornamental blossom as well as fruit

Light: ☀ Full sun essential, in a warm, sheltered spot such as against a south-facing wall.

Height/Spread: 2–4m tall depending on training/variety, 2–3m spread.

Soil needs: Moist but well-drained, fertile soil; pH 6.0–7.0.

Soil prep: Dig a hole twice the rootball width. Mix clay 50/50 with compost and 20–30% grit for drainage.

Planting depth: At nursery soil mark; keep the graft union above soil level.

Spacing: 2–3m if free-standing; fan-trained against a wall needs 3–4m of wall space.

Fertiliser: Balanced fruit tree fertiliser each February; potash-rich feed as fruit develops. Stop feeding by midsummer.

Companions: Chives and garlic nearby to deter aphids; underplant with spring bulbs.

Pruning: Prune only in summer (never winter) to reduce the risk of silver leaf disease.

Pot/container: ✅ 'Melred' in particular stays compact, reaching only around 2m — well suited to a large container on a patio, in addition to open ground.

West of Ireland: All three varieties above are self-fertile, so a single tree crops without a pollination partner. Blossom appears March–April (protect from late frosts with horticultural fleece) followed by fruit ripening from early to mid-August depending on variety. Best grown fan-trained against a warm, sheltered wall in the cooler west of Ireland climate, which helps ripen both blossom and fruit and offers some protection from wind and rain. 'Peregrine' and 'Rochester', both later-flowering, are the more reliable choices for a genuinely cool, exposed site; 'Melred' suits a smaller garden or patio.

F16. Pear (*Pyrus communis*)

Popular varieties for Ireland/UK:

Variety	Pollination	Season	Notes
'Conference'	Self-fertile	Mid-late season	By far the most widely grown UK/Ireland pear; reliable, heavy-cropping, familiar elongated shape
'Concorde'	Partially self-fertile	Late season	RHS AGM; a 'Conference' × 'Doyenné du Comice' cross bred at East Malling; combines Conference's shape with Comice's sweetness
'Doyenné du Comice'	Needs a pollination partner	Late season	Widely regarded as the best-flavoured dessert pear, though a less reliable cropper and needs a sheltered spot

Pear rootstocks:

Rootstock	Vigour	Approx. height	Notes
Quince A	Semi-vigorous	Similar to apple M26	The standard general-purpose pear rootstock; suits bush, half-standard and most trained forms
Quince C	More dwarfing	1.8–2.4m (6–8ft)	Produces a smaller tree, roughly comparable to apple M9/Bud 9; needs staking and good soil

Light: ☀ Full sun essential for best flowering and fruiting.

Height/Spread: 1.8m–4m+ tall depending on rootstock (see table), similar spread.

Soil needs: Moist but well-drained, fertile soil; pH 6.0–7.5.

Soil prep: Dig a hole twice the rootball width. Mix clay 50/50 with compost and 20–30% grit for drainage.

Planting depth: Graft union at or just above soil level.

Spacing: Depends on rootstock and form — see rootstock table above; fan or espalier against a wall needs 3.5–5m of wall space.

Fertiliser: Balanced fruit tree fertiliser each February; potash-rich feed as fruit develops.

Companions: Chives and garlic nearby to deter aphids; most pears need a compatible pollination partner flowering at the same time — check before buying.

Pruning: Prune in winter while dormant (unlike stone fruit); trained forms (espalier, cordon) are pruned in summer.

West of Ireland: Pears tolerate the mild, moist west of Ireland climate well, though blossom appears early and can be caught by late frosts — a sheltered, sunny spot away from frost pockets gives the best results. 'Conference' is the most forgiving choice for a typical Irish garden, being both self-fertile and a reliable cropper even in a cooler summer; 'Doyenné du Comice' rewards a warm, sheltered wall with genuinely superior flavour but is the least reliable of the three here.

F17. Plum Tree 'Aprimira' (*Prunus domestica* 'Aprimira')

Light: ☀ Full sun essential — a warm, sheltered spot gives the best fruit set and ripening.

Height/Spread: 3–4m tall (patio form more compact), 2–3m spread.

Soil needs: Fertile, well-drained soil, pH 6.0–7.0. Dislikes waterlogged clay; good drainage matters more than fertility.

Soil prep — in the ground: Dig a hole at least twice the width of the rootball. Break up the base of the hole to help roots establish. Mix excavated clay 50/50 with multipurpose compost and 20–30% horticultural grit over a broad area, since good drainage is the single biggest factor in preventing root problems on wet Irish clay. Firm in well and stake permanently — plums often need support for their whole life on windy sites.

Soil prep — in a pot (recommended for smaller gardens): Use a container at least 25cm in diameter with drainage holes, and cover the base with a piece of broken pot or crock so water can always drain freely. Fill with a mix of one-third sharp sand, one-third multipurpose compost and one-third good topsoil or potting soil. Loosen the rootball before planting so roots spread outward rather than circling.

Planting depth: Plant so the top of the original rootball sits just below the surrounding soil or compost surface; keep the graft union above soil level.

Spacing: Sold as a standard (bush-headed) tree, ideal for a large pot or a small garden bed; allow at least 1–1.5m from other plants or structures.

Fertiliser: In pots, feed with cow manure pellets or a balanced granular feed in early spring, then a potash-rich granular feed (e.g. NPK 12-10-18) in May and again in July. In the ground, an annual balanced fruit tree feed each February is sufficient. Stop feeding by midsummer to let the wood ripen before winter.

Companions: Chives and garlic at the base help deter aphids. In a container, underplant with low, shallow-rooted plants only, to avoid competing with the tree's roots.

Pruning: Prune only in summer, during or just after flowering — never in winter, when open wounds on stone fruit are vulnerable to silver leaf disease. Prune lightly each February to maintain shape while flower buds are visible, working around them where possible.

Pot/container: ☒ Bred and sold as a compact standard specifically for patio pots and small gardens; in winter, move container-grown plants to a cool, sheltered spot (a shed or a wall-sheltered corner) and wrap the pot in jute sacking or fleece to protect the roots from hard frost.

West of Ireland: 'Aprimira' is a self-fertile mirabelle–apricot hybrid plum, so no second pollinator tree is needed — useful in a smaller west of Ireland garden. It flowers in spring like other plums, so a sheltered, sunny spot away from frost pockets protects the blossom from late frost damage. Harvest is August–September; fruits have sweet, orange-yellow flesh with a stone that separates cleanly.

F18. Pomegranate (*Punica granatum*)

Russian: Гранат обыкновенный

Light: ☀ Full sun essential, against a warm, sheltered south- or west-facing wall.

Height/Spread: 1.5–3m tall (borderline hardy), 1.5–2m spread.

Soil needs: Well-drained soil; pH 5.5–7.0. Dislikes waterlogged clay.

Soil prep: Dig hole twice the rootball width against the wall base. Mix excavated clay 50/50 with compost and 20–30% grit.

Planting depth: At nursery soil mark.

Spacing: 2–3m against wall; borderline hardy, best in a container

Fertiliser: Balanced fruit tree fertiliser in spring. Liquid high-potash feed through summer to encourage flowering/fruitletting.

Companions: Other wall-trained sun-lovers such as passiflora or grapevine on the same warm wall.

West of Ireland: Borderline hardy (RHS H4, roughly to –5 to –10°C) — reliable fruiting in the west of Ireland's cooler, shorter summers is uncertain, and pomegranate is best treated primarily as an ornamental flowering wall shrub here, grown against a warm wall or in a large container that can be moved under cover in winter, with any fruit a bonus rather than a certainty.

F19. Raspberry (*Rubus idaeus*)

Irish / Russian: Sú craobh · Малина обыкновенная

Light: ☀ Full sun to partial shade. Better fruiting in full sun.

Height/Spread: 1.5–1.75m tall, 50cm–1m spread.

Soil prep: Compost and grit essential on clay. Raised bed recommended. Plant in mounded rows or raised beds between parallel support wires.

Planting depth: Crown 5–7cm below soil. Cut canes to 25cm after planting.

Spacing: 45–60cm between canes; 1.8m between rows

Fertiliser: High-potash fertiliser (tomato feed) fortnightly from spring bud break until fruit set. Or balanced granular fertiliser in early spring plus compost mulch. Avoid excessive nitrogen on wet clay.

Companions: Garlic, marigolds, tansy deter aphids. Avoid planting near potatoes (shared virus diseases) and wild brambles.

Your varieties:

Summer-fruitletting (floricane — fruit on second-year canes; prune fruitletted canes to the ground in early to mid-autumn):

'Glen Ample' (PBR) — One of the most widely grown summer-fruitletting raspberries in the UK; holds the RHS Award of Garden Merit. Bred at the James Hutton Institute (formerly Scottish Crop Research Institute), Scotland. Mid-season; harvest from late June to late July (sometimes into September). Large to very large, deep red, rich-flavoured berries — five large berries can weigh up to 30g. Almost completely thornless (spineless canes and laterals), making harvesting and pruning easy. High yields — over 2kg per plant — and

excellent disease resistance. Canes grow to approximately 1.8m; tie to horizontal support wires. Best in well-drained, fertile, moisture-retentive soil; does not do well in waterlogged or very chalky conditions.

Autumn-fruiting (primocane — fruit on current year's canes; cut ALL canes to the ground in late winter/early spring):

'Zefa Herbsternte' (also sold as 'Zeva Herbsternte') — A primocane (autumn-fruiting) variety bred in Switzerland in 1952; one of the first commercial primocane raspberries and still widely grown. Sometimes spelled *Zefa*, sometimes *Zeva* — both refer to the same cultivar. Late-season: harvest from August to September (or until first frosts). Large, sweet-tasting, dark red berries measuring 2–3cm in length. Vigorous, upright canes to 150cm with thorns. Particularly well suited to cooler northern regions of the UK and Ireland. Good resistance to phytophthora root disease. Primocane cultivar so fruiting is best in its first year (all canes to the ground in late winter). Fruiting is best in cool summers.

'Autumn Bliss' — A primocane (autumn-fruiting) variety bred at East Malling Research Station, England. RHS Award of Garden Merit (1993 and 2009). One of the most widely grown autumn raspberries in the UK. Medium-large, firm, dark red berries from late July through to late October. Excellent disease resistance, particularly to aphids. Relatively short, self-supporting canes (to 150cm) that can often stand without support, though tying in is recommended in exposed west of Ireland conditions. Earlier to crop than most autumn varieties.

'Heritage' — An American primocane (autumn-fruiting) variety released in 1969 by Cornell University; long considered the standard against which autumn-bearing varieties are measured. Harvest from August into autumn. Medium-sized, firm, conical, deep red berries with a classic sweet-tart raspberry flavour. Excellent cold hardiness. Sturdy, often self-supporting canes. For UK and Irish growing, managed as an autumn raspberry (cut all canes to the ground in late winter). Popular commercially because fruit is firm, travels well, and the variety is reliably productive.

Patio/dwarf cultivars (suitable for containers; minimum 45–60cm wide, deep container):

'Good as Gold' (Lowberry® Goodasgold®) — A compact, dwarf autumn-fruiting raspberry with a final height under 100cm (usually 80cm), due to early flowering and fruiting which slows further growth. Produces medium-sized, pale yellow/golden fruits from mid-July through to autumn; sweet flavour and aroma. A few thorns present, reducing towards the tips of fruiting shoots. Bred as a patio cultivar, ideal for containers on a sunny patio or balcony. Part of the Lowberry® range of compact raspberry varieties.

'Lucky Berry' — A new, self-fertile, dwarf patio raspberry with a vigorous habit despite its compact size. Produces juicy, sweet-tasting red fruits over a remarkably long season of four months, from July to October, fruiting continuously until the first frosts. Part of the Lucky Berry® range of compact, long-season fruit plants selected specifically for pot cultivation. Resistant to diseases and cold. Prune back before winter. Ideal for containers on a terrace, balcony or patio.

'Hararasp' (Raspberry Tree) — A genuinely different growth habit: bred by Japanese breeder Toshihiko Hara, this self-supporting variety develops a thick, upright, self-standing "trunk" instead of sprawling canes, so it needs no support wires or staking. White blossom in April–May is followed by especially glossy, shiny berries from June into summer. Disease-resistant with good tolerance of heat and drought. Height varies with training and maturity, from around 75cm up to 1.5–1.75m; spread 50cm–1m. Fruits on one-year-old stems — prune out old fruited stems in early spring, keeping young growth. An excellent choice for the smallest patio, needing no cane support at all.

F20. Redcurrant (*Ribes rubrum*)

Irish / Russian: Cuirín dearg · Смородина красная

Light: ☀️ Full sun to partial shade. One of the most shade-tolerant fruiting plants — good for north-facing fences trained as a fan.

Height/Spread: 1.2–1.5m tall, 1.2–1.5m spread.

Soil prep: Compost and grit amendment. Good drainage.

Planting depth: At nursery mark; roots covered ~5cm.

Spacing: 1.5m between plants

Fertiliser: Sulphate of potash in late winter. Balanced fertiliser after flowering. Annual bark or compost mulch. Do not overfeed with nitrogen.

Companions: Gooseberries, whitecurrants. North-facing fan trained redcurrant is a remarkably productive use of otherwise difficult wall space.

F21. Rhubarb (*Rheum × hybridum*)

Irish / Russian: Biabhóg · Ревень

Light: ☀️ Full sun to partial shade. Tolerates partial shade better than most vegetables.

Height/Spread: 60–90cm tall (foliage; taller in flower), 90cm spread.

Soil needs: Fertile, moisture-retentive but well-drained. RHS advises raised beds on heavy clay.

Soil prep: Remove weeds, dig in two bucketfuls of compost per sq metre. Raised bed (30cm+) on wet clay.

Planting depth: Buds 1–2cm below soil level.

Spacing: 90cm between crowns

Fertiliser: Balanced granular fertiliser in early spring. Generous well-rotted manure or compost mulch each autumn after leaves die back — this is the most beneficial treatment.

Companions: Beans and peas nearby (nitrogen-fixers). Keep away from fennel (inhibits many plants). Do not pick in the first year after planting.

F22. Sea Buckthorn (*Hippophae rhamnoides*)

Irish / Russian: *Draighean mara* · Облепиха крушиновидная

Light: ☀ Full sun essential.

Height/Spread: 2–4m tall, 2–3m spread (suckering).

Soil needs: Any well-drained soil, including poor sandy ground; pH 5.5–7.5. Genuinely salt- and wind-tolerant.

Soil prep: Minimal — thrives on poor, exposed coastal ground where little else grows.

Planting depth: At nursery soil mark.

Spacing: 2–3m between plants; spreads by suckers.

Fertiliser: None needed — fixes its own nitrogen via root nodules.

Companions: Best given its own space given its suckering habit; useful as a windbreak/coastal hedge.

Warnings ⚠: Very thorny — wear gloves when pruning or harvesting. Dioecious — need at least one male and one female plant for the vitamin-C-rich orange berries.

West of Ireland: A tough, spiny, silver-leaved shrub superbly adapted to exposed, salt-laden coastal conditions, bearing masses of tart orange berries in autumn if both sexes are present. An excellent choice for a windswept west of Ireland coastal garden where few other fruiting shrubs would survive.

F23. Serviceberry (*Amelanchier lamarckii*)

Russian: Ирга Ламарка

Light: ☀ Full sun to 🌤 part shade. Best autumn colour in full sun.

Height/Spread: 4–8m tall as large shrub/small tree, 3–4m spread.

Soil needs: Most moist, well-drained soils including clay; tolerates acid to neutral, pH 5.5–7.0. Dislikes waterlogging.

Soil prep: Dig hole twice the rootball width and as deep as the rootball. Mix excavated clay 50/50 with compost and 20% grit for drainage.

Planting depth: At nursery soil mark.

Spacing: 2–4m between plants/structures

Fertiliser: Balanced general fertiliser in early spring. Annual compost or bark mulch; little further feeding needed once established.

Companions: Underplant with hellebores, snowdrops, bluebells and ferns; works well as a woodland-edge specimen with Japanese maple and hydrangea.

West of Ireland: Multi-season interest — white spring blossom, edible summer berries (loved by birds), fiery autumn colour. Tolerates coastal wind well once established.

F24. Sour Cherry (*Prunus cerasus*)

Irish / Russian: *Crann silíní searbha* · Вишня обыкновенная

Popular garden cultivars:

Variety	Pollination	Season	Notes
'Morello'	Self-fertile	Late summer	RHS AGM; by far the most widely grown cooking cherry; very hardy and reliable; dark red, acid-flavoured fruit; excellent on a

Variety	Pollination	Season	Notes
			shady north-facing wall where sweet cherries would not fruit
'Nabella'	Self-fertile	Mid-summer	Similar acid flavour to 'Morello' with slightly larger fruit; good disease resistance
'Kentish Red'	Self-fertile	Traditional/mid-season	An old, traditional English sour cherry, valued for jams and preserves

Light: ☀️ Full sun to ☁️ partial shade — the one fruit tree in this guide genuinely happy on a shady, north-facing wall.

Height/Spread: 2.5–4m tall (on Colt rootstock), 2.5–3m spread.

Soil needs: Well-drained, fertile soil; pH 5.5–7.5.

Soil prep: Dig a hole wider and deeper than the rootball. Mix excavated clay 50/50 with compost and 20–30% grit. Dig in plenty of well-rotted manure or compost.

Planting depth: Graft union at or just above soil level.

Spacing: On Colt rootstock (the standard choice for sour cherries), up to 4m; fan-trained against a wall needs 3.5–4.5m of wall space.

Fertiliser: Balanced fruit tree fertiliser in early spring, with a further feed after harvest.

Companions: Chives and garlic nearby to deter aphids.

Pruning: Prune in summer only, to reduce the risk of silver leaf disease. Sour cherries fruit on the previous year's wood, so after harvest cut out some of the older fruited wood to encourage new growth for next year — a different regime from sweet cherries.

West of Ireland: Genuinely useful for a shadier or north-facing spot where few other fruiting trees would crop well — sour cherries tolerate part shade far better than sweet cherries. Fully hardy in the mild, moist Irish climate. All three cultivars above are self-fertile, so a single tree is enough for a crop.

F25. Strawberry (*Fragaria* × *ananassa*)

Irish / Russian: Sú talún · Клубника садовая (земляника ананасная)

Light: ☀️ Full sun essential for maximum fruiting.

Height/Spread: 20–30cm tall, 30–45cm spread.

Soil needs: pH 5.5–6.8, well-drained. Raised bed on clay strongly recommended.

Soil prep: Compost and grit. Raised bed 20–25cm high.

Planting depth: Crown exactly at soil level — too deep = crown rot; too shallow = roots dry out.

Spacing: 30–45cm between plants (or 45cm × 75cm rows if in open ground)

Fertiliser: High-potash fertiliser (tomato feed) fortnightly from first flowers until fruiting ceases. Balanced granular fertiliser in early spring. Do not use high-nitrogen fertiliser.

Companions: Borage, garlic, chives, marigolds. Avoid planting near brassicas.

Popular garden varieties:

Variety	Type	Season	Notes
'Korona'	Summer-fruiting	Early–mid-season (from mid-June)	Large, glossy, dark red, very juicy fruit; excellent resistance to verticillium wilt, botrytis and grey mould — a real advantage in the wet west of Ireland climate
'Ostara'	Perpetual (everbearing)	Early summer, then mid-July until first frosts	Conical, medium-sized, firm, juicy fruit with a flavour recalling wild strawberry; vigorous, spreading habit suits raised beds and hanging baskets
'Summer Breeze'	Perpetual (everbearing)	Throughout the growing season	Compact, ornamental patio strawberry, grown as much for its decorative flowers and habit as

Variety	Type	Season	Notes
			for its small, sweet berries; good for containers and borders

F26. Sweet Cherry (*Prunus avium*)

Popular garden cultivars (UK/Ireland):

Variety	Pollination	Season	Notes
'Athos'	Self-fertile	June–July	Compact patio bush grown on its own roots (not grafted); very winter-hardy; stays 100–250cm depending on container/ground
'Stella'	Self-fertile	Mid-July	RHS AGM; the original self-fertile sweet cherry (bred at the John Innes Institute, Norwich); tangy, dark red-black fruit; reliable in cooler areas
'Sunburst'	Self-fertile	Early–mid-July	Large, dark red-black fruit with a full, sweet flavour; considered by many the best all-round self-fertile garden cherry
'Lapins' (syn. 'Cherokee')	Self-fertile	Late July–early August	Large, dark, crack-resistant fruit; extends the season beyond 'Stella'; vigorous, upright
'Sweetheart'	Self-fertile	Very late season	Red to dark red fruit; outstanding flavour and texture; RHS AGM
'Sylvia'	Self-fertile	June–July	Exceptionally compact (125–150cm), ideal for the smallest patios and large containers

Cherry rootstocks:

Rootstock	Vigour	Approx. height	Notes
Colt	Semi-vigorous	3.5–4m (12–14ft)	Good anchorage, no permanent staking needed once established; tolerates poorer soil than Gisela 5; the traditional choice for a fan or bush in a larger garden
Gisela 5	Semi-dwarfing	2.4–3m (8–10ft)	The most popular modern choice for a manageable garden cherry; needs permanent staking and fertile, reliably moist soil
Krymsk 5	Semi-vigorous	Similar to Gisela 6, slightly larger than Gisela 5	Very cold-hardy, well anchored, does not usually need permanent staking

Light: ☀ Full sun essential — at least 6 hours daily. Avoid frost pockets, since late spring frosts damage blossom.

Height/Spread: 1–4m tall depending on rootstock/cultivar (see table), similar spread.

Soil needs: Well-drained, fertile soil; pH 5.5–7.5. Dislikes waterlogging.

Soil prep: Dig a hole wider and deeper than the rootball. Mix excavated clay 50/50 with compost and 20–30% horticultural grit for drainage. In a pot, use a container at least 30–40cm in diameter with good drainage holes.

Planting depth: Graft union at or just above soil level (own-root types like 'Athos' have no graft union — plant at the same depth as the nursery pot).

Spacing: Depends on rootstock and form — see rootstock table above; compact patio cultivars like 'Athos' and 'Sylvia' need only 1–1.5m.

Fertiliser: Balanced fruit tree fertiliser (Growmore or specialist fruit feed) in early spring, with a further feed after harvest. Avoid feeding late in the season.

Companions: Chives and garlic nearby help deter aphids. Keep a weed-free, mulched area around the base.

Pruning: Prune only in summer, ideally straight after harvest, to reduce the risk of silver leaf disease common to *Prunus* species.

Pot/container: ✅ 'Athos' and 'Sylvia' were bred specifically for pot culture and are among the most compact, patio-friendly sweet cherries available. ⚠️ Protect ripening fruit from birds with netting.

West of Ireland: Sweet cherries tolerate the mild, wet west of Ireland winters well provided drainage is adequate; the main local risk is losing blossom to a late spring frost, so a sheltered spot away from frost pockets gives the most reliable cropping. For a small garden or patio, 'Athos' or 'Sylvia' on their own compact roots are the most realistic choice; for a larger garden, any of the self-fertile cultivars above on Gisela 5 (small) or Colt (larger, more tolerant of poorer soil) will crop reliably.

F27. Woodland Strawberry (*Fragaria vesca*)

Irish / Russian: Sú talún fiáin · Земляника лесная

Light: ☀️ Full sun to ☁️ partial shade. Tolerates full shade but fruits less freely there.

Height/Spread: 10–15cm tall, 25–30cm spread (spreads by runners).

Soil needs: Fertile, moist but well-drained soil; pH 5.5–7.0. Tolerates clay and a wide pH range better than most fruit.

Soil prep: Mix clay 50/50 with compost. Mulch with leaf mould to mimic its natural woodland-edge habitat.

Planting depth: Crown at soil level — do not bury the crown.

Spacing: 25–30cm between plants; runners will fill gaps and can be left to spread or removed to keep a tidier clump.

Fertiliser: Light balanced feed in spring. Annual compost mulch, kept away from the crown.

Companions: Ferns, hostas, primroses — a natural, decorative groundcover under fruit trees and in a woodland-edge bed; also good as informal edging along a path.

West of Ireland: Smaller and less showy than garden strawberry, but reliably hardy, shade-tolerant and long-fruited (often June to autumn), with small, intensely flavoured berries. Spreads gently by runners to form an attractive edible groundcover under trees and shrubs — a good choice for a spot too shaded for garden strawberry.

A note on "Alpine Strawberry": This popular garden name refers to cultivated, non-running forms of this same species (*Fragaria vesca*, often listed as var. *semperflorens*), bred as compact, "runnerless" plants that stay in a tidy clump rather than spreading — useful for edging a path or bed where a spreading wild form would be unwelcome. Popular alpine strawberry cultivars include 'Mignonette' and 'Alexandria'. Growing needs are identical to the wild woodland strawberry described above; alpine types simply stay put rather than colonising by runners.

GROUP G: GROUNDCOVER & CREEPING PLANTS

G1. Bellflowers (Rockery) (*Campanula* spp.)

Species	Latin name	Height	Flowering	Planting depth	Notes
Adriatic Bellflower	<i>C. garganica</i>	Up to 10cm	Summer (June–September)	At pot level	Mat-forming, star-shaped lilac-blue flowers with a white centre; RHS AGM; superb for wall crevices and paving cracks
Carpathian Bellflower	<i>C. carpatica</i>	15–25cm	Early–late summer	At pot level	Neat, low, non-spreading mound; upward-facing bells; good for edging and troughs
Dalmatian Bellflower	<i>C. portenschlagiana</i>	10–15cm, spreading to 50cm+	Summer	At pot level	Vigorous mat-forming evergreen; RHS AGM; excellent in wall crevices and between paving
Trailing Rock Bellflower	<i>C. saxifraga</i>	10–15cm, trailing	Summer	At pot level	Trailing, semi-evergreen; best in a trough, rockery or wall crevice

Light: ☀ Full sun for Trailing Rock Bellflower. Adriatic, Carpathian and Dalmatian Bellflower: full sun to partial shade, especially in the heat of late summer.

Height/Spread: 10–30cm tall depending on species (see table), 15–50cm spread.

Soil needs: Trailing Rock Bellflower: free-draining, gritty soil, pH 6.5–7.5 — rots in wet, heavy clay over winter. Adriatic and Carpathian Bellflower: well-drained, moist, fertile soil, neutral to alkaline, pH 6.0–7.0 — dislikes both waterlogging and drying out. Dalmatian Bellflower: average, well-drained soil, pH 6.0–7.5 — very adaptable, though it dislikes constantly wet soil and humid air more than the others.

Soil prep: Trailing Rock Bellflower: improve clay heavily with 30–40% horticultural grit; best in a raised trough, rockery or wall crevice rather than open ground. Adriatic, Carpathian and Dalmatian Bellflower: mix clay 50/50 with multipurpose compost and horticultural grit.

Planting depth: At pot level for all four.

Spacing: Trailing Rock Bellflower: 15–20cm between plants. Adriatic Bellflower: 15–20cm between plants. Carpathian Bellflower: 25–35cm between plants; low, mounding, non-invasive habit. Dalmatian Bellflower: 30–40cm between plants; spreads by rhizomes to 50cm or more but is not invasive.

Fertiliser: Trailing Rock Bellflower: very little required — a light balanced feed in spring if in a container. Adriatic, Carpathian and Dalmatian Bellflower: balanced feed in spring and again in midsummer.

Companions: Trailing Rock Bellflower: sempervivum, saxifrage, wall pennywort and other rockery/trough plants with the same sharp-drainage needs. Adriatic, Carpathian and Dalmatian Bellflower: sempervivum, saxifrage, dianthus pinks — front-of-border and rockery companions.

West of Ireland: Trailing Rock Bellflower is one of the plants most likely to fail on flat, wet clay — best given the sharp drainage a raised trough or wall crevice provides. Adriatic Bellflower is one of the most floriferous of the group, smothering itself in starry flowers all summer, and (like Carpathian Bellflower) is distinct in habit from the taller campanulas elsewhere in this guide (Clustered, Spreading and Peach-leaved Bellflower) — all are neat, low, non-spreading mounds ideal for rock gardens, border edging or troughs. Dalmatian Bellflower is the most vigorous of the four and semi-evergreen — in colder, more exposed spots it may lose its leaves over winter, regrowing freely in spring; excellent cascading over a wall or raised bed, but best kept away from smaller, less competitive rockery plants.

G2. Blue Star Creeper (*Isotoma fluviatilis*, syn. *Laurentia fluviatilis*, *Pratia pedunculata*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 2–5cm tall, spreading to 30–60cm or more.

Soil needs: Moist, well-drained soil; pH 6.0–7.5.

Soil prep: Mix clay with compost; a gritty, humus-rich mix suits it well between paving.

Planting depth: At pot level.

Spacing: 20–30cm between plants; spreads by runners to form a dense mat.

Fertiliser: Light balanced feed in spring if growth looks weak; otherwise little needed.

Companions: Thyme, saxifrage and other low, sun-loving paving or rockery plants.

West of Ireland: A low, evergreen Australian groundcover valued for its tiny star-shaped pale blue to white flowers held just above a dense mat of fine foliage, from spring into summer. Tolerates light foot traffic, making it useful between stepping stones or pavers. Genuinely happy in the moist Irish climate, though a well-drained spot avoids winter rot.

G3. Creeping Jenny (*Lysimachia nummularia*)

Russian: Вербейник монетчатый

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 5–10cm tall, spreading indefinitely by runners.

Soil needs: Moist to wet soil; pH 6.0–7.5. Tolerates boggy ground well.

Soil prep: Mix clay with compost; extra moisture retention is more useful here than grit.

Planting depth: At pot level.

Spacing: 30–45cm between plants; vigorous — contain in a pot if a small space is needed.

Fertiliser: Little needed; grows vigorously without feeding.

Companions: Hostas, ferns, astilbe; also a good trailing plant for a pond margin or bog garden.

Warnings ⚠: Spreads vigorously by rooting stems and can be difficult to contain in open ground — best given its own space or grown in a pot/hanging basket where trailing growth is welcome.

West of Ireland: Also called moneywort, a low, mat-forming perennial with rounded, coin-like leaves and small yellow cup-shaped flowers in summer. RHS AGM. Thrives in the mild, damp Irish climate to the point of being genuinely invasive in a border — best used as a trailing container plant or in a contained bog-garden setting.

G4. Creeping Phlox (Moss Phlox) (*Phlox subulata*)

Russian: Флокс шиловидный

Light: ☀ Full sun preferred. Creeping Phlox thrives in full sun, but it can tolerate light shade, especially in hotter climates. More sun typically leads to a denser bloom.

Height/Spread: 10–15cm tall, 30–50cm spread.

Soil needs: This plant prefers well-drained soil. While it can tolerate a range of soil types, from sandy to clay, it doesn't like to sit in water. Consider amending your soil with compost or other organic matter to improve drainage, especially if your soil is heavy clay. pH 5.5–7.7.

Soil prep: Mix clay 50/50 with compost and 20–25% grit. On heavy clay, a raised bed or slope is ideal.

Planting depth: At pot level. Plant Phlox subulata root balls so that the root system is fully submerged in the compost, leaving any young shoots/leaves, buds or stems exposed above the soil surface. Space 30–45cm apart.

Spacing: 30–45cm for ground cover

Fertiliser: In early spring, feed Creeping Phlox with a slow-release, balanced fertilizer to support healthy growth and abundant flowering. Light feeding only — over-feeding produces lush, floppy growth. Minimal fertiliser once established.

Companions: Creeping Phlox makes a gorgeous underplanting for spring bulbs like tulips and daffodils. Excellent on slopes, in rock gardens, or cascading over walls. With thyme, sedum, dianthus, and other well-drained-soil companions in a sunny rockery. Weigela as a taller backdrop.

Pot size: 20–30cm diameter, 15cm deep; multipurpose compost with 20–25% grit. Excellent in shallow, wide terracotta bowls on sunny patios.

West of Ireland: The mild, moist Irish climate requires excellent drainage for this plant. A sunny south-facing slope, raised bed, or rock garden is ideal. Grows well in walls and between paving stones. May suffer crown rot in continuously wet conditions — drainage is the key.

G5. Evergreen Candytuft (*Iberis sempervirens*)

Light: ☀ Full sun for the best flowering; tolerates light shade.

Height/Spread: 20–30cm tall, 30–45cm spread.

Soil needs: Well-drained soil, tolerant of poor ground; pH 6.5–8.0, preferring neutral to alkaline. Intolerant of wet, poorly drained conditions.

Soil prep: Improve clay with 25–30% horticultural grit; a raised bed or rockery gives the most reliable results.

Planting depth: At pot level.

Spacing: 30–45cm between plants.

Fertiliser: Little needed once established.

Pruning: Shear back by about a third immediately after flowering to keep the plant compact and encourage a tidy second flush of growth.

Companions: Aubretia, arabis, alyssum — classic spring rockery/wall-top trio; also good with spring bulbs.

West of Ireland: A low, spreading, woody-based evergreen sub-shrub, smothered in dense clusters of small white flowers from spring into early summer, sometimes with a lighter repeat in autumn. Widely available under various named cultivars (e.g. 'Purity', 'Snowflake', 'Little Gem'); if buying a specific named variety, check availability with a local nursery, as exact cultivars in the trade change from season to season. Fully hardy and easy given good drainage — an excellent edging or wall-top plant for the west of Ireland once its main dislike (waterlogging) is addressed.

G6. Heathers (*Calluna* / *Erica* spp.)

Species	Latin name	Height	Flowering	Planting depth	Notes
Common Heather / Ling	<i>Calluna vulgaris</i> (syn. <i>Erica vulgaris</i>)	20–50cm	Summer–autumn	At pot level	Native to Irish heathland; the classic garden heather; strictly acid soil only
Bell Heather	<i>Erica cinerea</i>	15–50cm	Early summer–early autumn	At pot level	Native to Ireland; vivid magenta-purple bell flowers; acid soil only
Cape Heath	<i>Erica gracilis</i>	30–50cm	Autumn–spring	At pot level	South African species, not reliably hardy in Ireland — best as an autumn container/bedding display, kept cool and frost-free over winter; sheltered, south- or west-facing spot if tried outdoors
Winter Heath	<i>Erica carnea</i>	10–25cm	Late autumn–mid spring	At pot level	Also commonly sold as "Winter Heather"; the one heather reliably tolerant of neutral to mildly alkaline soil; low mat, valuable winter colour
Irish Heath	<i>Erica erigena</i>	45–75cm (some cultivars to 1.2m)	Winter–late spring	At pot level	Native to Connemara/Mayo; taller and upright; tolerates neutral to mildly alkaline soil, unusually wet-tolerant
Tree Heath	<i>Erica arborea</i>	1–2m in cultivation (to 7m in the wild)	Late winter–spring	At pot level	Much larger, upright shrub with honey-scented white flowers; needs a sheltered spot, less reliably hardy than the others
Alpine Tree Heath	<i>Erica arborea</i> var. <i>alpina</i>	1–2m	Spring (March–May)	At pot level	A hardier, more compact, RHS AGM form of tree heath; white flowers in dense cylindrical spikes; the toughest choice if tree heath's height/hardiness is wanted without the risk of the straight species
Heather 'Zilly'	<i>Calluna vulgaris</i> 'Zilly'	30cm, spread 30cm	Autumn (September–November)	At pot level	Bright pink flowers with woolly silver foliage deepening to purple-grey in winter; bushy, upright habit

Light: ☀ Full sun for all eight — flowering and foliage colour suffer in shade, though light shade from high-canopied trees is tolerated.

Height/Spread: 10cm–2m tall depending on species (see table), 30–100cm spread.

Soil needs: *Calluna vulgaris* and *Erica cinerea* are strict calcifuges — acid soil only, pH 6.5 or below (ideally 5.5) — and will not tolerate lime. *Erica carnea* and *Erica erigena* are the exceptions in this group: both are genuinely lime-tolerant and will grow in neutral to mildly alkaline soil, though they still perform best in humus-rich, well-drained ground. *Erica arborea* and its hardier form var. *alpina* prefer well-drained, acid to neutral soil. *Calluna vulgaris* 'Zilly' shares the same strict acid-soil requirement as the straight species.

Soil prep: For acid-loving species (*vulgaris*, *cinerea*, *arborea*) on neutral or alkaline clay: grow in containers of ericaceous compost only — do not add lime near any of them. For lime-tolerant species (*carnea*, *erigena*) in the open ground, add leafmould or composted bark to the clay; heavy grit is less important than for most plants in this guide, since good structure and moisture retention matter more than sharp drainage here.

Planting depth: At pot level for all eight.

Spacing: *Calluna vulgaris*, *E. cinerea*, *E. carnea*: 30–45cm between plants. *E. erigena*: 45–60cm, or closer if grown as a low informal hedge. *E. arborea* and var. *alpina*: 1–1.5m, since they grow much larger. *Calluna vulgaris* 'Zilly': 30–40cm.

Fertiliser: An ericaceous fertiliser annually in March/April keeps all eight flowering well, or a liquid feed such as Phostrogen between April and September; heather grown in naturally suitable soil generally needs little feeding. Annual mulch with composted pine bark or leafmould benefits all species.

Companions: Blueberry, lingonberry, cranberry (all ericaceous, sharing *Calluna*'s and *E. cinerea*'s acid-soil needs). Creeping juniper, deer fern, dwarf bulbs (species crocus, snowdrops) and Japanese maple all combine beautifully with any of the seven for year-round interest and contrasting texture.

Pot/container:  All seven can be grown in containers using peat-free ericaceous compost (for *carnea/erigena*, ordinary peat-free multipurpose compost is also fine given their lime tolerance); minimum 20–25cm diameter, 20cm deep, repotted every 3 years.

West of Ireland: *Calluna vulgaris* and *Erica cinerea* are both native to Irish heathland and perfectly adapted to the moist western climate, provided the soil is genuinely acidic — check pH before planting in the ground. *Erica erigena*, the Irish Heath, is a real rarity: genuinely native to a handful of sites in Connemara and Co. Mayo, and one of the very few heathers that tolerates the region's damper, less acidic pockets of ground. *Erica carnea* is the easiest choice for a garden with neutral or slightly alkaline soil. *Erica arborea* is the most tender of the group and appreciates the mild Atlantic winters, but still wants a sheltered spot away from the harshest coastal wind; its var. *alpina* form is a hardier, more compact alternative with the same tree-heath character. *Calluna vulgaris* 'Zilly' shares the straight species' easy, native-adapted nature, with the bonus of striking silver winter foliage. Note that "*Erica vulgaris*" is simply an old synonym for *Calluna vulgaris*, not a separate species — the two names refer to exactly the same plant.

G7. Himalayan Bistort (Fleece Flower, Lesser Knotweed) (*Persicaria affinis* 'Superba')

Light:  Full sun to  partial shade.

Height/Spread: 20–30cm tall, 60–90cm spread.

Soil needs: Most soils including clay, moist but reasonably drained; pH 5.5–7.5. Tolerant and undemanding.

Soil prep: Minimal — one of the easiest, most clay-tolerant groundcovers in this guide.

Planting depth: At pot level.

Spacing: 30–40cm between plants; spreads steadily to form a dense mat.

Fertiliser: Little needed once established.

Companions: Ornamental grasses, sedum and other late-season perennials; useful for covering a bank or difficult clay area where little else thrives.

Warnings : Spreads readily and can be vigorous in good conditions (though not as aggressively invasive as its relative Japanese knotweed) — give it defined edges or space to roam, and avoid planting near a boundary with wild ground.

West of Ireland: A low, mat-forming, semi-evergreen groundcover with narrow, pointed leaves that flush red in autumn, and dense spikes of pink flowers fading to russet-red from summer into autumn. Extremely tough and reliable on the region's clay soils, tolerating both damp and reasonably dry conditions — an excellent low-maintenance choice for covering a difficult bank or slope.

G8. Houseleek (*Sempervivum* spp.)

Irish / Russian: *Lus an tóiteáin* · Молодило

Light:  Full sun.

Height/Spread: 5–15cm tall, 30–50cm spread (rosette clusters).

Soil needs: Very free-draining, poor to moderately fertile soil; pH 6.0–7.5. Rots quickly in wet clay, especially winter.

Soil prep: Improve clay heavily with 40%+ grit, or grow entirely in a shallow pot/trough of gritty, free-draining compost.

Planting depth: At pot level; do not bury the rosette.

Spacing: 10–15cm between rosettes

Fertiliser: None to very little required — rich soil produces soft, less hardy growth.

Companions: Saxifrage, wall pennywort, thyme, sedum — classic gritty rockery/roof-garden planting.

West of Ireland: Extremely hardy and drought-tolerant once established, but the biggest risk on Irish clay is winter wet, not cold — a raised trough, wall top, or gritty rockery gives much better results than open ground. Spreads by offsets ("chicks") to form a mat over time.

G9. Irish Moss (*Sagina subulata*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 2–5cm tall, spreading to 30cm or more.

Soil needs: Evenly moist, well-drained soil; pH 6.0–7.5.

Soil prep: Mix clay with compost and grit for drainage.

Planting depth: At pot level.

Spacing: 20–30cm between plants; self-seeds readily where happy.

Fertiliser: Little needed on reasonable soil.

Companions: Thyme, sempervivum and other low, sun-loving paving or rockery plants.

West of Ireland: Not a true moss botanically, but a dense, bright emerald mat-forming perennial widely used as a lawn substitute or between stepping stones, tolerating light foot traffic. Tiny white star-shaped flowers appear sporadically through the growing season. Genuinely easy in the mild, moist Irish climate.

G10. Jenny's Stonecrop (Reflexed Stonecrop) (*Petrosedum rupestre* 'Angelina')

A note on the name: Widely sold and still commonly labelled as *Sedum* 'Angelina', this popular cultivar has been reclassified by some botanical authorities into the segregate genus *Petrosedum*, as *Petrosedum rupestre* 'Angelina' — both names refer to exactly the same plant.

Light: ☀ Full sun essential for the best golden colour.

Height/Spread: 10–15cm tall, 30–50cm spread.

Soil needs: Free-draining soil, tolerant of poor, dry ground; pH 6.0–7.5.

Soil prep: Improve clay with 30–40% horticultural grit; a raised bed or gritty border edge suits it best.

Planting depth: At pot level.

Spacing: 20–30cm between plants; spreads to form a dense, low mat.

Fertiliser: None required — thrives on poor soil; over-feeding produces lax, less colourful growth.

Companions: Sempervivum, other sedums, ornamental grasses — classic dry gravel-garden and green-roof companions; Black Mondo Grass for striking colour contrast.

West of Ireland: A low, spreading, evergreen succulent with bright golden-yellow needle-like foliage that takes on orange-red tints in cold weather, and small starry yellow flowers in summer. Fully hardy and very easy given sharp drainage — good for a gravel garden, green roof, or cascading over a wall, and a reliable source of winter colour when little else is bright.

G11. Junipers (Creeping) (*Juniperus spp.*)

Species	Latin name	Height	Flowering	Planting depth	Notes
Creeping Juniper	<i>J. horizontalis</i>	10–30cm, spreading	Foliage plant (no ornamental flower)	At pot level or slightly raised	Widest pH tolerance (4.5–8.5); tolerates clay, rocky and poor soils given sharp drainage
Juniper 'Repanda'	<i>J. communis</i> 'Repanda'	20–40cm, spreading	Foliage plant (no ornamental flower)	At pot level, roughly 15cm deep	Native genus in Ireland; bronze-green winter colour; well suited to exposed, coastal sites

Light: ☀ Full sun essential for both — neither will grow well in shade, and Juniper 'Repanda' needs it for dense growth and best foliage colour.

Height/Spread: 15–30cm tall, 1.5–2m spread.

Soil needs: Creeping Juniper: pH 4.5–8.5, tolerates clay, rocky and poor soils, but requires excellent drainage and will rot in constantly wet clay. Juniper 'Repanda': free-draining soil, pH 4.5–7.5 — copes with poor soil but dislikes sitting wet in winter.

Soil prep: Creeping Juniper: mix clay with 30–40% horticultural grit; plant on a slight mound or raised bed, essential on very wet clay. Juniper 'Repanda': improve clay with 25–30% horticultural grit worked into the planting area; on the wettest sites, plant on a slightly raised mound or ridge to keep the base clear of standing water.

Planting depth: Creeping Juniper: at pot level or slightly raised above it. Juniper 'Repanda': at pot level, roughly 15cm deep, at the same level as it sat in its nursery pot.

Spacing: 1–1.5m between plants for both, to form a continuous carpet.

Fertiliser: Creeping Juniper: virtually no feeding required — evolved on lean soils; a light slow-release balanced fertiliser in spring only if the plant appears weak, and a grit mulch is more beneficial than fertiliser. Juniper 'Repanda': none needed for the first 6–8 weeks after planting, then an occasional light dressing of Kieserite (magnesium sulphate) or organic conifer feed in February–March.

Companions: Creeping Juniper: heather, sedum, ornamental grasses, thyme, rosemary; excellent ground cover beneath Irish yew, holly and conifers, and a good companion for fruit trees. Juniper 'Repanda': heather, sempervivum, saxifrage and other rockery or gravel-garden plants; also works as groundcover beneath the Dwarf Mountain Pine.

Pruning: Juniper 'Repanda': prune only to remove dead or damaged growth.

West of Ireland: For Creeping Juniper, ⚠ the biggest challenge is the region's high rainfall — raised beds, slopes, or very well-drained gritty ground are essential. Juniper 'Repanda' is a cultivar of common juniper, which is native to Ireland and found on rocky uplands and coastal heath, so it is naturally well suited to exposed, windy or coastal west of Ireland sites and to poor, thin soils where little else will form dense cover.

G12. Ophiopogon (Mondo Grass) (*Ophiopogon spp.*)

Species	Latin name	Height	Flowering	Planting depth	Notes
Dwarf Mondo Grass	<i>O. japonicus</i> 'Minor'	5–10cm	Insignificant	At pot level	Tiny, tuft-forming, grass-like evergreen; excellent between paving stones or as a lawn substitute in miniature
Black Mondo Grass	<i>O. planiscapus</i> 'Niger'	15–20cm	Summer (pale lilac, then black berries)	At pot level	Near-black, strap-shaped evergreen foliage; a dramatic foil for silver or gold foliage and pale flowers

Light: ☀ Full sun for the best black colour in 'Niger'; both tolerate ☁ partial shade.

Height/Spread: 5–20cm tall depending on species (see table), 20–30cm spread.

Soil needs: Moist but well-drained, humus-rich soil; pH 5.5–7.0. Not a true grass (both are related to lily-of-the-valley) and prefer more moisture-retentive soil than most true ornamental grasses in this guide.

Soil prep: Mix clay with compost; heavy grit is less necessary than for the sun/dry ornamental grasses elsewhere in this guide.

Planting depth: At pot level for both.

Spacing: 'Minor': 10–15cm between plants for a dense carpet. 'Niger': 20–25cm between plants.

Fertiliser: Little needed — a light balanced feed in spring is sufficient.

Companions: 'Niger' is a classic foil for golden or silver foliage (Sedum 'Angelina', golden sedges) and pale flowers; 'Minor' works well between paving or as a small-scale groundcover under other plants.

West of Ireland: Both are slow-spreading, tough, evergreen groundcovers well suited to the mild, moist Irish climate, tolerating a wider range of moisture than most true grasses. Dwarf Mondo Grass is ideal for a miniature "lawn" effect between stepping stones; Black Mondo Grass is one of the most striking near-black foliage plants available for a border edge or container, especially effective planted alongside pale gravel or silver-leaved companions.

G13. Periwinkle (*Vinca minor* and *V. major*)

Irish / Russian: Fincín mór · Барвинок малый

Light: 🌑 Full shade to 🌞 full sun. Grow in any but very dry soil, in full sun (for best flowering) to partial shade.

Height/Spread: 15–20cm tall (minor) / 30–45cm (major), 1–2m spread.

Soil needs: Grow in any but very dry soil. Tolerates heavy clay, pH 5.5–8.0. One of the most clay-tolerant ground cover plants. Remarkably adaptable.

Soil prep: Basic compost addition to planting hole. Even unamended clay is usually tolerated.

Planting depth: At pot level. Space 30–45cm apart for ground cover.

Spacing: 30–45cm between plants; can spread

Fertiliser: Very low-maintenance. A balanced slow-release fertiliser in spring if the plant appears slow or pale. Annual bark mulch is more useful than feeding. In containers, monthly balanced liquid feed during the growing season.

Companions: Hellebores, snowdrops, ivy — classic trio for difficult shaded areas. Excellent under trees and shrubs where grass won't grow. Underplant forsythia, lilac, or shrub roses with periwinkle for year-round ground cover. The blue flowers of *V. minor* are a valuable early source of nectar for bees.

⚠️ *Vinca* can spread vigorously — in small or formal gardens, divide and restrict regularly.

Pot size: 25–35cm diameter container; multipurpose compost.

West of Ireland: Excellent in all Irish conditions. Tolerates coastal exposure, clay, shade, and wet winters. Very low-maintenance once established. Can self-layer (roots where stems touch soil) and spread into extensive ground cover without any effort.

G14. Pickle Plant (*Delosperma echinatum*)

Light: 🌞 Full sun essential.

Height/Spread: 15–20cm tall, 30–50cm spread.

Soil needs: Very free-draining, gritty soil, tolerant of poor, dry ground; pH 6.0–7.5. Rots quickly in wet winter clay.

Soil prep: Improve clay heavily with 40–50% horticultural grit; a raised bed, trough or pot is strongly recommended on Irish clay.

Planting depth: At pot level.

Spacing: 20–30cm between plants.

Fertiliser: None required — a genuine drought-tolerant succulent adapted to poor soil.

Companions: Sempervivum, saxifrage and other sharply-drained rockery succulents.

West of Ireland: A South African succulent groundcover with fleshy, bristly, cucumber-like leaves and bright yellow daisy flowers in summer. Borderline hardy (RHS H3, roughly to -5°C) — reliable outdoors only in a very sheltered, sharply drained west of Ireland spot, or best grown in a pot that can be moved under cover for winter given the region's wet conditions.

G15. Prickly Heath (*Gaultheria mucronata*)

Irish / Russian: *Fraoch deilgneach* · Гаультерия остроконечная

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 60cm–1m tall, 1–1.5m spread.

Soil needs: Moist but well-drained, acid soil; pH 4.5–6.0. Dislikes lime.

Soil prep: Mix clay with 30–40% ericaceous compost and grit.

Planting depth: At nursery soil mark.

Spacing: 45–60cm between plants; ♂+♀ for berries

Fertiliser: Ericaceous slow-release feed in spring. Annual mulch with ericaceous compost or bark.

Companions: Heather, blueberry, lingonberry — classic acid-soil groundcover planting; good with dwarf conifers.

West of Ireland: Dioecious — plant a male near females for the females' showy, long-lasting white, pink or magenta berries in autumn/winter. Compact evergreen groundcover, tolerant of coastal exposure once established.

G16. Reindeer Lichen (*Cladonia rangiferina*)

Russian: Кладония оленья

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 3–8cm tall, spreading slowly, indefinite spread.

Soil needs: Very poor, free-draining, acid soil or bare mineral ground/rock; pH 4.0–5.5. Will not survive in rich garden soil or where it is shaded out by faster-growing plants.

Soil prep: None — this is a slow-growing lichen, not a rooted vascular plant. Best established on an existing patch of poor, undisturbed acid ground, sand, or a rockery, not planted into amended clay.

Planting depth: Laid on the surface, not buried.

Spacing: Establishes slowly; avoid disturbance

Fertiliser: None — feeding kills lichens, which take all their nutrients from air and rain.

Companions: Heather, sempervivum and other poor-soil, sun-loving plants of open heath or rockery.

West of Ireland: Genuinely difficult to establish deliberately — reindeer lichen grows extremely slowly (a few mm per year) and needs open, undisturbed, nutrient-poor ground, most realistically an established rockery or heath-style planting rather than a conventional border. Best treated as a feature to preserve if already present, rather than one to plant and expect quick results from.

G17. Rockcress (*Arabis spp.*)

Species	Latin name	Height	Flowering	Planting depth	Notes
Variegated Rock Cress 'Old Gold'	<i>A. ferdinandi-coburgi</i> 'Old Gold'	10–15cm	Spring	At pot level	Grey-green leaves edged in creamy gold; small white flowers; the most ornamental foliage of the three
Rose/Coast Rock Cress	<i>A. blepharophylla</i>	15–20cm	Late winter–late spring (February–May)	At pot level	Fragrant, deep purplish-pink flowers; mat-forming to mounding; native to coastal California
Mountain/Caucasian Rock Cress	<i>A. caucasica</i>	25–30cm	Late spring–summer	At pot level	Fragrant white (occasionally pink-tinted) flowers; the most vigorous and cold-hardy of the three; RHS AGM cultivars available

Light: ☀ Full sun for all three — best variegation and flowering.

Height/Spread: 10–30cm tall depending on species (see table), 20–50cm spread.

Soil needs: Free-draining soil, tolerant of poor ground; pH 6.0–7.5. All dislike sitting wet over winter.

Soil prep: Improve clay with 25–30% horticultural grit; a raised bed, wall top or rockery suits all three best.

Planting depth: At pot level for all three.

Spacing: 'Old Gold': 30–40cm. Rose/Coast Rock Cress: 20–25cm. Mountain/Caucasian Rock Cress: 30–45cm, given its more vigorous spread.

Fertiliser: Little needed for any of them — over-feeding produces lax growth and less flowering.

Companions: Aubretia, alyssum and other classic wall-top/rockery trailing perennials; spring bulbs planted through the mat.

West of Ireland: All three are low, spreading, easy evergreen perennials given sharp drainage — trim lightly after flowering to keep them neat and encourage fresh growth. 'Old Gold' is grown chiefly for its variegated foliage; Rose/Coast Rock Cress brings a stronger pink-purple flower colour than most rockcress; Mountain/Caucasian Rock Cress is the toughest and most vigorous of the three, an excellent reliable groundcover for a wall top or the edge of a raised bed.

G18. Saxifrage (*Saxifraga spp.*, including Mossy Saxifrage *S. × arendsii*)

Irish / Russian: Mórán · Камнеломка

Light: ☀ Full sun to ☁ partial shade, depending on species.

Height/Spread: 5–15cm tall, 20–40cm spread.

Soil needs: Free-draining, gritty soil; pH 6.0–7.5. Most alpine saxifrages rot in wet, heavy clay.

Soil prep: Improve clay heavily with 30–40% grit; best in a rockery, trough, or raised bed.

Planting depth: At pot level.

Spacing: 15–20cm between plants

Fertiliser: Very little required. Light balanced feed in spring for container-grown plants.

Companions: Sempervivum, campanula saxifraga, wall pennywort, dwarf bulbs (species crocus, dwarf iris).

West of Ireland: A large genus with many hardy mat- and cushion-forming evergreen species suited to rockeries, troughs and wall crevices; excellent drainage is the single most important factor for success on west of Ireland clay.

G19. Siskiyou *Lewisia* (*Lewisia cotyledon*)

Light: ☀ Full sun to ☀ partial shade.

Height/Spread: 10–15cm tall, 20–25cm spread.

Soil needs: Very free-draining, gritty soil; pH 6.0–7.0. The rosette is highly prone to rot if water sits on or around it, especially in winter.

Soil prep: Improve clay heavily with 40–50% horticultural grit; plant on a slight mound or slope so water runs away from the crown, or grow in a raised trough.

Planting depth: Plant with the rosette base slightly proud of the soil surface, angled if on a slope, so water cannot collect around the crown; surround with a collar of grit.

Spacing: 20–25cm between plants.

Fertiliser: Light balanced feed in spring; avoid rich feeding.

Companions: Sempervivum, saxifrage, houseleek — classic sharp-drainage rockery companions.

West of Ireland: An evergreen alpine rosette plant with vivid, multi-coloured (pink, orange, yellow, magenta or striped) flowers in late spring and early summer. The single biggest challenge in the wet west of Ireland climate is keeping the crown dry over winter — plant on a slope, in a raised trough or between rocks where water drains away instantly, or grow in a pot under a cold frame's cover through the wettest months.

G20. Thyme (Creeping) (*Thymus spp.*)

Irish / Russian: Тім · Тимьян обыкновенный

Species	Latin name	Height	Flowering	Planting depth	Notes
Mother of Thyme (Creeping Thyme)	<i>T. serpyllum</i>	5–10cm, mat-forming	Summer	At pot level	Well-drained to dry, poor soil; the more commonly grown culinary/ornamental mat thyme
Wild Thyme	<i>T. polytrichus</i>	2–5cm, mat-forming	Summer	At pot level	Native Irish wildflower of dry grassland, heaths, dunes and stone walls; needs the sharpest drainage of the two

Light: ☀ Full sun essential for both — requires maximum sunshine and warmth.

Height/Spread: 5–15cm tall, 30–60cm spread.

Soil needs: Mother of Thyme: well-drained to dry, poor soil, pH 6.0–8.0 — dislikes wet clay, a raised bed or pot is essential. Wild Thyme: free-draining, alkaline to neutral soil, tolerant of poor/shallow ground, pH 6.5–7.5 — genuinely native to Ireland on dry grassland, heaths, dunes and stone walls; in the cooler, wetter north and west it also tolerates some acidic soils better than in drier parts of Britain.

Soil prep: Mother of Thyme: 40–50% grit mixed with compost, with small pebbles as a surface mulch. Wild Thyme: improve clay generously with 30–40% horticultural grit — this is one of the least clay-tolerant plants in the guide and needs sharp drainage above all else; a raised bed, gravel garden or wall-top setting suits it far better than flat ground.

Planting depth: At pot level for both.

Spacing: Mother of Thyme: 20–30cm between plants. Wild Thyme: 20–30cm between plants; spreads by runners to form a dense, low mat.

Fertiliser: Mother of Thyme: very low nutrient requirements — evolved on lean soil; a very light dressing of balanced fertiliser in spring is the maximum needed, and do not feed in summer or autumn, since a grit mulch is more beneficial than fertiliser. Wild Thyme: none required — a genuine stress-tolerator adapted to poor, lean soil; feeding produces weak, less aromatic growth.

Companions: Mother of Thyme: rosemary, oregano, lavender, creeping juniper; grows beautifully between paving stones or on dry walls, and alongside pasqueflower in a raised sunny bed. Wild Thyme: sempervivum, saxifrage, wall pennywort — classic dry rockery/gravel garden companions.

West of Ireland: Mother of Thyme needs a raised bed or pot to perform reliably on west of Ireland clay. Wild Thyme is a true native Irish wildflower, common on dry grassland, coastal heath and old stone walls, and the larval food plant of the large blue butterfly in Britain — distinct from Mother of Thyme, it is less commonly used in cooking and better suited to a dry wildflower bank, rockery or scented lawn than a kitchen bed.

G21. Wall Pennywort (*Umbilicus rupestris*)

Irish / Russian: *Lus na pingine* · Умбиликус

Light: 🌤️ Partial to full shade; tolerates some sun.

Height/Spread: 5–10cm tall, 15–20cm spread.

Soil needs: Free-draining, near-neutral, gritty soil, often rooting in very little soil at all; pH 6.0–7.5.

Soil prep: Minimal — this native succulent naturally colonises old stone walls, rock crevices and dry-stone boundaries. In a border, improve clay with grit; it is otherwise best established directly into a wall crevice or dry-stone gap with a little compost.

Planting depth: At pot level, or tucked into a wall crevice.

Spacing: 15–20cm between plants

Fertiliser: None required.

Companions: Ivy, ferns and other wall/shade plants at the base of old walls; sempervivum and saxifrage on drier wall tops.

West of Ireland: Common throughout Ireland on damp, shaded stone walls, banks and tree bases — an easy, attractive native succulent for softening an old wall or boundary; young leaves are edible in salads with a mild, slightly salty-cucumber flavour.

G22. White Clover (*Trifolium repens*)

Irish / Russian: *Seamair bhán* · Клевер белый

Light: ☀️ Full sun to 🌤️ partial shade.

Height/Spread: 5–15cm tall, spreading indefinitely by stolons.

Soil needs: Most reasonably fertile soils; pH 6.0–7.5. Genuinely adaptable.

Soil prep: Minimal — this is an unfussy plant; mix clay with compost if sowing a patch from scratch.

Planting depth: At pot level, or sow direct.

Spacing: Sow or plant as a patch; spreads by creeping stolons that root at the nodes.

Fertiliser: None required — as a legume it fixes its own nitrogen, benefiting neighbouring grass and plants.

Companions: Lawn grasses — often included deliberately in "clover lawn" mixes for its nitrogen-fixing and drought tolerance.

West of Ireland: A familiar low, creeping perennial with trifoliate leaves (the shamrock of tradition) and rounded white flowerheads from late spring through summer, much loved by bees. Thoroughly at home in the mild, moist Irish climate, where it grows wild in lawns and pastures throughout the country; increasingly used deliberately as part of a low-maintenance, pollinator-friendly lawn mix.

GROUP H: KITCHEN HERBS & VEGETABLES

H1. Asparagus (*Asparagus officinalis*)

Irish / Russian: *Asparagas* · Спаржа лекарственная

Light: ☀️ Full sun essential.

Height/Spread: 1–1.5m tall (feathery fern-like top growth after harvest), 45–60cm spread.

Soil needs: Free-draining, fertile soil; pH 6.5–7.5. Dislikes waterlogging — crowns rot in wet clay.

Soil prep: Dig in plenty of well-rotted manure/compost; raise the bed or improve drainage generously with grit on heavy clay, since this is a long-term (10–20 year) planting that cannot tolerate wet feet.

Planting depth: Plant crowns 15–20cm deep in a trench, spreading roots out, then backfill gradually as shoots grow.

Spacing: 30–45cm between crowns, rows 45cm apart.

Fertiliser: Balanced fertiliser in spring each year; top-dress with compost after cutting back the ferny growth in autumn.

Companions: Tomatoes, parsley — traditional companions said to help each other.

West of Ireland: A genuine long-term investment crop — do not harvest at all in the first two years, and only lightly in year three, to let the crowns establish. Good drainage is the single biggest factor for success on Irish clay; a raised bed is strongly recommended. Once established, a bed can crop reliably for 15–20 years.

H2. Basil (*Ocimum basilicum*)

Irish / Russian: *Basal* · Базилик душистый

Light: ☀ Full sun essential, in a warm, sheltered spot.

Height/Spread: 30–60cm tall, 30–45cm spread.

Soil needs: Fertile, moist but well-drained soil or multipurpose compost; pH 6.0–7.5.

Soil prep: Best grown in pots of multipurpose compost rather than open clay, given its need for warmth and good drainage.

Planting depth: Sow under cover in spring, plant out/pot on only once nights are reliably warm, at pot level.

Spacing: 20–25cm between plants.

Fertiliser: Balanced liquid feed every 2–3 weeks through the growing season.

Companions: Tomatoes, peppers — classic companion planting, said to improve tomato flavour and deter some pests.

West of Ireland: A tender, heat-loving Mediterranean herb that struggles outdoors in a typical Irish summer without real warmth and shelter. Best grown in pots on a warm patio, sunny windowsill or in a greenhouse/polytunnel; direct sowing outdoors is unreliable here.

H3. Catnip (*Nepeta cataria*)

Russian: Котовник кошачий

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 60–90cm tall, 45–60cm spread.

Soil needs: Well-drained soil; pH 6.0–7.5. Tolerant of poor soil.

Soil prep: Improve clay with compost and grit.

Planting depth: At pot level.

Spacing: 30–45cm between plants

Fertiliser: Little required; over-feeding produces floppy, less aromatic growth.

Companions: Brassicas (said to deter flea beetle and cabbage moth), roses (said to deter aphids); popular with cats, which can damage young plants by rolling on them.

West of Ireland: Easy and reliable, though may need protection from cats when young (a cloche or wire cage over new plants prevents damage until established). Trim after flowering to keep compact and encourage fresh growth.

H4. Chamomile (*Chamaemelum nobile*, *Roman*; *Matricaria chamomilla*, *German*)

Irish / Russian: *Camán meall* · Ромашка римская

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 15–30cm tall, 30–45cm spread (spreading, mat-forming).

Soil needs: Light, well-drained soil; pH 5.5–7.5. Roman chamomile tolerates poor, sandy ground well.

Soil prep: Improve heavy clay with grit; this plant dislikes waterlogging.

Planting depth: At pot level, or sow seed on the surface in spring.

Spacing: 15–20cm between plants if grown as a lawn/groundcover; wider if grown as an individual herb plant.

Fertiliser: Little needed — thrives on lean soil.

Companions: Traditional companion for roses and other herbs; said to improve the health of plants grown nearby.

West of Ireland: A low, aromatic, mat-forming perennial herb with small, daisy-like flowers in summer, traditionally used for chamomile tea and as a fragrant lawn substitute. Fully hardy; needs decent drainage to thrive on the region's heavier clay soils.

H5. Chives (*Allium schoenoprasum*)

Irish / Russian: *Siobhas* · Лук скорода

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 25–30cm tall, 15–20cm spread.

Soil needs: Fertile, moisture-retentive, well-drained soil; pH 6.0–7.0.

Soil prep: Mix clay with multipurpose compost; add horticultural grit if grown in heavy clay to improve drainage, as recommended by the RHS for this species.

Planting depth: At pot level, or divide established clumps.

Spacing: 15–20cm between plants.

Fertiliser: Light balanced feed in spring; annual compost mulch.

Companions: Carrots, roses, apples (already used as a companion throughout this guide to help deter aphids); good edging plant for a kitchen garden.

West of Ireland: One of the easiest, most reliable perennial herbs — snip leaves regularly from spring to autumn to keep fresh growth coming, and divide every 2–3 years to renew vigour. Purple pom-pom flowers in early summer are edible and attractive to pollinators, though harvesting is best from leaves rather than flowering stems for the mildest flavour.

H6. Comfrey (*Symphytum officinale*)

Irish / Russian: *Compar* · Окопник лекарственный

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 60cm–1.2m tall, 60–90cm spread.

Soil needs: Any moist soil including clay; pH 5.5–7.5. Extremely tolerant.

Soil prep: Minimal — a deep-rooted, very adaptable plant.

Planting depth: Crown at soil level, or plant root cuttings.

Spacing: 60–90cm between plants.

Fertiliser: None needed — deep roots mine nutrients from subsoil, which is why it's prized as a fertiliser plant itself.

Companions: Grown near fruit trees/vegetable beds as a "dynamic accumulator" — leaves cut and used as mulch or steeped for liquid feed.

Warnings ⚠: Spreads vigorously and is very difficult to remove once established due to deep, brittle roots — site deliberately, not accidentally.

West of Ireland: A vigorous, deep-rooted perennial herb with hairy leaves and purple-blue bell flowers in early summer, traditionally used to make garden fertiliser ("comfrey tea") and as a wound-healing herb. Extremely easy and thoroughly at home in the mild, moist Irish climate — plant only where its vigour and persistence are welcome.

H7. Common Sorrel (*Rumex acetosa*)

Irish / Russian: *Samhadh bó* · Щавель кислый

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 30–60cm tall, 30–45cm spread.

Soil needs: Any moist soil including clay; pH 5.5–7.5.

Soil prep: Minimal — a tough, adaptable native-range perennial herb.

Planting depth: Crown at soil level, or sow direct in spring.

Spacing: 25–30cm between plants; self-seeds.

Fertiliser: Little needed.

Companions: Grows well in a herb bed; young leaves used in salads for a lemony tang.

West of Ireland: An easy, hardy perennial herb with sharply lemon-sour, arrow-shaped leaves used in salads and soups, and reddish flower spikes in summer. Thoroughly at home in the mild, moist Irish climate; can self-seed generously.

H8. Coriander (*Coriandrum sativum*)

Irish / Russian: *Lus an choiré* · Кинза (кориандр посевной)

Light: ☀ Full sun to partial shade. Shade reduces bolting — useful in the cool west of Ireland.

Height/Spread: 45–60cm tall, 20–30cm spread.

Soil needs: Light, well-drained, fertile, pH 6.0–7.0. Annual. Do NOT transplant — sow direct.

Planting depth: Sow direct 5mm deep. Thin to 15–20cm.

Spacing: 15–20cm between plants

Fertiliser: Minimal. Light balanced liquid feed once or twice during growing season. Do not overfeed — promotes fast, leafy bolting growth.

Companions: Parsley, brassicas (nearby). Do NOT grow adjacent to fennel or dill (cross-pollination ruins flavour of both if they flower together). Attracts beneficial insects.

H9. Cucumbers (*Cucumis sativus*)

Irish / Russian: *Cúcamar* · Огурец посевной

Light: ☀ Full sun, sheltered from wind.

Height/Spread: 1.5–3m tall (climbing on support), 60–90cm spread.

Soil needs: Rich, moisture-retentive but well-drained soil; pH 6.0–7.0.

Soil prep: Dig in plenty of well-rotted compost/manure. Raise beds or mound slightly on heavy clay for better drainage and warmth.

Planting depth: At pot level, after all risk of frost has passed (outdoor "ridge" types) or under cover for greenhouse types.

Spacing: 45–60cm between plants

Fertiliser: High-potash liquid feed (tomato feed) weekly once fruits begin to set.

Companions: Nasturtiums (trap crop for aphids), dill, sweetcorn as a windbreak.

West of Ireland: Outdoor "ridge" cucumbers cope reasonably with the cooler west of Ireland summer, though a sheltered, sunny spot or polytunnel/greenhouse gives more reliable results and a longer season than fully exposed outdoor growing.

H10. Culinary Thyme (*Thymus vulgaris*)

Irish / Russian: *Tím* · Тимьян обыкновенный

Light: ☀ Full sun essential.

Height/Spread: 5–15cm tall, 30–60cm spread.

Soil needs: Free-draining soil, alkaline to neutral; pH 6.0–8.0. Thyme dies from wet soil far more often than from cold.

Soil prep: Mix clay generously with 30–40% horticultural grit, or grow in a raised bed/container — sharp drainage is essential, since this bushy Mediterranean shrub cannot tolerate standing water at any time of year.

Planting depth: At pot level.

Spacing: 25–40cm between plants.

Fertiliser: Very little required; over-feeding produces lush but less flavourful growth. Trim after flowering to keep bushy and prevent the centre becoming bare and woody.

Companions: Rosemary, sage, lavender — classic Mediterranean herb-bed companions with identical sun and drainage needs.

West of Ireland: The classic upright culinary thyme used in bouquet garni and everyday cooking, distinct from the low, mat-forming Mother of Thyme and Wild Thyme already in this guide. On west of Ireland clay, container growing or a raised, gritty bed is by far the more reliable option than open ground; plants become woody after 3–4 years and are best replaced.

H11. Dill (*Anethum graveolens*)

Irish / Russian: *Lus mín* · Укроп пахучий

Light: ☀ Full sun. Sheltered from wind (tall and floppy).

Height/Spread: 60–90cm tall, 30cm spread.

Soil needs: Moist, medium-to-well-drained, pH 5.5–7.0. Annual. Sow direct.

Planting depth: Sow direct, cover 3–5mm. Thin to 20–30cm.

Spacing: 20–30cm between plants

Fertiliser: Minimal. Light balanced fertiliser once during the season. Overfeeding promotes rapid bolting.

Companions: Brassicas, lettuce, cucumbers. Do NOT plant near fennel or coriander (cross-pollination). Attracts hoverflies and beneficial insects.

H12. Garden Cress (*Lepidium sativum*)

Light: ☀ Full sun to 🌤 partial shade; a bright windowsill is enough for indoor sowings.

Height/Spread: 5–10cm tall (harvested young), 15–20cm spread.

Soil needs: Any reasonably moist soil or seed compost; pH 6.0–7.5. Undemanding — grows well even in nutrient-poor conditions.

Soil prep: None needed for outdoor sowing beyond raking to a fine tilth; for indoor trays, a shallow layer of seed compost or even damp kitchen paper is enough.

Planting depth: Scatter seed on the surface or sow 1–1.5cm deep; keep evenly moist.

Spacing: Sow thickly in a broad row, tray or pot — cress is grown as a dense mat, not as individual spaced plants.

Fertiliser: None required — the whole crop is harvested within days to a few weeks, well before nutrient demand builds.

Companions: Grows well near radishes and tomatoes; being harvested so quickly, it rarely competes with anything.

West of Ireland: One of the fastest and easiest edible crops there is — ready to cut as soon as 5–7 days after sowing at a favourable temperature (around 20°C), or a little slower in a cool Irish spring or autumn. Sow little and often on a windowsill or in a pot outdoors for a continuous supply of mildly peppery salad leaves; cut with scissors just above the base and do not expect regrowth from the same sowing — resow for the next batch.

H13. Garlic (*Allium sativum*)

Light: ☀ Full sun essential.

Height/Spread: 45–60cm tall, 15–20cm spread.

Soil needs: Free-draining, fertile soil; pH 6.0–7.0. Garlic dislikes acid soil (below pH 6.5 is often cited as a threshold) and is prone to rot in wet, poorly drained ground over winter.

Soil prep: Dig in 2 bucketfuls of well-rotted manure or garden compost per square metre before planting. On heavy clay or where winter waterlogging is likely, improve drainage with grit or start cloves off in modules under cover, planting out in spring instead of autumn.

Planting depth: Split the bulb into individual cloves just before planting, and plant flat end down, pointed tip up, with the tip about 2.5cm below the soil surface (deeper — up to 5cm — in light soil for larger bulbs; not deeper in heavy soil).

Spacing: 15cm between cloves, with rows 30cm apart.

Fertiliser: A general balanced fertiliser worked in before planting; otherwise minimal feeding needed through the season.

Companions: Roses, fruit trees and many vegetables benefit from garlic nearby, which is reputed to help deter aphids and other pests. Avoid planting near peas or beans, which dislike alliums.

West of Ireland: Garlic needs a cold spell (most varieties want 1–2 months at 0–10°C) to form separate cloves properly, so autumn planting (October–November) suits the Irish climate well — though on heavy, wet clay it is often more reliable to start cloves in modules in a cold frame over winter and plant out in early spring instead, avoiding the risk of cloves rotting in saturated ground. Harvest from early summer onwards once the leaves begin to yellow, and dry (cure) bulbs somewhere airy before storing.

H14. Green Onions (Scallions) (*Allium fistulosum*)

Irish / Russian: *Scailliún* · Лук-бату́н

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 30–45cm tall, 10–15cm spread.

Soil needs: Fertile, well-drained soil; pH 6.0–7.0.

Soil prep: Improve clay with compost; light and free-draining is best.

Planting depth: Sow seed 1cm deep, or plant sets at pot level, spring through summer for successional harvests.

Spacing: 5–8cm between plants; sow successionally

Fertiliser: Balanced liquid feed monthly through the growing season.

Companions: Carrots (mutually deters carrot fly and onion fly), rocket, radish — classic salad-bed companions.

West of Ireland: Fast, easy, and can be sown successionally every few weeks from spring to late summer for a continuous harvest of mild, slender salad onions.

H102. Horseradish (*Armoracia rusticana*)

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: Up to 90cm tall, 45–60cm spread.

Soil needs: Fertile, deep, moisture-retentive soil; pH tolerant (acid, neutral or alkaline).

Soil prep: Mix clay with generous compost; dig deeply, since roots are long and tap-rooted.

Planting depth: Root cuttings/crowns at pot level, spring.

Spacing: 45–60cm between plants.

Fertiliser: Little needed on reasonable soil; light balanced feed in spring if growth looks weak.

Companions: Best given its own contained space (large pot or root-barriered bed) rather than mixed closely with other crops.

Warnings ⚠: Spreads vigorously by roots and can become very difficult to eradicate once established in open ground — always grow in a large, deep container, or be prepared to dig deeply every year to control it.

West of Ireland: A long-lived perennial grown for its pungent, long tap roots, harvested and grated fresh to make horseradish sauce. Thoroughly hardy and easy in the mild Irish climate, to the point that containment rather than cultivation is the real challenge — grow in a large pot sunk in the ground, or dig up and divide annually if grown in open soil.

H15. Lavender (*Lavandula angustifolia*)

Irish / Russian: *Labhandar* · Лаванда узколистная

Light: ☀ Full sun essential — at least 6 hours daily.

Height/Spread: 45–60cm tall, 45–60cm spread.

Soil needs: Free-draining, poor to moderately fertile, neutral to alkaline soil; pH 6.5–8.0. Excellent drainage is essential — dislikes sitting in wet clay, especially over winter.

Soil prep: Mix clay generously with 30%+ horticultural grit, or plant on a raised mound/bed. A layer of grit or pebbles as surface mulch keeps the crown dry.

Planting depth: At pot level; do not bury the woody base.

Spacing: 30–45cm between plants

Fertiliser: Very little required — rich soil produces soft, less aromatic growth prone to winter damage.

Companions: Roses (classic underplanting), rosemary, thyme and other Mediterranean herbs with the same sun/drainage needs.

West of Ireland: Along with rosemary, one of the herbs most likely to struggle on wet west of Ireland clay in winter — a raised bed, gritty mound, or large terracotta container in a sheltered, sunny spot gives much better results than open ground. Trim lightly after flowering; avoid cutting into old bare wood.

H16. Lemon Balm (*Melissa officinalis*)

Irish / Russian: *Lus na meala* · Мелисса лекарственная

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 60–90cm tall, 45–60cm spread.

Soil needs: Most moist, well-drained soils including clay; pH 6.0–7.5.

Soil prep: Mix clay 50/50 with compost.

Planting depth: At pot level.

Spacing: 30–45cm between plants; spreads readily

Fertiliser: Little required; over-feeding produces excess soft growth.

Companions: Brassicas, tomatoes; attractive to bees when in flower.

West of Ireland: Easy, vigorous, and self-seeds/spreads readily — best in a container or a bed where its spread can be controlled, similar to mint. Fresh lemon-scented leaves are excellent for tea.

H17. Lemon Verbena (*Aloysia citrodora*)

Light: ☀ Full sun essential, in a warm, sheltered spot.

Height/Spread: 1–2m tall (container-grown, cut back for winter), 1–1.5m spread.

Soil needs: Free-draining, moderately fertile soil or peat-free multipurpose compost; pH 6.0–7.5.

Soil prep: Grow in a container of free-draining compost rather than the open ground, to make winter protection straightforward.

Planting depth: At pot level.

Spacing: One plant per pot; if grown in open ground for summer, allow 60–90cm.

Fertiliser: Balanced liquid feed monthly through the growing season; stop feeding once brought under cover for winter.

Companions: Best grown alone in its own container, given its need to be moved under cover each winter.

Pot/container: ✅ Essential in this climate. Move outdoors to a warm, sheltered, sunny spot only once frost risk has passed; bring under cover — a bright, frost-free spot such as a porch, conservatory or unheated greenhouse — before the first autumn frosts, keeping it on the dry side over winter, since it is naturally deciduous and drops its leaves.

West of Ireland: A tender, deciduous, intensely lemon-scented shrub from South America, popular for herbal tea and flavouring. Borderline hardy at best (RHS H2–H3) — it will not reliably survive an Irish winter outdoors, even in the mildest coastal areas, so treat it as a container plant that summers outside and overwinters somewhere frost-free and on the dry side, since wet, cold roots are what usually kill it rather than cold air alone.

H18. Lemongrass (*Cymbopogon citratus*)

Light: ☀ Full sun essential — a warm, sheltered spot outdoors in summer.

Height/Spread: 60cm–1m tall in an Irish summer, 60–90cm spread.

Soil needs: Moderately fertile, moist but well-drained soil or peat-free multipurpose compost; pH 6.0–7.5.

Soil prep: Grow in a container of peat-free multipurpose compost rather than in the open ground — this makes it far easier to move the plant under cover for winter, which is essential in this climate.

Planting depth: At pot level, in a container slightly wider and deeper than its current pot; pot on as it grows.

Spacing: One plant per pot is typical; if grown in a larger container or bed for summer, allow 40–50cm between plants.

Fertiliser: Balanced liquid feed monthly through the growing season while outdoors; stop feeding once brought inside for winter.

Companions: Best grown alone in its own container rather than mixed with other plants, given its need to be moved indoors as a whole unit each autumn.

Pot/container: ✅ Essential, not optional, in this climate. Move outdoors to a warm, sunny, sheltered spot only once nights are reliably frost-free (typically early summer), hardening off gradually. Bring back under cover — a bright, frost-free conservatory, greenhouse or windowsill — before the first autumn frosts, keeping the compost fairly dry over winter.

West of Ireland: A tender tropical grass, native to South and Southeast Asia, that is not hardy anywhere in Ireland and needs temperatures of at least 13°C to grow well — realistically achievable outdoors here only during the warmest summer months. Treat as a container plant

that spends summer outside and winter under glass, or simply as a productive annual herb grown fresh each year from a rooted stem bought at a shop or a young plant from a herb nursery. In a typical Irish summer, plants stay considerably more compact than in the tropics, but the thick, pale lower stems still develop the characteristic citrus-lemon flavour prized in South-East Asian cooking.

H19. Mint (*Mentha spp.*)

Irish / Russian: Miontas · Мята

Light: ☀️ Full sun to ☁️ partial shade. More aromatic in sun; more leaves in shade.

Height/Spread: 30–90cm tall depending on species, 45–60cm spread (spreads by runners).

Soil needs: Moist, fertile, pH 6.0–7.0. ⚠️ **Always grow in a container or with a deep root barrier — invasive spreader.**

Planting depth: At pot level. Root barrier in ground should be 30cm deep. Container minimum 30cm diameter and depth.

Spacing: 60cm if in ground with root barrier

Fertiliser: Balanced liquid feed monthly during the growing season. Cut back after flowering and feed to encourage fresh growth. Repot yearly into fresh compost.

Companions: Use pots of mint near brassicas, tomatoes, and beans as a pest deterrent (volatile oils without the invasive roots). Peppermint near roses reportedly deters aphids.

H100. Mustard Greens (*Brassica juncea*)

Light: ☀️ Full sun to ☁️ partial shade.

Height/Spread: 30–60cm tall, 30–45cm spread.

Soil needs: Fertile, moisture-retentive, well-drained soil; pH 6.0–7.5.

Soil prep: Mix clay with generous compost.

Planting depth: Sow direct or in modules, 1cm deep, spring to late summer for successional crops.

Spacing: 20–30cm between plants.

Fertiliser: Balanced liquid feed monthly through the growing season.

Companions: Other brassicas, though avoid overcrowding to reduce disease risk; good in rotation with legumes.

West of Ireland: A fast-growing, cool-season leafy green with a peppery, mustard-like bite, popular in Asian cooking and increasingly in general kitchen gardens — young leaves are milder and good raw in salads, while mature leaves are best cooked (stir-fried, braised or added to soups) to mellow the heat. Thrives in the mild, moist Irish climate and can be sown from spring right through to late summer for a near-continuous supply; like other brassicas it can bolt in hot weather, so consistent moisture helps prevent premature flowering.

H20. Nasturtiums (*Tropaeolum majus*)

Irish / Russian: Gleorán · Настурция большая

Light: ☀️ Full sun to ☁️ partial shade.

Height/Spread: 20–30cm tall (bush) or 2–3m (climbing), 30–45cm spread.

Soil needs: Poor to moderately fertile, well-drained soil; pH 6.0–7.5. Rich soil produces excess leaves at the expense of flowers.

Soil prep: Minimal — nasturtiums thrive on poor soil; avoid heavy feeding or over-improving the ground.

Planting depth: Sow seed 1–2cm deep, direct after frost risk has passed.

Spacing: 20–30cm between plants; annual, self-seeds

Fertiliser: None to very little required.

Companions: Already used throughout this guide as a companion plant for apples, brassicas and cucumbers — nasturtiums act as a "trap crop" drawing aphids and cabbage white butterflies away from vegetables, and the peppery leaves and flowers are edible in salads.

West of Ireland: One of the easiest, most useful companion flowers for the vegetable garden — self-seeds readily and tolerates poor, dry corners well, though it can be checked by heavy Atlantic rain in a very wet summer.

H21. Oregano (Wild Marjoram) (*Origanum vulgare*)

Irish / Russian: Máirtín fiáin · Душица обыкновенная

Light: ☀ Full sun — open, sunny position for best aroma and flavour.

Height/Spread: 30–45cm tall, 30–45cm spread.

Soil needs: Well-drained, slightly alkaline preferred, pH 6.5–8.0.

Soil prep: 30–40% grit to clay/compost mix. Raised beds ideal.

Planting depth: At pot level.

Spacing: 30–45cm between plants

Fertiliser: Low nutrient requirements. Light balanced fertiliser in spring only. Avoid nitrogen-heavy feeds (reduces aromatic oil content).
Container: monthly balanced liquid at half-strength during growing season.

Companions: Thyme, rosemary, sage. Oregano flowers attract pollinators very effectively — excellent companion for fruit trees, raspberries, and other fruiting plants.

H22. Parsley (*Petroselinum crispum*)

Irish / Russian: Peirsil · Петрушка кудрявая

Variety	Type	Height	Notes
Moss Curled	Curly-leaf (var. <i>crispum</i>)	20–30cm	Finely ruffled, densely curled leaves; milder flavour than flat-leaf types; classic garnish parsley, compact and good in pots
Gigante d'Italia	Flat-leaf/Italian (var. <i>neapolitanum</i>)	30–50cm	Strong, robust flavour; rapid growth; harvestable almost year-round; one of the most popular flat-leaf varieties
Titan	Flat-leaf/Italian (var. <i>neapolitanum</i>)	45–60cm	Vigorous and tall; large, broad dark green leaves; heavy-yielding
Hamburg (root parsley)	Root parsley (var. <i>tuberosum</i>)	45–60cm	Grown mainly for its thick, parsnip-like edible root with a parsley-celery flavour; leaves also usable; roots store like carrots

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 20–30cm tall, 20–30cm spread.

Soil needs: Moist, fertile, well-drained soil; pH 6.0–7.5.

Soil prep: Mix clay with compost.

Planting depth: Sow direct or in modules, 1cm deep, spring to summer for successional crops.

Spacing: 20–23cm between plants.

Fertiliser: Balanced liquid feed monthly through the growing season.

Companions: Tomatoes, carrots, roses — classic kitchen-garden companion, attractive to beneficial insects when allowed to flower.

West of Ireland: A biennial herb usually grown as an annual, in flat-leaf or curly forms, thriving in the mild, moist Irish climate. Slow to germinate but easy once established; sow in succession for a continuous supply, and it will often overwinter and flower in its second year if left in the ground.

H23. Patio Tomatoes (*Solanum lycopersicum* (compact/dwarf cultivars))

Light: ☀ Full sun essential — at least 6–8 hours daily, in a warm, sheltered spot such as against a south-facing wall.

Height/Spread: 30–45cm tall, 30–45cm spread.

Soil needs: Fertile, moisture-retentive but free-draining compost; pH 6.0–6.8.

Soil prep: Fill a container at least 30–40cm deep and wide with a good quality peat-free multipurpose or tomato-specific compost, filled to within 2–3cm of the rim.

Planting depth: Plant deeply — bury the stem up to the lowest pair of leaves, which encourages extra roots to form along the buried stem for a stronger plant. Plant out only once nights are reliably frost-free, usually mid-May in most of Ireland.

Spacing: One plant per 30–40cm pot; in a larger trough or growbag, space compact bush varieties 30–45cm apart.

Fertiliser: Feed weekly with a proprietary liquid tomato feed (high in potash) once the first fruits begin to set; water consistently, since irregular watering causes fruit to split or blossom end rot to develop.

Companions: Basil, marigolds and chives are traditional companions, said to help deter aphids and whitefly.

Pot/container:  Bred specifically for pots, hanging baskets and small patios — compact/dwarf bush varieties such as 'Tumbling Tom', 'Patio Princess' and 'Hundreds and Thousands' need no staking or pinching out, unlike tall cordon types. Water at least once daily in warm weather, since containers dry out quickly.

West of Ireland: Compact patio varieties are a far more realistic choice than tall cordon tomatoes for the cooler, shorter Irish summer — they crop reliably in a container on a sheltered, sunny patio without needing the sustained heat that larger vining types want. A warm wall or a spot under the eaves out of the worst rain helps ripen fruit and reduces the risk of blight, which thrives in cool, damp conditions.

H24. Peas (*Pisum sativum*)

Light:  Full sun, though tolerates a little partial shade.

Height/Spread: 45cm–1.8m tall depending on variety, 15–20cm spread.

Soil needs: Well-drained but moisture-retentive, fertile soil; pH 6.0–7.5.

Soil prep: Dig in well-rotted compost or manure the previous autumn if possible. On heavy clay, improve drainage with grit, since peas dislike sitting in waterlogged ground.

Planting depth: Sow seed 2–5cm deep, in a flat-bottomed drill about 15cm wide, with two staggered rows about 7cm apart within the drill.

Spacing: 5–7cm between seeds within the row; allow 45–60cm between double rows to allow access for picking. Dwarf varieties (to 45cm) need no support; taller climbing types (to 1.8m) need twiggy sticks or netting.

Fertiliser: Little needed — like other legumes, peas fix their own nitrogen from the air via root nodules. A general fertiliser at sowing is usually sufficient; avoid excess nitrogen, which produces lush leaves at the expense of pods.

Companions: Carrots, radishes, cucumbers and beans grow well alongside peas; avoid planting near onions, garlic or other alliums, which inhibit their growth.

West of Ireland: A reliably easy, cool-season crop well suited to the mild Irish climate — sow small batches every few weeks from early spring into early summer for a continuous harvest, and pick pods regularly to encourage more to form. Good drainage matters more than warmth here; wet, cold clay in spring is the main risk to seed rotting before germination, so consider starting seed in modules under cover if your soil is heavy and slow to warm up.

H25. Peppermint (*Mentha × piperita*)

Light:  Full sun to partial shade. More aromatic in sun; more leaves in shade.

Height/Spread: 30–90cm tall, 45–60cm spread (spreads by runners).

Soil needs: Moist, fertile soil; pH 6.0–7.0.  **Always grow in a container or with a deep root barrier — invasive spreader, like other mints.**

Soil prep: Mix clay with compost if grown with a root barrier; otherwise a container of multipurpose compost.

Planting depth: At pot level. Root barrier in ground should be 30cm deep. Container minimum 30cm diameter and depth.

Spacing: 45–60cm if grown in ground with a root barrier.

Fertiliser: Balanced liquid feed monthly during the growing season. Cut back after flowering and feed to encourage fresh growth. Repot yearly into fresh compost.

Companions: Grow in pots near roses, where it is reputed to help deter aphids; near brassicas and tomatoes as a general pest deterrent.

West of Ireland: A specific, naturally occurring hybrid mint (*M. aquatica* × *M. spicata*) prized for its high menthol content and classic "mint" flavour, used for tea, cooking and traditional remedies. Grows and behaves exactly like the generic mints already in this guide — vigorous, hardy and easy in the mild Irish climate, but needs firm containment to prevent it taking over a border.

H26. Radish (*Raphanus sativus*)

Irish / Russian: Raidis · Редис

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 15–20cm tall, 5–8cm spread.

Soil needs: Light, fertile, well-drained soil, free of stones; pH 6.0–7.0.

Soil prep: Improve clay with compost and grit for a looser, freer-draining bed — stony or heavy clay produces misshapen roots.

Planting depth: Sow seed 1cm deep, direct, from spring through late summer for successional harvests.

Spacing: 2–3cm between plants; sow successionally

Fertiliser: Little required; rich soil produces excess leaf at the expense of the root.

Companions: Carrots, lettuce, green onions — classic salad-bed companions; also used as a fast "marker crop" sown alongside slower vegetables.

West of Ireland: One of the fastest vegetables to harvest (as little as 3–4 weeks), making it ideal for succession sowing every couple of weeks through the growing season.

H27. Rocket (*Eruca sativa*)

Irish / Russian: Ruachán · Руккола (гусеничник посевной, индау посевной)

Light: ☀ Full sun to ☁ partial shade (some shade helps prevent premature bolting in summer heat).

Height/Spread: 20–30cm tall, 15–20cm spread.

Soil needs: Fertile, moisture-retentive but well-drained soil; pH 6.0–7.0.

Soil prep: Improve clay with compost.

Planting depth: Sow seed 1cm deep, direct, spring through autumn for successional harvests.

Spacing: 15–20cm between plants; sow successionally

Fertiliser: Balanced liquid feed occasionally through the growing season.

Companions: Radish, green onions, lettuce — classic salad-bed companions.

West of Ireland: Fast-growing and easy; keep well watered and pick young leaves regularly to delay bolting (running to flower), which happens quickly in dry or hot spells. Sow successionally every few weeks for a continuous supply.

H28. Rosemary (*Salvia rosmarinus*, *syn. Rosmarinus officinalis*)

Irish / Russian: Marós · Розмарин лекарственный

Light: ☀ Full sun essential — at least 6 hours daily. Poor, leggy growth and reduced flavour in shade.

Height/Spread: 1–1.5m tall, 1–1.5m spread.

Soil needs: Free-draining, poor to moderately fertile soil; pH 6.0–7.5. Excellent drainage is essential — rosemary is Mediterranean in origin and will not tolerate sitting in wet clay, especially over winter.

Soil prep: Mix clay generously with 30%+ horticultural grit, or plant on a raised mound/bed. Add a layer of grit or pebbles as surface mulch to keep the crown dry.

Planting depth: At pot level; do not bury the woody base.

Spacing: 45–60cm between plants

Fertiliser: Very little required — rich soil produces soft, less aromatic growth. A light balanced feed in spring is sufficient. Container plants: occasional liquid feed through summer.

Companions: Classic companion for brassicas (deters cabbage moth), carrots and beans in the vegetable garden; also thyme, lavender and other Mediterranean herbs with the same sun/drainage needs.

West of Ireland: One of the herbs most likely to struggle on wet west of Ireland clay in winter — a raised bed, gritty mound, or a large terracotta container that can be given a sheltered spot is strongly recommended over open ground. Trim lightly after flowering to keep compact; avoid cutting into old bare wood.

H29. Sage (*Salvia officinalis*)

Irish / Russian: Sáiste · Шалфей лекарственный

Light: ☀ Full sun essential — at least 6 hours daily. Poor, leggy growth and reduced flavour in shade.

Height/Spread: 1–1.5m tall, 1–1.5m spread.

Soil needs: Free-draining, poor to moderately fertile soil; pH 6.0–7.5. Excellent drainage is essential — rosemary is Mediterranean in origin and will not tolerate sitting in wet clay, especially over winter.

Soil prep: Mix clay generously with 30%+ horticultural grit, or plant on a raised mound/bed. Add a layer of grit or pebbles as surface mulch to keep the crown dry.

Planting depth: At pot level; do not bury the woody base.

Spacing: 45–60cm between plants

Fertiliser: Very little required — rich soil produces soft, less aromatic growth. A light balanced feed in spring is sufficient. Container plants: occasional liquid feed through summer.

Companions: Classic companion for brassicas (deters cabbage moth), carrots and beans in the vegetable garden; also thyme, lavender and other Mediterranean herbs with the same sun/drainage needs.

West of Ireland: One of the herbs most likely to struggle on wet west of Ireland clay in winter — a raised bed, gritty mound, or a large terracotta container that can be given a sheltered spot is strongly recommended over open ground. Trim lightly after flowering to keep compact; avoid cutting into old bare wood.

H30. Scurvy Grass (*Cochlearia officinalis*)

Irish / Russian: Biolar trá · Ложечница лекарственная

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 10–20cm tall, 15–20cm spread.

Soil needs: Moist but well-drained soil, tolerant of salty/coastal conditions; pH 6.5–7.5.

Soil prep: Improve clay with compost; naturally grows in fairly poor, gritty or rocky coastal ground, so avoid over-rich soil.

Planting depth: At pot level, or sow seed on the surface.

Spacing: 15–20cm between plants

Fertiliser: Little required.

Companions: Sea kale, other coastal/salt-tolerant edible plants if grown in a coastal garden setting.

West of Ireland: A native coastal plant of saltmarshes, cliffs and rocky shores right around the Irish coast, historically eaten by sailors for its high vitamin C content (hence the name). Leaves have a strong, peppery, mustard-like flavour, best used sparingly in salads; happiest in a sunny spot that isn't far removed from its natural coastal, slightly salty preference.

H101. Spring Onions (*Allium cepa*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 30–45cm tall, 10–15cm spread.

Soil needs: Fertile, well-drained soil; pH 6.0–7.0.

Soil prep: Mix clay with compost; improve drainage with grit on heavy ground, since onions dislike waterlogging.

Planting depth: Sow direct, 1cm deep, or plant sets at pot level, spring through summer for successional crops.

Spacing: 2.5–5cm between plants in rows 15–20cm apart; sow thickly and harvest young for the classic spring onion habit.

Fertiliser: Light balanced feed if growth looks weak; otherwise little needed for a quick catch crop.

Companions: Carrots, roses — alliums are classic companions said to help deter some pests.

West of Ireland: Ordinary bulb onions (*Allium cepa*) pulled young, before the bulb swells, for a milder, fresh onion flavour with edible green tops — distinct from Green Onions/Scallions (*A. fistulosum*), already in this guide, which is a separate, non-bulbing species. Easy and quick in the mild Irish climate; sow little and often through spring and summer for a continuous supply, and thin crowded rows to eat as you go.

H31. Tarragon (*Artemisia dracunculus*)

Light: ☀ Full sun essential, in a sheltered spot.

Height/Spread: French tarragon: 50–75cm tall, 30cm spread. Russian tarragon: up to 1m tall, 50cm spread.

Soil needs: Well-drained, fertile soil; pH 6.5–7.0. Will not tolerate poorly-drained, waterlogged ground, especially over winter.

Soil prep: Mix clay generously with horticultural grit, whether growing in a border or a pot — sharp drainage is essential.

Planting depth: At pot level; French tarragon is propagated by cuttings or division only, since it rarely flowers or sets viable seed. Russian tarragon can be raised from seed.

Spacing: 30–50cm between plants.

Fertiliser: Little needed; over-feeding produces lush but less flavourful growth.

Companions: Rosemary, sage, lavender — classic Mediterranean-herb-bed companions with similar sun and drainage needs.

West of Ireland: French tarragon (*A. dracunculus* 'Sativa') has the superior aniseed-liquorice flavour prized in classic French cooking, but its slender growth struggles with the combination of wet and cold in an Irish winter — best grown in a container that can be moved to a sheltered spot, or given a very free-draining raised bed. Russian tarragon (*A. dracunculus* 'Inodora') is far more vigorous and copes much better with Irish winters in open ground, but its flavour is markedly inferior — more grassy, with a slight bitterness, and lacking the warm aniseed character of the French type. Buy tarragon plants in person where possible, checking the aroma before purchasing, since plants sold under either name can be variable.

H32. Wild Garlic (*Allium ursinum*)

Irish / Russian: *Creamh* · Лук медвежий

Light: ● Partial to full shade; more tolerant of shade than most alliums.

Height/Spread: 45–60cm tall, 15–20cm spread.

Soil needs: Moist, fertile, well-drained soil, slightly acid to neutral; pH 5.5–7.0. Naturally a plant of damp, established woodland.

Soil prep: Mix clay with leaf mould or multipurpose compost to mimic the humus-rich woodland floor this plant prefers; add horticultural grit only if the site is genuinely waterlogged.

Planting depth: Bulbs about 2.5cm deep, planted in autumn.

Spacing: 15–20cm between bulbs; spreads readily by bulbils and self-seeding to form a dense carpet.

Fertiliser: None required.

Companions: Native bluebells (a classic damp-woodland combination), ferns, primroses — underplant deciduous trees and shrubs for an early-summer woodland floor display.

Warnings ⚠: Spreads vigorously and can become a nuisance in a small or formal garden — best confined to a naturalistic woodland corner rather than a border, and never introduced into wild areas beyond the garden.

West of Ireland: Native and common throughout Ireland, carpeting damp woodland floors and shady hedge banks with garlic-scented white flowers from April to June before dying back completely by midsummer. Both leaves and flowers are edible (with a milder flavour than bulb garlic) and popular for pesto, but take care with identification, since the leaves can be confused with poisonous Lily of the Valley or Lords-and-Ladies before flowering — if in doubt, crush a leaf and check for the unmistakable garlic smell.

H33. Zucchini (Courgette) (*Cucurbita pepo* var. *cylindrica*, var. *giraumontia*)

Irish / Russian: *Cúirséad* · Кабачок (Цуккини)

Light: ☀ Full sun, sheltered from wind.

Height/Spread: 45–60cm tall, 90cm–1.2m spread.

Soil needs: Rich, moisture-retentive but well-drained soil; pH 6.0–7.0.

Soil prep: Dig in plenty of well-rotted compost/manure into a planting hole or mound — courgettes are hungry, thirsty plants.

Planting depth: At pot level, after all risk of frost has passed.

Spacing: 60–90cm between plants

Fertiliser: High-potash liquid feed (tomato feed) weekly once flowering/fruiting begins.

Companions: Nasturtiums (trap crop), sweetcorn, beans — classic "three sisters"-adjacent vegetable bed companions.

West of Ireland: Very productive in a warm, sheltered, sunny spot; keep well watered in dry spells and harvest fruit young and regularly (every 2–3 days once cropping) to keep plants producing through the season.

GROUP P: ORNAMENTAL PERENNIALS

P1. Alstroemeria (*Alstroemeria* spp.)

Light: ☀ Full sun to ☀️ partial shade.

Height/Spread: 60–90cm tall, 30–45cm spread.

Soil needs: Fertile, moist but well-drained soil; pH 6.0–7.0.

Soil prep: Mix clay 50/50 with compost and 20% grit; tuberous roots dislike sitting in waterlogged ground.

Planting depth: Plant tubers 15–20cm deep, well below the frost line, since the fleshy roots resent disturbance and cold.

Spacing: 30–45cm between plants.

Fertiliser: Balanced fertiliser in spring; high-potash liquid feed through summer to prolong flowering.

Companions: Roses, geraniums, salvias — classic cottage/mixed-border companions.

West of Ireland: A long-flowering, exotic-looking herbaceous perennial with clusters of trumpet-shaped, often bicoloured flowers from early summer well into autumn if deadheaded regularly (pull rather than cut the flowering stems, to encourage more). Modern hardy hybrids (e.g. the Princess Lily/Inca series) are reliably perennial in the mild west of Ireland climate given reasonable drainage; a deep planting depth and a dry winter mulch help protect the tubers from the worst of the wet.

P2. Avens (*Geum* spp.)

Russian: Гравилат

Light: ☀ Full sun to ☀️ partial shade.

Height/Spread: 45–60cm tall, 30–40cm spread.

Soil needs: Moist but well-drained, fertile soil; pH 6.0–7.5.

Soil prep: Mix clay 50/50 with compost; good drainage matters, but the soil should not dry out either.

Planting depth: Crown at soil level.

Spacing: 30–40cm between plants.

Fertiliser: Balanced feed in spring; deadhead regularly to prolong flowering.

Companions: Alliums, irises, roses, hardy geraniums — classic sunny border companions.

West of Ireland: A cheerful, clump-forming perennial with semi-evergreen foliage and wiry stems of vivid red, orange or yellow single or double flowers held well above the leaves from late spring through summer. Popular cultivars include 'Mrs J. Bradshaw' (scarlet-red) and 'Lady Stratheden' (golden-yellow). Fully hardy and easy in the mild, moist Irish climate; divide congested clumps every 2–3 years to maintain vigour.

P3. Balloon Flower (*Platycodon grandiflorus*)

Russian: Ширококолокольчик крупноцветковый

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 40–60cm tall, 30–40cm spread.

Soil needs: Free-draining, moderately fertile soil; pH 6.0–7.5. Dislikes winter waterlogging.

Soil prep: Improve clay with 25–30% grit.

Planting depth: Crown at soil level; resents root disturbance once established.

Spacing: 30cm between plants.

Fertiliser: Light balanced feed in spring.

Companions: Ornamental grasses, sedum — classic late-summer border companions.

West of Ireland: A charming perennial named for its puffed-up, balloon-like buds that pop open into star-shaped blue, white or pink flowers in summer. Slow to emerge in spring (easy to forget it's there); needs sharp drainage to overwinter reliably on Irish clay.

P4. Bellflowers (Border) (*Campanula* spp.)

Species	Latin name	Height	Flowering	Planting depth	Notes
Clustered Bellflower	<i>C. glomerata</i>	30–60cm	Summer	Crown at soil level	Dense clusters of violet-purple, upward-facing bells; spreads by rhizomes into good-sized clumps
Spreading Bellflower	<i>C. patula</i>	30–60cm	Summer	Crown at soil level, or surface-sown seed	Open, star-shaped violet-blue bells on branching stems; biennial/short-lived native wildflower
Peach-leaved Bellflower	<i>C. persicifolia</i>	60cm–1m	June–July	Crown at soil level	Tall, elegant spires of large cup-shaped lilac-blue or white bells; a classic cottage-garden perennial

Light: ☀ Full sun to ☁ partial shade for all three.

Height/Spread: 30–60cm tall, 30–45cm spread.

Soil needs: *C. glomerata*: most well-drained soils including clay, preferring neutral to alkaline, pH 6.5–7.5. *C. patula*: well-drained soil, pH 6.0–7.5. *C. persicifolia*: moist but well-drained, fertile soil.

Soil prep: *C. glomerata*: mix clay 50/50 with compost. *C. patula*: mix clay with compost and grit. *C. persicifolia*: mix clay 50/50 with compost, ensuring reasonable moisture retention alongside drainage.

Planting depth: *C. glomerata* and *C. persicifolia*: crown at soil level. *C. patula*: crown at soil level, or sow seed on the surface in late spring/summer.

Spacing: *C. glomerata*: 30–40cm between plants, divide every 3–4 years. *C. patula*: 20–30cm between plants; biennial/short-lived. *C. persicifolia*: 30–45cm between plants; divide every 2–4 years.

Fertiliser: Light balanced feed in spring for all three; *C. glomerata* also benefits from an annual compost mulch.

Companions: *C. glomerata*: roses, peonies, ornamental grasses — sunny cottage-border companions. *C. patula*: ox-eye daisy, wild grasses, other cottage/meadow-style companions. *C. persicifolia*: delphiniums, roses, lupins — classic tall cottage-border companions; excellent as a cut flower.

West of Ireland: *C. glomerata* spreads by rhizomes to form good-sized clumps — divide every 3–4 years to keep vigorous and control spread in smaller borders. *C. patula* is a biennial or short-lived perennial native British/Irish wildflower, distinct from the more vigorously spreading (and often invasive in gardens) *Campanula rapunculoides* — self-seeds gently; deadhead if self-seeding is not wanted. *C. persicifolia* is a widely grown cottage-garden classic that self-seeds readily in the right conditions and performs well in the cool, moist Irish climate; deadhead to prolong flowering.

P5. Blue Gentian (*Gentiana* spp., e.g. *G. acaulis*, *G. sino-ornata*)

Russian: Горечавка

Light: ☀ Full sun to ☁ partial shade, depending on species.

Height/Spread: 10–15cm tall, 20–30cm spread.

Soil needs: Moist but well-drained, humus-rich soil; most garden gentians prefer slightly acid conditions, pH 5.5–6.5.

Soil prep: Mix clay with compost and grit; a raised bed or rockery suits most species well.

Planting depth: Crown at soil level.

Spacing: 20–30cm between plants

Fertiliser: Light balanced or ericaceous feed in spring. Annual mulch with compost or leaf mould.

Companions: Heather, dwarf conifers, saxifrage — classic rockery/alpine-bed companions.

West of Ireland: Intensely blue, trumpet-shaped autumn or spring flowers (depending on species) make this a rockery highlight. The moist, mild west of Ireland climate suits autumn-flowering Asiatic gentians (*G. sino-ornata* type) particularly well, given reasonably acid soil.

P6. Border Sedum (Stonecrop) (*Hylotelephium spectabile*)

Russian: Очитник видный

Light: ☀ Full sun essential.

Height/Spread: 45–60cm tall, 45–60cm spread.

Soil needs: Free-draining, poor to moderately fertile soil; pH 6.0–7.5. Dislikes rich, wet ground.

Soil prep: Improve clay with 25–30% grit.

Planting depth: Crown at soil level.

Spacing: 45cm between plants.

Fertiliser: Little needed — rich feeding produces floppy growth.

Companions: Ornamental grasses, echinacea, achillea — classic late-season border companions; flowers are a magnet for butterflies and bees.

West of Ireland: A reliable, easy perennial with fleshy, glaucous foliage and flat heads of pink flowers (ageing to rust) from late summer into autumn, valuable for late-season pollinators and winter seedhead structure. Needs sharp drainage to avoid becoming floppy or rotting on Irish clay.

P7. Chilean Aven (*Geum chilense*)

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 45–60cm tall, 30–40cm spread.

Soil needs: Moist but well-drained, fertile soil; pH 6.0–7.5.

Soil prep: Mix clay 50/50 with compost; good drainage matters, but the soil should not dry out either.

Planting depth: Crown at soil level.

Spacing: 30–40cm between plants.

Fertiliser: Balanced feed in spring; deadhead regularly to prolong flowering.

Companions: Alliums, irises, roses, hardy geraniums — classic sunny border companions.

West of Ireland: A cheerful, clump-forming perennial with semi-evergreen foliage and wiry stems of vivid red, orange or yellow single or double flowers held well above the leaves from late spring through summer. Popular cultivars include 'Mrs J. Bradshaw' (scarlet-red) and 'Lady Stratheden' (golden-yellow). Fully hardy and easy in the mild, moist Irish climate; divide congested clumps every 2–3 years to maintain vigour.

P100. Chinese Lantern (*Physalis alkekengi*)

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 45–60cm tall (up to 90cm in very good conditions), 60–90cm spread.

Soil needs: Fertile, moisture-retentive, well-drained soil; pH 6.0–7.5. Tolerant of a wide range of conditions.

Soil prep: Mix clay with generous compost. If planting directly in a border, sink a bottomless container or install a root barrier at least 30cm deep — this is essential, not optional (see Warnings below).

Planting depth: Crown at soil level, or plant divisions in spring or autumn.

Spacing: 60–90cm between plants, given its spreading habit — closer spacing simply means it fills in faster.

Fertiliser: Balanced feed in spring; otherwise little needed, as it grows vigorously on its own.

Companions: Best given its own contained space (large pot or root-barriered bed) rather than mixed closely with less vigorous neighbours.

Warnings ⚠️: Spreads aggressively by underground rhizomes, in a similar way to mint, and self-seeds too — genuinely invasive if left uncontained, and difficult to fully eradicate once established in open ground. Always grow in a large sunken pot or behind a deep, solid root barrier rather than directly in a border. All parts are toxic except the fully ripe (bright orange, fully coloured) fruit — unripe berries, leaves and stems contain solanine; wear gloves when handling, and keep away from children and pets.

West of Ireland: Grown almost entirely for its papery, bright orange, lantern-shaped calyces in autumn, which enclose a small red berry and persist through winter — spectacular cut and dried for arrangements (cut the stems as the lanterns turn orange, strip the leaves, and hang upside down to dry). Small creamy-white flowers in summer are inconspicuous by comparison. Thoroughly at home in the mild, moist Irish climate — so much so that containment, not cultivation, is the real challenge here.

P8. Columbine (*Aquilegia vulgaris* and hybrids)

Irish / Russian: Colaimbín · Водосбор обыкновенный (аквилегия)

Light: ☀️ Full sun to 🌫️ partial shade.

Height/Spread: 60–90cm tall, 30–45cm spread.

Soil needs: Moist but well-drained soil; pH 6.0–7.5. Tolerant of clay if not waterlogged.

Soil prep: Mix clay 50/50 with compost.

Planting depth: Crown at soil level.

Spacing: 30–45cm between plants; self-seeds freely

Fertiliser: Light balanced feed in spring. Annual compost mulch.

Companions: Foxgloves, hardy geraniums, roses — classic cottage-garden border companions; self-seeds readily among other perennials.

West of Ireland: Easy, reliable, and self-seeds freely — often needs thinning rather than encouraging once established. Distinctive spurred flowers in a wide range of colours through late spring/early summer.

P9. Coneflower (*Echinacea purpurea*)

Russian: Эхинацея пурпурная

Light: ☀️ Full sun essential.

Height/Spread: 60–90cm tall, 45–60cm spread.

Soil needs: Free-draining, moderately fertile soil; pH 6.0–7.5.

Soil prep: Improve clay with 20–25% grit.

Planting depth: Crown at soil level.

Spacing: 40–45cm between plants.

Fertiliser: Light balanced feed in spring.

Companions: Rudbeckia, ornamental grasses, sedum — classic prairie-style late-summer border.

West of Ireland: A popular, easy perennial with large, daisy-like pink-purple flowers with a prominent brown-orange cone, from summer into autumn — excellent for pollinators and later left standing for winter seed-eating birds. Needs decent drainage to thrive reliably on Irish clay.

P10. Cutleaf Coneflower 'Goldball' (*Rudbeckia laciniata* 'Goldball')

Russian: Рудбекия рассечённая

Light: ☀️ Full sun preferred. Will flower in light shade, but the shadier the location the less they will flower.

Height/Spread: 1.5–2m tall, 60–90cm spread.

Soil needs: A good choice for improved clay soils — easy to grow if given full sun or partial shade and a moderately fertile soil that is moist but well-drained. pH 5.5–7.0. Moisture-retentive soil is important — dislikes prolonged dry periods in summer.

Soil prep: Add generous compost to clay (50/50). If the soil is very heavy or is not free draining, add lots of well-rotted compost to the area and dig it in well.

Planting depth: At pot level. Plant bare-root crowns with buds 2–3cm below soil.

Spacing: 60–90cm between; divide every 2–3 yrs

Fertiliser: Rudbeckia needs little or no regular applications of fertiliser in most garden soils. Mulching plants in borders with well-rotted manure or garden compost each spring should be sufficient. Certainly do not feed with nitrogen-rich fertilisers — this will only encourage leaf growth at the expense of flowers.

Special note on *R. laciniata*: *R. laciniata* has vigorous rhizomes (horizontal underground stems) that make it better suited to larger gardens. It might need lifting, dividing and reducing every two to three years to keep it in check. *R. laciniata* can reach 3m (10ft). This tall variety is inclined to flop, so pinch out the shoots in early summer to promote strong and bushy growth, or provide support.

Companions: Helenium, echinacea, late-flowering salvias, ornamental grasses, asters for a dramatic late-summer/autumn border. Excellent with purple-flowered plants (veronicastrum, verbena bonariensis). The tall flowers of 'Goldball' are stunning in naturalistic or prairie-style planting schemes.

Pot size: For containers, use a liquid fertiliser such as Phostrogen or seaweed feed. Minimum 40–50cm diameter; deep container needed given eventual 2–3m height. ⚠️ Better in-ground given ultimate vigour.

West of Ireland: Rudbeckia does very well in the moist, cool-summer Irish climate. Does not suffer from drought issues. Excellent for late summer colour when many plants are declining. Divide regularly to prevent uncontrolled spread.

P11. Daylilies (*Hemerocallis* spp.)

Russian: Лилейник

Light: ☀️ Full sun to ☁️ partial shade.

Height/Spread: 45–90cm tall, 45–60cm spread.

Soil needs: Most soils including clay, tolerant of a wide pH range 6.0–7.5. One of the easiest, most clay-tolerant border perennials.

Soil prep: Mix clay 50/50 with compost; grit optional, since daylilies are notably tolerant of heavy soil.

Planting depth: Crown at soil level, roots spread out in the hole.

Spacing: 45–60cm between plants; divide every 3–4 yrs

Fertiliser: Balanced feed in spring. Annual compost mulch.

Companions: Roses, ornamental grasses, achillea (yarrow) — classic sunny border companions.

West of Ireland: Extremely tough, reliable, and genuinely clay-tolerant — one of the best "no-fuss" flowering perennials for west of Ireland gardens. Each flower lasts only a day, but a well-established clump produces a long succession of blooms through summer. Divide every 3–4 years to rejuvenate.

P12. Delphiniums (*Delphinium* spp.)

Russian: Живокость (дельфиниум)

Light: ☀️ Full sun — 6+ hours. Wind shelter equally essential.

Height/Spread: 1–2m tall, 60–90cm spread.

Soil needs: Rich, fertile, well-drained, pH 6.5–7.5.

Soil prep: Dig 40–50cm deep; generous compost and 20% grit on heavy clay.

Planting depth: At pot level; bare-root buds 2–5cm below soil.

Spacing: 60–90cm between plants; stake essential

Fertiliser: Balanced granular fertiliser in early spring. High-potash liquid feed (tomato feed) fortnightly from bud formation through flowering. After first flush: cut stems, apply balanced liquid feed to encourage second flush. Annual well-rotted manure mulch.

Companions: Roses, lupins, peonies, alliums, irises in cottage-garden combination. Staking mandatory. Slug protection critical in the wet west.

P13. Edelweiss (*Leontopodium alpinum*)

Russian: Эдельвейс альпийский

Light: ☀ Full sun.

Height/Spread: 10–15cm tall, 15–20cm spread.

Soil needs: Free-draining, poor to moderately fertile, alkaline soil; pH 6.5–7.5. Excellent drainage essential.

Soil prep: Improve clay heavily with 30–40% grit; best in a raised bed, trough or rockery.

Planting depth: Crown at soil level.

Spacing: 15–20cm between plants

Fertiliser: Very little required — rich soil produces soft, less characterful growth.

Companions: Sempervivum, saxifrage, other alpine rockery plants with the same sharp-drainage needs.

West of Ireland: A true alpine, and one of the more challenging plants on wet west of Ireland clay — reliable success generally needs a raised, gritty, free-draining bed or trough rather than open ground. Silvery-white star-shaped flower bracts in summer.

P14. Elephant's Ears (*Bergenia spp.*)

Russian: Бадан

Light: ● Full shade to ☀ full sun. Leaves colour best in open, exposed positions.

Height/Spread: 30–45cm tall, 45–60cm spread.

Soil needs: Humus-rich, moist but well-drained. Excellent on clay.

Soil prep: Add compost. Unfussy.

Planting depth: At pot level; rhizome just at or slightly below surface.

Spacing: 30–60cm between plants

Fertiliser: Low-maintenance. Balanced slow-release in spring, or just annual bark mulch. Do not overfeed.

Companions: Hostas, hellebores, snowdrops, pulmonaria, ferns. Bold evergreen foliage contrasts beautifully with delicate fern texture.

P15. Fern-leaf Peony (*Paeonia tenuifolia*)

Irish / Russian: Piaine · Пион узколистный

Light: ☀ Full sun.

Height/Spread: 45–60cm tall, 45–60cm spread.

Soil needs: Well-drained, fertile soil, neutral to slightly alkaline; pH 6.5–7.5. Dislikes waterlogging, more so than common garden peonies.

Soil prep: Mix clay with compost and 20–30% grit for extra drainage.

Planting depth: Crown/eyes no more than 2–3cm below soil level — as with all peonies, planting too deep prevents flowering.

Spacing: 45–60cm between plants

Fertiliser: Balanced fertiliser in spring; light high-potash feed as buds form.

Companions: Alliums, bearded iris, catmint — classic sunny border companions with similar drainage needs.

West of Ireland: A smaller, earlier-flowering species peony with finely divided, fern-like foliage and deep red single flowers — distinct from the common garden peonies (*Paeonia* spp.) already in this guide. More particular about drainage than common peonies, so a raised or well-drained spot gives the best results on Irish clay.

P102. Giant Bellflower (*Campanula latifolia* var. *macrantha*)

Light: ☁ Partial shade to full sun.

Height/Spread: Up to 1m tall, 45–60cm spread.

Soil needs: Fertile, moist but well-drained soil; pH 6.0–7.5.

Soil prep: Mix clay with generous compost.

Planting depth: Crown at soil level.

Spacing: 45–60cm between plants.

Fertiliser: Light balanced feed in spring; annual compost mulch.

Companions: Ferns and other woodland-edge perennials in partial shade; roses and taller border perennials in sun.

West of Ireland: A tall, clump-forming native-range perennial (Europe to western Asia) with large, dark violet-blue, narrowly bell-shaped flowers held in upright racemes from July to September — the darker-flowered form of the species, since the straight species can also occur in white. Genuinely at home in the mild, moist Irish climate; may self-seed and can spread somewhat in good conditions, but is easily controlled by removing unwanted seedlings.

P16. Globe Thistle (*Echinops ritro*)

Russian: Мордовник обыкновенный

Light: ☀ Full sun essential.

Height/Spread: 90cm–1.2m tall, 45–60cm spread.

Soil needs: Free-draining, poor to moderately fertile soil; pH 6.0–7.5. Dislikes rich, wet ground.

Soil prep: Improve clay with 25–30% horticultural grit.

Planting depth: Crown at soil level.

Spacing: 45–60cm between plants.

Fertiliser: Little needed — thrives on lean soil; rich feeding produces floppy growth.

Companions: Sedum, ornamental grasses, achillea — classic dry, sunny border companions; excellent for pollinators.

West of Ireland: A striking architectural perennial with spiny, silvery foliage and perfectly spherical, steel-blue thistle flowerheads in summer, popular with bees. Needs genuinely sharp drainage to thrive on the region's clay — a raised bed or gravel garden gives the most reliable results.

P17. Globeflower (*Trollius europaeus* / *T. x cultorum*)

Russian: Купальница европейская

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 60–90cm tall, 45–60cm spread.

Soil needs: Moist to wet, humus-rich soil; pH 5.5–7.0. Unusually for a border perennial, thrives in damp ground and tolerates heavy clay very well.

Soil prep: Mix clay with compost; no need for extra drainage — this plant prefers consistently moist soil.

Planting depth: Crown at soil level.

Spacing: 30–40cm between plants

Fertiliser: Balanced feed in spring. Annual compost mulch, keeping the crown moist.

Companions: Astilbe, hosta, candelabra primulas — classic damp border or pond-margin companions.

West of Ireland: One of the few showy border perennials genuinely suited to the wetter parts of a west of Ireland garden — round, globe-like yellow or orange flowers on upright stems in late spring. Excellent for a damp border or the margin of a pond garden.

P18. Honesty (*Lunaria annua*)

Irish / Russian: Lus na gealaí · Лунник однолетний

Light: ☁ Partial shade to full sun.

Height/Spread: 60–90cm tall, 30cm spread.

Soil needs: Moist but well-drained soil; pH 6.0–7.5. Tolerant and easy.

Soil prep: Mix clay with compost.

Planting depth: Sow direct, 1cm deep, late spring/summer to flower the following year (biennial).

Spacing: 25–30cm between plants; self-seeds freely.

Fertiliser: Little needed.

Companions: Foxgloves, forget-me-nots — classic cottage-garden/woodland-edge biennial border.

West of Ireland: An easy biennial with purple or white spring flowers followed by the flat, silvery, coin-like seed pods ("moonpennies") prized for dried arrangements. Self-seeds readily in the mild, moist Irish climate, returning reliably once established.

P19. Irises (*Iris* spp.)

Species	Latin name	Height	Flowering	Planting depth	Notes
Bearded Iris (Border Iris)	<i>I. germanica</i>	60–90cm	Early summer (May–June)	Rhizome at/just proud of soil surface, top exposed to sun	Classic sunny-border iris; needs sharp drainage, rots in wet clay
Siberian Iris	<i>I. sibirica</i>	60–100cm	May–June	Rhizome at soil level or 2–3cm below	Thrives in moist, heavy clay and tolerates boggy ground, unlike Bearded Iris

Light: ☀ Full sun essential for Bearded Iris — at least 6 hours daily for good flowering. Siberian Iris flowers most freely in full sun but tolerates dappled shade.

Height/Spread: 60–100cm tall depending on species (see table), 30–45cm spread.

Soil needs: The two species have almost opposite soil preferences, so choose the right one for your site. Bearded Iris: free-draining, neutral to slightly alkaline soil, pH 6.5–7.5 — rhizomes rot in wet, poorly-drained clay, which is the single biggest cause of failure. Siberian Iris: moist, fertile, neutral to slightly acidic soil, pH 5.8–7.0 — the RHS confirms Siberian irises "do well in heavy clay soil" and prefer consistently moist conditions, tolerating slightly boggy ground near ponds or streams.

Soil prep: Bearded Iris: improve clay generously with 30% horticultural grit; raised beds or mounded planting strongly recommended on heavy soil. Siberian Iris: dig in generous compost (50/50 with clay) — no need for heavy grit, since this species actually prefers moisture-retentive conditions; mulch each autumn with bark or compost to retain moisture and protect the rhizome crowns.

Planting depth: Bearded Iris: rhizome at or just proud of the soil surface, top exposed to sun — do not bury, unlike most other rhizomes. Siberian Iris: at soil level or just 2–3cm below, planted in spring or early autumn.

Spacing: Bearded Iris: 30–45cm between rhizomes, divide every 3–4 years. Siberian Iris: 30–45cm between plants; clumps spread slowly outward over years, divide every 3–5 years.

Fertiliser: Bearded Iris: low-nitrogen, high-potash feed (e.g. tomato feed) in spring and again after flowering — avoid manure or high-nitrogen feeds, which encourage rot. Siberian Iris: a single balanced fertiliser (e.g. Growmore) application in early spring is usually sufficient; avoid high-nitrogen feeds, which promote leafy growth at the expense of flowers, and do not feed in late summer or autumn.

Companions: Bearded Iris: roses, peonies, alliums — classic sunny border companions with similar sun and drainage needs. Siberian Iris: excellent at pond edges alongside Yellow Flag Iris, bogbean and meadowsweet; in borders, works beautifully with astilbe, hostas, daylilies, primulas and ornamental grasses, and pairs well with native royal fern for a classic Atlantic garden look; alliums flower slightly earlier and make a good succession companion.

Pot/container: Siberian Iris: ☒ possible in a 35–40cm diameter / 15–20L container, using multipurpose compost with extra moisture retention (vermiculite rather than grit); keep consistently moist. Bearded Iris is not well suited to pots — needs a wide, shallow container with excellent drainage if attempted.

West of Ireland: Between them, these two cover most garden situations. Bearded Iris needs a raised, gritty, south-facing bed to do well on west of Ireland clay, and congested clumps should be divided every 3–4 years, discarding the older woody centre and replanting healthy young rhizomes. Siberian Iris, by contrast, is an outstanding choice for the region — unlike Bearded Iris it actively thrives in the moist, heavy soil typical of the Atlantic coast, is fully hardy to -20°C, and flowers May–June in blue, purple, violet or white depending on cultivar (good choices: 'Caesar's Brother', 'White Swirl', 'Flight of Butterflies').

P20. Japanese Anemone (*Anemone* × *hybrida*)

Russian: Ветреница гибридная

Light: ☀ Partial shade to full sun. Excellent in semi-shaded spots.

Height/Spread: 60–90cm tall, 45–60cm spread.

Soil needs: Moist, fertile, well-drained soil; pH 6.0–7.5. Tolerates clay well.

Soil prep: Mix clay with compost.

Planting depth: At pot level; plant potted rhizomes in spring. Fully hardy — never needs lifting.

Spacing: 45–60cm between plants; can spread by rhizome.

Fertiliser: Balanced fertiliser in spring and compost mulch. Low-maintenance.

Companions: Hostas, astilbe, hellebores — all share moisture and partial-shade requirements. Can spread — be aware in small borders.

West of Ireland: A tall, late-season herbaceous perennial with saucer-shaped pink or white flowers held on wiry stems from late summer into autumn (August–October), when much else in the shade border has finished. Fully hardy and easy in the mild, moist Irish climate, though it spreads steadily by rhizome and can become difficult to remove once well established — plant with that in mind in a smaller border.

P21. Lady's Bedstraw (*Galium verum*)

Irish / Russian: *Bolach cnis* · Подмаренник настоящий

Light: ☀ Full sun.

Height/Spread: 20–30cm tall, 30–45cm spread.

Soil needs: Well-drained soil, tolerant of poor/dry conditions; pH 6.0–7.5.

Soil prep: Minimal — this native wildflower thrives on lean soil; excess compost/fertility encourages weak, floppy growth.

Planting depth: Crown at soil level.

Spacing: 20–30cm between plants

Fertiliser: None required — over-feeding is counterproductive for this meadow wildflower.

Companions: Ox-eye daisy, yarrow, wild grasses — classic dry meadow/wildflower planting.

West of Ireland: A native wildflower with masses of tiny, honey-scented yellow flowers in summer, traditionally used to stuff mattresses (hence the name) and once used to curdle milk in cheesemaking. Best suited to a wildflower meadow area or dry, sunny bank rather than a fertile border.

P22. Lanceleaf Tickseed (*Coreopsis lanceolata*)

Russian: Кореопсис ланцетовидный

Light: ☀ Full sun essential.

Height/Spread: 45–60cm tall, 45–60cm spread.

Soil needs: Free-draining, poor to moderately fertile soil; pH 6.0–7.5. Dislikes rich, wet ground.

Soil prep: Improve clay with 25–30% grit.

Planting depth: Crown at soil level.

Spacing: 30–45cm between plants.

Fertiliser: Little needed — thrives on lean soil.

Companions: Achillea, ornamental grasses, echinacea — classic dry prairie-style border companions.

West of Ireland: An easy, long-flowering perennial with bright yellow daisy flowers from early to late summer. Needs sharp drainage to perform reliably on Irish clay and can be short-lived in consistently wet ground; a raised or gritty bed suits it best.

P23. Lilyleaf Ladybells (*Adenophora liliifolia*)

Russian: Бубенчик лилиелистный (колокольчик лилиелистный)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 60–90cm tall, 30–40cm spread.

Soil needs: Moist but well-drained soil; pH 6.0–7.5.

Soil prep: Mix clay 50/50 with compost.

Planting depth: Crown at soil level; resents root disturbance once established (like many bellflower relatives, it has a fleshy taproot), so choose the final position with care.

Spacing: 30–40cm between plants

Fertiliser: Light balanced feed in spring. Annual compost mulch.

Companions: Other cottage-border perennials such as clustered bellflower, delphiniums, phlox.

West of Ireland: A relative of the campanulas, with nodding, pale blue-violet bell flowers on upright stems in summer. Less commonly available than campanulas but similarly easy once settled — best left undisturbed once planted.

P25. Lungworts (*Pulmonaria* spp.)

Russian: Медуница

Light: 🌤️ Partial to full shade.

Height/Spread: 25–30cm tall, 45cm spread.

Soil needs: Moist, humus-rich soil; pH 6.0–7.5. Tolerates clay well if not waterlogged.

Soil prep: Mix clay 50/50 with compost.

Planting depth: Crown at soil level.

Spacing: 30–40cm between plants; divide every 3–4 yrs

Fertiliser: Light balanced feed in spring. Annual compost mulch.

Companions: Hellebores, ferns, hostas — classic early-spring woodland/shade border planting; one of the earliest nectar sources for bees.

West of Ireland: Reliable, easy, semi-evergreen shade perennial with attractively spotted leaves and pink-to-blue spring flowers (often both colours on the same plant). Spreads gently to form good groundcover under trees and shrubs; divide every 3–4 years.

P26. Lupins (*Lupinus polyphyllus* and hybrids)

Russian: Люпин многолистный

Light: ☀️ Full sun to 🌤️ partial shade.

Height/Spread: 90cm–1.5m tall, 45–60cm spread.

Soil needs: Moist but well-drained, slightly acid soil; pH 5.5–6.5. Dislikes shallow chalk.

Soil prep: Mix clay 50/50 with compost; avoid excess lime.

Planting depth: Crown at soil level; resents root disturbance, so choose the final position with care.

Spacing: 45–60cm between plants

Fertiliser: Light balanced feed in spring — like other legumes, lupins fix some of their own nitrogen, so avoid overfeeding.

Companions: Delphiniums, roses, foxgloves — classic tall cottage-border companions.

West of Ireland: Tall, showy flower spikes in early-mid summer in a wide colour range. Slug damage to young shoots is the main challenge on damp Irish clay — protect emerging growth in spring. Cut back after flowering to encourage a possible second, smaller flush.

P27. Masterwort (*Astrantia major*)

Russian: Астранция крупная

Light: 🌤️ Partial shade to full sun.

Height/Spread: 60–90cm tall, 45cm spread.

Soil needs: Moist, humus-rich soil; pH 6.0–7.5. Tolerates clay well given reasonable moisture.

Soil prep: Mix clay with compost.

Planting depth: Crown at soil level.

Spacing: 40–45cm between plants.

Fertiliser: Light balanced feed in spring; annual compost mulch.

Companions: Hardy geraniums, ferns, hostas — classic cottage-garden/woodland-edge companions.

West of Ireland: An elegant, easy perennial with distinctive pincushion-like flowers surrounded by papery bracts, in shades of white, pink or deep red, from early to late summer. Thrives in the mild, moist Irish climate; self-seeds gently and tolerates both sun and part shade well.

P28. Ornamental Grasses (*various genera*)

Species	Latin name	Height	Flowering	Planting depth	Notes
Blue Fescue	<i>Festuca glauca</i>	20–30cm	Summer	At pot level	Compact, evergreen, steely-blue needle-like foliage; excellent for rockeries, edging and containers
Dwarf Fountain Grass	<i>Pennisetum alopecuroides</i> 'Hameln'	50–60cm	Late summer–autumn	At pot level	Soft, bottlebrush-like flower spikes; deciduous; a compact form of Chinese fountain grass
Feather Reed Grass	<i>Calamagrostis</i> × <i>acutiflora</i> 'Karl Foerster'	1.2–1.5m	Early–midsummer	At pot level	Strictly upright, non-flopping habit; excellent architectural structure; one of the earliest grasses to flower
Japanese Forest Grass	<i>Hakonechloa macra</i>	30–40cm	Late summer	At pot level	Arching, bright green (or gold in 'Aureola') foliage; one of the few grasses that thrives in part shade
Mexican Feather Grass	<i>Nassella tenuissima</i> (syn. <i>Stipa tenuissima</i>)	40–60cm	Summer	At pot level	Fine, hair-like evergreen foliage in constant motion in the slightest breeze; self-seeds readily
Evergold Sedge	<i>Carex oshimensis</i> 'Evergold'	25–35cm	Insignificant	At pot level	Evergreen, cream-and-green striped foliage; tolerates damper soil and part shade better than the others
Japanese Blood Grass	<i>Imperata cylindrica</i> 'Red Baron'	40–60cm	Insignificant	At pot level	Upright blades, green at the base flushing brilliant blood-red at the tips, deepening through summer into autumn; slowly spreading rather than clump-forming
Pampas Grass	<i>Cortaderia selloana</i>	2–3m	Late summer–autumn	At pot level	Much larger and more architectural than the others in this table — a huge fountain of arching, razor-edged foliage topped by tall, feathery, silvery-white plumes; suits only a large garden with space to spare; ⚠ sharp, saw-toothed leaf edges, wear gloves

Light: ☀ Full sun for Blue Fescue, Dwarf Fountain Grass, Feather Reed Grass, Mexican Feather Grass and Japanese Blood Grass — flowering, upright habit and red colouring all suffer in shade. Pampas Grass also needs full sun. Japanese Forest Grass and Evergold Sedge are the exceptions, both doing well in partial shade.

Height/Spread: 20cm–1.5m tall depending on species (see table), 20cm–3m spread.

Soil needs: Most prefer light, moist but free-draining, moderately fertile soil, pH 6.0–7.5. Evergold Sedge and Japanese Forest Grass are more tolerant of consistently moist, even slightly heavier soil than the others, which need sharper drainage, especially over winter.

Soil prep: For Blue Fescue, Feather Reed Grass, Mexican Feather Grass and Japanese Blood Grass on clay: improve with 25–30% horticultural grit, since good winter drainage is essential to prevent rot at the crown. For Japanese Forest Grass and Evergold Sedge: mix clay with compost, without the need for heavy grit. Dwarf Fountain Grass sits between the two, appreciating reasonable drainage but not as fussy as the true drought-tolerant grasses.

Planting depth: At pot level for all eight, planted at the same depth as in the nursery pot.

Spacing: Blue Fescue and Evergold Sedge: 25–35cm between plants. Japanese Forest Grass, Mexican Feather Grass and Japanese Blood Grass: 30–45cm. Dwarf Fountain Grass: 45–50cm. Feather Reed Grass: 45–60cm, given its height. Pampas Grass: 2–3m — in a different league entirely, this is a genuinely large, architectural grass, not suited to a small border.

Fertiliser: Very little needed for most — over-feeding produces lax, floppy growth, especially in Blue Fescue and Mexican Feather Grass. A light spring mulch of garden compost is usually sufficient. Feather Reed Grass and Dwarf Fountain Grass benefit from an occasional balanced feed in spring for the best flowering display.

Companions: The seven smaller grasses combine beautifully with late-summer perennials such as sedum, echinacea and rudbeckia, and with spring bulbs planted through the clumps for earlier interest. Evergold Sedge and Japanese Forest Grass pair especially well with hostas, ferns and other shade-loving foliage plants. Japanese Blood Grass looks especially dramatic backlit by low sun, or planted with dark-leaved companions such as Black Mondo Grass. Pampas Grass is best given its own space as a solo specimen rather than crowded by other planting, given its ultimate size.

Pruning: Cut deciduous types (Dwarf Fountain Grass, Feather Reed Grass, Japanese Blood Grass) back hard to a few centimetres above the ground in late winter, before new growth starts. Evergreen types (Blue Fescue, Mexican Feather Grass, Japanese Forest Grass, Evergold Sedge) just need old or damaged foliage combed out or lightly trimmed in spring — do not cut hard back. Pampas Grass: cut back hard in late winter/early spring to remove old foliage before new growth starts — always wear thick gloves and long sleeves, since the leaf edges are sharp enough to cut skin.

West of Ireland: For a small west of Ireland garden, Blue Fescue, Evergold Sedge and Mexican Feather Grass are the best-behaved and most compact choices — all clump-forming rather than running, so they stay well mannered in a small border or container. Japanese Forest Grass is an excellent choice for a shadier corner where few other grasses would thrive, while Feather Reed Grass gives valuable upright structure and winter interest (its dried flower spikes persist attractively) without becoming floppy in the region's wind and rain. The mild, moist Atlantic climate generally suits ornamental grasses well, though the free-draining species (Blue Fescue, Mexican Feather Grass, Feather Reed Grass) are more prone to winter rot on heavy clay than the moisture-tolerant Evergold Sedge and Japanese Forest Grass. Pampas Grass is reliably hardy and tolerant of coastal wind here too, but its sheer eventual size (2–3m tall and wide) makes it suitable only for a large garden with space to spare — the odd one out in this table, included for comparison rather than as a small-garden recommendation.

P29. Pasqueflower (*Pulsatilla vulgaris*)

Russian: Прострел обыкновенный

Light: ☀ Full sun — essential. Hates shade.

Height/Spread: 10–20cm tall, 20–30cm spread.

Soil needs: Excellent drainage, pH 6.5–8.0. Hates wet clay. Raised bed or pot essential.

Soil prep: 40–50% grit/compost mix in raised bed or container.

Planting depth: At pot level. Do not disturb once established.

Spacing: 20–30cm between plants

Fertiliser: Virtually no feeding needed. Adapted to lean limestone soils. Nitrogen causes floppy, non-flowering growth. Grit mulch on the surface is more beneficial than any fertiliser.

Companions: Eryngium, Dianthus, Scabiosa, Achillea, ornamental grasses in a gravel garden. Thyme and other rock garden plants nearby.

P30. Penstemon (*Penstemon spp.*)

Russian: Пенстемон

Light: ☀ Full sun essential.

Height/Spread: 45–75cm tall depending on variety, 30–45cm spread.

Soil needs: Free-draining, moderately fertile soil; pH 6.0–7.5. Dislikes waterlogging, especially in winter.

Soil prep: Improve clay with 25–30% horticultural grit.

Planting depth: At pot level.

Spacing: 30–45cm between plants.

Fertiliser: Light balanced feed in spring.

Companions: Salvias, achillea, ornamental grasses — classic sunny border companions with similar drainage needs.

West of Ireland: A generally short-lived but free-flowering perennial with tubular, foxglove-like flowers in a wide range of colours from summer into autumn. Winter wet on heavy clay is the main risk here — good drainage and a sheltered spot noticeably improve its hardiness and longevity.

P31. Peonies (*Paeonia* spp.)

Russian: Пион

Cultivar	Colour	Fragrance	Height	Notes
Sarah Bernhardt	Soft, pastel pink	Strong	75–90cm	Bred by Lemoine, 1906; huge, fully double blooms; one of the most widely grown and dependable cut-flower peonies ever raised
Festiva Maxima	White with crimson flecks at the centre	Strong	85–95cm	Bred 1851, one of the oldest peonies still widely grown; RHS AGM; early-flowering, good heat tolerance
Duchesse de Nemours	Milky white with a creamy-yellow/lemon centre	Strong, often described as the finest of the white peonies	75–90cm	Bred by Calot, 1856; RHS AGM 1993; fully double, globe-shaped blooms; a classic against which other white peonies are measured
Kansas	Vibrant carmine-red to watermelon-red, does not fade in sun	Light to moderate	75–90cm	Introduced 1940; American Peony Society Gold Medal 1957; very strong, rigid stems needing little staking; excellent, long-lasting cut flower
Bowl of Beauty	Rose-pink guard petals surrounding a dense centre of creamy-yellow staminodes	Light	80–90cm	Bred by Kelway, 1949; RHS AGM; a Japanese-type peony, visually quite different from the fully double cultivars above — single row of large petals rather than a dense pompom

Light: ☀️ to 🌤️ Full sun to partial shade. At least 4–6 hours for good flowering.

Height/Spread: 60–90cm tall, 60–90cm spread.

Spacing: 90cm between plants

Soil needs: Free-draining, fertile, pH 6.5–7.0.

Planting depth (herbaceous): ⚠️ Eyes MAX 2.5–5cm below soil. Too deep = no flowers. The most commonly made planting mistake.

Planting depth (tree peony): Graft union 10–15cm below surface.

Fertiliser: Balanced fertiliser in early spring as red shoots emerge. High-potash feed (tomato feed) as buds develop. Annual well-rotted compost mulch, keeping mulch away from crown.

Companions: Alliums (flower as peonies fade — elegant combination). Salvia, irises, delphiniums in mixed border. Roses, foxgloves, geraniums. Avoid planting near taller shade-casting plants.

P32. Perennial Flax (*Linum perenne*)

Russian: Лён многолетний

Light: ☀ Full sun.

Height/Spread: 30–45cm tall, 30–45cm spread.

Soil needs: Well-drained soil, tolerant of poor/dry conditions; pH 6.0–7.5. Dislikes winter wet.

Soil prep: Improve clay with grit for drainage.

Planting depth: Crown at soil level.

Spacing: 20–30cm between plants

Fertiliser: Light balanced feed in spring; avoid rich soil, which shortens the plant's lifespan.

Companions: Achillea (yarrow), lavender, other sun-loving, drought-tolerant border perennials.

West of Ireland: Delicate, sky-blue flowers open fresh each morning through summer on airy, wiry stems. Can be short-lived, especially where drainage is poor — a raised or gritty spot extends its life considerably on Irish clay.

P33. Pheasant's Eye (*Adonis vernalis* / *A. amurensis*)

Russian: Адонис весенний

Light: ☀ Full sun to ☁ partial shade (some afternoon shade in summer, when the plant is dormant, is fine).

Height/Spread: 30–40cm tall, 30–40cm spread.

Soil needs: Well-drained, humus-rich soil; neutral to slightly alkaline, pH 6.5–7.5.

Soil prep: Improve clay with compost and grit for good drainage.

Planting depth: Crown at soil level.

Spacing: 20–30cm between plants; ⚠ toxic

Fertiliser: Light balanced feed in spring. Annual compost mulch.

Companions: Snowdrops, hellebores and other very early spring flowers; goes dormant by summer, so pair with later perennials to fill the gap.

West of Ireland: One of the earliest perennials to flower, with bright yellow, buttercup-like blooms often appearing in late winter. Slow to establish and resents disturbance, so choose its position carefully and leave undisturbed once planted.

⚠ All parts are toxic if ingested.

P34. Pincushion Flower (*Scabiosa columbaria*)

Russian: Скабиоза голубиная

Light: ☀ Full sun essential.

Height/Spread: 30–60cm tall, 30–40cm spread.

Soil needs: Free-draining, poor to moderately fertile soil; pH 6.0–8.0. Tolerates chalky/alkaline ground well.

Soil prep: Improve clay with 25–30% grit.

Planting depth: Crown at soil level.

Spacing: 30cm between plants.

Fertiliser: Little needed.

Companions: Achillea, ornamental grasses — classic dry, sunny border companions; excellent for pollinators and as a cut flower.

West of Ireland: A long-flowering, easy perennial with delicate lavender-blue pincushion-like flowers from early summer into autumn if deadheaded. Needs sharp drainage to thrive reliably on Irish clay; genuinely excellent for bees and butterflies.

P35. Pinks & Sweet Williams (*Dianthus spp.*)

Species	Latin name	Height	Flowering	Planting depth	Notes
Sweet William	<i>D. barbatus</i>	30–60cm	Early summer	At pot level; sow June–July (biennial)	Classic biennial cottage-garden pink with dense flat flowerheads; self-sows readily
Carnation (Border Carnation)	<i>D. caryophyllus</i>	45–60cm	Summer (June–August)	At pot level	Clove-scented double flowers on a woody-based perennial; tolerates maritime exposure and salt-laden air
Chinese Pink	<i>D. chinensis</i>	15–30cm	Summer	At pot level, or sow 3mm deep in spring	Usually grown as an annual or short-lived biennial bedding plant rather than a long-term perennial
Maiden Pink	<i>D. deltoides</i>	15–20cm	Late spring–summer	At pot level	Low, mat-forming groundcover species; RHS AGM; good for rockeries and path edges
Garden Pink	<i>D. plumarius</i>	25–35cm	Early–midsummer	At pot level	The classic perennial cottage-garden pink; many named cultivars (e.g. 'Doris', 'Mrs Sinkins')

Light: ☀ Full sun for all — at least 6 hours daily. Sweet William tolerates partial shade.

Height/Spread: 30–75cm tall depending on species (see table), 25–35cm spread.

Soil needs: All prefer neutral to slightly alkaline, well-drained soil, pH roughly 5.8–7.5 depending on species, and dislike waterlogged clay. Good air circulation helps avoid root rot and fungal disease. Carnation is unusually tolerant of salt-laden coastal air.

Soil prep: Improve clay with compost and 20–30% horticultural grit for all species — good drainage matters more than exact pH.

Planting depth: All at pot level, planted at the same depth as in the nursery pot. Sweet William: sow June–July as a biennial to flower the following year. Chinese Pink: can also be surface-sown (3mm deep) direct in spring. See table above for spacing guidance per species.

Spacing: Sweet William and Carnation: 30–35cm and 45–60cm between plants respectively. Chinese Pink: 15–20cm. Maiden Pink: low groundcover, plant 20–30cm apart. Garden Pink: 25–35cm.

Fertiliser: Routine feeding is not required for any of them. A well-balanced feed in early spring promotes new growth and flowering; perennial types (Carnation, Garden Pink, Maiden Pink) can also be fed once in late spring with an organic fertiliser such as comfrey or chicken pellets. Container-grown plants of any species benefit from a fortnightly liquid feed while in flower.

Companions: Roses, stocks, alliums, lavender, thyme and campanula in a well-drained sunny border; foxgloves, forget-me-nots, wallflowers and pansies alongside Sweet William in particular. Other annual bedding such as cornflower and love-in-a-mist suit Chinese Pink in a cottage-style summer border. Maiden Pink and Garden Pink both combine well with Phlox subulata, Iberis sempervirens and sempervivum at the front of a rockery.

West of Ireland: The perennial and biennial types (Carnation, Garden Pink, Sweet William) find the region's wet winters the main challenge — a raised bed with gritty soil or a sheltered, south-facing spot gives the best results, and Sweet William in particular benefits from the mild winters, though it is still best treated as a biennial with fresh seed sown each year. Chinese Pink is best treated as an annual, replanted fresh each year for reliable colour. Maiden Pink is the easiest of the five, forming a trouble-free low mat once given sharp drainage.

P101. Purpletop Vervain (*Verbena bonariensis*)

Light: ☀ Full sun essential.

Height/Spread: 1.5–2m tall, 45–60cm spread.

Soil needs: Moderately fertile, well-drained soil; pH 6.0–7.5. Adaptable to loam or sandy soils; good drought tolerance once established.

Soil prep: Improve clay with 20–25% grit for reliable drainage, especially over winter.

Planting depth: At pot level.

Spacing: 45–60cm between plants; self-seeds freely once established.

Fertiliser: Little needed; balanced feed in spring is sufficient.

Companions: Ornamental grasses, echinacea, rudbeckia — classic naturalistic/prairie-style border companions; excellent for pollinators.

West of Ireland: A graceful, airy, architectural perennial with tall, wiry, branching stems topped by tight clusters of small violet-purple flowers from mid-summer through autumn — its "see-through" habit makes it a favourite for planting towards the front of a border without blocking the view behind. Self-seeds readily in the mild Irish climate; pinch back young stems in early summer for a bushier habit, and deadhead to manage self-seeding if it becomes too enthusiastic.

P36. Sea Holly (*Eryngium* spp.)

Irish / Russian: Cuilleann trá · Синеголовник

Light: ☀ Full sun essential.

Height/Spread: 60–90cm tall, 30–45cm spread.

Soil needs: Very free-draining, poor to moderately fertile soil; pH 6.0–7.5. Dislikes rich, wet ground — genuinely thrives on poor, sandy or coastal soil.

Soil prep: Improve clay heavily with 30–40% grit; raised bed or gravel garden strongly recommended.

Planting depth: Crown at soil level; deep taproot resents disturbance/division once established.

Spacing: 30–45cm between plants.

Fertiliser: None needed — thrives on lean soil.

Companions: Ornamental grasses, achillea — classic dry gravel-garden companions; excellent for pollinators and dried arrangements.

West of Ireland: An architectural, spiny-leaved perennial with metallic blue thistle-like flowerheads in summer, genuinely happy in coastal, salt-exposed, sharply-drained conditions — an excellent choice for an exposed sunny spot on the Atlantic coast, provided the ground is not heavy wet clay.

P24. Sea Lavender (Statice) (*Limonium* spp.)

Species	Latin name	Height	Flowering	Notes
Statice	<i>L. sinuatum</i>	30–45cm	Summer–early autumn	Short-lived perennial/biennial usually grown as an annual; wide colour range (violet, lavender, pink, rose, orange, yellow, white); the classic dried/cut-flower statice
Common Sea Lavender	<i>L. vulgare</i>	30–40cm	August–September	Native to Atlantic coasts of Europe including Britain; hardy perennial; lavender-lilac to pink-mauve flowers; a genuine salt-marsh specialist
Gmelin's Sea Lavender	<i>L. gmelinii</i>	50–90cm	Midsummer–early autumn	Hardy clump-forming perennial; smoky-blue to lavender-purple flowers; semi-evergreen basal rosette; drought-tolerant once established

Light: ☀ Full sun essential for all three.

Soil needs: Free-draining soil; pH 6.0–8.0. All three are naturally coastal/salt-marsh plants and are genuinely salt-tolerant. *L. sinuatum* and *L. gmelinii* tolerate poor, sandy or stony ground well; *L. vulgare* is more of a true salt-marsh specialist and appreciates a touch more moisture than the other two.

Soil prep: Improve clay with 25–30% horticultural grit; a raised bed or gravel garden suits all three well.

Planting depth: Crown at soil level for all three; all resent root disturbance once established, so choose the final position carefully.

Spacing: *L. sinuatum*: 30–45cm between plants. *L. vulgare*: 30–40cm between plants. *L. gmelinii*: 45–60cm between plants, given its larger ultimate size.

Fertiliser: Little needed for any of the three — they thrive on lean, poor soil; over-feeding produces lax growth.

Companions: Ornamental grasses, achillea, sedum — classic gravel-garden and coastal-planting companions; all three have airy sprays excellent for cutting and drying.

West of Ireland: Three tough, drought- and salt-tolerant plants with sprays of small, papery flowers from summer into autumn, all genuinely useful for an exposed coastal west of Ireland garden. *L. sinuatum* (Statice) is the classic florist's cut-and-dried flower, usually treated as an annual here; *L. vulgare* is the true native-range coastal species, most at home in a damp, salty spot; *L. gmelinii* is the largest and most robust of the three, a reliable hardy perennial border plant. Not to be confused with Siberian Statice (*Goniolimon tataricum*), already in this guide, which is a related but distinct genus with a similar airy, dried-flower habit.

P37. Siberian Statice (*Goniolimon tataricum*)

Russian: Кермек татарский

Light: ☀ Full sun.

Height/Spread: 45–60cm tall, 30–45cm spread.

Soil needs: Well-drained soil, tolerant of poor/dry ground; pH 6.0–7.5. Dislikes winter wet.

Soil prep: Improve clay with grit for good drainage.

Planting depth: Crown at soil level; deep taproot, so choose the final position with care.

Spacing: 30–40cm between plants

Fertiliser: Light balanced feed in spring; avoid rich soil.

Companions: Ornamental grasses, achillea, sedum — classic gravel-garden or dried-flower border companions.

West of Ireland: Airy sprays of small white/papery flowers held well above a basal rosette, popular for drying. Best given a raised, gritty, well-drained spot given the west of Ireland's high rainfall, as it is more prone to winter losses on flat wet clay than many border perennials.

P38. Slender Vervain (*Verbena rigida*)

Russian: Вербена жёсткая

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 1–1.5m tall, 45–60cm spread.

Soil needs: Well-drained soil; pH 6.0–7.5. Tolerant of poor, dry conditions once established.

Soil prep: Improve clay with compost and grit.

Planting depth: Crown at soil level.

Spacing: 20–30cm between plants

Fertiliser: Little required; avoid rich soil, which produces floppy growth.

Companions: Lavender, catmint, ornamental grasses — classic gravel-garden and pollinator-border companions.

West of Ireland: A native wildflower with wiry, airy stems of tiny lilac flowers through summer, valuable for pollinators, and long used in traditional herbal medicine. Self-seeds gently; best in a sunny, well-drained spot rather than heavy wet clay.

P39. Sneezeweed (*Helenium autumnale*)

Russian: Гелениум осенний

Light: ☀ Full sun essential.

Height/Spread: 90cm–1.2m tall, 45–60cm spread.

Soil needs: Moist but well-drained, fertile soil; pH 6.0–7.5. Tolerates clay well provided it isn't permanently waterlogged.

Soil prep: Mix clay with compost.

Planting depth: Crown at soil level.

Spacing: 45–60cm between plants.

Fertiliser: Balanced feed in spring.

Companions: Rudbeckia, ornamental grasses, sedum — classic late-summer border companions.

West of Ireland: A reliable, easy perennial with daisy-like flowers in warm reds, oranges and yellows from late summer into autumn, valuable for extending colour late in the season. Tolerates the region's moist soil well; divide every few years to keep it vigorous.

P40. Sneezewort (*Achillea ptarmica* 'The Pearl')

Irish / Russian: *Lus corráin* · Тысячелистник птармика

Light: ☀ Full sun — at least 6–8 hours. Tolerates partial shade but flowers less freely and becomes leggy.

Height/Spread: 30–60cm tall, 45–60cm spread.

Soil needs: Loamy soil is ideal, but yarrow tolerates clay soil if it drains well. Loosen soil 12–15 inches deep and mix in 2–4 inches of compost before planting. Avoid overly rich soil; too much fertility can cause floppy stems. pH 5.5–7.0. Very adaptable — will grow in poor soil.

Soil prep: Loosen soil to 30–40cm depth and mix in compost before planting. Do not add heavy nitrogen; this causes floppy stems. On clay, add 15–20% grit to improve drainage.

Planting depth: At pot level; bare-root crowns with buds 2–3cm below soil surface. Space 30–60cm apart.

Spacing: 30–60cm between plants; divide every 2–3 yrs

Fertiliser: Apply a thin layer of compost each spring. Additional fertiliser is rarely necessary. Over-feeding produces tall, floppy plants that fall over. Yarrow needs little or no regular applications of fertiliser in most garden soils. Mulching plants in borders with well-rotted manure or garden compost each spring should be sufficient.

Companions: Yarrow helps deter unwanted pests, attracts native insects and predators like those that manage aphids and caterpillars, and works quietly to improve soil quality by replenishing nutrients. Yarrow pairs beautifully with weigela and hydrangea. Also excellent with roses, delphiniums, salvias, ornamental grasses, and echinacea. One of the best pollinator plants — flat-topped flowers are perfect landing platforms for hoverflies, butterflies and bees. ⚠ Can spread aggressively in good garden soil — divide every 2–3 years.

Pot size: 30cm diameter, 25cm deep container; multipurpose compost with 20% grit.

West of Ireland: Native *A. millefolium* grows wild throughout Ireland and is extremely well adapted to Irish conditions. Tolerates the wet, windy west coast. Excellent for naturalistic planting, wildflower meadow schemes, and cottage gardens.

P41. Society Garlic (*Tulbaghia violacea*)

Light: ☀ Full sun essential.

Height/Spread: 30–45cm tall, 25–30cm spread.

Soil needs: Free-draining, moderately fertile soil; pH 6.0–7.5.

Soil prep: Improve clay with 25–30% horticultural grit; a raised bed or large container gives the most reliable results on Irish clay.

Planting depth: Crown at soil level.

Spacing: 25–30cm between plants.

Fertiliser: Balanced liquid feed monthly through the growing season.

Companions: Lavender, rosemary and other sun-loving, well-drained border companions; said to help deter aphids nearby, like other alliums.

Pot/container: ✅ Grows very well in a container, which also makes winter protection straightforward.

West of Ireland: An evergreen, clump-forming, garlic-scented perennial from South Africa with grey-green strappy leaves and clusters of star-shaped lilac flowers held on tall stems through summer into autumn. Borderline hardy (RHS H3, roughly to -5°C) — reliable outdoors only in the mildest, most sheltered coastal west of Ireland gardens; elsewhere, best grown in a container that can be moved to a frost-free spot for winter, or given a thick dry mulch if left in the ground.

P42. Stocks (*Matthiola incana* / *M. longipetala*)

Russian: Левкой седой

Light: 🌤 Full sun to partial shade. Best fragrance in the evening in a sheltered spot.

Height/Spread: 30–90cm tall, 20–30cm spread.

Soil needs: Well-drained, pH 6.5–7.5. Slightly alkaline preferred.

Soil prep: Compost and 20% grit.

Planting depth: At pot level; seeds surface-sown.

Spacing: 20–30cm between plants

Fertiliser: Balanced fertiliser at planting. Liquid tomato feed fortnightly once buds appear. Moderate feeder — do not overfeed with nitrogen.

Companions: Wallflowers, sweet William, pansies. Place near seating areas or windows for exceptional evening fragrance.

P43. Toadflax (*Linaria vulgaris*)

Russian: Лянка обыкновенная

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 30–90cm tall, 30cm spread.

Soil needs: Well-drained soil, tolerant of poor/dry ground; pH 6.0–7.5.

Soil prep: Minimal — this native wildflower is unfussy; avoid over-rich soil, which encourages excess soft growth and spread.

Planting depth: Crown at soil level, or sow seed on the surface.

Spacing: 20–30cm between plants; spreads readily

Fertiliser: None required.

Companions: Ox-eye daisy, yarrow, other native wildflower meadow companions.

West of Ireland: A native wildflower with snapdragon-like yellow and orange flowers on upright spikes through summer, valuable for bees. Spreads by rhizomes and self-seeds readily, so best suited to a wildflower area or informal bank rather than a tidy border, where it can be to be kept in check.

P44. Yarrow (*Achillea millefolium*)

Irish / Russian: Athair thalún · Тысячелистник обыкновенный

Light: ☀ Full sun — at least 6–8 hours. Tolerates partial shade but flowers less freely and becomes leggy.

Height/Spread: 30–60cm tall, 45–60cm spread.

Soil needs: Loamy soil is ideal, but yarrow tolerates clay soil if it drains well. Loosen soil 12–15 inches deep and mix in 2–4 inches of compost before planting. Avoid overly rich soil; too much fertility can cause floppy stems. pH 5.5–7.0. Very adaptable — will grow in poor soil.

Soil prep: Loosen soil to 30–40cm depth and mix in compost before planting. Do not add heavy nitrogen; this causes floppy stems. On clay, add 15–20% grit to improve drainage.

Planting depth: At pot level; bare-root crowns with buds 2–3cm below soil surface. Space 30–60cm apart.

Spacing: 30–60cm between plants; divide every 2–3 yrs

Fertiliser: Apply a thin layer of compost each spring. Additional fertiliser is rarely necessary. Over-feeding produces tall, floppy plants that fall over. Yarrow needs little or no regular applications of fertiliser in most garden soils. Mulching plants in borders with well-rotted manure or garden compost each spring should be sufficient.

Companions: Yarrow helps deter unwanted pests, attracts native insects and predators like those that manage aphids and caterpillars, and works quietly to improve soil quality by replenishing nutrients. Yarrow pairs beautifully with weigela and hydrangea. Also excellent with roses, delphiniums, salvias, ornamental grasses, and echinacea. One of the best pollinator plants — flat-topped flowers are perfect landing platforms for hoverflies, butterflies and bees. ⚠ Can spread aggressively in good garden soil — divide every 2–3 years.

Pot size: 30cm diameter, 25cm deep container; multipurpose compost with 20% grit.

West of Ireland: Native *A. millefolium* grows wild throughout Ireland and is extremely well adapted to Irish conditions. Tolerates the wet, windy west coast. Excellent for naturalistic planting, wildflower meadow schemes, and cottage gardens.

GROUP S: SHADE & WOODLAND PLANTS

S1. Asian Bleeding Heart (*Lamprocapnos spectabilis*, syn. *Dicentra spectabilis*)

Russian: Дицентра великолепная

Light: ☀️ Partial shade preferred.

Height/Spread: 60–90cm tall, 45–60cm spread.

Soil needs: Moist, humus-rich soil; pH 6.0–7.5. Tolerates clay well given reasonable drainage.

Soil prep: Mix clay with generous compost/leaf mould.

Planting depth: Crown at soil level.

Spacing: 45–60cm between plants.

Fertiliser: Light balanced feed in spring; annual compost mulch.

Companions: Ferns, hostas, hellebores — classic woodland-edge companions that fill in as it dies back.

Warnings ⚠️: Goes dormant and disappears completely by midsummer — plant where later-emerging neighbours will fill the gap.

West of Ireland: A classic, much-loved woodland perennial with arching stems of pink-and-white heart-shaped flowers in spring. Thrives in the mild, moist Irish climate given part shade; its complete summer dormancy is worth planning around when siting it.

S2. Auricula (*Primula auricula*)

Irish / Russian: Lus na mbanríon · Первоцвет ушковый

Light: ☀️ Partial shade; protect from strong midday sun.

Height/Spread: 15–20cm tall, 20–25cm spread.

Soil needs: Free-draining, humus-rich soil; neutral to slightly alkaline, pH 6.5–7.5.

Soil prep: Improve clay generously with grit and compost; best in a raised bed, trough or pot given its need for sharp drainage.

Planting depth: Crown at soil level; do not bury.

Spacing: 15–20cm between plants

Fertiliser: Balanced liquid feed monthly through the growing season, stopping in winter.

Companions: Other alpine/trough plants such as saxifrage and sempervivum; traditionally displayed in individual pots on a shelf ("auricula theatre").

West of Ireland: Alpine primula relative, best grown in pots or a raised trough rather than open clay, since winter wet is the main threat. Divide congested clumps every 2–3 years after flowering.

S3. Common Dog Violet (*Viola riviniana*)

Irish / Russian: Fanaigse · Фиалка Ривинуса

Light: ☀️ Partial shade; tolerates full sun to full shade.

Height/Spread: 10–15cm tall, 15–20cm spread.

Soil needs: Most moist, well-drained soils including clay; pH 5.5–7.0.

Soil prep: Minimal — very adaptable native woodland-floor plant.

Planting depth: Crown at soil level.

Spacing: 15–20cm between plants

Fertiliser: None required.

Companions: Primroses, wood sorrel, ferns — classic native woodland-floor groundcover; the larval food plant for several fritillary butterflies.

West of Ireland: Easy, unfussy native wildflower with violet-blue flowers in spring, valuable groundcover under trees and shrubs, and important for wildlife. Self-seeds gently to form drifts.

S4. Coral Bells (*Heuchera spp.*)

Russian: Гейхера

Light: ☀️ Partial shade preferred; purple/dark-leaved varieties tolerate more sun, green/lime varieties prefer more shade.

Height/Spread: 30–45cm tall, 30–45cm spread.

Soil needs: Moist but well-drained soil, rich in organic matter; pH 6.0–7.0.

Soil prep: Mix clay 50/50 with compost and 20% grit for drainage — Heuchera dislikes waterlogging, especially in winter.

Planting depth: Crown at soil level — do not bury the crown, which can cause rot.

Spacing: 30–45cm between plants

Fertiliser: Balanced liquid feed monthly through the growing season. Light annual mulch with compost, keeping it away from the crown.

Companions: Hostas, astilbe, ferns, hellebores — classic shade/part-shade border and edging companions; excellent foliage contrast plant.

West of Ireland: Reliable, low-maintenance evergreen/semi-evergreen foliage perennial. Divide congested clumps every 3 years in spring or autumn to keep vigorous.

S5. Cowslip (*Primula veris*)

Irish / Russian: Bainne bó bleachtáin · Первоцвет весенний

Light: ☀️ Partial shade; protect from strong midday sun.

Height/Spread: 15–20cm tall, 20–25cm spread.

Soil needs: Free-draining, humus-rich soil; neutral to slightly alkaline, pH 6.5–7.5.

Soil prep: Improve clay generously with grit and compost; best in a raised bed, trough or pot given its need for sharp drainage.

Planting depth: Crown at soil level; do not bury.

Spacing: 15–20cm between plants

Fertiliser: Balanced liquid feed monthly through the growing season, stopping in winter.

Companions: Other alpine/trough plants such as saxifrage and sempervivum; traditionally displayed in individual pots on a shelf ("auricula theatre").

West of Ireland: Alpine primula relative, best grown in pots or a raised trough rather than open clay, since winter wet is the main threat. Divide congested clumps every 2–3 years after flowering.

S6. Dusky Cranesbill (*Geranium phaeum*)

Irish / Russian: Crobh odhar · Герань тёмно-бурая

Light: ☀️ Partial shade to full sun.

Height/Spread: 60–80cm tall, 45–60cm spread.

Soil needs: Moist but well-drained soil; pH 6.0–7.5. Tolerant of clay and dry shade once established.

Soil prep: Mix clay with compost.

Planting depth: Crown at soil level.

Spacing: 40–45cm between plants.

Fertiliser: Little needed once established.

Companions: Hellebores, ferns, foxgloves — classic woodland-edge hardy geranium companions.

West of Ireland: An easy, tough hardy geranium with distinctive deep maroon-purple, reflexed flowers in late spring, tolerating both sun and quite deep, dry shade once settled in. Self-seeds gently; genuinely one of the most trouble-free perennials for a mixed shade border here.

S7. Epimedium (Barrenwort) (*Epimedium spp.*)

Species	Latin name	Height	Flowering	Planting depth	Notes
<i>E. × versicolor</i> 'Sulphureum'	<i>E. × versicolor</i> 'Sulphureum'	30cm	Spring (April–May)	Crown at soil level	Pale sulphur-yellow flowers; semi-evergreen heart-shaped leaves flushed bronze when young; RHS AGM
<i>E. × perralchicum</i> 'Rose Queen'	<i>E. × perralchicum</i> 'Rose Queen'	30–40cm	Spring (April–May)	Crown at soil level	Rose-pink, spurred flowers; vigorous, semi-evergreen groundcover, one of the toughest and most reliable Epimediums
<i>E. × rubrum</i>	<i>E. × rubrum</i>	20–30cm	Spring (April)	Crown at soil level	Crimson-red, white-spurred flowers; young foliage flushed bright red, ageing green with red-tinted margins in autumn

Light: 🌞 to 🌑 Partial to full (dry) shade — one of the very best perennials for difficult dry shade under trees and shrubs.

Height/Spread: 20–40cm tall depending on species (see table), 30–40cm spread.

Soil needs: Any reasonably drained soil, including clay; pH 5.5–7.5. Remarkably tolerant of dry shade once established, though it establishes best with reasonable moisture in its first year or two.

Soil prep: Mix clay with compost; no special drainage measures needed.

Planting depth: Crown at soil level for all three.

Spacing: 30–40cm between plants.

Fertiliser: Little needed once established — a light balanced feed in spring for the first couple of seasons helps establishment.

Companions: Ferns, hellebores, hostas, snowdrops and other dry-shade or woodland-edge perennials.

Pruning: Cut old, tatty foliage back hard in late winter, just before the new flower spikes and leaves emerge, to show off the flowers clearly and refresh the display for the coming season.

West of Ireland: All three are tough, spreading (but not invasive) semi-evergreen to evergreen groundcover perennials with delicate, spurred spring flowers held above (or just before) attractive heart-shaped foliage. Genuinely one of the best plant groups for the difficult dry shade under mature trees, where the region's rainfall rarely fully reaches the soil — once established, all three cope with remarkably little summer moisture. A superb, low-maintenance choice for a woodland-edge or shaded border in a west of Ireland garden.

S8. Forget-me-nots (*Myosotis sylvatica*)

Irish / Russian: *Lus mionla* · Незабудка лесная

Light: 🌞 Partial shade to full sun.

Height/Spread: 15–20cm tall, 15–20cm spread.

Soil needs: Moist but well-drained soil; pH 6.0–7.5. Tolerant and easy.

Soil prep: Mix clay with compost; not fussy.

Planting depth: At pot level, or sow seed on the surface in late spring/summer to flower the following year (usually grown as a biennial).

Spacing: 15–20cm between plants; self-seeds freely.

Fertiliser: Little needed.

Companions: Tulips, wallflowers, foxgloves — a classic spring bedding partner, especially with spring bulbs.

West of Ireland: A cheerful, easy biennial with sprays of small sky-blue flowers in spring, self-seeding readily to return year after year once established. Fully hardy and thrives in the mild, moist Irish climate.

S9. Foxgloves (*Digitalis purpurea* and *perennial species*)

Irish / Russian: *Lus mór* · Наперстянка пурпурная

Light: ☀️ to 🌑 Partial shade to full sun if soil stays moist.

Height/Spread: 1–2m tall, 30–45cm spread.

Soil needs: Nutrient-rich, moist, pH 5.5–7.5. Native to Ireland.

Soil prep: Add compost. Very adaptable. Self-seeding.

Planting depth: At pot level; seeds sown on surface (need light to germinate).

Spacing: 30–45cm between plants

Fertiliser: Low-maintenance — rarely needs feeding. Light balanced fertiliser in spring for vigorous second-year plants. Bark mulch to retain moisture.

Companions: Ferns, astilbe, hostas in shaded beds. With roses, alliums, and delphiniums in sunnier borders. Superb companion as they attract bumblebees very effectively.

S10. Hellebore (Lenten Rose) (*Helleborus spp.*)

Russian: Морозник

Light: ☀️ to 🌑 Partial to full shade. Ideal under deciduous trees or shrubs. Avoid full sun which scorches leaves.

Height/Spread: 30–45cm tall, 45–60cm spread.

Soil needs: Humus-rich, fertile, moisture-retentive, pH 6.0–8.0. Excellent on clay.

Soil prep: Add generous compost. Annual compost or leaf mould mulch.

Planting depth: At pot level; crown just at or slightly below soil surface.

Spacing: 45–60cm between plants

Fertiliser: Balanced slow-release in early spring after clearing old foliage. Annual compost mulch after flowering — most effective treatment. Takes 2–3 years to settle after planting; do not disturb once established.

Companions: Snowdrops (January–March together — one of the great winter garden combinations). Cyclamen coum, pulmonaria, early daffodils. Hostas and ferns alongside in summer.

S11. Hosta / Plantain Lily (*Hosta spp.*)

Russian: Хоста

Variety	Height	Leaf colour	Notes
<i>H. sieboldiana</i> 'Elegans'	60–90cm	Large, rounded, deeply veined blue-grey	RHS AGM; one of the largest and most dramatic hosta leaves; slug-resistant thick substance
<i>H. × tardiana</i> 'Halcyon'	40cm	Frosty, glaucous blue-grey, heart-shaped when mature	RHS AGM; one of the best and most popular blue-leaved hostas; pale lavender bell-shaped flowers in summer
<i>H.</i> 'Undulata Albomarginata'	30–45cm	Wavy, twisted mid-green leaves with a broad creamy-white margin	Vigorous and reliable; one of the most widely grown variegated hostas
<i>H.</i> 'Shadowland Diamond Lake'	40–50cm	Rounded, deep blue leaves	Compact, slug-resistant, holds its blue colour well through summer
<i>H.</i> 'Frances Williams'	60–75cm	Blue-green, heavily puckered, with an irregular gold-yellow margin	RHS AGM; a classic, extremely popular large variegated hosta
<i>H.</i> 'Patriot'	40–50cm	Dark green with a crisp, wide white margin	Fast-growing, reliable, strong colour contrast

Light: 🌤️ to 🌑 Partial to full shade. Golden and yellow-leaved types tolerate more sun; blue-leaved varieties need more shade — their glaucous "bloom" fades in strong sun.

Height/Spread: 10–90cm tall depending on variety (see table), 30–90cm spread.

Soil needs: Moist, humus-rich, fertile soil; pH 5.5–7.5. Grows well on clay.

Soil prep: Add generous compost.

Planting depth: At pot level; crown just at soil surface.

Spacing: 30–90cm depending on variety — check the ultimate spread, since some (like 'Sieboldiana Elegans') become very large.

Fertiliser: Balanced slow-release granular in spring. Balanced liquid feed monthly from April through midsummer. Do not feed after August. Annual compost mulch.

Companions: Astilbe, ferns, hellebores, bergenia. Snowdrops and winter aconites bloom in the gaps before hostas emerge in spring.

Warnings ⚠️: Slugs and snails are the main challenge in the moist west of Ireland climate — wool pellets, copper tape (on pots), or nematode treatments are essential companions. Thicker-leaved varieties (e.g. 'Sieboldiana Elegans') show noticeably more slug resistance than thin-leaved types.

West of Ireland: The classic genus for a shaded Irish border, valued above all for handsome, often large and boldly variegated foliage rather than its relatively modest lily-like summer flowers. The mild, consistently moist Atlantic climate suits hostas very well — the main obstacle to a good display is slug and snail damage rather than the weather, so factor in some form of control from the moment new shoots emerge in spring.

S12. Lily of the Valley (*Convallaria majalis*)

Russian: Ландыш майский

Light: 🌤️ Partial to full shade.

Height/Spread: 15–20cm tall, 30cm+ spread (spreads by rhizome).

Soil needs: Moist, humus-rich soil; pH 6.0–7.5. Tolerates clay well if not waterlogged.

Soil prep: Mix clay with compost/leaf mould.

Planting depth: Rhizome ("pip") 2–3cm deep, growing point up, in autumn.

Spacing: 15–20cm between plants; ⚠️ toxic, spreads

Fertiliser: Light balanced feed in spring. Annual leaf mould mulch.

Companions: Ferns, hostas, hellebores — classic shaded woodland-floor groundcover.

West of Ireland: Fragrant white bell flowers in late spring, spreading by rhizomes to form good groundcover under trees and shrubs over time — can be vigorous once established, so give it room or a contained bed if a tidy border is wanted.

⚠️ All parts are toxic if ingested.

S13. Monkshood (*Aconitum napellus*)

Russian: Борец клубучковый (аконит)

Light: 🌤️ Partial shade to full sun; prefers cooler root conditions.

Height/Spread: 90cm–1.5m tall, 45–60cm spread.

Soil needs: Moist, humus-rich soil; pH 6.0–7.5. Tolerates clay well if not waterlogged.

Soil prep: Mix clay 50/50 with compost.

Planting depth: Crown at soil level.

Spacing: 45–60cm between plants; ⚠️ toxic, wear gloves

Fertiliser: Balanced liquid feed in spring. Annual compost mulch.

Companions: Delphiniums, hostas, astilbe — classic cottage/damp border companions.

West of Ireland: Reliable, long-lived tall spikes of deep blue-purple hooded flowers in late summer.

⚠️ All parts are highly toxic if ingested, and sap can irritate skin on contact — wear gloves when handling, and site away from children's play areas and vegetable beds.

S14. Native Irish Ferns

Fern	Latin Name	Light	Height	Notes
Male Fern	<i>Dryopteris filix-mas</i>		60–100cm	Most robust native; tolerates exposed positions
Slender Crested Male Fern	<i>Dryopteris filix-mas</i> 'Linearis Polydactyla'	 , tolerates full sun if kept moist	1–1.5m	RHS AGM; a cultivar of Male Fern with airy, narrow, multi-forked frond tips; tolerant of dry shade once established
Lady Fern	<i>Athyrium filix-femina</i>		60–120cm	Prefers sheltered, moist shade
Broad Buckler Fern	<i>Dryopteris dilatata</i>		60–100cm	Glossy dark fronds; excellent in deep shade
Hard Shield Fern	<i>Polystichum aculeatum</i>		45–60cm	Evergreen; tolerates dry shade & coastal exposure
Polypody	<i>Polypodium vulgare</i>		15–40cm	Grows on walls and banks; evergreen
Royal Fern	<i>Osmunda regalis</i>		1–2m	Loves wet clay and boggy spots; spectacular
Deer Fern	<i>Blechnum spicant</i>		30–60cm	Evergreen; needs acidic soil (pH 4.5–6.0)
Hart's Tongue Fern	<i>Asplenium scolopendrium</i>		30–60cm	Evergreen; undivided strap-like fronds; tolerates lime/chalk unlike most ferns

Height/Spread: See Height column above for each species; spread is generally 30–90cm depending on species, forming slowly spreading clumps.

Soil needs: Most: moist, humus-rich, acidic to neutral (pH 5.0–7.0). Deer fern: acidic conditions. Hart's Tongue Fern: unusually tolerant of lime/chalk for a fern, so also suits neutral to alkaline soil.

Soil prep: Add generous compost. Extra moisture retention for Royal Fern and Lady Fern.

Planting depth: At pot level. Crowns of *Dryopteris* and *Osmunda* should sit 7–12cm above soil.

Spacing: 30cm–2m between plants depending on species — see table above.

Fertiliser: Very low feeding requirements. Light balanced fertiliser in spring or annual compost top-dressing is sufficient. Do not overfeed. Bark mulch around base to retain moisture.

Companions: Hostas, astilbe, hellebores, snowdrops, bluebells. Native ferns under deciduous trees is the ideal naturalistic Irish planting. Japanese maple and bamboo make beautiful structural companions. Foxgloves self-seed among ferns magnificently.

West of Ireland: You are in prime fern territory. Royal Fern (*Osmunda regalis*) is spectacular in boggy west of Ireland conditions, and Hart's Tongue Fern's unusual undivided fronds and lime tolerance make it a useful, easy native for a shaded wall or bank.

S15. Native Irish Mosses

Light:  Partial to full shade; most native mosses scorch in strong, direct sun.

Height/Spread: 1–5cm tall (mat-forming), spreading indefinitely.

Spacing: Establish as low patches; allow to spread and knit together naturally over 1–2 growing seasons.

Soil/surface needs: Consistently moist, humid conditions on soil, rock, tree bases, walls or fallen wood; most prefer slightly acid, humus-rich conditions, though some (like common tamarisk-moss) tolerate neutral ground.

Establishing mosses: Unlike flowering plants, mosses are not "planted" in the usual sense — they establish from spores or small transplanted clumps ("moss transplant") pressed onto a clean, consistently damp surface (soil, rock, log, or the shaded base of a wall) and kept moist while they knit in, generally over one growing season.

Care: No feeding — added fertiliser harms moss. Keep the area free of fallen leaf litter, which can smother it, and maintain humidity/shade; mosses generally do not need protection from cold.

Companions: Ferns, wood sorrel, primroses and other shaded, damp woodland-floor plants; mosses are a natural companion groundcover beneath the native ferns already in this guide.

West of Ireland: Ireland's mild, exceptionally damp Atlantic climate is superb for mosses generally, and the west of Ireland (especially Kerry's oceanic woodlands) is internationally important for its bryophyte (moss and liverwort) diversity. A shaded, damp corner, old wall, or fallen log left undisturbed will often colonise naturally with little help. A selection of common native species suited to garden conditions:

Common name	Species	Typical habitat
Fox-tail Feather-moss	<i>Thamnobryum alopecurum</i>	Shaded rocks, streamsides, tree bases in humid woodland
Common Tamarisk-moss	<i>Thuidium tamariscinum</i>	Damp ground and rotting logs in woodland; tolerates neutral soils
Bank Haircap Moss	<i>Polytrichastrum formosum</i>	Shaded banks, ditches, woodland and tree stumps on acidic soils
Common Haircap	<i>Polytrichum commune</i>	Damp, acidic ground, bog margins and woodland
Swan's-neck Thyme-moss	<i>Mnium hornum</i>	Very common on tree bases, rotting wood and acidic woodland floor
Springy Turf-moss	<i>Rhytidiadelphus squarrosus</i>	Damp lawns, banks and open woodland; tolerant of some sun

S16. Non-Native Ornamental Ferns

Fern	Latin Name	Light	Height	Notes
Japanese Wood Fern	<i>Dryopteris erythrosora</i>		45–60cm	New fronds coppery-red maturing to green; semi-evergreen; acid soil (pH <6.0)
Western Sword Fern	<i>Polystichum munitum</i>		60–120cm	Robust evergreen; tolerates clay if moist; protect crown from winter wet
Ostrich Fern	<i>Matteuccia struthiopteris</i>	 , tolerates sun if kept moist	1–1.8m	Deciduous, shuttlecock form; spreads by runners; excellent in a bog garden
Sunset Fern	<i>Dryopteris lepidopoda</i>		60–75cm	New fronds fiery orange-red maturing to olive-green; semi-evergreen
Fortune's Holly Fern (var. <i>clivicola</i>)	<i>Cyrtomium fortunei</i> var. <i>clivicola</i>		30–60cm	Evergreen; very cold-hardy; bold, glossy fronds; tolerates dry shade
Koidzumi's Wood Fern	<i>Dryopteris koidzumiana</i>		60–90cm	Deciduous/semi-evergreen; warm copper new growth; shade and clay tolerant
Maidenhair Fern (Himalayan)	<i>Adiantum venustum</i>		15–25cm	Not native, but genuinely hardy (RHS AGM); delicate black-stemmed fan-shaped fronds; spreads slowly into a mat
Japanese Painted Fern	<i>Athyrium niponicum</i> 'Metallicum'		30–45cm	Deciduous; metallic silver-grey fronds flushed purple-red along the midribs; RHS AGM; one of the most colourful shade ferns available

Height/Spread: See Height column above for each species; spread is generally 30–90cm depending on species, forming slowly spreading clumps.

Soil needs: Most: moist, humus-rich, acidic to neutral (pH 5.0–7.0). *Dryopteris erythrosora*: acid soil (pH <6.0). *C. fortunei* var. *clivicola*: neutral to slightly alkaline tolerated (pH 6.0–8.0). *D. koidzumiana*: pH 5.5–7.0. *Adiantum venustum*: moist but well-drained, humus-rich soil, pH 5.5–7.0. Japanese Painted Fern: moist, humus-rich, slightly acidic soil, pH 5.5–6.5 — dislikes drying out, which dulls its metallic colouring.

Soil prep: Add generous compost. Extra moisture retention for Ostrich Fern.

Planting depth: At pot level. Crowns should sit at or just below the soil surface. *Adiantum venustum* has a thin, creeping rhizome planted at pot level.

Spacing: 30cm–1.8m between plants depending on species — see table above.

Fertiliser: Very low feeding requirements. Light balanced fertiliser in spring or annual compost top-dressing is sufficient. Do not overfeed. Bark mulch around base to retain moisture.

Companions: Hostas, astilbe, hellebores, snowdrops, bluebells. Japanese maple and bamboo make beautiful structural companions.

West of Ireland: You are in prime fern territory here — the mild, wet Atlantic climate suits almost all of these species, and Ostrich Fern in particular is spectacular in a boggy corner.

Notes on selected species:

Fortune's Holly Fern var. *clivicola* (*Cyrtomium fortunei* var. *clivicola*): A particularly cold-hardy variety of Fortune's holly fern (hardy to -15°C or below), originating in Japan and Korea. Produces bold, glossy, deep green fronds with holly-leaf-shaped pinnae. Fully evergreen. One of the few ferns that genuinely tolerates dry shade — invaluable under trees where moisture competition is fierce, a challenge common in west of Ireland woodland gardens. Grows well in neutral to slightly alkaline soils as well as acidic conditions, giving it wider site flexibility than many ferns. Plant at pot level; the crown should sit at or just below the soil surface. Slug-resistant. Height 30–60cm; spread to 60cm. Pot size:  30–40cm / 15L+.

Koidzumi's Wood Fern (*Dryopteris koidzumiana*): A Japanese species related to the common Male Fern, increasingly grown as a garden fern in the UK and Ireland. Produces upright, broadly lance-shaped fronds with attractive coppery-bronze new growth in spring, maturing to dark green. Semi-evergreen to deciduous depending on exposure; in the mild west of Ireland, usually semi-evergreen. Tolerates clay, moist soils, and shade well. Plant at pot level; crown at soil surface or just below. pH 5.5–7.0. Height 60–90cm; spread 60cm. Pot size:  40–50cm / 25–30L.

S17. Primulas (*Primula* spp.)

Irish / Russian: Sabhaircín · Первоцвет

Species	Latin name	Height	Flowering	Planting depth	Notes
Candelabra Primula	<i>P. japonica</i>	30–60cm	Late spring–early summer	Crown at soil level	Tiered whorls of flowers in pink, red, purple or white; RHS AGM cultivars available; wants genuinely wet, pond-margin-type conditions; self-seeds into colonies
Drumstick Primula	<i>P. denticulata</i>	20–45cm	Mid-spring–early summer (April–June)	Crown at soil level	Spherical "drumstick" flowerheads in purple, lilac, pink, blue or white; RHS AGM; native to Himalayan/Chinese alpine meadows
Primroses	<i>P. vulgaris</i>	10–15cm	Late winter–spring	Crown at soil level	Native Irish wildflower; pale yellow flowers; self-seeds gently to form drifts

Light:  Partial shade for all three; Primroses tolerate more sun in the cooler, moister west of Ireland climate than in drier regions, while Candelabra Primula actually prefers a degree of shade — full sun can drain its flower colour.

Height/Spread: 10–60cm tall depending on species (see table), 20–40cm spread.

Soil needs: Moist, humus-rich soil for all three; pH 5.5–7.0. Primroses and Drumstick Primula tolerate clay well provided it is not permanently waterlogged. Candelabra Primula is the most water-demanding of the three, genuinely wanting the reliably wet, pond-margin-type conditions of a bog garden — this is closer to a marginal water plant than a normal border perennial.

Soil prep: Mix clay with compost/leaf mould for Primroses and Drumstick Primula. For Candelabra Primula, dig in generous compost or leaf mould at a genuinely damp or pond-edge site rather than trying to improve a dry border to suit it.

Planting depth: Crown at soil level for all three.

Spacing: Candelabra Primula: 30–40cm between plants. Drumstick Primula: 20–30cm between plants. Primroses: 20–25cm between plants.

Fertiliser: Light balanced feed in spring for all three. Annual leaf mould/compost mulch.

Companions: Bluebells, wood anemones, violets, ferns — classic native woodland-floor and hedge-bank planting for Primroses. Drumstick Primula combines well with other spring bulbs and moisture-loving woodland-edge perennials. Candelabra Primula belongs at the pond edge alongside astilbe, Rodgersia, and other bog-garden perennials.

Warnings : Drumstick Primula's leaves and stems can cause mild skin irritation in sensitive individuals — wear gloves if handling a lot of foliage.

West of Ireland: Primroses are one of Ireland's most familiar native spring wildflowers, found throughout hedge banks and woodland, easy and long-lived. Drumstick Primula is not native but thrives in the same cool, consistently moist Atlantic climate that suits its Himalayan origins, self-sowing readily once established to form good-sized colonies — best given reliably moist soil rather than a border that dries out in summer. Candelabra Primula is best reserved for a genuine pond margin or bog bed here; given that moisture, it self-seeds generously into striking tiered colonies.

S18. Rough Tree Fern (*Cyathea australis*)

Russian: Циатея южная

Light: ☀️ Partial shade, sheltered from wind and cold.

Height/Spread: 2–4m tall (trunk + fronds) in cultivation, 2–3m spread.

Soil needs: Moist, humus-rich, well-drained soil; pH 5.5–6.5. Consistent moisture is essential, especially at the crown.

Soil prep: Dig in generous compost/leaf mould; a warm, sheltered microclimate is essential.

Planting depth: At the same depth as in the nursery pot.

Spacing: 2–3m from structures and other large plants.

Fertiliser: Balanced liquid feed monthly through the growing season; water into the crown.

Companions: Hostas, ferns, hellebores — classic shaded woodland-garden companions.

Warnings ⚠️: Less cold-hardy than *Dicksonia antarctica* — needs a very sheltered spot and crown protection (wrap with fleece/straw) in hard frost.

West of Ireland: An Australian tree fern with a rough, fibrous trunk and large arching fronds, similar in effect to the more commonly grown Tasmanian Tree Fern but generally less hardy. Best suited to the mildest, most sheltered west of Ireland gardens, with winter crown protection in colder spells.

S19. Round-Lobed Hepatica (*Hepatica nobilis*)

Russian: Печёночница благородная

Light: ☀️ Partial to full shade; ideal under deciduous trees.

Height/Spread: 10–15cm tall, 15–20cm spread.

Soil needs: Moist but well-drained, humus-rich soil, tolerant of neutral to slightly alkaline; pH 6.0–7.5.

Soil prep: Improve clay with leaf mould/compost and a little grit.

Planting depth: Crown at soil level; resents disturbance once established.

Spacing: 15–20cm between plants

Fertiliser: Light balanced feed in spring. Annual leaf mould mulch.

Companions: Snowdrops, hellebores, wood anemones — classic very-early-spring woodland-floor planting.

West of Ireland: One of the earliest woodland perennials to flower, with delicate blue, pink or white blooms often appearing before the leaves in late winter/early spring, followed by attractive lobed evergreen foliage. Slow-growing but long-lived once settled — best left undisturbed.

S20. Silver Fern (*Cyathea dealbata*)

Russian: Циатея серебристая

Light: ☀️ Partial shade, sheltered from wind and cold.

Height/Spread: 2–4m tall (trunk + fronds) in cultivation, 2–3m spread.

Soil needs: Moist, humus-rich, well-drained soil; pH 5.5–6.5.

Soil prep: Dig in generous compost/leaf mould; a warm, sheltered microclimate is essential.

Planting depth: At the same depth as in the nursery pot.

Spacing: 2–3m from structures and other large plants.

Fertiliser: Balanced liquid feed monthly through the growing season; water into the crown.

Companions: Hostas, ferns, hellebores — classic shaded woodland-garden companions.

Warnings ⚠️: Less cold-hardy than *Dicksonia antarctica* — needs a very sheltered spot and crown protection in hard frost.

West of Ireland: New Zealand's iconic silver fern, named for the distinctive white-silvery underside of its fronds (the emblem on the All Blacks jersey). Borderline hardy at best in Ireland — reliable only in the mildest, most sheltered coastal gardens with winter crown protection; a real specialist's choice compared with the tougher Tasmanian Tree Fern.

S21. Solomon's Seal (*Polygonatum multiflorum* / *P. × hybridum*)

Russian: Купена многоцветковая

Light: 🌤️ Partial to full shade.

Height/Spread: 60–90cm tall, 30–45cm spread (spreads by rhizome).

Soil needs: Moist, humus-rich soil; pH 5.5–7.5. Tolerates clay well given reasonable moisture.

Soil prep: Mix clay with generous compost/leaf mould.

Planting depth: Rhizome 5–8cm deep, autumn or spring.

Spacing: 30–40cm between plants.

Fertiliser: Light balanced feed in spring; annual leaf mould mulch.

Companions: Ferns, hostas, hellebores — classic woodland-floor companions; arching stems look best rising through or behind lower groundcover.

Warnings ⚠️: Berries and rhizomes are toxic if eaten.

West of Ireland: A graceful woodland perennial with arching stems hung with small white bell flowers in late spring, followed by black berries. Spreads gently by rhizome to form good-sized colonies in the mild, moist shade the west of Ireland climate provides — genuinely easy once established.

S22. St Patrick's Cabbage (*Saxifraga spathularis*)

Irish / Russian: Cabáiste mhadra rua · Камнеломка лопатчатая

Light: 🌤️ Partial shade to full shade; also tolerates exposed, unshaded mountain sites in its native range.

Height/Spread: 10–20cm tall, 20–30cm spread.

Soil needs: Moist, humus-rich, acid soil among rocks; pH 5.0–6.0.

Soil prep: Mix clay with 30–40% ericaceous compost/leaf mould and some grit — best replicating a humid, rocky woodland or streamside setting.

Planting depth: Crown at soil level; shallow, stoloniferous rooting.

Spacing: 15–20cm between plants

Fertiliser: Very little required. Light ericaceous feed in spring if growth is poor.

Companions: Ferns, mosses, other Irish native rock/woodland plants for an authentic west of Ireland native rockery or shaded bank.

West of Ireland: A true west of Ireland native and local treasure — part of the "Lusitanian flora" found naturally only in Ireland and parts of Portugal/Spain, most abundant in Kerry and west Cork on shaded, humid rocks and hedge banks. An excellent, genuinely native choice for a shaded rockery or damp stone wall in this guide's own region. Evergreen rosettes of fleshy leaves with delicate white, pink-speckled flowers in early summer.

S23. Tasmanian Tree Fern (*Dicksonia antarctica*)

Russian: Диксония антарктическая

Light: 🌤️ Partial to full shade; shelter from direct hot sun and, importantly, from cold drying winds.

Height/Spread: 2–4m tall (trunk + fronds), 2–3m spread.

Soil needs: Moist, humus-rich, free-draining, slightly acid soil; pH 5.5–6.5. Needs consistent moisture at the crown and root zone but good drainage — dislikes both drought and waterlogging.

Soil prep: Mix clay with generous compost/leaf mould (40%+) and grit. In a container, use a peat-free ericaceous or woodland-type compost mix.

Planting depth: Trunk (caudex) at same depth as previously grown; the fibrous "trunk" is actually a mass of roots and needs to stay moist.

Spacing: 1.5–3m between plants; wrap crown in hard frost

Fertiliser: Balanced liquid feed watered into the crown monthly through the growing season. Regular watering — including watering directly into the crown in dry spells — is more important than feeding.

Companions: Hostas, ferns, hellebores, snowdrops — classic damp, shaded woodland-garden planting.

West of Ireland: RHS hardiness H4–H5 (borderline, roughly to –5°C, less with protection); the mild, humid west of Ireland climate suits it well in a sheltered spot, but in harder winters wrap the crown with fleece or straw. Water the crown regularly in the growing season — this is the single most common cause of failure when it is allowed to dry out.

S24. Toad Lily (*Tricyrtis birta*)

Light: 🌤️ Partial to 🌑 full shade.

Height/Spread: 30–90cm tall, 30–60cm spread.

Soil needs: Humus-rich, moist but well-drained soil; pH 5.5–7.0.

Soil prep: Mix clay generously with leaf mould or compost to mimic a woodland floor.

Planting depth: Crown at soil level.

Spacing: 30–45cm between plants; forms slowly expanding clumps from creeping rhizomes.

Fertiliser: Light balanced feed in spring; annual leaf mould or compost mulch.

Companions: Hostas, ferns, hellebores — classic shady woodland-border companions.

West of Ireland: A late-season woodland perennial grown for its curious, orchid-like white to lavender flowers speckled with purple, borne in the leaf axils from late summer into autumn, when much else in a shady border has finished. Genuinely happy in the moist, humus-rich conditions typical of an Irish shade garden; mulch well and keep consistently moist for the best display.

S25. Wood Sorrel (*Oxalis acetosella*)

Irish / Russian: *Seamsóg* · Кислица обыкновенная

Light: 🌑 Full shade to 🌤️ partial shade.

Height/Spread: 5–10cm tall, 20–30cm spread (spreads by rhizome).

Soil needs: Moist, humus-rich, acid to neutral soil; pH 5.0–6.5.

Soil prep: Improve clay with leaf mould/compost.

Planting depth: Crown/rhizome at soil level.

Spacing: 10–15cm between plants

Fertiliser: None required.

Companions: Ferns, mosses, primroses — classic deep-woodland-floor groundcover, often found growing directly among tree roots and on old stumps.

West of Ireland: A dainty native woodland groundcover with clover-like leaves that fold down at night and delicate white, purple-veined flowers in spring. Spreads gently by rhizomes to form soft carpets in deep shade where little else will grow — ideal under mature trees or in a native woodland-style corner.

GROUP T: ORNAMENTAL TREES & SHRUBS

T1. Bald Cypress (*Taxodium distichum*)

Russian: Таксодиум двурядный

Light: ☀️ Full sun to 🌤️ partial shade.

Height/Spread: 15–25m tall (much smaller and slower-growing while young in cultivation), 6–9m spread.

Soil needs: Any soil including clay; pH 5.5–7.5. Genuinely tolerates wet, waterlogged ground better than almost any other tree in this guide.

Soil prep: Minimal — one of the very few trees that actively tolerates poorly-drained, wet clay.

Planting depth: At nursery soil mark.

Spacing: 4–6m minimum from structures for a young tree; considerably more given its eventual size.

Fertiliser: None needed once established.

Companions: Astilbe, ferns, yellow flag iris and other moisture-loving plants at its base.

West of Ireland: A deciduous conifer, native to swampy ground in the south-eastern USA, with soft feathery foliage turning russet-orange in autumn before falling. Genuinely useful for a consistently damp or poorly-drained corner of a west of Ireland garden where few other trees would thrive; large, long-lived, and slow-growing.

T2. Balsam Fir (*Abies balsamea*)

Light: ☀️ Full sun to ☁️ partial shade.

Height/Spread: 15–20m tall (full-sized; dwarf cvs. much smaller), 5–8m spread.

Soil needs: Moist, well-drained, acidic to neutral soil; pH 5.0–6.5. Dislikes hot, dry conditions.

Soil prep: Mix clay 50/50 with ericaceous or multipurpose compost and grit for drainage.

Planting depth: At nursery soil mark.

Spacing: 4–6m between plants for a full-sized tree; dwarf cultivars much closer.

Fertiliser: Balanced slow-release feed in spring while young.

Companions: Underplant with ferns, hostas and other woodland-edge shade plants.

Fragrance 🌲: Famously fragrant — the classic "Christmas tree" scent, released strongly when the needles are crushed or the tree is cut; often used in balsam-filled pillows and potpourri.

West of Ireland: A neat, conical North American conifer, the archetypal Christmas tree, with soft, flat, dark green needles and upright purplish cones. Prefers cool, consistently moist conditions and dislikes hot, dry summers, which suits the mild west of Ireland climate reasonably well, though it performs best with some shelter from strong coastal wind. Full-sized specimens are large — a dwarf cultivar is a better fit for most gardens.

T3. Bamboo (clump-forming: *Fargesia* spp., *Chusquea* spp.)

Russian: Бамбук

Light: ☀️ Full sun to partial shade. *Fargesia* prefers some afternoon shade.

Height/Spread: 2–5m tall (clump bamboo), 1–2m spread.

Soil needs: Most soils including clay; prefers moist, fertile, free-draining. Choose clump-forming species — running bamboo (*Phyllostachys*) requires a 60cm deep root barrier.

Soil prep: Dig hole twice the rootball width. Mix clay 50/50 with compost. Mulch well.

Planting depth: At pot level.

Spacing: 1.5–3m from structures; root barrier for running types

Fertiliser: High-nitrogen fertiliser (lawn feed or balanced granular) each spring. Top-dress with compost each autumn. Container plants: balanced liquid fertiliser monthly during the growing season.

Companions: Ferns, hostas, astilbe, hellebores. Bamboo provides shelter for smaller plants. Root barrier required near structures.

T4. Black Locust (*Robinia pseudoacacia* 'Frisia')

Light: ☀️ Full sun essential for the best golden leaf colour.

Height/Spread: 10–15m tall, 6–8m spread.

Soil needs: Any well-drained soil, including poor or dry ground; pH 6.0–7.5. Tolerant of poor soil (it fixes its own nitrogen) but dislikes waterlogging.

Soil prep: Improve heavy clay with grit for the first few years; established trees are very tolerant.

Planting depth: At nursery soil mark. Stake well while young — brittle wood is prone to wind damage.

Spacing: 6–8m between plants; can eventually reach 12–15m, though slower and more compact than the straight species.

Fertiliser: None needed once established — a nitrogen-fixing legume.

Companions: Underplant with shade-tolerant bulbs and perennials once the canopy provides light dappled shade.

Warnings ⚠️: Brittle branches can break in strong wind — avoid very exposed sites, and site away from paths/parking. Thorny on some growth.

West of Ireland: A fast-growing deciduous tree grown for its soft, golden-yellow, fern-like foliage that lights up a garden from spring to autumn, with fragrant white pea-flowers in early summer. Tolerant of poor soil and pollution, but its brittle wood is vulnerable to breakage in the region's strong Atlantic winds — a sheltered spot is best.

T5. Border Forsythia (*Forsythia × intermedia*)

Russian: Форзиция средняя

Light: ☀️ Full sun to partial shade. Flowers better in full sun.

Height/Spread: 2–3m tall, 2–3m spread.

Soil needs: pH 6.0–8.0. Tolerates clay very well.

Soil prep: Standard clay improvement with compost and grit.

Planting depth: At pot level.

Spacing: 1.5m between; 2m from walls

Fertiliser: Balanced general fertiliser (Growmore) in early spring. Annual compost mulch after pruning. Avoid high-nitrogen feeds. ⚠️ Prune immediately after flowering — never in autumn/winter (flower buds form on old wood).

Companions: Spring tulips underplanted, Vinca or Pulmonaria as underplanting, holly or yew as evergreen backdrop.

T6. Cider Gum (Eucalyptus) (*Eucalyptus gunnii*)

Russian: Эвкалипт Ганна

Light: ☀️ Full sun essential.

Height/Spread: 10–20m tall if left unpruned (or 2–4m if coppiced/stooled annually), 4–8m spread (much less if coppiced).

Soil needs: Any well-drained soil; pH 5.5–7.5. Dislikes waterlogging, especially while young.

Soil prep: Improve heavy clay with 20–30% grit while the tree establishes.

Planting depth: At pot level.

Spacing: 2–4m between plants if coppiced annually; considerably more if left to grow as a full tree.

Fertiliser: Balanced feed in spring for the first few years.

Companions: Ornamental grasses, hardy geraniums — good foliage-contrast companions if kept coppiced.

West of Ireland: A fast-growing evergreen tree with rounded, silvery-blue juvenile foliage much prized for cut foliage and flower arranging. Fully hardy in the mild Irish climate; most gardeners "stool" or coppice it hard every year or two to keep the prized round juvenile foliage and a manageable size, rather than letting it grow into a full-sized tree.

T7. Common Hawthorn (*Crataegus monogyna*)

Irish / Russian: Sceach Gheal · Боярышник однопестичный

Light: ☀️ Full sun to 🌤️ partial shade.

Height/Spread: 5–8m tall, 5–8m spread.

Soil needs: Very adaptable — most soils including heavy clay, chalk, and poor ground; pH 5.5–7.5.

Soil prep: Minimal — one of the most tolerant trees of clay and exposure. Improve drainage with grit only on the wettest sites.

Planting depth: At nursery soil mark.

Spacing: As hedge: 30–45cm; as tree: 4–6m from structures

Fertiliser: None needed once established. Light mulch of compost in early years.

Companions: Classic native hedgerow tree — combines with blackthorn, holly and hazel for a mixed native hedge; underplant with primroses, bluebells and violets.

West of Ireland: Ireland's most familiar native hedgerow and windbreak tree ("whitethorn"), exceptionally tolerant of wind, salt spray and exposure — an excellent, low-cost choice for shelterbelts on Atlantic-facing boundaries. Masses of white May blossom followed by red autumn haws valuable for birds.

T8. Cushion Bush (*Leucophyta brownii*, syn. *Calocephalus brownii*)

Light: ☀ Full sun essential.

Height/Spread: 30–90cm tall, 30–90cm spread.

Soil needs: Free-draining, gritty soil; pH 6.0–7.5. Genuinely salt- and drought-tolerant once established.

Soil prep: Improve clay heavily with 30–40% horticultural grit; a raised bed, gravel garden or container gives the most reliable drainage.

Planting depth: At pot level.

Spacing: 45–60cm between plants.

Fertiliser: Monthly balanced liquid feed through the growing season; otherwise little needed.

Companions: Other silver-foliage and coastal/gravel-garden plants sharing its need for sun and sharp drainage.

West of Ireland: A striking Australian sub-shrub grown almost entirely for its dense, tangled mass of silvery-white, thread-like stems and foliage, with small creamy-yellow button flowers in summer. Genuinely useful for a coastal west of Ireland garden given its salt tolerance, though it may be short-lived on wet clay in open ground — a raised, gritty spot or large container suits it far better, and it is often treated as a half-hardy annual or overwintered under cover in colder, more exposed gardens.

T9. Douglas Fir (*Pseudotsuga menziesii*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 20m+ tall (full-sized; dwarf cvs. much smaller), 4–8m spread.

Soil needs: Moist, well-drained soil, acidic to neutral; pH 5.0–6.5. Dislikes hot, dry sites.

Soil prep: Mix clay 50/50 with compost and grit for drainage.

Planting depth: At nursery soil mark.

Spacing: This is a genuinely enormous forest tree (naturally reaching well over 60m) — full-sized specimens need a very large garden or estate; dwarf and compact cultivars are a far more realistic choice for most gardens, spaced 2–4m apart.

Fertiliser: Balanced slow-release feed in spring while young.

Companions: Best given its own space if grown as a full-sized specimen; dwarf cultivars combine well with other conifers and heathers.

Fragrance 🌲: Needles are noticeably fragrant when crushed or bruised, often described as citrusy or resinous.

West of Ireland: A majestic evergreen conifer, introduced to the UK and Ireland from western North America in the 1820s and now naturalised in some large estate woodlands. Tolerates the mild, moist Atlantic climate well and is not a true fir despite the name (it belongs to its own genus, *Pseudotsuga*). Given its ultimate size, this is a tree for a large garden, parkland or woodland planting rather than an average suburban plot — choose one of the many dwarf or compact cultivars available for a smaller space.

T10. Dwarf Mountain Pine (*Pinus mugo* var. *mugo*)

Light: ☀ Full sun — needed to keep the habit compact and dense; tolerates part shade but grows looser.

Height/Spread: 1–1.5m tall (dwarf/prostrate forms), 1.5–2m spread.

Soil needs: Any reasonably drained soil, pH 5.0–7.5; naturally found on poor, rocky mountain soils, so tolerates poor and thin ground well. Dislikes permanently waterlogged clay.

Soil prep: Dig a hole twice the width of the rootball. Mix the excavated clay 50/50 with multipurpose compost, adding 20–30% horticultural grit to guarantee sharp drainage — this matters more than fertility for a plant adapted to mountain scree. On the wettest clay, plant on a slightly raised mound.

Planting depth: At the same level as in the pot; do not bury the base of the stems.

Spacing: 1.5–2m between plants; ultimate size around 1.5–2m tall and wide, reached slowly.

Fertiliser: None needed at planting — wait 6–8 weeks before feeding to avoid burning new roots. From the following spring, a light dressing of Kieserite (magnesium sulphate) or an organic conifer feed each February–March keeps the needles a good green. Otherwise very low-maintenance.

Companions: Heather, dwarf junipers, sempervivum and other rockery or gravel-garden plants that share its need for sharp drainage.

West of Ireland: A genuinely tough, slow-growing dwarf conifer from the mountains of central and southern Europe — very cold-hardy and, once established, tolerant of salt-laden wind, which makes it a good choice for an exposed coastal west of Ireland garden. Needs almost no pruning beyond removing dead wood.

T11. Elder 'Black Lace' (*Sambucus nigra* 'Black Lace')

Light: ☀ Full sun for the deepest near-black leaf colour; tolerates partial shade but foliage turns more green.

Height/Spread: 2–3m tall, 2–3m spread.

Soil needs: Most soils including clay, moist but well-drained; pH 5.5–7.5.

Soil prep: Mix clay with compost; very adaptable and easy.

Planting depth: At nursery soil mark.

Spacing: 2–3m between plants; can be kept smaller with annual pruning.

Fertiliser: Balanced feed in spring; annual compost mulch.

Companions: Contrasts beautifully with lime-green or golden foliage (e.g. golden Philadelphus, Choisya 'Sundance') and with pink or white-flowered shrubs and perennials.

Pruning: For the best, largest foliage, cut hard back to a framework in late winter each year (sacrificing some flowers); for flowers and berries as well as foliage, prune more lightly.

West of Ireland: A striking large shrub with finely cut, near-black purple foliage and pink-flushed, lacy flowerheads in early summer, followed by black elderberries (edible when cooked, like the wild native elder). Fully hardy and easy in the mild, moist Irish climate — a dramatic dark foil for pale or pastel-flowered companions.

T12. English Oak (*Quercus robur*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 20–35m tall (very large, long-lived), 20m+ spread.

Soil needs: Any soil including clay and chalk; pH 5.0–8.0. Extremely tolerant and lime-tolerant.

Soil prep: Minimal — one of the most adaptable trees to heavy clay in this guide, needing no special amendment.

Planting depth: At nursery soil mark.

Spacing: 8–10m minimum from structures for a young tree, and ideally considerably more given its eventual size (up to 35m) — this is a long-lived, very large forest tree.

Fertiliser: None needed once established.

Companions: Bluebells, wood anemones and other native woodland-floor plants once the canopy provides dappled shade; supports an exceptional range of native Irish insect and bird life.

West of Ireland: A magnificent, iconic native-range tree (present in Ireland since prehistory, though most Irish "native" oak woodland is now largely sessile oak, *Quercus petraea*) valued as much for wildlife as for timber — few other trees support as much insect, lichen and bird life. Extremely long-lived, tolerant of the region's heavy clay and high rainfall, and a genuine multi-generational specimen tree — plant only where there is truly room for a very large, long-lived tree, well away from buildings and drains.

T13. False Spiraea (*Sorbaria sorbifolia*)

Russian: Рябинник рябинолистный

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 1.5–2.5m tall, 1.5–2.5m spread (suckering).

Soil needs: Most moist soils including clay; pH 5.5–7.5. Very adaptable and tolerant of poor drainage better than many shrubs.

Soil prep: Minimal — dig hole twice rootball width, mix clay 50/50 with compost.

Planting depth: At nursery soil mark.

Spacing: 1–1.5m between plants; spreads by suckers

Fertiliser: Balanced general fertiliser in spring. Annual compost mulch.

Companions: Good at the back of a mixed border with hydrangea and deutzia; also useful for stabilising damp banks.

West of Ireland: Vigorous, suckering shrub with creamy plume-like flowers in summer — spreads readily by suckers, so best given room to naturalise (e.g. a bank or informal border) rather than a tight border, where it can be kept in check by removing suckers.

T14. Fraser Fir (*Abies fraseri*)

Light: ☀ Full sun to ☁ light shade.

Height/Spread: 9–17m tall in cultivation, 4–6m spread.

Soil needs: Moist, well-drained, acidic soil; pH 5.0–6.0. Dislikes heat and drought.

Soil prep: Mix clay 50/50 with ericaceous or multipurpose compost and grit for drainage.

Planting depth: At nursery soil mark.

Spacing: 4–6m between plants for a full-sized tree.

Fertiliser: Balanced slow-release feed in spring while young.

Companions: Underplant with ferns, hostas and other acid-loving woodland-edge plants.

Fragrance 🌲: Strongly and pleasantly fragrant, often described as resembling turpentine or classic pine-forest scent; the needles are notably long-lasting once cut, which is why this species is the most popular Christmas tree species commercially grown in North America.

West of Ireland: A neat, conical North American fir native to the high Appalachian Mountains, with dark green needles showing silvery-white undersides. Prefers cool, consistently moist conditions similar to its native mountain habitat, which the mild, damp west of Ireland climate can suit well given reasonable shelter; dislikes hot, dry summers, which are rarely an issue here. A good choice where a genuinely fragrant conifer specimen is wanted.

T15. Fuzzy Pride-of-Rochester (*Deutzia scabra*)

Russian: Дейция шершавая

Light: ☀ Full sun to ☁ partial shade. Flowers best and stays more compact in full sun; needs a sheltered spot out of the coldest wind.

Height/Spread: 2–3m tall, 2–3m spread.

Soil needs: Most moist, well-drained soils including clay; pH 6.0–7.5. Not fussy once drainage is adequate.

Soil prep: Dig hole twice the rootball width. Mix excavated clay 50/50 with compost and 20% grit.

Planting depth: At nursery soil mark.

Spacing: 1.5–2m between plants; grows 1.8–3m tall

Fertiliser: Balanced general fertiliser in early spring. Annual compost mulch.

Companions: Lewis mock orange, lilac, weigela — classic spring/early-summer flowering shrub border. Underplant with spring bulbs.

West of Ireland: A larger, more vigorous Deutzia than the dwarf *D. gracilis* type, with distinctive peeling cinnamon-coloured bark and fuzzy, sandpaper-textured leaves (hence "scabra," Latin for rough) that give this cultivar its common name. Double white flowers, sometimes tinged pink, in early summer on arching branches. Prune immediately after flowering, removing a proportion of the oldest stems at the base each year to keep it renewing well — it flowers on the previous year's wood, so late pruning sacrifices next year's display. Note: in parts of North America this species can self-seed and naturalise; in an Irish garden setting this is not generally a concern, but deadheading after flowering avoids any risk of unwanted seedlings.

T16. Ginkgo (*Ginkgo biloba*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 15–25m tall (slow-growing), 5–10m spread.

Soil needs: Any well-drained soil, including clay; pH 5.0–8.0. Extremely tolerant of a wide range of conditions once established.

Soil prep: Mix clay 50/50 with compost and 20% grit for the first few years while roots establish; mature trees tolerate clay well.

Planting depth: At nursery soil mark.

Spacing: 6–8m between plants for a full-sized tree; slow-growing, so this size takes many decades to reach.

Fertiliser: Balanced fertiliser in spring for the first few years only; established trees need none.

Companions: Underplant with spring bulbs and shade-tolerant perennials once the canopy matures; in youth, while still small, combines well with ornamental grasses.

West of Ireland: An ancient, exceptionally tough and disease-resistant deciduous conifer relative with distinctive fan-shaped leaves that turn bright butter-yellow in autumn. Male trees are usually chosen for gardens, since female trees produce foul-smelling fruit. Extremely long-lived and virtually pest- and disease-free; tolerates urban pollution, wind and a wide range of soils, making it a genuinely low-maintenance choice, though slow-growing, so buy as large a specimen as you can afford if a quicker impact is wanted.

T17. Golden Mimosa (*Acacia baileyana*)

Russian: Акация Бейли

Light: ☀ Full sun essential, in a sheltered spot away from cold winds.

Height/Spread: 3–5m tall (borderline hardy, often smaller here), 2–3m spread.

Soil needs: Free-draining, poor to moderately fertile soil; pH 6.0–7.5. Tolerates poor, dry soils but hates waterlogging.

Soil prep: Improve clay with 30% horticultural grit; a raised bed or south-facing wall base gives the best chance of success.

Planting depth: At nursery soil mark.

Spacing: 3–4m between plants; fast-growing.

Fertiliser: Little needed once established; a balanced feed in spring for young plants only.

Companions: Rosemary, lavender and other Mediterranean-style plants sharing its need for sun and sharp drainage.

West of Ireland: A fast-growing evergreen with feathery, purple-flushed young foliage (ageing to blue-grey) and masses of fragrant yellow, mimosa-type flowers in late winter. Borderline hardy (RHS H3, roughly to -5°C) — reliably survives only in the mildest, most sheltered coastal west of Ireland gardens; elsewhere, best grown in a large container that can be moved under cover for winter.

T18. Holly (*Ilex aquifolium*)

Irish / Russian: Cuileann · Падуб остролистный

Light: 🌑 Full shade to ☀ full sun. Extraordinary adaptability. More berries in sunnier positions. ⚠️ Plant at least one male + one female for berries.

Height/Spread: 3–8m tall (as hedge/specimen; can reach 15m unpruned), 2–4m spread.

Soil needs: pH 4.5–8.0. Tolerates heavy clay, poor soil, coastal exposure.

Soil prep: Dig hole twice rootball size, backfill with clay/compost mix. Grit helpful but not essential.

Planting depth: At pot level; fibrous shallow root mat, do not bury deeply.

Spacing: 1.5–3m between; slow-growing hedge

Fertiliser: Balanced slow-release fertiliser in early spring only if plant looks weak or pale. Annual bark mulch more useful than heavy feeding. Container: slow-release granular fertiliser each spring, liquid feed monthly in summer.

Companions: Yew (classic Irish churchyard combination), forsythia (glows against dark foliage), winter-flowering hellebores, snowdrops beneath. Critical: plant at least one male (e.g. 'Silver Queen' — confusingly a male) and one or more berry-bearing females nearby (within 50–100m).

⚠️ All parts except berry flesh toxic to humans and livestock.

T19. Horse Chestnut (*Aesculus hippocastanum*)

Light: ☀ Full sun to 🌥 partial shade.

Height/Spread: 20–25m tall, 15–20m spread.

Soil needs: Most soils including clay; pH 5.5–7.5. Adaptable and tolerant.

Soil prep: Minimal — a tolerant tree once established.

Planting depth: At nursery soil mark.

Spacing: Needs a genuinely large garden or parkland setting — 10m+ from structures, and considerably more space to reach its full, wide-spreading canopy.

Fertiliser: None needed once established.

Companions: Best given its own space, since it casts dense shade and has a wide root spread once mature.

West of Ireland: A large, familiar deciduous tree (not native to Ireland or Britain, but long naturalised, originally from the Balkans), grown for its impressive upright "candles" of white or pink flowers in May and its glossy conkers in autumn — a childhood favourite. Fully hardy in the mild, moist Irish climate, but its eventual size and dense canopy make it suitable only for a large garden, parkland or avenue planting, not an average suburban plot. Increasingly affected by leaf miner and bleeding canker in parts of the UK/Ireland, which can shorten leaf display but rarely kills an established tree outright.

T20. Irish Yew (*Taxus baccata* 'Fastigiata')

Irish / Russian: lúr · Тис ягодный

Light: 🌑 Full shade to 🌞 full sun. Narrow column; produces more compact form in full sun. Discovered as natural mutation in Co. Fermanagh in the 18th century — all Irish yews worldwide descend from that one tree.

Height/Spread: 3–5m tall, 1–1.5m spread (narrow, fastigate).

Soil needs: Most well-drained soils, pH 5.0–8.0. Tolerates heavy clay if drainage adequate. Deeply dislikes waterlogged roots.

Soil prep: Mix clay 50/50 with compost and 20% grit. On very wet clay, plant on a raised mound.

Planting depth: At pot level. Extensive but not deep root system.

Spacing: Column 1m wide eventually; 1m from structures

Fertiliser: Very little required. Light balanced slow-release fertiliser in spring if plant looks pale. Annual bark mulch more beneficial than chemical feeding. Avoid high-nitrogen feeds.

Companions: Holly, peonies, roses (as a dark backdrop), hellebores, snowdrops. Evergreen column provides structure year-round.

⚠️ All parts except red berry flesh are highly toxic to humans, horses and livestock. Do not plant near paddocks.

T21. Japanese Barberry (*Berberis thunbergii* 'Atropurpurea')

Light: 🌞 Full sun for the best deep purple leaf colour; tolerates partial shade but foliage turns greener.

Height/Spread: 1–1.2m tall, 1–1.2m spread.

Soil needs: Any reasonably drained soil, including clay; pH 6.0–7.5. Very adaptable and tolerant of poor soil.

Soil prep: Minimal — one of the easiest and most tolerant shrubs of clay in this guide. Add compost to very heavy ground.

Planting depth: At nursery soil mark.

Spacing: 60–90cm between plants for a hedge; 1–1.2m as a specimen.

Fertiliser: None needed once established.

Companions: Golden or lime-green shrubs (e.g. Choisya, golden Philadelphus) for foliage contrast; spring bulbs beneath.

Warnings ⚠️: Sharply spined stems — wear thick gloves when pruning; site away from paths used by children.

West of Ireland: A tough, spiny deciduous shrub with rich reddish-purple foliage all season, small pale yellow spring flowers, red autumn berries and fiery autumn leaf colour. Extremely hardy and low-maintenance, tolerant of wind, pollution and poor soil — an excellent low hedge or barrier planting for an exposed site.

T22. Japanese Camellia (*Camellia japonica*)

Russian: Камелия японская

Light: ☁️ Partial shade preferred, sheltered from early morning sun (which can damage frosted buds) and cold wind.

Height/Spread: 2–4m tall, 1.5–2.5m spread.

Soil needs: Moist but well-drained, humus-rich, acid soil; pH 5.0–6.5. Will yellow (chlorosis) on alkaline soil.

Soil prep: Mix clay generously with ericaceous compost (40%+) and grit. In a container, use peat-free ericaceous compost.

Planting depth: At nursery soil mark; shallow-rooted, do not bury the stem base.

Spacing: 1–1.5m between plants

Fertiliser: Ericaceous slow-release feed after flowering in spring. Avoid feeding after midsummer, to let wood ripen before winter.

Companions: Japanese skimmia, hydrangea macrophylla, Japanese maple — classic acid-soil shrub border.

West of Ireland: The mild, humid west of Ireland climate suits camellias well, though a sheltered spot out of early morning sun and harsh wind protects the flowers. Excellent in a large container of ericaceous compost if clay soil is not acid enough.

T23. Japanese Cedar (*Cryptomeria japonica*)

Light: ☀ Full sun to 🌂 partial shade.

Height/Spread: 10–20m tall (dwarf cvs. 1–1.5m), 3–5m spread.

Soil needs: Moist but well-drained, fertile, acid to neutral soil; pH 5.5–6.5. Tolerates a wide range of soils including clay, but dislikes drying out and dislikes strong maritime exposure (unlike many other conifers in this guide).

Soil prep: Mix clay 50/50 with multipurpose or ericaceous compost and 20% grit for drainage. Choose a site sheltered from strong winds — this is essential, not optional, for this species.

Planting depth: At nursery soil mark.

Spacing: 4–6m between plants for a full-sized tree; dwarf cultivars (e.g. 'Globosa Nana', 'Vilmoriniana') can go as close as 1–1.5m.

Fertiliser: Balanced slow-release feed in early spring. Keep soil evenly moist, especially while young; established trees tolerate short dry spells but perform best without prolonged drought.

Companions: Japanese maple, camellia, rhododendron and other acid-loving woodland-edge shrubs; underplant with ferns and hostas.

Pot/container: ✅ Dwarf cultivars such as 'Globosa Nana' are well suited to a large container of ericaceous or multipurpose compost; full-sized forms need open ground.

West of Ireland: A large, elegant evergreen conifer with soft, awl-shaped needles that take on a bronze tint in winter and attractive, peeling red-brown bark. Full-sized forms need a big, sheltered garden — this is not a tree for an exposed coastal site, since RHS and other growers note it dislikes strong winds and salt-laden maritime exposure, unlike many conifers already in this guide. Dwarf cultivars are a much better fit for a smaller or more exposed west of Ireland garden.

T24. Japanese Flowering Cherry (*Prunus serrulata*)

Russian: Вишня мелкопильчатая

Variety	Height	Flowering	Planting depth	Notes
'Kanzan'	Up to 8m	Mid-spring (April)	Graft union at/above soil	Vase-shaped becoming spreading; deep-pink double flowers; the most widely planted flowering cherry
'Shirotae' (syn. 'Mount Fuji')	4–6m	Mid-late spring	Graft union at/above soil	Spreading, flat-topped crown with arching branches; fragrant, semi-double pure white flowers; RHS AGM
'Kiku-shidare' (syn. 'Kiku-shidare-zakura', Cheal's Weeping)	2.5–4m	Mid-late spring	Graft union at/above soil	Weeping habit with gracefully arching branches; fully double rich pink "chrysanthemum" flowers; RHS AGM

Light: ☀ Full sun for all three. Avoid frost pockets — late frosts damage the blossom.

Height/Spread: 2.5–8m tall depending on variety (see table), 2.5–6m spread.

Soil needs: Well-drained, fertile soil; pH 6.0–7.5. None tolerates permanently wet ground.

Soil prep: Dig a hole at least 60cm wide and 45cm deep. Mix clay 50/50 with compost and 20% grit. Stake well, especially the weeping 'Kiku-shidare'.

Planting depth: Graft union at or just above soil level for all three.

Spacing: 'Kanzan': 4–5m from structures. 'Shirotae': 4–6m, given its wide spreading crown. 'Kiku-shidare': 2.5–4m — the most compact of the three.

Fertiliser: Balanced fertiliser in early spring. Compost mulch around the base each spring. Do not feed in late summer.

Companions: Daffodils and tulips beneath (spectacularly timed with the blossom). Forget-me-nots as a blue carpet. Hostas and hardy geraniums as underplanting.

Pruning: Prune only in summer, if needed, to reduce the risk of silver leaf disease common to *Prunus* species.

West of Ireland: All three are hardy, reliable flowering cherries for the mild, moist Irish climate. 'Kanzan' is the classic bold pink double-flowered form widely planted in Irish streets and gardens; 'Shirotae' offers a softer, more elegant white display with a wide, flat-topped habit well suited to a lawn specimen; 'Kiku-shidare' brings a graceful weeping form to a smaller garden where the upright vigour of 'Kanzan' or 'Shirotae' would be too much. All three benefit from a sheltered spot away from strong coastal winds, which can damage the blossom and shorten the display.

T25. Japanese Maple (*Acer palmatum*)

Russian: Клён дланевидный

Light: 🌞 Partial shade preferred. Morning sun with afternoon shade is ideal. Variegated and dissectum types especially wind-sensitive. Avoid open exposed positions.

Height/Spread: 2–4m tall (in a container/small garden), 2–4m spread.

Soil needs: Moist but well-drained, slightly acidic, pH 5.5–6.5.

Soil prep: Dig 2–3× diameter of rootball. Mix clay with compost, 25% ericaceous compost and 25% grit in backfill. Shallow-rooted — do not dig deeply.

Planting depth: At pot level. Shallow-rooted; do not bury.

Spacing: 2–4m from structures; wind shelter essential

Fertiliser: Slow-release balanced fertiliser (e.g. Osmocote) in spring. Container: liquid feed monthly April–July at balanced rate — do not feed after July. Annual composted bark mulch.

Companions: Hostas (classic combination), ferns, hellebores, snowdrops beneath. Excellent specimen plant. Avoid planting with other thirsty trees nearby.

West of Ireland: Wind shelter is essential. Sheltered courtyard or walled garden position is ideal.

T26. Japanese Skimmia (*Skimmia japonica*)

Russian: СКИММИЯ японская

Light: 🌑 Shade to 🌞 partial shade preferred; tolerates full sun in cooler, moister climates like the west of Ireland.

Height/Spread: 1–2m tall, 1–1.5m spread.

Soil needs: Moist but well-drained, humus-rich soil; prefers slightly acid to neutral, pH 5.5–6.5. Dislikes dry or chalky soils.

Soil prep: Mix clay with 30–40% ericaceous compost and grit for drainage. Add well-rotted organic matter.

Planting depth: At nursery soil mark; shallow-rooted, do not bury the stem base.

Spacing: 60–90cm between plants; ♂+♀ within a few metres for berries

Fertiliser: Ericaceous slow-release feed in spring. Mulch annually with ericaceous compost or bark.

Companions: Hellebores, ferns, hostas and other shade/woodland plants; Japanese maple and hydrangea for a shaded border.

West of Ireland: Dioecious — plant at least one male (e.g. 'Rubella') near females (e.g. 'Nymans') for the females' red berries. Compact, reliable evergreen for shaded, sheltered spots; good in containers on the north side of a house.

⚠️ Berries are mildly toxic if ingested in quantity.

T27. Korean Fir (*Abies koreana*)

Light: 🌞 Full sun to 🌞 partial shade, with some shelter from cold wind.

Height/Spread: 2–5m tall in cultivation (dwarf cvs. much smaller), 2–3m spread.

Soil needs: Deep, moist, slightly acidic to neutral, well-drained soil; pH 5.0–6.5. Grows poorly in heavy clay unless well amended.

Soil prep: Mix clay generously with ericaceous or multipurpose compost and grit for drainage — this species is less clay-tolerant than many other conifers in this guide.

Planting depth: At nursery soil mark.

Spacing: 3–4m between plants for a full-sized specimen; slow-growing, so this takes many years; dwarf cultivars (e.g. 'Silberlocke') can go much closer.

Fertiliser: Balanced slow-release feed in spring while young.

Companions: Heather, dwarf conifers and other acid-loving woodland-edge plants.

Fragrance 🌲: The needles are noticeably fragrant, particularly when crushed.

West of Ireland: A compact, slow-growing, RHS AGM conifer from the mountains of South Korea, prized for its short, dense, glossy needles (silvery beneath) and striking upright violet-blue cones, produced even on young trees. Prefers cooler conditions and good shelter from wind — well suited to the mild but often breezy west of Ireland climate given a reasonably sheltered spot, though it dislikes being planted in unamended heavy clay.

T28. Lewis Mock Orange (*Philadelphus lewisii*)

Russian: Чубушник Льюиса

Light: ☀ Full sun to 🌤 part shade. Best flowering and fragrance in full sun.

Height/Spread: 2–3m tall, 2–3m spread.

Soil needs: Most well-drained soils including clay; pH 6.0–7.5. Tolerant of a wide range once established.

Soil prep: Dig hole twice the rootball width. Mix excavated clay 50/50 with compost and 20% grit for drainage.

Planting depth: At nursery soil mark.

Spacing: 1.5–2m between plants

Fertiliser: Balanced general fertiliser in early spring. Annual compost mulch. Avoid high-nitrogen feeds, which favour leaves over flowers.

Companions: Deutzia and Lilac (classic mixed shrub border companions), roses, spring bulbs beneath.

West of Ireland: State flower of Idaho, very hardy and wind-tolerant once established — a good choice for exposed Atlantic gardens. Prune immediately after flowering (flowers on previous year's wood).

T29. Lilac (*Syringa vulgaris*)

Irish / Russian: Craobh liathchorcra · Сирень обыкновенная

Cultivar	Colour	Notes
'Andenken an Ludwig Späth'	Deep reddish-purple	Old, popular German cultivar; single flowers borne slightly later than most, extending the season; upright habit to around 4m
'Katherine Havemeyer'	Double, pink-lavender fading paler	Very fragrant; one of the most widely grown double lilacs; broad, dense habit
'Madame Lemoine'	Double, pure white	RHS AGM; one of the most popular white lilacs ever raised, bred by Victor Lemoine
'Primrose'	Pale creamy-yellow	The only widely available yellow-toned lilac; colour is most pronounced in cool weather
'Sensation'	Purple-red edged white	Distinctive bicoloured picotee-edged flowers; sport of an older cultivar, reverts occasionally to plain purple

Light: ☀ Full sun — needs at least 6 hours to flower well.

Height/Spread: 4–7m tall, 3–4m spread.

Soil needs: Neutral to slightly alkaline, pH 6.5–8.0.

Soil prep: Mix clay 50/50 with compost and 20–25% grit. Add garden lime if soil is acidic. Slight mound if waterlogging is a risk.

Planting depth: At nursery soil mark.

Spacing: 1.5m between; 2m from walls

Fertiliser: Superphosphate or balanced fertiliser in early spring. Avoid high-nitrogen feeds (produces leaves, not flowers). Annual compost mulch around base.

Companions: Roses (May–June combination), alliums, irises, peonies, delphiniums, aquilegia, geraniums. Foxgloves self-seed naturally nearby.

T30. Magnolias (*Magnolia* spp. and hybrids)

Russian: Магнолия

Species/Hybrid	Latin name	Height/Spread	Notes
Lily Magnolia	<i>M. liliiflora</i>	2.5–3m / 2.5–3m	Compact, later-flowering than star magnolia, so often escapes late frosts
Star Magnolia	<i>M. stellata</i>	2–3m / 2–3m	Very early, multi-tepalled star-shaped flowers; tolerates alkaline soil better than most magnolias
Saucer Magnolia	<i>M. × soulangeana</i>	4.5–6m / 4.5–6m	The classic large-flowered spring magnolia; considerably bigger at maturity than the others here
Loebner Magnolia	<i>M. × loebneri</i>	4–6m / 4–6m	Hybrid of <i>M. kobus</i> × <i>M. stellata</i> ; vigorous, free-flowering, good frost resistance for an early magnolia
Yulan Magnolia	<i>M. denudata</i>	6–9m (compact cultivars smaller) / 5–8m	One of the oldest magnolias in cultivation, grown in China for over 1000 years; pure white in the species, though cultivars extend the colour range
"Little Girl" hybrids	<i>M. liliiflora</i> 'Nigra' × <i>M. stellata</i> 'Rosea'	2.5–4m / 2.5–4m	US National Arboretum series bred for later flowering and better frost avoidance
Gresham hybrids	<i>M. liliiflora</i> 'Nigra' × <i>M. × veitchii</i>	5–8m / 4–6m	Taller American hybrids; sometimes mislabelled as <i>soulangeana</i> by nurseries

Light: ☀ Full sun to 🌤 part shade, sheltered from cold wind. Morning sun and a sheltered position help protect early flowers from late frost damage.

Height/Spread: Varies considerably by species/hybrid — see table above; 2–3m for the more compact Star and Lily Magnolias, up to 6–9m for Saucer and Yulan Magnolias at full maturity.

Soil needs: Moist but well-drained, humus-rich soil; slightly acid to neutral, pH 5.0–6.5. Dislikes shallow chalk and waterlogging. Star Magnolia tolerates alkaline soil somewhat better than the others.

Soil prep: Mix clay with 30% compost/ericaceous compost and grit for drainage. Use a wide, shallow planting hole. Avoid deep planting.

Planting depth: At nursery soil mark; shallow, fleshy roots on all magnolias — handle gently and do not disturb once planted.

Spacing: 2–3m between plants/structures for the more compact species (Star, Lily); 4–6m for Saucer, Loebner and Yulan magnolias, given their larger eventual size.

Fertiliser: Balanced or ericaceous slow-release feed in spring. Annual mulch with compost or bark, kept away from the trunk, is more beneficial than heavy feeding.

Companions: Underplant with hellebores, ferns, snowdrops, species crocus and *Iris reticulata*, all of which flower before or as the magnolia leafs up; hardy geraniums make good ground cover beneath. Pairs well with Japanese maple. White- or pale-flowered types show up beautifully against an evergreen backdrop.

Cultivars:

Cultivar	Species/Hybrid	Colour	Notes
'Nigra'	Lily Magnolia	Deep reddish-purple outside, paler pink inside	RHS AGM; the most widely grown <i>liliiflora</i> cultivar; flowers mid-to-late spring and sporadically into autumn
'O'Neill'	Lily Magnolia	Deep purple-red	Noted for being particularly cold-tolerant among named forms of the species

Cultivar	Species/Hybrid	Colour	Notes
'Darkest Purple'	Lily Magnolia	Very dark, rich purple	Among the darkest-flowered cultivars available in the species
'Royal Star'	Star Magnolia	White	More tepals than the species (25–30); blooms ~2 weeks later, reducing frost risk; robust and easy to propagate
'Waterlily'	Star Magnolia	White	Blooms ~2 weeks later than the species, also reducing frost risk
'Rosea'	Star Magnolia	Pink-flushed buds opening paler pink/white	A popular pink-toned selection of the species
'Alexandrina'	Saucer Magnolia	Deep rose-purple outside, white inside	Upright, multi-stemmed habit; one of the most widely planted saucer magnolia cultivars
'Lennei'	Saucer Magnolia	Deep magenta-purple outside, white inside	Broad, pyramidal habit; flowers slightly later than the species
'Lennei Alba'	Saucer Magnolia	Pure white	Broad, pyramidal habit; later-flowering; good for smaller gardens
'Rustica Rubra'	Saucer Magnolia	Rose-red	More compact in height than other <i>soulangeana</i> cultivars
'Alba Superba'	Saucer Magnolia	Pure white outside with a purple-pink flush at the base of each petal, white inside	Old Belgian cultivar (mid-19th century); among the first saucer magnolia cultivars to open each spring
'Satisfaction'	Saucer Magnolia	Rich pink-purple	A more modern, free-flowering saucer magnolia selection
'Leonard Messel'	Loebner Magnolia	Purple-pink outside, white inside	RHS AGM; bred at Nymans Garden, 1955; very free-flowering, good for smaller gardens
'Yellow River'	Yulan Magnolia	Citrus/lemon-yellow	Fragrant, lemon-scented; flowers in early May; smaller and more compact than the species
'Betty'	"Little Girl" hybrid	Reddish-purple outside, white inside	Compact, late-flowering shrub that avoids most late frosts
'Susan'	"Little Girl" hybrid	Purple-red, twisted tepals	RHS AGM; fragrant; despite occasional loose association with saucer magnolias in conversation, has no <i>soulangeana</i> parentage
'Heaven Scent'	Gresham hybrid	Lavender-pink outside, white inside	RHS AGM; fragrant, goblet-shaped flowers; sometimes sold as " <i>soulangeana</i> Heaven Scent" by nurseries, but this is a commercial mislabelling, not true <i>soulangeana</i>

West of Ireland: Magnolias are one of the great spring spectacles of an Irish garden, from the earliest star- and lily-flowered types through to the large, showy saucer and yulan magnolias. All are reliably hardy in sheltered west of Ireland gardens, but as a group their early flowers are vulnerable to being blackened by a late frost — avoid frost pockets, exposed coastal wind, and east-facing positions where early-morning sun after a frosty night can damage flowers. Choose species and cultivars to suit the space available: Star and Lily Magnolias for a small garden, Saucer, Loebner and Yulan magnolias where there's room for a genuinely large specimen.

T31. Monkey Puzzle Tree (*Araucaria araucana*)

Light: ☀ Full sun to ☀ light shade.

Height/Spread: 15–25m tall in cultivation (to 30–40m in native habitat), 8–10m spread; extremely slow-growing.

Soil needs: Moist but well-drained, moderately fertile soil; pH 5.5–7.0. Dislikes shallow chalk.

Soil prep: Mix clay with generous compost and grit; dig a wide hole, since this tree resents root disturbance later.

Planting depth: At nursery soil mark.

Spacing: Allow at least 6–8m from buildings and paths, given its eventual size and distinctive silhouette.

Fertiliser: Little needed once established; balanced feed in spring for the first few years while young.

Companions: Best given its own space as a specimen tree rather than close underplanting, though bulbs such as daffodils can be grown well beyond the root zone.

West of Ireland: The classic "monkey puzzle," with thick, reptilian, whorled branches densely clothed in stiff, sharp, triangular leaves — one of the hardest true conifers in its genus, tolerant down to around –20°C and of coastal salt spray, making it genuinely well suited to the west of Ireland climate. Native to Chile and Argentina and classified as endangered in the wild, though widely and successfully planted as a specimen tree throughout Ireland and the UK for well over a century. Extremely slow-growing and very long-lived — plant with the long term in mind, as it will eventually become a large, imposing tree.

T32. Mophead / Lacecap Hydrangea (*Hydrangea macrophylla*)

Russian: Гортензия крупнолистная

Light: ☀ Partial shade preferred. Morning sun with afternoon shade is ideal. Bigleaf hydrangea performs best in areas with dappled sunlight, partial shade, or deep shade. Protect it from afternoon sun. The macrophylla cultivars famously tolerate coastal exposure.

Height/Spread: 1–2m tall, 1.5–2.5m spread.

Soil needs: They love a fertile, humus-rich, clay soil. pH 5.0–6.0 for blue flowers; 6.0–7.0 for pink flowers. Moist but well-drained. Good salt tolerance. Flower colour changes depending on soil pH — blue in acid soils (high aluminium availability), mauve in lightly acid to neutral soil, pink in alkaline conditions.

Soil prep: Before planting, dig in well-rotted compost or manure to the whole area (not just the planting hole), using a bucketful per square yard/metre. Make the planting hole as deep as the root ball and three times wider. For blue flowers: use ericaceous compost in the planting hole and grow in ericaceous compost in containers.

Planting depth: At pot level; place the top of the rootball at or slightly above surrounding soil level. Shallow-rooted — avoid hoeing around it as roots can be easily damaged.

Spacing: 90cm–2.4m between (check label for variety size)

Fertiliser: Fertilise once in spring with a fertiliser designed to encourage blooms such as one high in phosphorus (e.g. 15-30-15). For blue flowers: feed with a fertiliser low in phosphorus and high in potassium and use ericaceous compost. If you're gardening on alkaline soils and want to retain blue flowers, grow in containers using ericaceous compost. Stop feeding after August.

⚠ **Pruning note:** Hydrangeas that flower on old wood should not be pruned hard as you will lose this summer's flowers. Prune in mid-spring; only remove the withered flowerheads and dead parts. Traditionally leave old flowers on through winter to protect new growth from cold.

Companions: Astilbe, hostas, ferns (all love similar moist, semi-shaded conditions). Yarrow pairs beautifully with hydrangea. Heucheras, hardy geraniums, and hellebores as underplanting. Behind low-growing perennials such as bergenia at the border front.

Pot size: Standard mophead varieties reach 1–1.5m in containers and need 50–60cm pots at maturity. Compact cultivars like Cityline Paris manage in 30–35cm pots. Use ericaceous compost for blue flowers; standard John Innes No.3 (2 parts) + multipurpose compost (1 part) for pink flowers.

West of Ireland: Hydrangeas are one of the quintessential plants of Irish gardens. Macrophylla hydrangeas tolerate coastal exposure too. The mild, moist Atlantic climate suits them perfectly. The west of Ireland's naturally slightly acidic soils tend to produce beautiful blue-mauve flowers. Choose a sheltered spot away from frost pockets — late frosts can damage new growth.

T33. Mountain Ash (Rowan) (*Sorbus aucuparia*)

Irish / Russian: Caorthann · Рябина обыкновенная

Light: ☀ Full sun to ☀ partial shade.

Height/Spread: 10–15m tall, 6–8m spread.

Soil needs: Very adaptable — most soils including clay, acid or neutral; pH 5.0–7.0. Dislikes shallow chalk.

Soil prep: Dig hole twice the rootball width. Mix excavated clay 50/50 with compost; grit if drainage is poor.

Planting depth: At nursery soil mark.

Spacing: 3–5m from structures

Fertiliser: Little required once established. Balanced feed in the first two seasons; annual compost mulch.

Companions: A traditional companion to holly and hawthorn in native hedgerows and gardens; underplant with ferns, foxgloves, hellebores.

West of Ireland: One of the hardiest, most wind- and exposure-tolerant native trees, traditionally planted near Irish homes for protection ("the traveller's tree" / rowan folklore). Bright orange-red berries from late summer are an important food source for birds; excellent for exposed sites.

T34. Norfolk Island Pine (*Araucaria heterophylla*)

⚠ **Not hardy outdoors in Ireland:** Unlike Monkey Puzzle, this species is genuinely tender and cannot survive an Irish winter outdoors. RHS guidance is to grow it as a containerised plant under glass, moving it outside to a sheltered, sunny spot only for the summer months and bringing it back under cover before the first frosts.

Light: ☀ Full sun to ☀ bright light; avoid scorching midday sun through glass.

Height/Spread: As a container plant in Ireland, typically 1–2m over many years (to 50m+ in its native habitat); very slow-growing.

Soil needs: Well-drained, loam-based potting mix with added grit; pH 6.0–7.0.

Soil prep: Use a peat-free, loam-based potting compost with 20% extra grit for drainage.

Planting depth: At pot level.

Spacing: Grown as a single specimen in its own container.

Fertiliser: Balanced liquid fertiliser every two weeks during the growing season (March–September); withhold feed over winter.

Companions: Not typically underplanted; grown as a stand-alone container specimen indoors or on a sheltered patio in summer.

West of Ireland: A graceful, symmetrical conifer with tiered, horizontal branches, popular worldwide as a "Christmas tree" houseplant and container specimen, native to subtropical Norfolk Island in the Pacific. In the west of Ireland it has no realistic outdoor future — keep it as a container plant, bright and cool indoors over winter (around 17°C) with good humidity, moved outside to a sheltered, sunny position only once frost risk has fully passed in early summer.

T35. Scots Pine (*Pinus sylvestris*)

Light: ☀ Full sun essential.

Height/Spread: 15–30m tall, 6–9m spread.

Soil needs: Any well-drained soil, including poor, sandy or acidic ground; pH 4.5–7.0. Dislikes heavy waterlogged clay.

Soil prep: Improve heavy clay with 30% grit; this species is naturally adapted to poor, free-draining soils.

Planting depth: At nursery soil mark.

Spacing: 6–10m between plants for a full-sized tree; this is a large forest tree at maturity (up to 30m).

Fertiliser: None needed once established.

Companions: Heather, gorse and other plants of poor, acidic, free-draining ground.

Fragrance 🌲: Distinctly resinous and fragrant, especially the sap and crushed needles — the classic "pine forest" scent.

West of Ireland: A native-range evergreen conifer (native to Scotland and once native to Ireland too, where ancient pine woodland has been reintroduced in some conservation projects) with distinctive orange-red upper bark and blue-green needles. Tolerates poor, acidic, free-draining soil and coastal exposure well, but genuinely needs full sun and dislikes the region's heavier, wetter clay unless drainage is properly improved. A large, long-lived specimen tree suited to a big garden rather than a small plot.

T36. Shrub Roses (*Rosa*, *shrub and old-fashioned cultivars*)

Irish / Russian: Rós · Роза

Cultivar	Type	Colour	Fragrance	Height/Spread	Notes
Gertrude Jekyll	English Shrub Rose	Bright, glowing pink, fading paler at the edges	Strong, classic "old rose" — often held up as the archetypal rose scent	1.2–1.8m / 90cm–1.2m	David Austin, 1986; RHS AGM; fully double, quartered blooms; repeat-flowering; vigorous enough to be trained as a short climber
Jude the Obscure	English Shrub Rose	Pale apricot with a cream centre, paler outer petals	Strong and fruity	Up to 1.2m / 1.2m	David Austin, 1989; large, cupped, ruffled double blooms; repeat-flowering; good disease resistance
Double Delight	Hybrid Tea	Creamy-white, edges flushing strawberry-red in sun	Strong, spicy-sweet	90cm–1.5m / 60–90cm	Swim & Ellis, 1977; Rose Hall of Fame 1985; large, high-centred blooms; colour intensifies with more sun exposure
Rhapsody in Blue	Floribunda/Shrub	Iridescent purple-magenta, fading to slate-blue/mauve-grey	Strong	1.2–1.4m / 90cm	Bred in Derbyshire, UK; RHS AGM 2012, Rose of the Year 2003; one of the closest roses yet to true blue; semi-double, repeat-flowering
Munstead Wood	English Shrub Rose	Deep, velvety crimson with lighter outer petals	Strong, old rose with blackberry/damson notes	90cm–1m / 75–90cm	David Austin, 2007; RHS AGM; bushy, spreading habit; named after Gertrude Jekyll's own garden
Graham Thomas	English Shrub Rose	Deep, rich yellow, fading to pale lemon with age	Strong "tea" fragrance	1.2–3m / 90cm–1.5m	David Austin, 1983; RHS AGM 1993; Rose Hall of Fame 2009 as "World's Favourite Rose"; upright habit, very disease-resistant
Boscobel	English Shrub Rose	Coral-pink to salmon	Myrrh, with hints of hawthorn, elderflower, pear and almond	1–1.2m / 75–90cm	David Austin; fully double, rosette-shaped blooms in generous clusters; free-flowering and reliable
Zéphirine Drouhin	Bourbon (shrub or short climber)	Cherry-pink to deep rose-pink	Strong damask, sweet and fruity	Up to 3m as shrub, more if trained as climber / 1.2–1.5m	Bizot, France, 1868; famously thornless; one of the first roses to bloom and among the last to finish; prone to mildew and blackspot, so give it good air circulation

Light: ☀ Full sun preferred — at least 6 hours.

Height/Spread: 2–5m tall depending on variety, 1.5–2m spread.

Soil needs: Fertile, well-drained, pH 6.0–7.0. Never plant where a rose previously grew.

Soil prep: Double-dig (50–60cm deep). Mix clay 50/50 with compost and 20% grit. Position at least 45cm from wall.

Planting depth: Graft union just below soil level.

Spacing: 45cm from wall; 2–3m between plants

Fertiliser: Specialist rose fertiliser in late March and again in early June. Liquid high-potash feed fortnightly May–August. Stop feeding by late August. Annual bark or manure mulch.

Companions: Clematis (trained together on the same wall). Lavender at base. Alliums, salvia, hardy geraniums as foreground.

T37. Shrubby Cinquefoil (*Potentilla fruticosa* (incl. var. *aurea*))

Light: ☀ Full sun for the most flowers; tolerates partial shade.

Height/Spread: 60cm–1m tall, 1–1.5m spread.

Soil needs: Any reasonably drained soil, including clay, chalk and poor ground; pH 5.5–8.0. Very adaptable and undemanding.

Soil prep: Minimal — one of the easiest, most tolerant flowering shrubs of clay in this guide.

Planting depth: At nursery soil mark.

Spacing: 60–90cm between plants for a low hedge; 1m as a specimen.

Fertiliser: Little needed — a light balanced feed in spring for a poor site is usually enough.

Companions: Lavender, catmint, ornamental grasses — classic sunny border and low-hedge companions.

West of Ireland: A compact, twiggy deciduous shrub with small divided leaves and a long succession of saucer-shaped flowers (yellow, gold, white, pink or orange depending on cultivar) from late spring right through to autumn. Extremely hardy, tolerant of wind and coastal exposure, and virtually trouble-free — an excellent low-maintenance choice for a low informal hedge or border edge in an exposed west of Ireland garden.

T38. Smooth Sumac (*Rhus glabra* 'Laciniata')

Light: ☀ Full sun for the best autumn colour.

Height/Spread: 1–1.5m tall, 2–3m spread (suckering).

Soil needs: Any well-drained soil, including poor or dry ground; pH 5.5–7.5. Very adaptable.

Soil prep: Minimal — thrives on poor soil; avoid overly rich ground, which encourages excessive suckering.

Planting depth: At nursery soil mark.

Spacing: 2–3m between plants; spreads by suckers, so allow room or control with a root barrier.

Fertiliser: None needed — feeding encourages unwanted vigorous suckering.

Companions: Ornamental grasses and other plants that can compete with its suckering habit; avoid delicate small perennials nearby.

Warnings ⚠: Spreads by suckers and can become a thicket if not controlled — remove unwanted suckers as they appear, or contain the roots.

West of Ireland: A striking architectural shrub with finely cut, fern-like foliage that turns brilliant orange-red in autumn, and conical clusters of crimson fruit persisting into winter. Fully hardy and easy in the mild, moist Irish climate; give it room to spread or be prepared to control suckers regularly.

T39. St John's Wort 'Rowallane' (*Hypericum* 'Rowallane')

Russian: Звѣробой

Light: ☀ Full sun to 🌤 part shade. Flowers best in full sun.

Height/Spread: 1–1.5m tall, 1.5m spread.

Soil needs: Most well-drained soils including clay; pH 5.5–7.5. Prefers shelter from hard frost and cold winds — borderline hardy (RHS H4), so a sheltered spot is important in the west of Ireland.

Soil prep: Dig hole twice the rootball width. Mix excavated clay 50/50 with compost and 20% grit.

Planting depth: At nursery soil mark.

Spacing: 1–1.5m between plants

Fertiliser: Balanced general fertiliser in spring. Annual compost mulch; avoid feeding late in the season, which can soften growth ahead of winter.

Companions: Heathers, skimmia and other evergreen structure shrubs; also pairs well with roses and late perennials for a long season of interest.

West of Ireland: Large, showy golden-yellow flowers from midsummer into autumn. Semi-evergreen to evergreen in mild areas. Site against a warm wall or in a sheltered border, away from the coldest exposure.

T40. Tarentum Myrtle (*Myrtus communis* subsp. *tarentina*)

Russian: Мирт тарентский

Light: ☀ Full sun essential, in a sheltered spot.

Height/Spread: 1–2m tall, 1–1.5m spread.

Soil needs: Free-draining, moderately fertile soil; pH 6.0–7.5. Dislikes waterlogging.

Soil prep: Improve clay with 25–30% grit.

Planting depth: At nursery soil mark.

Spacing: 1–1.5m between plants.

Fertiliser: Balanced feed in spring.

Companions: Lavender, rosemary — classic Mediterranean-style border companions.

West of Ireland: A compact, aromatic evergreen shrub with small glossy leaves and fragrant white flowers in summer followed by white berries — a more compact, smaller-leaved form than common myrtle. Borderline hardy — best given a warm, sheltered spot such as a south-facing wall in the west of Ireland, with sharp drainage.

T41. Witch Hazel (*Hamamelis* × *intermedia*, *Hamamelis mollis*)

Russian: Гаммелис

Light: ☀ Full sun to ☁ light shade, in an open but sheltered site.

Height/Spread: 2.5–4m tall, 2.5–4m spread.

Soil needs: Moderately fertile, moist but well-drained soil, slightly acid to neutral; pH 5.0–6.5. Will not thrive on shallow chalk.

Soil prep: Mix clay generously with compost/leaf mould; avoid a frost pocket or exposed site.

Planting depth: At nursery soil mark.

Spacing: 3–4.5m between plants, given its eventual size.

Fertiliser: Light balanced feed in spring; annual mulch of compost or leaf mould, kept clear of the base.

Companions: Hellebores, snowdrops and other early bulbs underneath, taking advantage of the bare winter branches.

Pruning: Minimal — remove only dead, diseased or crossing wood in spring after flowering; avoid hard pruning, which spoils the natural shape and reduces next year's flowers.

West of Ireland: A justly popular winter-flowering shrub, with spidery, spicily fragrant flowers in yellow, orange or red held on bare branches from midwinter into early spring, followed by good yellow autumn leaf colour. Slow-growing but long-lived and easy once established in the mild, moist Irish climate; avoid a frost pocket or very exposed site, and give it space to develop its naturally spreading, vase-shaped form.

GROUP W: POND & WATER PLANTS

W1. Arrowhead (*Sagittaria sagittifolia*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 30–90cm above water, 30–45cm spread.

Soil needs: Deep mud or aquatic compost in a basket; pH 6.0–7.5. Native to Ireland and Britain — the only native *Sagittaria* here (the name "Sagittaria vulgaris" sometimes used for this plant is not a recognised scientific name; *S. sagittifolia*, Common/Old World Arrowhead, is correct).

Soil prep: Use aquatic compost in a planting basket, or plant directly into pond-bottom mud.

Planting depth: Crown at soil surface; grows in up to 20cm of still or slow-moving water over the mud.

Spacing: 30–45cm between plants; spreads by bulbils (small bulb-like offsets) which can be collected and replanted.

Fertiliser: Aquatic fertiliser tablets pushed into the basket compost at the start of the growing season.

Companions: Yellow flag iris, bogbean, flowering rush and other native marginal pond plants.

West of Ireland: A true Irish and British native, with distinctive arrow-shaped emergent leaves above water and ribbon-like submerged leaves below. White, three-petalled flowers with purple centres appear June–September. Reverts to a dormant bulb-like tuber each autumn and regrows the following spring — perfect for a naturalistic native pond margin.

W2. Astilbe (*Astilbe spp.*)

Russian: Астильба

Species/Group	Latin name	Height	Flowering	Notes
Arendsii hybrids	<i>A. × arendsii</i>	60–150cm	Mid-late summer	The most widely grown garden astilbes; complex hybrids (chinensis × japonica × thunbergii × astilboides) bred by Georg Arends; tapering plumes, upright or lax, in white, pink or deep red; numerous named cultivars
Japanese Astilbe	<i>A. japonica</i>	40–60cm	Early–mid summer, ahead of most arendsii hybrids	Distinctly glossy leaves; dense, pyramidal flower plumes; parent species behind many popular cultivars including 'Deutschland' and 'Rheinland' (both RHS AGM)

Light: ☀️ Partial shade to full sun if soil stays moist. Best in partial shade — avoids leaf scorch. Excellent beside ponds or in moisture-rich borders.

Height/Spread: 40–90cm tall, 30–90cm spread.

Soil needs: Moist, humus-rich, clay-tolerant. pH 5.5–7.0.

Soil prep: Add generous compost. No heavy grit needed.

Planting depth: At pot level; crown at soil surface.

Spacing: 30–45cm between plants

Fertiliser: Balanced fertiliser in spring. Generous compost or bark mulch — the most important care task. Do not let the plant dry out.

Companions: Hostas (perfect pairing), ferns, hellebores, rodgersias. Primulas in spring, astilbe in summer for successive display in the same moist bed.

W3. Bog Asphodel (*Narthecium ossifragum*)

Irish / Russian: Sciollam na móna · Нартециум костоломный

Light: ☀️ Full sun.

Height/Spread: 15–45cm tall, 15–20cm spread.

Soil needs: Permanently wet, humus-rich, nutrient-poor, acid soil/peat; pH 4.5–6.0.

Soil prep: No amendment with compost or fertiliser — this plant is adapted to nutrient-poor bog conditions and rich soil is counterproductive. Best in a boggy, permanently wet corner or the very shallow, saturated margin of a pond.

Planting depth: Crown/rhizome at soil surface, kept permanently wet.

Spacing: 20–30cm between plants; needs permanently wet acid soil

Fertiliser: None — bog asphodel is adapted to nutrient-poor conditions.

Companions: Bogbean, bog pimpernel, sphagnum-type damp margin planting.

West of Ireland: Widespread in Irish bogs, heaths and moorland, with spikes of bright yellow, star-shaped flowers in summer turning deep orange in autumn. A specialist for a genuinely boggy, acid, permanently wet spot rather than an ordinary border or standard pond margin.

⚠ Foliage is toxic to livestock if grazed in quantity; not a concern for typical garden use, but worth knowing if animals have access.

W4. Bog Pimpernel (*Anagallis tenella*)

Irish / Russian: *Falcaire corraigh* · Анагаллис нежный

Light: ☀ Full sun.

Height/Spread: 5–10cm tall (creeping), spreading indefinitely as groundcover.

Spacing: 30–40cm apart; spreads as carpet

Soil needs: Grow in the damp margin to level with the water surface. Moderately fertile, moist but not deeply submerged. Damp margins, bog gardens, very shallow water.

Water depth: Surface moisture to very shallow water (0–5cm at most). Primarily a bog and wet-margin plant.

Planting: Remove from aquatic basket/pot and plant directly into damp boggy soil at the water's edge, or at the very margin of a pond.

Fertiliser: Minimal — adapted to low-nutrient bog conditions. No feeding required if in naturally boggy soil. A light liquid balanced feed monthly if in a container situation will maintain good growth.

Companions: Bogbean, yellow flag iris, water mint, native mosses, royal fern at pond margins. This spreading, native plant forms a dense carpet of tiny evergreen leaves, mixed with numerous rosy pink flowers from late spring to early summer.

West of Ireland: A native Irish plant of damp, slightly acidic marshes, flush grasslands, and lake margins. Particularly common in the west of Ireland, where it grows in abundance in the Burren and Connaught margins. Its natural conditions are replicated in any consistently damp, open, sunny spot near water.

W5. Bogbean (Buckbean) (*Menyanthes trifoliata*)

Irish / Russian: *Báchrán* · Бахта трёхлистная

Light: ☀ Full sun to ☁ partial shade. Full sun preferred to encourage flowering.

Height/Spread: 15–30cm above water, spreading indefinitely by rhizome.

Spacing: 60cm between plants; spreads indefinitely without basket

Soil needs: Shallow water or boggy mud. Grow in baskets in a large pond in water up to 25cm deep, or grow in muddy pool margins.

Water depth: Planting depth: up to 20cm (8 inches) deep in water. Alternatively, in boggy soil at the water's edge with consistent moisture.

Basket size: Recommend a planting basket of at least 19cm across for one plant, or for more impact, plant several of the same variety in a larger basket.

Planting: Place the *Menyanthes* in a container or directly in the soil, making sure that the roots plus about 2 inches of the plant's stem is in the soil and at least an inch of water.

Fertiliser: Very low-maintenance; requires little feeding. Aquatic fertiliser tablet in the basket compost at the start of each growing season is sufficient. The plant is adapted to naturally nutrient-poor bog conditions.

Companions: White water lily, yellow flag iris, bog pimpernel. Bogbean will spread indefinitely by its thick pink rhizomes if not planted in an aquatic basket. Keep in a basket in smaller ponds. Bogbean provides excellent habitat for dragonfly adults and larvae as well as a host of other semi-aquatic invertebrates. Flowers attract bumblebees.

West of Ireland: A native Irish plant of bogs, fens, and lake margins. In nature, bogbean only occurs in bogs and fens, making it a diagnostic species of these important habitats. Completely at home in the west of Ireland — may self-establish naturally in or beside garden ponds.

W6. Common Butterwort (*Pinguicula vulgaris*)

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: 5–15cm tall (rosette), 5–10cm spread.

Soil needs: Permanently wet, acidic, nutrient-poor bog or fen conditions; pH 4.5–6.0. Native to Irish and British bogs, fens, wet heaths and moors.

Soil prep: A boggy container or dedicated bog garden bed with acidic, nutrient-poor substrate (a mix of sphagnum moss, peat-free ericaceous compost and sharp sand works well) — do not add fertiliser, which harms carnivorous plants.

Planting depth: Crown at soil surface, kept permanently moist to wet.

Spacing: 10–15cm between plants.

Fertiliser: None — this is a carnivorous plant that obtains nutrients from trapped insects via sticky glandular leaves; added fertiliser damages it.

Companions: Round-leaved sundew, bog asphodel and other native bog-garden plants with the same acidic, nutrient-poor requirements.

West of Ireland: A charming native carnivorous plant with ground-hugging, star-shaped, yellow-green sticky leaf rosettes that trap and digest small insects, and single purple, funnel-shaped flowers on short stems in late spring/early summer. Overwinters as a dormant resting bud. Best suited to a dedicated boggy or acidic container rather than a conventional pond margin.

W7. Common Water Crowfoot (*Ranunculus aquatilis*)

Light: ☀ Full sun.

Height/Spread: Trailing to 60cm, submerged/floating spread indefinite.

Soil needs: Muddy pool margins or submerged in still or slow/fast-moving fresh water; pH 6.0–7.5.

Soil prep: Aquatic compost in a basket, or root directly into pond-bottom mud.

Planting depth: Grows in muddy pool margins or fully submerged in water 15–60cm deep.

Spacing: 30–45cm between plants; also suitable for a wildlife stream or slow-moving water feature.

Fertiliser: None required — a good, undemanding native oxygenator.

Companions: Hornwort, water lilies and other oxygenating/floating pond plants.

Warnings ⚠: Sap is a skin irritant and harmful if eaten — wear gloves when handling, like other buttercup-family plants.

West of Ireland: A dainty native oxygenator with two distinct leaf forms — thread-like submerged leaves and rounder floating leaves — and masses of small white, yellow-centred flowers held just above the water in May. Good in both still ponds and slow-moving streams; a valuable, easy native addition to any wildlife pond.

W8. Egyptian Papyrus (*Cyperus papyrus*)

Russian: Сыть папирусная

Light: ☀ Full sun essential.

Height/Spread: 1.5–2.5m tall, 60–90cm spread.

Soil needs: Permanently wet to boggy soil, or shallow standing water; pH 6.0–7.5.

Soil prep: Plant in aquatic compost in a basket at the pond margin, or a large pot kept permanently wet.

Planting depth: Crown at or just below the water/soil surface.

Spacing: 60–90cm between plants.

Fertiliser: Aquatic fertiliser tablets in the growing season.

Companions: Best given its own container/basket as a dramatic architectural specimen at a pond edge.

West of Ireland: A dramatic, tender architectural marginal plant with tall stems topped by distinctive tufted "mophead" bracts, used historically to make papyrus paper. Not reliably hardy in Ireland — best grown in a container that can be moved to a frost-free spot for winter, or treated as a striking seasonal pond-edge feature lifted each autumn.

W9. Flowering Rush (*Butomus umbellatus*)

Light: ☀ Full sun.

Height/Spread: 60–90cm tall, 30–45cm spread.

Soil needs: Fertile mud at pond margins; pH 6.0–7.5.

Soil prep: Aquatic compost in a planting basket, or directly into fertile pond-margin mud.

Planting depth: Crown at soil surface; grows in up to 25cm of water at the margin.

Spacing: 30–45cm between plants.

Fertiliser: Aquatic fertiliser tablets at the start of the growing season.

Companions: Yellow flag iris, arrowhead, bogbean and other native or near-native marginal plants.

West of Ireland: An elegant marginal with narrow, upright, rush-like leaves and umbels of fragrant, star-shaped pink flowers held on tall stems well above the water in summer. Not a true rush despite the name (it's the only member of its own family, Butomaceae). Reliably hardy and well suited to the mild, moist west of Ireland climate.

W10. Fringed Water Lily (*Nymphoides peltata*)

Light: ☀ Full sun to 🌤 partial shade.

Height/Spread: Floating leaves at surface, spreading 90cm+ if uncontained.

Soil needs: Aquatic compost in a basket; pH 6.0–7.5.

Soil prep: Aquatic compost in a planting basket.

Planting depth: Crown at basket surface; 15–90cm of water above, tolerant of a wide depth range.

Spacing: 40–60cm between plants; a vigorous spreader.

Fertiliser: Aquatic fertiliser tablets at the start of the growing season.

Companions: Water lilies, hornwort and other floating/deep-water pond plants.

Warnings ⚠: Despite its dainty appearance, this plant spreads vigorously by surface runners and is listed as an invasive non-native species in Northern Ireland, where it is an offence to plant or cause it to grow in the wild. It is not native to Ireland and has since naturalised and become a nuisance in some waterways here. Keep it strictly contained in a basket, trim regularly, and never allow cuttings or plants to reach open watercourses.

West of Ireland: Small, waterlily-like rounded leaves (much smaller than a true *Nymphaea*) and bright yellow, fringed-petalled flowers held just above the surface in summer — useful for a smaller pond where a full-sized water lily would be too vigorous, provided it is kept firmly contained.

W11. Frogbit (*Hydrocharis morsus-ranae*)

Light: ☀ Full sun.

Height/Spread: Floating at surface, 15–30cm spread per rosette.

Soil needs: None required — a free-floating plant with roots hanging in the water rather than anchored in soil. Prefers still, neutral to alkaline water.

Soil prep: None — simply float on the water surface.

Planting depth: Floats freely on the surface; water must be deep enough that the bottom does not freeze solid in winter, since the plant overwinters as small resting buds (turions) that sink to the bottom.

Spacing: Spreads freely by runners to cover the surface; thin out excess growth as needed.

Fertiliser: None required — takes up nutrients directly from the water.

Companions: Water soldier, native water lilies and other floating-leaved plants; helps shade the water and reduce algae.

West of Ireland: A dainty native-range floating plant with small, glossy, heart-shaped leaves and tiny three-petalled white flowers in summer — a good, well-behaved native-range alternative to non-native floating plants like water hyacinth (see note under that entry). Good for softening the pond surface in a small to medium pond without the vigour of larger floating-leaved plants.

W12. Greater Bladderwort (*Utricularia vulgaris*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: Submerged, floating stems to 1m+, spreading indefinitely.

Soil needs: None — a rootless, free-floating submerged aquatic. Prefers still or slow-moving, still, nutrient-poor to moderate fresh water.

Soil prep: None required — floats freely just below the surface.

Planting depth: Fully submerged, typically in still, reasonably deep water; rises to the surface to flower.

Spacing: Allow to spread loosely through the water; thin congested growth if it becomes too dense.

Fertiliser: None — this carnivorous plant catches tiny aquatic invertebrates using small bladder-like traps on its feathery, finely divided leaves.

Companions: Native oxygenators and floating plants such as frogbit and hornwort.

West of Ireland: A fascinating native carnivorous aquatic found in ponds, ditches and slow streams throughout Ireland, with attractive spikes of yellow, snapdragon-like flowers held above the water in summer. Entirely rootless and free-floating, it needs no planting at all — simply introduce it to the pond. A great talking-point plant for a wildlife pond.

W13. Hornwort (*Ceratophyllum demersum*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: Submerged, stems to 1m+, spreading indefinitely.

Soil needs: None required — a rootless, free-floating or loosely anchored submerged oxygenator, suitable for a wide range of water chemistry.

Soil prep: None — simply place in the pond; it takes up nutrients directly from the water rather than through roots.

Planting depth: Fully submerged; suitable for deep water.

Spacing: Introduce a bunch or two per square metre of pond surface; thin out if it becomes congested.

Fertiliser: None required — a very effective oxygenator that actually helps remove excess nutrients from the water, reducing algae.

Companions: Water lilies, frogbit and other pond plants; an excellent shelter plant for fish fry and pond invertebrates.

West of Ireland: One of the best all-round oxygenating plants for an Irish pond — fast-growing, hardy, and easy, with dark green, bristly, whorled foliage. Forms overwintering buds (turions) that sink to the pond floor in autumn and regrow the following spring. A great, low-fuss choice for keeping pond water clear and healthy.

W14. Loosestrife (*Lysimachia vulgaris* and *L. punctata*)

Irish / Russian: Breallán léana (Breallán dlúth) · Вербейник обыкновенный

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 60–120cm tall, 45–60cm spread (spreads by rhizome).

Soil needs: Moist to wet soil; pH 6.0–7.5. Tolerates heavy clay very well.

Soil prep: Little needed — thrives in damp ground.

Planting depth: Crown at soil level.

Spacing: 40–50cm between plants; spreads by rhizome

Fertiliser: Little required in reasonably fertile damp ground.

Companions: Meadowsweet, yellow flag iris, marsh marigold — classic pond-margin/damp border companions.

West of Ireland: Tall, upright spikes of bright yellow flowers in summer at the water's edge; spreads by rhizomes to form good-sized clumps in consistently damp ground, so give it room or a contained spot in a smaller pond margin.

W15. Lotus (*Nelumbo spp.*)

Light: ☀️ Full sun essential — the more warmth and sun the better.

Height/Spread: Leaves/flowers 30–60cm above water, 1–1.5m spread.

Soil needs: Heavy clay loam enriched with well-rotted manure or compost, in a large container rather than open pond soil — never use standard potting compost, which floats.

Soil prep: Fill a large container (minimum 60cm across for a proper display) with heavy loam-based aquatic soil. A dedicated container within the pond, rather than open ground, lets the water around the lotus warm up faster — the main limiting factor for lotus in Ireland.

Planting depth: Plant the brittle tuber horizontally just under the soil surface, handling it very carefully at the growing tips. Start in shallow water (around 5–15cm above the soil) and increase gradually to 30–60cm as growth proceeds; smaller/dwarf "bowl lotus" cultivars need only 15–22cm.

Spacing: One tuber per container; the roots can travel widely if planted directly in open pond soil, so containment is strongly recommended.

Fertiliser: Aquatic fertiliser tablets or slow-release pond tabs pushed into the soil every few weeks through the growing season, following the product's application rate.

Companions: Best grown alone in its own container rather than mixed with other marginals, given its vigorous spreading roots if not contained.

Pot/container: ✅ Essential, not optional, in this climate — a large container acts as a self-contained mini-pond that warms faster than the main pond. In cold areas, lower the container to the deepest part of the pond for winter, or move it to a frost-free space, keeping the rhizome just moist.

West of Ireland: Genuinely winter-hardy (the rhizome survives cold, even to RHS H7 for *N. nucifera*), but flowering is unreliable here — the real obstacle is the west of Ireland's lack of sustained summer heat rather than winter cold, since lotus need several months of warm water (around 20°C+) to flower well. *Nelumbo lutea* (American yellow lotus) and compact "bowl lotus" cultivars are the more realistic choices for a cooler climate, and even then, treat flowering as a bonus rather than a certainty — the bold, rounded leaves held above the water are attractive in their own right even without bloom.

W16. Mare's Tail (*Hippuris vulgaris*)

Light: ☀️ Full sun to 🌤️ partial shade.

Height/Spread: 15–30cm above water, spreading by rhizome.

Soil needs: Shallow water or permanently wet mud; prefers non-acidic (neutral to alkaline) water, pH 6.5–7.5.

Soil prep: Aquatic compost in a basket, or plant directly into pond-margin mud.

Planting depth: Crown at soil surface; grows in shallow water or wet mud at the margin, with foliage held upright above the surface.

Spacing: 20–30cm between plants; spreads by creeping rhizomes and can be vigorous in favourable conditions — contain in a basket in a small pond.

Fertiliser: Aquatic fertiliser tablets at the start of the growing season.

Companions: Water mint, water forget-me-not and other native marginal plants.

West of Ireland: A distinctive native marginal with upright, bottle-brush-like stems of narrow leaves in whorls, resembling a miniature conifer or horsetail (though unrelated to true horsetails). Fully hardy and easy in the mild, moist Irish climate; keep contained in a basket in smaller ponds, as it can spread readily.

W17. Marsh Marigold (*Caltha palustris*)

Irish / Russian: Lus buí Bealtaine · Калужница болотная

Light: ☀️ Full sun to 🌤️ partial shade.

Height/Spread: 15–30cm tall, 30–45cm spread.

Soil needs: Permanently moist to wet soil, or shallow water; pH 6.0–7.5. Tolerates heavy clay very well.

Soil prep: Little needed — thrives in the wet margins many other plants struggle with.

Planting depth: Crown at soil level, in boggy ground or shallow water 0–10cm deep (in an aquatic basket if planted directly in a pond).

Spacing: 30–40cm between plants

Fertiliser: Little required in a natural pond margin; balanced aquatic fertiliser tablet if grown in a basket.

Companions: Yellow flag iris, bogbean, ferns — classic pond-margin planting.

West of Ireland: Cheerful, bright yellow, buttercup-like flowers in spring at the water's edge; one of the easiest and most reliable native pond-margin perennials for the consistently damp west of Ireland climate.

W18. Marsh Orchids (*Dactylorhiza* spp.)

Russian: Пальчатокоренник

Light: ☀ Full sun to ☁ partial shade, provided the soil stays consistently moist.

Height/Spread: 20–50cm tall, 20–30cm spread.

Soil needs: Consistently moist, humus-rich soil; slightly acid to neutral (some species tolerate alkaline), pH 6.0–7.0.

Soil prep: Improve clay with leafy compost; avoid manure or very rich feeds, which encourage weeds and disrupt the orchid's root/fungal relationship. Never allow the site to dry out, especially in the growing season.

Planting depth: Tubers 5–8cm deep, or plant nursery-grown pot plants at pot level.

Spacing: 15–20cm between plants; buy nursery stock only

Fertiliser: Little to none required — rich feeding is unhelpful and can encourage competing weeds.

Companions: Damp meadow and pond-margin planting with yellow flag iris, meadowsweet, ragged robin.

West of Ireland: Several marsh orchid species are native to Ireland, found in damp meadows, fens and dune slacks. Always buy nursery-propagated plants (never collected from the wild) and give them a permanently moist, undisturbed spot — a damp meadow area or pond margin suits them far better than a conventional border.

W19. Meadowsweet (*Filipendula ulmaria*)

Irish / Russian: Airgead luachra · Лабазник вязолистный

Light: ☀ Full sun to ☁ partial shade. Does best in a humus-rich moist well-drained soil in semi-shade or in full sun if the soil is kept moist throughout the growing season. It does not tolerate dry or acid soils; however, it does grow well in heavy clay soils.

Height/Spread: 1–1.5m tall, 60–90cm spread.

Soil needs: Moist, fertile soil. Meadowsweet prefers a pH level between 5.0 and 6.5. If your soil is heavy or clay-based, amend it with organic matter to improve drainage. Ideal for boggy areas, pond edges, and consistently damp borders.

Soil prep: For in-ground planting, dig in generous compost. No grit needed — meadowsweet actually prefers moisture-retentive conditions. For very wet areas, plant directly without amendment.

Planting depth: Simply bury the roots up to the crown of the stem in rich soil. Crown at soil level.

Spacing: 60cm between plants; can self-seed

Fertiliser: Feed in spring with a balanced fertiliser to encourage vigorous growth. Deadhead spent flowers to prolong bloom, and cut back the stems to ground level after flowering to keep the plant tidy and encourage fresh foliage. Annual compost mulch. Low-maintenance overall.

Companions: Yellow flag iris, bogbean, royal fern, astilbe, primulas at pond margins or in damp borders. Borders (rear), naturalized areas, wet meadows or moist areas along streams or ponds. Attracts butterflies, bees and beneficial insects very effectively.

West of Ireland: Meadowsweet is native throughout Ireland and wildly abundant in wet western meadows, roadside ditches, and riverside habitats. It is perfectly adapted to the Irish climate and particularly thrives in the wet conditions of the west. One of the most rewarding native plants for a damp or boggy garden.

W20. Ragged Robin (*Lychnis flos-cuculi*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 30–45cm tall, 20–30cm spread.

Soil needs: Moist, moderately fertile soil; pH 6.0–7.5. A damp-meadow and pond-margin native, not for standing water.

Soil prep: Improve clay with compost if very heavy; otherwise minimal preparation needed given its native tolerance of damp Irish ground.

Planting depth: Crown at soil level, or surface-sow seed in March/April.

Spacing: 30–45cm between plants.

Fertiliser: Little required; enrich the planting hole with organic matter at planting.

Companions: Meadowsweet, yellow flag iris and marsh orchids in a damp meadow or pond-margin planting.

West of Ireland: A pretty native perennial wildflower of damp meadows and pond margins, with slender stems bearing star-shaped, deeply fringed rose-pink flowers in late spring and early summer. Easy and reliable in the moist Irish climate; deadhead to prolong flowering and cut back after flowering to keep tidy.

W21. Round-leaved Sundew (*Drosera rotundifolia*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 3–8cm tall (rosette), 5–10cm spread.

Soil needs: Permanently wet, acidic, nutrient-poor bog conditions — typically grows directly in living sphagnum moss; pH 4.0–5.5.

Soil prep: A boggy container or bed with a mix of sphagnum moss, peat-free ericaceous compost and sharp sand, kept permanently saturated with rainwater (not tap water, which is too alkaline/mineral-rich for this plant).

Planting depth: Crown at soil surface, kept permanently wet.

Spacing: 10–15cm between plants.

Fertiliser: None — a carnivorous plant that traps small insects on sticky, glandular, reddish, round leaves arranged in a basal rosette; added fertiliser harms it.

Companions: Common butterwort, bog asphodel and other native acid-bog plants.

West of Ireland: One of Ireland's most widespread native carnivorous plants, found almost anywhere sphagnum moss grows on Irish bogs. Small white flowers appear on a thin stem above the leaf rosette in summer. Best suited to a dedicated boggy, acidic container rather than a conventional pond, and an excellent addition to a native bog garden.

W22. Umbrella Grass (*Cyperus alternifolius*)

Russian: Сыть очерёднолистная

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 60cm–1m tall, 45–60cm spread.

Soil needs: Permanently moist to wet soil, or shallow standing water; pH 6.0–7.5.

Soil prep: Plant in aquatic compost in a basket at the pond margin, or a pot kept permanently wet.

Planting depth: Crown at or just below the water/soil surface.

Spacing: 45–60cm between plants.

Fertiliser: Aquatic fertiliser tablets in the growing season.

Companions: Best given its own container/basket as an architectural pond-margin feature.

West of Ireland: A striking marginal plant with tufted, umbrella-like whorls of narrow leaf-like bracts atop tall stems. Borderline hardy — reliable outdoors only in the mildest, most sheltered spots; more commonly grown as a container plant that can be moved under cover for winter, or treated as a seasonal pond-edge feature.

W23. Umbrella Plant (*Darmera peltata*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 1–1.8m tall (in flower/leaf), 90cm–1.2m spread.

Soil needs: Reliably moist to wet soil; pH 5.5–7.0. Genuinely wants boggy, waterlogged-tolerant conditions.

Soil prep: Dig in generous compost at a pond-margin or bog-garden site; no benefit from grit here, the opposite of most plants in this guide.

Planting depth: Rhizome at or just below soil level.

Spacing: 60–90cm between plants — a substantial architectural spreader.

Fertiliser: Balanced feed in spring; annual mulch of compost.

Companions: Rodgersia, candelabra primula, astilbe, ferns — classic pond-margin and bog-garden companions.

West of Ireland: RHS AGM. A striking architectural perennial, sometimes called "Indian Rhubarb" for its huge rounded leaves, which emerge after clusters of pale pink, star-shaped flowers appear on bare stems in early spring (March–April). Spreads by creeping rhizomes to form a substantial colony given the wet ground it wants — genuinely one of the best "big leaf" plants for a pond margin in the consistently damp west of Ireland climate, on a smaller, more manageable scale than Gunnera.

W24. Water Forget-me-not (*Myosotis scorpioides*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 10–40cm tall, 30–45cm spread.

Soil needs: Wet soil at pool margins or in shallow water; pH 6.0–7.5.

Soil prep: Aquatic compost in a basket, or plant directly into wet margin soil.

Planting depth: Crown at soil surface, in wet soil or water no deeper than 10cm.

Spacing: 15–30cm between plants; expands gradually by creeping rhizomes without being invasive.

Fertiliser: Little required — an easy, low-maintenance native/near-native marginal.

Companions: Yellow flag iris, marsh marigold, bogbean and other pond-margin plants; a classic combination for disguising the edge of a pond liner.

West of Ireland: Reliably perennial (unlike border forget-me-nots, which are usually biennial), with sprays of sky-blue, yellow-eyed flowers held above shiny green foliage from May to July. Excellent for wildlife — bees and hoverflies visit the flowers, and newts use the leaves to wrap their eggs. Ideal for softening the pond edge in a naturalistic Irish pond.

W100. Water Hyacinth (*Eichhornia crassipes*, syn. *Pontederia crassipes*)

⚠ **LEGAL WARNING — DO NOT BUY, GROW, OR KEEP THIS PLANT:** Water Hyacinth is listed on the **EU List of Invasive Alien Species of Union Concern** under Regulation (EU) No 1143/2014, in force since 2016. In Ireland this is given effect through domestic invasive species legislation, and it is a criminal offence to sell, grow, transport, release, or otherwise keep this plant. It is also banned across the UK (England, Wales, Scotland and Northern Ireland) under equivalent regulations. This entry is included for identification and factual reference only — it is not a cultivation recommendation, and this guide does not encourage sourcing, buying, or growing it under any circumstances. If you find it already present in a pond (for example from an old, pre-ban stock), do not pass it on to anyone else, and dispose of any removed material by composting well away from any watercourse — never into a drain, ditch, river or lake.

Identification: A free-floating tropical/subtropical aquatic perennial native to the Amazon basin in South America. Forms dense rosettes of thick, glossy, rounded leaves on bulbous, spongy, inflated stalks that act as floats, rising up to about 1m above the water. Produces spikes of showy lilac to lavender flowers, each with a yellow-bordered blue spot on the uppermost petal, in summer. Spreads with extraordinary speed by stolons (runners) to form dense mats, and also sets viable seed that can remain dormant in mud for decades.

Why it is banned: Water Hyacinth is considered one of the world's most damaging invasive aquatic plants. Dense floating mats block light and oxygen exchange, outcompete native aquatic plants and animals, impede boating, fishing and water sport, clog irrigation and drainage channels, and are extremely difficult and costly to eradicate once established in open water. It has caused severe ecological and economic damage in warm-climate regions worldwide, and the EU and Irish authorities have specifically targeted it to prevent establishment in European waterways as the climate warms.

West of Ireland: Not a plant for any garden, pond, or water feature here or anywhere in the EU/UK — full stop. If you are looking for a similar-looking, entirely legal floating ornamental for an Irish pond, Frogbit (*Hydrocharis morsus-ranae*), already in this guide, is a genuine native alternative with a comparable floating-rosette habit on a much less aggressive scale.

W25. Water Irises (*Iris spp.*)

Species	Latin name	Height	Flowering	Planting depth	Notes
Japanese Water Iris 'Dinner Plate Cupcake'	<i>I. ensata</i> 'Dinner Plate Cupcake'	50–90cm	Early–midsummer (June–July)	Rhizome at soil level; moist to shallow-wet soil	Huge (to 15cm across) white flowers with purple and yellow accents; needs consistently moist to wet, acidic soil
Yellow Flag Iris	<i>I. pseudacorus</i>	90cm–1.5m	May–July	Crown at soil level; 0–20cm water above	Native pond-margin iris; tolerates standing water; spreads vigorously

Light: ☀ Full sun best for both, though both tolerate light/partial shade — flowering is noticeably reduced in deeper shade.

Height/Spread: 50–150cm tall depending on species (see table), 30–60cm spread.

Soil needs: Yellow Flag Iris: moist to wet rich soil; pond margin/bog zone with 0–20cm of water over the soil surface, or reliably damp ground. *I. ensata* 'Dinner Plate Cupcake': consistently moist to shallow-wet, distinctly acidic soil, pH 5.5–6.5 — dislikes lime and will not tolerate drying out even briefly; a pond-margin or bog-garden position suits it as well as Yellow Flag Iris.

Soil prep: Yellow Flag Iris: plant in an aquatic basket with aquatic compost at the pond margin, or directly into boggy clay. *I. ensata* 'Dinner Plate Cupcake': dig in generous ericaceous compost or leafmould to acidify and moisture-retain the soil; never lime the ground.

Planting depth: Yellow Flag Iris: crown at soil level, with the basket set so water sits 0–20cm above the soil surface (can grow in up to 25–30cm depth); basket size 19–24cm diameter, or plant directly into boggy clay at pond margins. *I. ensata* 'Dinner Plate Cupcake': rhizome at soil level in consistently moist to shallow-wet ground.

Spacing: Yellow Flag Iris: 30–60cm between plants; very vigorous, divide every 2–3 years. *I. ensata* 'Dinner Plate Cupcake': 30–40cm between plants.

Fertiliser: Yellow Flag Iris: aquatic fertiliser tablets pushed into the basket compost at the start of the growing season. *I. ensata* 'Dinner Plate Cupcake': low-nitrogen, ericaceous or acid-loving plant fertiliser in spring — avoid lime-containing feeds.

Companions: White water lily, bogbean, bog pimpernel, meadowsweet, royal fern at pond/boggy margins — dense clumps give refuge for amphibians and emergent support for dragonflies.

Pot/container: Not well suited to ordinary pots — both need a pond, large water feature, or dedicated bog bed rather than a conventional container.

Warnings ⚠: Sap from both can cause skin irritation — wear gloves when handling. Yellow Flag Iris also spreads vigorously by rhizomes and seed and can overtake native plants in wet sites — keep it in an aquatic basket to control spread in smaller ponds.

West of Ireland: Yellow Flag Iris is a native Irish plant found wild in fens, marshes and river margins throughout the country, and is one of the most reliable and beautiful marginal pond plants for Irish conditions. *I. ensata* 'Dinner Plate Cupcake' brings enormous, exhibition-quality blooms to a pond margin or bog garden — but only where the soil is reliably acidic and constantly moist; on neutral or alkaline west of Ireland clay it needs a dedicated ericaceous bog bed or large container to thrive.

W26. Water Lilies (*Nymphaea spp.*)

Species	Latin name	Height	Flowering	Planting depth	Notes
Native White Water Lily	<i>N. alba</i>	Leaves float; flowers just above surface	Summer	Start 20–30cm, lower gradually to 90–150cm	Ireland's only true native water lily; vigorous — large ponds/lakes only, not for small garden ponds
Bohemian/Shining Water Lily	<i>N. candida</i>	Leaves float; flowers just above surface	June–August	20–50cm (RHS: start 15–25cm, lower gradually to 50–60cm)	Small hardy species lily with white, yellow-stamened flowers; ideal for small ponds, tubs and half-barrels
Hardy hybrid water lilies	<i>N. × hybrida</i> and other garden hybrids	Leaves float; flowers just above surface	Summer–early autumn	15–90cm+ depending on cultivar vigour	The many popular garden-bred hardy hybrids (white, pink, yellow, red); choose a cultivar matched to your pond's depth and size

Light: ☀ Full sun essential for all — needs maximum sunshine for flowers to open. Plant in the sunniest spot in the pond.

Height/Spread: Floating leaves at surface, 90cm–1.5m spread depending on species.

Soil needs: Aquatic compost in mesh baskets for all. Loamy, clay-based aquatic soil is ideal. Do not use multipurpose/garden compost (too rich — promotes algae). Cover with lime-free pea gravel.

Water depth: *N. alba*: best grown about 1 metre deep, but can grow in up to 3 metres if allowed to adjust very gradually; start shallower (20–30cm) and lower gradually. *N. candida*: much shallower, 20–50cm once established — ideal for small ponds and even large tubs. Hardy hybrids: depth depends entirely on the cultivar's vigour, from compact varieties suited to 15–30cm to vigorous types wanting 60–90cm or more — check the specific cultivar's label.

Basket size: *N. alba*: at least 22cm across initially, potting up to 30–40cm+ as it grows — suitable for large ponds and lakes only. *N. candida*: a small 2L basket is often sufficient given its modest size. Hardy hybrids: size the basket to the cultivar, typically 20–40cm.

Planting: Plant the rhizome level with the top of the aquatic compost for all. Top with lime-free pea gravel. Place the basket in the pond at a shallow depth first, then lower gradually to final depth as leaves grow.

Fertiliser: Feed during the growing season with a proprietary aquatic fertiliser at the manufacturer's recommended rate for all species. Use only aquatic fertiliser tablets pushed into the compost — never loose fertiliser into pond water (causes algae bloom). Feed at the start of each growing season.

Companions: *N. alba* is Ireland's only true native water lily and pairs beautifully with Irish natives: Yellow Flag Iris, Bogbean, Bog Pimpernel and Meadowsweet at the margins. All water lily pads provide vital shade for fish and wildlife and reduce algae. Plant oxygenating plants (Hornwort, Common Water Crowfoot) in the same pond to maintain water quality.

West of Ireland: The moist, mild Atlantic climate is ideal for water lilies generally. Do not plant near a pump or fountain — water lilies require still water and must not have water splashed onto their floating leaves. For a small west of Ireland garden pond, *N. candida* or a compact hardy hybrid is a far more realistic choice than the vigorous native *N. alba*, which really needs a large pond or lake to do itself justice.

W27. Water Mint (*Mentha aquatica*)

Irish / Russian: *Miontas* · Мята

Light: ☀ Full sun to encourage flowering.

Height/Spread: 15–25cm above water, spreading by rhizome.

Soil needs: Muddy pool margins or shallow water; pH 6.0–7.5.

Soil prep: Aquatic compost in a basket, or plant directly into pond-margin mud.

Planting depth: Crown at soil surface; grows in baskets in up to 25cm of water, or in wet margin soil.

Spacing: 30–45cm between plants.

Fertiliser: Little required — vigorous once established.

Companions: Bog pimpernel, yellow flag iris and other pond-margin plants.

Warnings ⚠️: Has the potential to become a nuisance if not kept in check — contain in a basket in smaller ponds and divide/thin regularly.

West of Ireland: A native aromatic marginal with whorls of small lilac-pink flowers in summer, much loved by pollinators, and highly attractive to bees. Fully hardy and thrives in the mild, moist Irish climate — the challenge here is restraining its vigour rather than keeping it alive.

W28. Water Soldier (*Stratiotes aloides*)

Light: ☀️ Full sun.

Height/Spread: Floating rosette 15–25cm across, spreading by offsets.

Soil needs: None required — a free-floating submerged/floating perennial.

Soil prep: None — simply introduce to the pond.

Planting depth: Floats just below the surface in summer, rising to flower, then sinks to the bottom to overwinter; needs water deep enough not to freeze solid.

Spacing: Allow to spread; thin out congested rosettes, as it can become a nuisance in a small pool.

Fertiliser: None required.

Companions: Frogbit, native water lilies and other floating plants.

West of Ireland: A striking native-range plant with rosettes of stiff, sharp-edged, pineapple-like leaves and white, three-petalled summer flowers, historically common in the wet ditches and ponds of East Anglia and still found in similar habitats elsewhere. Provides good shelter and egg-laying sites for pond wildlife such as damselflies. Can spread vigorously in a small pool, so monitor and thin as needed.

W29. Water Violet (*Hottonia palustris*)

Light: ☀️ Full sun to 🌤️ partial shade.

Height/Spread: Flowers 10–15cm above water, submerged spread 30–60cm.

Soil needs: None required for the submerged form — a rootless-appearing submerged oxygenator that also produces emergent flower spikes; tolerant of most fresh water.

Soil prep: None — introduce directly to the pond; do not move or replant in summer, as it establishes best when left undisturbed.

Planting depth: Mostly submerged, with feathery foliage below the water and flower spikes emerging above in late spring/summer.

Spacing: Allow to spread loosely through the water.

Fertiliser: None required.

Companions: Hornwort, common water crowfoot and other native oxygenators.

West of Ireland: Despite the common name it is not a true violet, but a relative of the primrose family, with finely divided, fern-like submerged foliage and pale lilac flower spikes held above the water in late spring and early summer. A good native-range oxygenator for an Irish wildlife pond — plant in spring or autumn and leave undisturbed through summer for best results.

W30. Watershield (*Brasenia schreberi*)

Light: ☀️ Full sun to 🌤️ partial shade.

Height/Spread: Floating leaves at surface, 60–90cm spread.

Soil needs: Aquatic soil in a basket, similar to a water lily; prefers clear, still fresh water.

Soil prep: Aquatic compost in a planting basket.

Planting depth: Floating leaves on long stalks from a rhizome rooted in mud; suitable for water broadly similar in depth to a small water lily.

Spacing: Allow room to spread; it colonises by rhizomes over time.

Fertiliser: Aquatic fertiliser tablets during the growing season, as for water lilies.

Companions: Water lilies and other floating-leaved plants, which it naturally grows alongside in the wild.

⚠️ **A note on this entry:** Unlike the other plants in this guide, Watershield is not commonly available from Irish or UK nurseries and there is little documented experience of growing it in Irish garden ponds specifically. It is included here at your request, but the growing notes

above are based on its general biology and North American/Asian wild-pond habitats rather than proven Irish cultivation, so treat them as a starting point rather than a guarantee.

West of Ireland: A curious floating-leaved perennial with small oval leaves resembling miniature water lily pads (but without the characteristic split), reddish-purple beneath, and small, inconspicuous maroon flowers in summer. If you do manage to source it, it is best treated as an experimental addition to a mature, well-established pond alongside true water lilies.

W31. Willow Moss (*Fontinalis antipyretica*)

Light: ☁ Partial shade to ☀ full sun.

Height/Spread: Submerged mats, spreading indefinitely.

Soil needs: None required — an aquatic moss best attached to a submerged stone or piece of wood rather than planted in soil.

Soil prep: Tie or wedge a clump onto a stone or log and submerge; the moss will attach itself naturally over time.

Planting depth: Fully submerged; also suitable for a stream or moving-water feature.

Spacing: Space attached stones/clumps as desired; spreads slowly to cover the surface it is attached to.

Fertiliser: None required.

Companions: Hornwort, common water crowfoot and other native oxygenators in a wildlife pond or stream feature.

West of Ireland: A native aquatic moss forming dark green, feathery submerged mats on stones, logs or the sides of streams and ponds. Excellent for a naturalistic wildlife pond or a garden stream feature, providing shelter for invertebrates and helping oxygenate the water. Thrives in the consistently damp, mild Irish climate.

W32. Yellow Water Lily (*Nuphar lutea*)

Light: ☀ Full sun to ☁ partial shade.

Height/Spread: 45–150cm+ above water, 1–2m spread.

Soil needs: Aquatic compost in a basket; tolerates still or slow-moving water.

Soil prep: Aquatic compost in a large planting basket — this is a big, vigorous plant, not suited to small garden ponds.

Planting depth: Crown at basket surface; 45–150cm of water above, and can spread into much deeper water (2–5m) over time.

Spacing: 1–2m ultimate spread; large ponds and lakes only.

Fertiliser: Aquatic fertiliser tablets at the start of the growing season.

Companions: Native white water lily, bogbean and other deep-water/marginal natives, though give it plenty of room given its vigour.

West of Ireland: A robust native plant useful where water is too deep, too shaded or too disturbed (e.g. by moving water) for a true water lily to thrive, with rounded floating leaves and rather small, ball-shaped yellow flowers held just above the surface in summer. Not for a small garden pond — this is a plant for a large, naturalistic pond or lake margin.

COMPLETE REFERENCE TABLE

(Sorted alphabetically by English name across all groups; ID prefix shows which group each plant belongs to.)

Light: full sun | partial shade preferred | shade tolerant/full shade In Pot?: recommended | possible with care | not suitable

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
B1	Acidanthera (Abyssinian Gladiolus)	Gladiolus murielae	☀️	70–100cm	10–16cm on bed of sharp sand; spring	15–20cm between corms	6.0–7.0	✅ 30cm / 15L+	Good	Salvias, gladioli, dahlias, ornamental grasses	Шпажник Мюриэл	—
G1	Adriatic Bellflower	Campanula garganica	☀️ to ☁️	Up to 10cm	At pot level	15–20cm between plants	6.0–7.0	✅ 10–15L container	No	Sempervivum, saxifrage, dianthus pinks	—	—
B2	African Lily	Agapanthus africanus	☀️	60–90cm	Rhizome just below soil / at pot level; spring	40–60cm between plants; tender, overwinter under cover	5.5–6.5	✅ Large 40–50L container, movable	Good	Ornamental grasses, rudbeckias	Агапантус африканский	—
F1	Almond	Prunus dulcis	☀️	4–6m	At nursery soil mark; graft above soil	4–6m free- standing; 4–5m fan-trained	6.0–7.5	⚠️ Large container	No	Chives, garlic; spring bulbs	—	—
C19	Alpine Clematis	Clematis alpina	☀️ (roots shaded)	2–3m	10–15cm DEEPER than pot	60–90cm between; cool roots essential	6.5–7.5	✅ 45cm/40L+ container	No	Climbing roses, other clematis	—	—
G2	Alpine Tree Heath	Erica arborea var. alpina	☀️	1–2m	At pot level	1–1.5m between plants; hardier var. *alpina* available	5.0–6.5	⚠️ Large 40–50L container	No	Blueberry, lingonberry, ornamental grasses	—	—
P1	Alstroemeria	Alstroemeria spp.	☀️ to ☀️	60–90cm	15–20cm deep (tubers)	30–45cm between plants	6.0–7.0	✅ 15–20L container	Good, classic cut flower	Roses, geraniums, salvias	—	—
C18	Anemone Clematis	Clematis montana	☀️ (roots shaded)	8–10m	10–15cm DEEPER than pot	60–90cm between; cool roots essential	6.5–7.5	✅ 45cm/40L+ container	No	Climbing roses, other clematis	—	—
F2	Apple	Malus domestica	☀️	1.2m– 4.5m+	Graft union at/above soil	Depends on rootstock; cvs. 'Baya Marisa', Cox's Orange Pippin, White Transparent, 'Granny Smith', Antonovka, Grushovka Moskovskaya	6.0–7.0	⚠️ Half-barrel (50L+) on dwarfing rootstock	No	Chives, garlic, nasturtiums	Яблоня домашняя	Crann úll
C17	Armand Clematis	Clematis armandii	☀️	5–9m	At pot level (evergreen type)		6.5–7.5		No	Climbing roses, honeysuckle	—	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
						5–9m between plants against support		✅ Large container against support				
W1	Arrowhead	<i>Sagittaria sagittifolia</i>	☀️ to 🌥️	30–90cm	Crown at soil surface; up to 20cm water above	30–45cm between plants	6.0–7.5	✅ Aquatic basket or pond-bottom mud	No	Yellow flag iris, bogbean, flowering rush	—	—
S1	Asian Bleeding Heart	<i>Lamprocapnos spectabilis</i> , syn. <i>Dicentra spectabilis</i>	🌥️	60–90cm	Crown at/just below soil level	45–60cm between plants; dislikes disturbance	6.0–7.5	✅ 30–40L container	Good	Ferns, hostas, hellebores, primroses	Дицентра великолепная	—
H1	Asparagus	<i>Asparagus officinalis</i>	☀️	1–1.5m	Crowns 20cm deep, ridged in trench	30–45cm between crowns; 90cm–1.5m between rows	6.5–7.5	⚠️ Very large 50L+ container, raised bed better	No	Basil, parsley, tomatoes, calendula	Спаржа лекарственная	Asparagus
W2	Astilbe	<i>Astilbe</i> spp.	🌥️	40–90cm	At pot level; crown at surface	30–45cm between plants	5.5–7.0	✅ 40–50cm / 30L+	Good, dries well	Hostas, ferns, hellebores, primulas	Астильба	—
S2	Auricula	<i>Primula auricula</i>	🌥️	15–20cm	Crown at soil level	15–20cm between plants	6.5–7.5	✅ 3–5L pot/ trough	No	Saxifrage, sempervivum, other alpine	Первоцвет ушковый	Lus na mbanríon
B3	Autumn Crocus (Bieberstein's)	<i>Crocus speciosus</i>	☀️ to 🌥️	10–15cm	8–10cm deep; plant August	8–9cm between corms	6.0–7.5	✅ Excellent: 15–20cm / 3L+	No	Autumn-flowering companions	—	—
P2	Avens	<i>Geum</i> spp.	☀️ to 🌥️	45–60cm	Crown at soil level	30–45cm between plants; divide every 3–4 yrs	5.5–7.0	✅ 15–20L container	Good	Roses, hardy geraniums, alliums	Гравилат	—
T2	Bald Cypress	<i>Taxodium distichum</i>	☀️ to 🌥️	15–25m	At nursery soil mark	4–6m from structures; tolerates wet clay better than most trees in this guide	5.5–7.5	⚠️ Large 80–100L container (young plants only)	No	Astilbe, ferns, yellow flag iris; moisture-lovers	Таксодиум двурядный	—
B4	Balkan Anemone	<i>Anemone blanda</i>	🌥️	10–15cm	5–8cm deep; autumn	10cm between corms	6.0–7.5	✅ 20–25cm / 5L+	No	Snowdrops, bluebells, wood anemone	—	—
P3	Balloon Flower	<i>Platycodon grandiflorus</i>	☀️ to 🌥️	40–60cm	Crown at soil level	30–60cm between plants; dislikes disturbance	5.6–7.3	✅ 20–25L container	Good	Astilbe, campanula, heuchera, hosta	Ширококолокольчик крупноцветковый	—
T3	Balsam Fir	<i>Abies balsamea</i>	☀️ to 🌥️	15–20m	At nursery soil mark	4–6m; dwarf cultivars much closer	5.0–6.5	⚠️ Large container for dwarf cultivars	No	Ferns, hostas	—	—
T4	Bamboo	clump-forming: <i>Fargesia</i> spp., <i>Chusquea</i> spp.	☀️	2–5m	At pot level	1.5–3m from structures; root barrier for running types	5.5–7.0	⚠️ Very large tub (100L+)	No	Ferns, hostas, astilbe	Бамбук	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
H2	Basil	<i>Ocimum basilicum</i>	☀️	30–60cm	At pot level (after frost)	20–25cm between plants; tender, grow sheltered	6.0–7.5	✅ 10–15L container, best under cover	No	Tomatoes, peppers	Базилик душистый	Basal
P48	Bearded Iris (Border Iris)	<i>Iris germanica</i>	☀️	60–90cm	Rhizome at/just above soil surface	30–45cm between rhizomes; divide every 3–4 yrs	6.5–7.5	⚠️ Wide shallow container, 30L+	Good	Roses, peonies, alliums	Ирис германский	—
G3	Bell Heather	<i>Erica cinerea</i>	☀️	15–50cm	At pot level	30–45cm between plants	4.5–6.5	✅ 20–25cm / 5–10L ericaceous compost	Good, dries well	Blueberry, lingonberry, deer fern, ornamental grasses	—	—
B5	Black Garlic	<i>Allium nigrum</i>	☀️	60–90cm	15cm deep (2–3× bulb depth); autumn	20–25cm between bulbs	6.0–7.5	✅ Large 5L+ container	No	Roses, peonies, ornamental grasses	—	—
T5	Black Locust	<i>Robinia pseudoacacia</i>	☀️	10–15m	At nursery soil mark	6–8m between plants	6.0–7.5	⚠️ Large container for young trees	No	Shade-tolerant bulbs and perennials	—	—
G4	Black Mondo Grass	<i>Ophiopogon planiscapus</i>	☀️ to 🌥️	15–20cm	At pot level	20–25cm between plants	5.5–7.0	✅ 10–15L container	No	Sedum 'Angelina', golden sedges	—	—
F3	Blackberries	<i>Rubus fruticosus</i> agg.	☀️ to 🌥️	1.8–3m	At nursery soil mark	2–3m between plants against wires	5.5–7.0	⚠️ 40–50L container against support	No	Raspberries, other cane fruit	Ежевика кустистая	Sméara dubha
F4	Blackcurrant	<i>Ribes nigrum</i>	☀️ to 🌥️	1.2–1.5m	5–7cm deeper than nursery mark	1.2–1.5m between plants	6.0–7.0	⚠️ 30L+ large pot	No	Alliums, garlic, nasturtiums, redcurrant	Смородина чёрная	Cuiríní dubha
P50	Blue Fescue	<i>Festuca glauca</i>	☀️	20–30cm	At pot level	25–35cm between plants	6.0–7.5	✅ 15–20L container	No	Sedum, echinacea, rudbeckia	—	—
P5	Blue Gentian	<i>Gentiana</i> spp., e.g. <i>G. acaulis</i> , <i>G. sino-ornata</i>	☀️ to 🌥️	10–15cm	Crown at soil level	20–30cm between plants	5.5–6.5	✅ 10–15L container	No	Heather, dwarf conifers, saxifrage	Горечавка	—
C1	Blue Passion Flower	<i>Passiflora caerulea</i>	☀️	3–4m	At nursery soil mark	2–3m between plants against wall/fence	6.0–7.5	⚠️ 40–50L container against support	Good, short vase life	Climbing roses, clematis, honeysuckle	Страстоцвет голубой	Lus na páise
G5	Blue Star Creeper	<i>Isotoma fluviatilis</i> (syn. <i>Laurentia fluviatilis</i> , <i>Pratia pedunculata</i>)	☀️ to 🌥️	2–5cm	At pot level	20–30cm between plants; spreads by runners	6.0–7.5	✅ 10–15L container	No	Thyme, saxifrage, other paving/rockery plants	—	—
F5	Blueberry	<i>Vaccinium corymbosum</i>	☀️ to 🌥️	1–1.8m	At pot level	1 plant per pot; 60cm between pots	4.0–5.5	✅ Essential: 40–60cm / 30–50L+	No	Heather, lingonberry (same ericaceous trough)	Голубика высокорослая	—
W3	Bog Asphodel	<i>Narthecium ossifragum</i>	☀️	15–45cm	Crown at soil surface, permanently wet	20–30cm between plants; needs permanently wet acid soil	4.5–6.0	⚠️ Bog garden/ boggy pot only	No	Bogbean, bog pimpernel	Нартециум костоломный	Sciollam na móna

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
W4	Bog Pimpernel	<i>Anagallis tenella</i>	☀️	5–10cm	Crown at soil surface; bog margin to waterline	30–40cm apart; spreads as carpet	5.0–6.5	✅ Small shallow container at margin	No	Bogbean, yellow flag iris, water mint	Анагаллис нежный	Falcaire corraigh
W5	Bogbean (Buckbean)	<i>Menyanthes trifoliata</i>	☀️	15–30cm	Roots + 5cm stem in soil; 5–25cm water above	60cm between plants; spreads indefinitely without basket	5.0–7.5	✅ 19–24cm+ aquatic basket	No	White water lily, yellow flag iris, bog pimpernel	Бахта трёхлистная	Báchrán
W36	Bohemian/ Shining Water Lily	<i>Nymphaea candida</i>	☀️	Leaves float; flowers just above surface	Crown just below basket surface; 20–50cm water above	50cm spread; ideal for small ponds	6.5–7.5 (water)	✅ Small 2L basket; ideal for tubs	No	Bogbean, yellow flag iris, oxygenating plants	—	—
A1	Borage	<i>Borago officinalis</i>	☀️	60–90cm	1cm deep (seed)	45–60cm between plants; annual, self-seeds freely	6.0–7.0	✅ 20–30L container	No	Strawberries, tomatoes, squash, cucumbers	Бурачник лекарственный	Borráiste gorm
T6	Border Forsythia	<i>Forsythia × intermedia</i>	☀️🌧️	2–3m	At pot level	1.5m between; 2m from walls	6.0–8.0	❌ Too large	Good, forced branches	Spring tulips, Vinca, holly backdrop	Форзиция средняя	—
P6	Border Sedum (Stonecrop)	<i>Hylotelephium spectabile</i>	☀️	45–60cm	At pot level	30–45cm between plants	6.0–6.5	✅ 15–20L container	Good, dries well	Ornamental grasses, asters, late perennials	Очитник видный	—
S3	Broad Buckler Fern	<i>Dryopteris dilatata</i>	☁️ to 🌑	60–100cm	At pot level; crown at/just below surface	60cm between plants	5.5–7.0	✅ 40–50cm / 25–30L	No	Hostas, astilbe, hellebores, bamboo	—	—
A2	Bush Slipperwort	<i>Calceolaria integrifolia</i>	☀️ to 🌧️	20–30cm	At pot level	15–20cm between plants; sheltered, frost-free spot only	5.0–6.5	✅ 5–10L container	No	Fuchsias, other tender summer bedding	Кальцеолярия	—
A3	California Poppy	<i>Eschscholzia californica</i>	☀️	30–45cm	Surface-sown (seed)	15–23cm between plants; annual, self-seeds	6.5–7.5	✅ 5L+ container	No	Cornflower, love-in-a-mist, lavender	Эшшольция калифорнийская	—
B6	Camassia	<i>Camassia</i> spp.	☀️ to 🌧️	60–100cm	10–15cm deep; autumn	15–20cm between bulbs; dislikes disturbance	6.0–7.0	⚠️ Large 20L+ container (short-term only)	Good	Solomon's Seal, Asian Bleeding Heart, later perennials	Камассия	—
S4	Candelabra Primula	<i>Primula japonica</i>	☁️	30–60cm	Crown at soil level	30–40cm between plants	5.5–7.0	⚠️ Large container, keep very moist	No	Astilbe, rodgersia, bog-garden perennials	—	—
B7	Candia Tulip	<i>Tulipa saxatilis</i>	☀️	15–20cm	10–12cm deep; autumn	8–10cm between bulbs	6.0–7.5	✅ Raised bed/ pot	No	Crocus, dwarf iris, sempervivum	—	—
G6	Cape Heath	<i>Erica gracilis</i>	☀️ to 🌧️	30–50cm	At pot level	30–40cm between plants	5.0–6.0	✅ 10–15L container	Good	Other autumn-bedding/ container plants sharing its acid, sheltered needs	—	—
P59			☀️	45–60cm	At pot level		6.0–7.5		Good		—	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
	Carnation (Border Carnation)	<i>Dianthus caryophyllus</i>				45–60cm between plants		✅ 20–25cm / 10L+		Roses, stocks, alliums, lavender		
G7	Carpathian Bellflower	<i>Campanula carpatica</i>	☀️ to 🌥️	15–25cm	At pot level	25–35cm between plants	6.0–7.0	✅ 15–20L container	No	Sempervivum, saxifrage, dianthus pinks	Колокольчик карпатский	—
H3	Catnip	<i>Nepeta cataria</i>	☀️ to 🌥️	60–90cm	At pot level	30–45cm between plants	6.0–7.5	✅ 15–20L container	No	Brassicas, roses	Котовник кошачий	—
H4	Chamomile	<i>Chamaemelum nobile</i> , Roman; <i>Matricaria chamomilla</i> , German	☀️ to 🌥️	15–30cm	Crown at soil level (Roman) / surface-sown (German)	20–30cm between plants	5.6–7.8	✅ 10–15L container	Good	Brassicas, onions, other Mediterranean herbs	Ромашка римская	Camán meall
B8	Checkered Lily (Snake's Head Fritillary)	<i>Fritillaria meleagris</i>	☀️	20–30cm	10cm deep; autumn	8–10cm between bulbs	6.0–7.0	✅ 5L+ container	Good	Snowdrops, daffodils, damp border/pond-margin planting	Рябчик шахматный	—
P7	Chilean Avens	<i>Geum chiloense</i>	☀️ to 🌥️	45–60cm	Crown at soil level	30–40cm between plants	6.0–7.5	✅ 10–15L container	Good	Alliums, irises, roses, hardy geraniums	—	—
P100	Chinese Lantern	<i>Physalis alkekengi</i>	☀️ to 🌥️	45–60cm	Crown at soil level; sunken container or root barrier	60–90cm between plants	6.0–7.5	⚠️ Large sunken pot essential	Good, dries well	Best given its own contained space	—	—
P60	Chinese Pink	<i>Dianthus chinensis</i>	☀️	6–9m	3mm deep (seed) / at pot level	15–20cm between plants; grow as annual/biennial	6.5–7.5	✅ 5L+ container	Good	Cornflower, love-in-a-mist	Гвоздика китайская	—
H5	Chives	<i>Allium schoenoprasum</i>	☀️ to 🌥️	25–30cm	At pot level / divide clumps	15–20cm between plants; divide every 2–3 yrs	6.0–7.0	✅ 10–15L container	Good, flowerheads	Carrots, roses, apples	Лук скорода	Siobhas
C2	Chocolate Vine	<i>Akebia quinata</i>	☀️ to 🌥️	3–5m	At nursery soil mark	3–5m between plants against support	6.0–7.5	⚠️ Large container against sturdy support	No	Best given its own robust structure	—	—
T7	Cider Gum (Eucalyptus)	<i>Eucalyptus gunnii</i>	☀️	10–20m (or 2–4m if coppiced annually)	At pot level	2–4m between plants if coppiced annually; more if left as a tree	5.5–7.0	✅ 40–60L container	Good, dries well	Ornamental grasses, hardy geraniums	Эвкалипт Ганна	—
C4	Climbing Honeysuckle	<i>Lonicera periclymenum</i>	☀️	4–7m	At pot level	1.5m between plants	5.5–8.0	⚠️ 30L+ (not ideal, deep roots)	Good, short vase life	Climbing roses, clematis; near windows	Жимолость вьющаяся	Féithleann
C5	Climbing Hydrangea	<i>Hydrangea anomala</i> subsp. <i>petiolaris</i>	🌑 to 🌥️	8–15m	At pot level	45cm from wall; 60cm+ between plants	6.0–7.0	⚠️ 50L+ (not ideal)	Good, dries well	Ivy, ferns, hostas, shade-tolerant plants	Гортензия черешковая	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
C6	Climbing Roses	<i>Rosa, climbing cultivars</i>	☀️	2–5m	Graft union just below soil	45cm from wall; 2–3m between plants	6.0–7.0	⚠️ 50L+ large container	Good	Clematis (same wall), lavender, geraniums	Плетистая роза	—
P45	Clustered Bellflower	<i>Campanula glomerata</i>	☀️ to 🌥️	30–60cm	Crown at soil level	30–40cm between plants; divide every 3–4 yrs	6.5–7.5	✅ 15–20L container	Good	Roses, peonies, ornamental grasses	Колокольчик сборный	—
A4	Cockscomb	<i>Celosia argentea (Cristata & Plumosa Groups)</i>	☀️ to 🌤️	20–40cm	At pot level; dislikes root disturbance	20–30cm between plants	6.0–7.0	✅ 10–15L container	Good, dries well	Zinnias, gomphrena, marigolds	Целозия серебристая	—
P8	Columbine	<i>Aquilegia vulgaris and hybrids</i>	☀️ to 🌥️	20–50cm	Crown at soil level	30–45cm between plants; self-seeds freely	6.0–7.5	✅ 15–20L container	Good	Foxgloves, hardy geraniums, roses	Водосбор обыкновенный (аквилегия)	Colaimbín
H6	Comfrey	<i>Symphytum officinale</i>	☀️ to 🌥️	60cm–1.2m	Crown at/just below soil level	60–90cm between plants; can be invasive	6.1–7.3	⚠️ 30L+ container (vigorous)	No	Fruit trees, vegetable beds (as mulch/liquid feed)	Окопник лекарственный	Compar
W6	Common Butterwort	<i>Pinguicula vulgaris</i>	☀️ to 🌤️	20–50cm	Crown at soil surface, permanently wet	10–15cm between plants	4.5–6.0	✅ Boggy container	No	Round-leaved sundew, bog asphodel	—	—
S5	Common Dog Violet	<i>Viola riviniana</i>	🌥️	10–15cm	Crown at soil level	15–20cm between plants	5.5–7.0	✅ 5L+ container	No	Primroses, wood sorrel, ferns	Фиалка Ривинуса	Fanaigse
T8	Common Hawthorn	<i>Crataegus monogyna</i>	☀️ to 🌤️	5–8m	At nursery soil mark	As hedge: 30–45cm; as tree: 4–6m from structures	5.5–7.5	❌ Too large for pots	No	Blackthorn, holly, hazel; primroses, bluebells beneath	Боярышник однопестичный	Sceach Gheal
G8	Common Heather / Ling	<i>Calluna vulgaris (syn. Erica vulgaris)</i>	☀️	20–50cm	At pot level	30–45cm between plants; cv. 'Zilly' available	4.5–6.5 (ideally 5.5)	✅ 20–25cm / 5–10L ericaceous compost	Good, dries well	Blueberry, lingonberry, deer fern, ornamental grasses	Вереск обыкновенный	Fraoch mór
C7	Common Jasmine	<i>Jasminum officinale</i>	☀️ to 🌤️	5–9m	At nursery soil mark	2–3m between plants against wall/pergola	6.0–7.5	⚠️ Large container against support	Good, fragrant	Climbing roses, clematis, honeysuckle	—	—
P67	Common Sea Lavender	<i>Limonium vulgare</i>	☀️	30–40cm	Crown at soil level	30–40cm between plants	6.0–8.0	✅ 10–15L container	Good, dries well	Ornamental grasses, achillea, sedum	—	—
H7	Common Sorrel	<i>Rumex acetosa</i>	☀️ to 🌥️	30–60cm	5–6mm deep (seed) / at pot level	30–40cm between plants; divide every 3–4 yrs	5.5–6.8	✅ 15–20L container	No	Other salad/leaf herbs	Щавель кислый	Samhadh bó
W7	Common Water Crowfoot	<i>Ranunculus aquatilis</i>	☀️	Trailing to 60cm	Muddy margins or submerged, 15–60cm deep	30–45cm between plants	6.0–7.5	✅ Aquatic basket or pond-bottom mud	No	Hornwort, water lilies	—	—
P9	Coneflower	<i>Echinacea purpurea</i>	☀️	60–90cm	Crown at soil level	40–60cm between plants; needs sharp drainage	5.8–7.0	✅ 20–30L container	Good, dries well	Rudbeckia, ornamental grasses, yarrow, penstemon	Эхинацея пурпурная	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
S6	Coral Bells	<i>Heuchera spp.</i>	☁️	30–45cm	Crown at soil level	30–45cm between plants	6.0–7.0	✅ 20–30L container	Good, flower spikes	Hostas, astilbe, ferns, hellebores	Гейхера	—
H8	Coriander	<i>Coriandrum sativum</i>	☀️	45–60cm	Sow 5mm deep; do not transplant	15–20cm between plants	6.0–7.0	✅ 20cm+ deep / 5L+	No	Parsley, brassicas; away from dill & fennel	Кинза (кориандр посевной)	Lus an choire
B9	Corn Lily	<i>Ixia spp.</i>	☀️	30–50cm	8–10cm deep; spring, lift & store	5–8cm between corms	6.0–7.0	✅ Best in containers (borderline hardy)	Good	Freesia and other tender corms	Иксия	—
A5	Cornflower	<i>Centaurea cyanus</i>	☀️	60–90cm	1–2cm deep (seed)	20–30cm between plants; annual, self-seeds	6.0–7.5	✅ 5L+ container	Good, dries fairly well	Poppies, love-in-a-mist, briza maxima	Василёк синий	—
A6	Cosmos	<i>Cosmos bipinnatus</i>	☀️	60cm–1.2m	5–6mm deep (seed) / at pot level	30–45cm between plants	6.0–7.5	✅ 15–20L container	Good	Zinnias, dahlias, ornamental grasses	Космея дваждыперистая	—
S7	Cowslip	<i>Primula veris</i>	☁️	15–25cm	Crown just above soil level	20–30cm between plants	6.5–7.5	✅ 10–15L container	No	Primroses, wood anemones, native bluebells	Первоцвет весенний	Bainne bó bleachtáin
F6	Cranberry	<i>Vaccinium macrocarpon</i>	☀️	10–20cm	At pot level	30–45cm in acidic bed	4.0–5.0	✅ Essential: 30–45cm / 10–20L	No	Heather, lingonberry, blueberry (ericaceous)	Клюква крупноплодная	—
G9	Creeping Jenny	<i>Lysimachia nummularia</i>	☀️ to ☁️	5–10cm	At pot level	30–45cm between plants; vigorous, spreads by runners	6.0–7.5	✅ 10–15L container	No	Hostas, ferns, astilbe; good pond-margin/bog-garden plant	Вербейник монетчатый	—
G10	Creeping Juniper	<i>Juniperus horizontalis</i>	☀️ (essential)	10–30cm, spreading	At pot level or slightly raised	1–1.5m for ground cover	4.5–8.5	✅ 30–40cm/ 20L+	No	Heather, sedum, ornamental grasses, thyme	Можжевельник распростёртый	—
G11	Creeping Phlox (Moss Phlox)	<i>Phlox subulata</i>	☀️	10–15cm	At pot level; shoots above soil	30–45cm for ground cover	5.5–7.7	✅ 20–30cm / 5–10L + grit	No	Tulips, daffodils underplanted; thyme, sedum, dianthus	Флокс шиловидный	—
B10	Crown Imperial	<i>Fritillaria imperialis</i>	☀️	80cm–1.2m	20–30cm deep, planted on its side; autumn	25cm between bulbs	6.5–8.0	⚠️ 40cm / 30L+ deep pot	Good	Tulips, alliums, wallflowers, euphorbia	Рябчик императорский	—
H9	Cucumbers	<i>Cucumis sativus</i>	☀️	10–15cm	At pot level (after frost)	45–60cm between plants	6.0–7.0	✅ Large 30–40L container with support	No	Nasturtiums, dill, sweetcorn	Огурец посевной	Cúcamar
H10	Culinary Thyme	<i>Thymus vulgaris</i>	☀️	15–30cm	At pot level	25–40cm between plants; replace every 3–4 yrs	6.0–8.0	✅ Terracotta 15–20L, with grit	No	Rosemary, sage, lavender	Тимьян обыкновенный	Tím
T9	Cushion Bush	<i>Leucophyta brownii</i> (syn. <i>Calocephalus brownii</i>)	☀️	30–90cm	At pot level	45–60cm between plants	6.0–7.5	✅ 10–15L container	Good, foliage	Other silver-foliage and coastal/gravel-garden plants	—	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
P10	Cutleaf Coneflower	<i>Rudbeckia laciniata</i>	☀️	1.5–2m	At pot level	60–90cm between; divide every 2–3 yrs	5.5–7.0	⚠️ 40–50cm / 40L+ (very tall — better in ground)	Good	Helenium, echinacea, salvias, ornamental grasses, asters	Рудбекия рассечённая	—
B11	Daffodils	<i>Narcissus</i> spp.	☀️	15–45cm	15cm (3× bulb height); autumn	10–15cm between bulbs	6.0–7.0	✅ 20–30cm / 5L+	Good	Snowdrops, tulips, forget-me-nots, Muscari	Нарцисс	Lus an chromchinn
G12	Dalmatian Bellflower	<i>Campanula portenschlagiana</i>	☀️ to ☁️	10–15cm, spreading to 50cm+	At pot level	30–40cm between plants	6.0–7.5	✅ 15–20L container	No	Sempervivum, saxifrage, dianthus pinks	—	—
P11	Daylilies	<i>Hemerocallis</i> spp.	☀️ to ☁️	45–90cm	Crown at soil level	45–60cm between plants; divide every 3–4 yrs	6.0–7.5	✅ 20–30L container	Good, 1-day blooms	Roses, ornamental grasses, yarrow	Лилейник	—
S8	Deer Fern	<i>Blechnum spicant</i>	☁️ to 🌑	30–60cm	At pot level	30–45cm between plants	4.5–6.0	✅ 30cm / 10L+	Good, foliage filler	Lingonberry, heather, foxgloves	Дербянка колосистая	Raithneach chrua
P12	Delphiniums	<i>Delphinium</i> spp.	☀️	1–2m	At pot level; buds 2–5cm below	60–90cm between plants; stake essential	6.5–7.5	⚠️ 40–50cm / 40L+	Good, dries well	Roses, lupins, peonies, alliums	Живокость (дельфиниум)	—
H11	Dill	<i>Anethum graveolens</i>	☀️	60–90cm	Sow 3–5mm deep; do not transplant	20–30cm between plants	5.5–7.0	✅ 30cm+ deep / 8L+	Good, flower/ foliage filler	Brassicas, lettuce; away from coriander & fennel	Укроп пахучий	Lus mín
T10	Douglas Fir	<i>Pseudotsuga menziesii</i>	☀️ to ☁️	20m+	At nursery soil mark	Very large tree; use dwarf cultivars in most gardens	5.0–6.5	⚠️ Large container for dwarf cultivars	No	Best alone (full size); conifers/heathers (dwarf)	—	—
C20	Downy Clematis	<i>Clematis macropetala</i>	☀️ (roots shaded)	2–3m	10–15cm DEEPER than pot	60–90cm between; cool roots essential	6.5–7.5	✅ 45cm/40L+ container	No	Climbing roses, other clematis	—	—
A7	Drumstick Flower	<i>Craspedia globosa</i>	☀️	45–60cm	At pot level	20–30cm between plants	5.8–7.0	✅ 10–15L container	Good, dries excellently	Statice, strawflower, ammobium	Краспедия шаровидная	—
S9	Drumstick Primula	<i>Primula denticulata</i>	☁️	20–45cm	Crown at soil level	20–30cm between plants	5.5–7.0	✅ 10–15L container	Good	Bluebells, wood anemones, spring bulbs	—	—
S10	Dusky Cranesbill	<i>Geranium phaeum</i>	🌑 to ☀️	60–80cm	Crown at soil level	40–60cm between plants	6.0–7.5	✅ 20–25L container	No	Ferns, hostas, hellebores	Герань тёмно-бурая	Crobh odhar
B12	Dutch/Large-flowered Crocus	<i>Crocus</i> spp. (Dutch hybrids)	☀️	10–15cm	10–12cm deep; autumn	8–9cm between corms	6.0–7.5	✅ Excellent: 15–20cm / 3L+	No	Snowdrops, daffodils, muscari	—	—
P51	Dwarf Fountain Grass	<i>Pennisetum alopecuroides</i>	☀️	50–60cm	At pot level	45–50cm between plants	6.0–7.5	✅ 15–20L container	No	Sedum, echinacea, rudbeckia	—	—
B13	Dwarf Iris	<i>Iris reticulata</i>	☀️	10–15cm	8–10cm deep; autumn	5–8cm between bulbs	6.0–7.5	✅ 3–5L pot/ trough	No	Snowdrops, crocus, dwarf daffodils	Ирис сетчатый	—
G13	Dwarf Mondo Grass	<i>Ophiopogon japonicus</i>	☀️ to ☁️	5–10cm	At pot level	10–15cm between plants	5.5–7.0	✅ 10–15L container	No	Ferns, hostas	—	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
T11	Dwarf Mountain Pine	<i>Pinus mugo</i> var. <i>mugo</i>	☀️	1–1.5m	At pot level	1.5–2m between plants	5.0–7.5	⚠️ Large gritty container	No	Heather, dwarf junipers, sempervivum	—	—
B14	Dwarf Sword Lily	<i>Gladiolus nanus</i>	☀️	40–70cm	10–16cm deep; spring	10–15cm between corms	6.0–7.5	✅ 15–20L container	Good	Freesia, ixia	—	—
B15	Early Crocus ('Tommie')	<i>Crocus tommasinianus</i>	☀️	7–10cm	7–10cm deep; autumn	8–9cm between corms	6.0–7.5	✅ Excellent: 15–20cm / 3L+	No	Snowdrops, daffodils, muscari, aconites	—	—
P13	Edelweiss	<i>Leontopodium alpinum</i>	☀️	10–15cm	Crown at soil level	15–20cm between plants	6.5–7.5	✅ Trough/rockery, 5L	No	Sempervivum, saxifrage, other alpiners	Эдельвейс альпийский	—
W8	Egyptian Papyrus	<i>Cyperus papyrus</i>	☀️ to 🌥️	1.5–2.5m	Boggy soil / standing water to 15cm	1–1.5m between plants; not hardy, overwinter under glass	6.0–7.5	⚠️ Large 30–40L aquatic basket, tender	Good, foliage (fresh, architectural)	Yellow flag iris, other marginals	Сыть папирусная	—
T12	Elder	<i>Sambucus nigra</i>	☀️	2–3m	At nursery soil mark	2–3m between plants	5.5–7.5	✅ 40–50L container	Good, flowers and foliage	Golden/lime-green foliage plants	—	—
P14	Elephant's Ears	<i>Bergenia</i> spp.	🌑 to ☀️	30–45cm	Rhizome at/just below surface	30–60cm between plants	5.5–8.0	✅ 25–35cm / 10L+	Good, early foliage	Hostas, hellebores, snowdrops, ferns	Бадан	—
T13	English Oak	<i>Quercus robur</i>	☀️ to 🌥️	20–35m	At nursery soil mark	8–10m+ minimum; very large, long-lived tree	5.0–8.0	❌ Too large for pots	No	Bluebells, wood anemones	—	—
S11	Epimedium × perralchicum	<i>Epimedium × perralchicum</i>	🌥️ to 🌑	30–40cm	Crown at soil level	30–40cm between plants	5.5–7.5	✅ 10–15L container	No	Ferns, hellebores, hostas, snowdrops	—	—
S12	Epimedium × rubrum	<i>Epimedium × rubrum</i>	🌥️ to 🌑	20–30cm	Crown at soil level	30–40cm between plants	5.5–7.5	✅ 10–15L container	No	Ferns, hellebores, hostas, snowdrops	—	—
S13	Epimedium × versicolor	<i>Epimedium × versicolor</i>	🌥️ to 🌑	30cm	Crown at soil level	30–40cm between plants	5.5–7.5	✅ 10–15L container	No	Ferns, hellebores, hostas, snowdrops	—	—
B16	Erythronium (Dog's Tooth Violet)	<i>Erythronium dens-canis</i>	🌥️	15–25cm	10cm deep; autumn	10–15cm between bulbs	5.5–7.0	✅ 5L+ container	No	Ferns, hellebores, woodland-floor perennials	—	—
P55	Evergold Sedge	<i>Carex oshimensis</i>	🌥️ to ☀️	25–35cm	At pot level	25–35cm between plants	6.0–7.5	✅ 10–15L container	No	Hostas, ferns, hellebores	—	—
G14	Evergreen Candytuft	<i>Iberis sempervirens</i>	☀️	20–30cm	At pot level	30–45cm between plants	6.5–8.0	✅ 10–15L container	No	Aubretia, arabis, alyssum	—	—
T14	False Spiraea	<i>Sorbaria sorbifolia</i>	☀️ to 🌥️	1.5–2.5m	At nursery soil mark	1–1.5m between plants; spreads by suckers	5.5–7.5	⚠️ 40–50L container	Good	Hydrangea, deutzia; good bank stabiliser	Рябинник рябинолистный	—
P52	Feather Reed Grass	<i>Calamagrostis × acutiflora</i>	☀️	1.2–1.5m	At pot level	45–60cm between plants	6.0–7.5	✅ 20–25L container	No	Sedum, echinacea, rudbeckia	—	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
P15	Fern-leaf Peony	<i>Paeonia tenuifolia</i>	☀️	45–60cm	Eyes 2–3cm below soil	45–60cm between plants	6.5–7.5	⚠️ 30–40L container	Good	Alliums, bearded iris, catmint	Пион узколистный	Piaine
F7	Fig	<i>Ficus carica</i>	☀️	3–4m	At nursery soil mark; restrict roots	3–4m; cvs. 'Brown Turkey', 'Brunswick', 'White Marseilles'	6.0–7.5	✅ Large container (35–45cm)	No	Best given its own space	—	—
C26	Five-Flavour Berry (Magnolia Vine)	<i>Schisandra chinensis</i>	☁️	6–9m	At nursery soil mark	2–3m between plants against support	6.0–7.5	✅ Large 40–50L container	No	Climbing hydrangea, ivy	—	—
W9	Flowering Rush	<i>Butomus umbellatus</i>	☀️	60–90cm	Crown at soil surface; up to 25cm water above	30–45cm between plants	6.0–7.5	✅ Aquatic basket	No	Yellow flag iris, arrowhead, bogbean	—	—
S14	Forget-me-nots	<i>Myosotis sylvatica</i>	☁️	15–30cm	Crown at soil level / surface-sown seed	15–20cm between plants; biennial, self-seeds freely	6.0–7.5	✅ 10–15L container	No	Tulips, wallflowers, daffodils	Незабудка лесная	Lus mionla
S15	Fortune's Holly Fern (var. clivicola)	<i>Cyrtomium fortunei</i> var. <i>clivicola</i>	☁️ to 🌑	30–60cm	At pot level; crown at/just below surface	45–60cm between plants	6.0–8.0	✅ 30–40cm / 15L+	No	Hostas, hellebores, snowdrops; tolerates dry shade	—	—
B17	Fox's Grape Fritillary	<i>Fritillaria uva-vulpis</i>	☀️ to ☁️	15–30cm	10cm deep; autumn	8–10cm between bulbs	6.0–7.5	✅ Raised bed/ trough/pot	No	Other species fritillarias, dwarf iris, crocus	—	—
S16	Foxgloves	<i>Digitalis purpurea</i> and perennial species	☁️	1–2m	At pot level; seeds on surface	30–45cm between plants	5.5–7.5	✅ 30cm / 10L+ deep	Good ⚠️ toxic, handle with care	Ferns, hostas, roses, alliums; self-seeds	Наперстянка пурпурная	Lus mór
T15	Fraser Fir	<i>Abies fraseri</i>	☀️ to ☁️	9–17m	At nursery soil mark	4–6m between plants	5.0–6.0	⚠️ Large container for young plants	No	Ferns, hostas	—	—
B18	Freesia	<i>Freesia</i> spp.	☀️	30–45cm	5–8cm deep; spring, lift & store	5–8cm between corms	6.0–7.0	✅ Best in containers (tender)	Good	Ixia and other tender corms	Фрезия	—
W10	Fringed Water Lily	<i>Nymphoides peltata</i>	☀️ to ☁️	Floating at surface	Crown at basket surface; 15–90cm water above	40–60cm between plants; ⚠️ vigorous, keep contained	6.0–7.5 (water)	✅ Aquatic basket essential	No	Water lilies, hornwort	—	—
B19	Fritillaria michailovskyi	<i>Fritillaria michailovskyi</i>	☀️	10–20cm	8–10cm deep; autumn	8–10cm between bulbs	6.0–7.5	✅ Trough/raised bed/pot	No	Dwarf iris, crocus, other alpine bulbs	—	—
W11	Frogbit	<i>Hydrocharis morsus-ranae</i>	☀️	Floating at surface	Floats freely on surface	Spreads freely by runners; thin as needed	7.0–8.0 (water)	✅ No planting needed; free-floating	No	Water soldier, native water lilies	—	—
T16	Fuzzy Pride-of-Rochester	<i>Deutzia scabra</i>	☀️ to ☁️	2–3m	At nursery soil mark	1.5–2m between plants; grows 1.8–3m tall	6.0–7.5	⚠️ Large 80–100L container	Good, flowering branches	Mock orange, lilac, weigela, spring bulbs	Дейция шершавая	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
H12	Garden Cress	<i>Lepidium sativum</i>	☀️ to 🌥️	5–10cm	Surface-sown or 1–1.5cm deep	Sow thickly in a broad row or tray	6.0–7.5	✅ Tray/pot/windowsill	No	Radishes, tomatoes	—	—
P62	Garden Pink	<i>Dianthus plumarius</i> (garden pinks)	☀️	25–35cm	At pot level	25–35cm between plants	5.8–6.5	✅ 25–35cm / 10L+	Good	Roses, stocks, alliums, lavender, Phlox subulata	Гвоздика перистая	—
F8	Garden Plum	<i>Prunus domestica</i>	☀️	3–5m	Graft union at/above soil	3–5m between trees depending on rootstock; permanent stake	6.0–7.0	⚠️ Half-barrel (50L+)	No	Chives, garlic, comfrey, nasturtiums	Слива домашняя	Crann plumaí
H13	Garlic	<i>Allium sativum</i>	☀️	25–30cm	Tip 2.5cm below soil; autumn (or spring in modules)	15cm between cloves; 30cm between rows	6.0–7.0	✅ 20–30cm / 10L+ container	No	Roses, fruit trees; avoid near peas/beans	—	—
P102	Giant Bellflower	<i>Campanula latifolia</i> var. <i>macrantha</i>	🌥️ to ☀️	Up to 1m	Crown at soil level	45–60cm between plants	6.0–7.5	✅ 20–30L container	Good	Ferns, roses, taller border perennials	—	—
B20	Giant Onion	<i>Allium giganteum</i>	☀️	1.2–1.5m	20cm deep (2–3× bulb depth); autumn	25–30cm between bulbs	6.0–7.5	✅ Large 5L+ container	Good, dries well	Roses, peonies, ornamental grasses	—	—
T17	Ginkgo	<i>Ginkgo biloba</i>	☀️ to 🌥️	15–25m	At nursery soil mark	6–8m between plants	5.0–8.0	✅ Large container for young trees	No	Spring bulbs, shade-tolerant perennials	—	—
A8	Globe Amaranth	<i>Gomphrena globosa</i>	☀️	30–45cm	At pot level	20–30cm between plants	6.0–7.0	✅ 10–15L container	Good, dries excellently	Zinnias, celosia, cosmos	Гомфрена шаровидная	—
P16	Globe Thistle	<i>Echinops ritro</i>	☀️	90cm–1.2m	Crown at soil level	45–60cm between plants	6.0–7.5	✅ 15–20L container	Good, dries well	Ornamental grasses, echinacea, rudbeckia, sedum	Мордовник обыкновенный	—
P17	Globeflower	<i>Trollius europaeus</i> / <i>T. x cultorum</i>	☀️ to 🌥️	60–90cm	Crown at soil level	30–40cm between plants	5.5–7.0	✅ 20–30L container, keep moist	Good	Astilbe, hosta, candelabra primulas	Купальница европейская	—
P68	Gmelin's Sea Lavender	<i>Limonium gmelinii</i>	☀️	50–90cm	Crown at soil level	45–60cm between plants	6.0–8.0	✅ 15–20L container	Good, dries well	Ornamental grasses, achillea, sedum	—	—
C22	Golden Clematis	<i>Clematis tangutica</i>	🌥️ (roots shaded)	3.5–4.5m	10–15cm DEEPER than pot	60–90cm between; cool roots essential	6.5–7.5	✅ 45cm/40L+ container	No	Climbing roses, other clematis	—	—
B21	Golden Garlic	<i>Allium moly</i>	☀️	25–30cm	8–10cm deep; autumn	10–15cm between bulbs	6.0–7.5	✅ 3–5L container	No	Dwarf iris, crocus, other rockery bulbs	—	—
T18	Golden Mimosa	<i>Acacia baileyana</i>	☀️	3–5m	At nursery soil mark	3–4m from structures; needs sheltered, frost-free spot	5.5–7.5	⚠️ Large 50–60L container, sheltered	Good, dries well	Rosemary, lavender, Mediterranean shrubs	Акация Бейли	—
F9	Gooseberry	<i>Ribes uva-crispa</i>	🌥️	1.2–1.5m	At nursery mark; roots 5cm	1.5m between plants	6.0–7.5	⚠️ 30L+ large pot	No	Redcurrant, whitecurrant, tansy	Крыжовник обыкновенный	Spíonán

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
B22	Grape Hyacinth	<i>Muscari spp.</i>	☀️ to 🌤️	15–20cm	7–10cm deep; autumn	5–8cm between bulbs; spreads readily	6.0–7.5	✅ 5L+ container	No	Tulips, daffodils, crocus	Мышиный гиацинт (мускари)	—
W12	Greater Bladderwort	<i>Utricularia vulgaris</i>	☀️ to 🌤️	20–50cm	Fully submerged, free-floating	Allow to spread loosely; thin if congested	6.0–7.5 (water)	✅ No planting needed; free-floating	No	Frogbit, hornwort	—	—
A9	Greater Quaking Grass	<i>Briza maxima</i>	☀️	30–50cm	5mm deep (seed)	15–20cm between plants; annual, self-seeds	6.0–7.5	✅ 5L+ container	Good, dries well	Cornflower, poppies, love-in-a-mist	Трясунка большая	—
H14	Green Onions (Scallions)	<i>Allium fistulosum</i>	☀️ to 🌤️	30–45cm	1cm deep (seed) / at pot level	5–8cm between plants; sow successionally	6.0–7.0	✅ 5L+ container	No	Carrots, rocket, radish	Лук-батун	Scailliún
F10	Green Strawberry	<i>Fragaria viridis</i>	☀️ to 🌤️	20–30cm	Crown at soil level	25–30cm between plants; spreads by runners	5.5–7.5	✅ 20–30L container	No	Woodland Strawberry, ferns, low herbs	Клубника луговая (клубника степная, клубника лесная, земляника зелёная)	—
T19	Gresham Magnolia hybrids	<i>Magnolia liliiflora</i> 'Nigra' × <i>Magnolia</i> × <i>veitchii</i>	☀️ to 🌤️	5–8m	At nursery soil mark	4–6m between plants/structures	5.0–6.5	❌ Too large for pots long-term	Good, flowering branches	Hellebores, ferns, snowdrops, Japanese maple	—	—
S17	Hard Shield Fern	<i>Polystichum aculeatum</i>	🌤️ to 🌑	45–60cm	At pot level	30–45cm between plants	4.5–6.0	✅ 30cm / 10L+	No	Lingonberry, heather, foxgloves	—	—
C8	Hardy Grapes (Phoenix / Regent / Boskoop Glory)	<i>Vitis vinifera</i>	☀️ (essential)	6–9m	At pot depth; graft above soil	1.2–1.5m between vines; 20cm from wall	6.0–6.5	⚠️ 40L+ container	No	Lavender, rosemary, garlic, hyssop	Виноград культурный	Fionchaora
W37	Hardy Hybrid Water Lily	<i>Nymphaea</i> × <i>hybrida</i> and other garden hybrids	☀️	Leaves float; flowers just above surface	Crown at basket surface; 15–90cm+ water above depending on cultivar	Spread depends on cultivar; check label	6.5–7.5 (water)	✅ Basket sized to cultivar, 20–40cm	No	Bogbean, yellow flag iris, oxygenating plants	—	—
S18	Hart's Tongue Fern	<i>Asplenium scolopendrium</i>	🌤️ to 🌑	30–60cm	At pot level	20–30cm between plants	6.5–8.0	✅ 20–25cm / 10L+	Good, foliage filler	Ferns, hostas, hellebores, snowdrops	Листовик сколопендровый	Creamh na muice fia
F11	Hazelnut	<i>Corylus avellana</i>	☀️ to 🌤️	4–5m	At nursery soil mark	4–5m; 2m if coppiced hedge	6.0–7.5	❌ Too large for pots	No	Blackthorn, hawthorn, primroses, bluebells	—	—
G15	Heather	<i>Calluna vulgaris</i>	☀️	30cm, spread 30cm	At pot level	30–45cm between plants; cv. 'Zilly' available	4.5–6.5 (ideally 5.5)	✅ 20–25cm / 5–10L ericaceous compost	No	Blueberry, lingonberry, deer fern, ornamental grasses	—	—
S19	Hellebore (Lenten Rose)	<i>Helleborus spp.</i>	🌤️ to 🌑	30–45cm	At pot level; crown at/just below	45–60cm between plants	6.0–8.0	✅ 25–35cm / 10L+	Good, sear stems	Snowdrops, cyclamen, pulmonaria, hostas	Морозник	—
G16		<i>Persicaria affinis</i>	☀️ to 🌤️	20–30cm	At pot level		5.5–7.5		No		—	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
	Himalayan Bistort (Fleece Flower, Lesser Knotweed)					30–40cm between plants		✅ 10–15L container		Ornamental grasses, sedum		
T20	Holly	<i>Ilex aquifolium</i>	🌑 to 🌞	30–60cm	At pot level (shallow roots)	1.5–3m between; slow-growing hedge	4.5–8.0	⚠️ 50L+ container	Good, foliage; dries/ preserves well	Yew, forsythia, hellebores; plant ♂ + ♀ for berries	Падуб остролистный	Cuilleann
P18	Honesty	<i>Lunaria annua</i>	🌞 to 🌥	60–90cm	Crown at soil level	30–45cm between plants; biennial, self-seeds	6.0–7.5	✅ 15–20L container	Good, seed pods dry beautifully	Tulips, ferns, hostas	Лунник однолетний	Lus na gealaí
B23	Honey Garlic (Sicilian Honey Lily)	<i>Allium siculum</i> (syn. <i>Nectaroscordum siculum</i>)	🌞	Up to 1.2m	15–20cm deep; autumn	20–25cm between bulbs; self-seeds	6.0–7.5	✅ Large 5L+ container	No	Roses, peonies, ornamental grasses	—	—
F70	Honeyberry (Kamchatka)	<i>Lonicera caerulea</i> var. <i>kamtschatica</i>	🌞	1.5–2m	At pot level	1–1.5m between plants	4.5–7.5	⚠️ 50–75L (15–20 gal.)	No	Blueberry, lingonberry; needs 2+ varieties	Жимолость камчатская	—
C9	Hops	<i>Humulus lupulus</i>	🌞	6m	Rhizome 5–8cm / pot level	1–1.5m between plants	6.0–8.0	✅ 50L+ large container	Dried, decorative	Climbing roses, clematis, ornamental grasses	Хмель обыкновенный	Lus an leanna
W13	Hornwort	<i>Ceratophyllum demersum</i>	🌞 to 🌥	Submerged	Fully submerged, free-floating	Introduce 1–2 bunches per m² of pond surface	6.0–8.0 (water)	✅ No planting needed; free-floating	No	Water lilies, frogbit	—	—
T21	Horse Chestnut	<i>Aesculus hippocastanum</i>	🌞 to 🌞	20–25m	At nursery soil mark	10m+ minimum; very large tree	5.5–7.5	❌ Too large for pots	No	Best given its own space	—	—
H103	Horseradish	<i>Armoracia rusticana</i>	🌞 to 🌞	Up to 90cm	Root cuttings/ crowns at pot level; spring	45–60cm between plants	6.0–7.5	⚠️ Large container essential (contains spread)	No	Best given its own contained space	—	—
S20	Hosta fortunei	<i>Hosta fortunei</i>	🌥 to 🌑	40–60cm	At pot level; crown at surface	40–60cm between plants	5.5–7.5	✅ 30–60cm / 20–50L+	Good	Astilbe, ferns, hellebores, bergenia	—	—
S21	Hosta sieboldiana	<i>Hosta sieboldiana</i>	🌥 to 🌑	10–90cm	At pot level; crown at surface	60–90cm between plants	5.5–7.5	✅ 30–60cm / 20–50L+	Good	Astilbe, ferns, hellebores, bergenia	Хоста	—
G17	Houseleek	<i>Sempervivum</i> spp.	🌞	5–15cm	At pot level	10–15cm between rosettes	6.0–7.5	✅ Shallow pot/ trough, 3–5L	No	Saxifrage, wall pennywort, thyme, sedum	Молодило	Lus an tóiteáin
B24	Hyacinth	<i>Hyacinthus orientalis</i>	🌞 to 🌞	20–30cm	10cm deep; autumn	8–10cm between bulbs	6.0–7.0	✅ 10–15L container	Good, fragrant	Daffodils, tulips, forget-me-nots	—	—
G18	Irish Heath	<i>Erica erigena</i>	🌞	45–75cm (some)	At pot level	45–60cm between plants	5.5–7.5	✅ 20–25cm / 5–10L ericaceous	Good, dries well		—	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
				cultivars to 1.2m)				or multipurpose compost		Blueberry, lingonberry, deer fern, ornamental grasses		
G19	Irish Moss	<i>Sagina subulata</i>	☀️ to 🌧️	2–5cm	At pot level	20–30cm between plants; self-seeds readily	6.0–7.5	✅ 5–10L container/trough	No	Thyme, sempervivum, other paving/rockery plants	—	—
T22	Irish Yew	<i>Taxus baccata</i> 'Fastigiata'	🌑 to ☀️	3–5m	At pot level	Column 1m wide eventually; 1m from structures	5.0–8.0	⚠️ 50L+ container	No ⚠️ toxic	Holly, peonies, roses (backdrop), hellebores	Тис ягодный	lúr
B25	Iron Cross	<i>Oxalis tetraphylla</i> 'Iron Cross'	☀️ to 🌧️	10–15cm	5cm deep; spring, lift & store	10–15cm between tubers; lift over winter	6.0–7.0	✅ 3–5L container	No	Ixia, dwarf dahlias, other summer bulbs	Кислица	—
C21	Italian Clematis	<i>Clematis viticella</i>	🌤️ (roots shaded)	3–4m	10–15cm DEEPER than pot	60–90cm between; cool roots essential	6.5–7.5	✅ 45cm/40L+ container	No	Climbing roses, other clematis	—	—
C10	Ivy	<i>Hedera helix</i> / <i>H. hibernica</i> — native Irish ivy	🌑 to ☀️	10–20m	At pot level	30–50cm between plants	5.0–8.0	✅ 20L+ (25–35cm pot)	Good, foliage filler	Virginia creeper, ferns, snowdrops, bluebells	Плющ обыкновенный	Eidhneán
P20	Japanese Anemone	<i>Anemone × hybrida</i>	🌧️	Leaves float; flowers just above surface	At pot level	45–60cm between plants; can spread	6.0–7.5	✅ 40–50cm / 30L+	Good	Hostas, astilbe, hellebores	Ветреница гибридная	—
T23	Japanese Barberry	<i>Berberis thunbergii</i>	☀️	1–1.2m	At nursery soil mark	60–90cm hedge; 1–1.2m specimen	6.0–7.5	✅ 40–50L container	Good, foliage	Golden/lime-green shrubs, spring bulbs	—	—
P56	Japanese Blood Grass	<i>Imperata cylindrica</i>	☀️	40–60cm	At pot level	30–45cm between plants	6.0–7.5	✅ 10–15L container	No	Sedum, echinacea, rudbeckia	—	—
T24	Japanese Camellia	<i>Camellia japonica</i>	🌧️	30–60cm	At nursery soil mark	1–1.5m between plants	5.0–6.5	✅ 40–50L ericaceous compost	Good, short vase life	Skimmia, hydrangea macrophylla, Japanese maple	Камелия японская	—
T25	Japanese Cedar	<i>Cryptomeria japonica</i>	☀️ to 🌧️	30–60cm	At nursery soil mark	4–6m between plants; dwarf cultivars 1–1.5m	5.5–6.5	✅ Large container for dwarf cultivars	No	Japanese maple, camellia, rhododendron, ferns	—	—
P53	Japanese Forest Grass	<i>Hakonechloa macra</i>	🌧️	30–40cm	At pot level	30–45cm between plants	6.0–7.5	✅ 10–15L container	No	Hostas, ferns, hellebores	—	—
T26	Japanese Maple	<i>Acer palmatum</i>	🌧️	2–4m	At pot level (shallow)	2–4m from structures; wind shelter essential	5.5–6.5	✅ 50–80L terracotta/stone	Good, foliage	Hostas, ferns, hellebores, snowdrops	Клён дланевидный	—
S22	Japanese Painted Fern	<i>Athyrium niponicum</i>	🌧️ to 🌑	30–45cm	At pot level; crown at/just below surface	30–45cm between plants	5.5–6.5	✅ 30–40cm / 15L+	Good	Hostas, hellebores, astilbe	—	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
T27	Japanese Skimmia	<i>Skimmia japonica</i>	☛ to ☀️	30–60cm	At nursery soil mark	60–90cm between plants; ♂+♀ within a few metres for berries	5.5–6.5	✅ 30–40L container	Good, berried foliage	Hellebores, ferns, hostas, Japanese maple	Скиммия японская	—
W33	Japanese Water Iris	<i>Iris ensata</i>	☀️ to ☁️	50–90cm	Rhizome at soil level; moist to wet soil	30–40cm between plants	5.5–6.5	✅ Large container, kept constantly moist	Good	Bogbean, yellow flag iris	—	—
S23	Japanese Wood Fern	<i>Dryopteris erythrosora</i>	☁️ to ☛	45–60cm	At pot level	45–60cm between plants	5.0–6.0	✅ 20–30L container	Good, foliage filler	Hostas, heuchera, hellebores	Щитовник красносорусовый	—
G20	Jenny's Stonecrop (Reflexed Stonecrop)	<i>Petrosedum rupestre</i>	☀️	10–15cm	At pot level	20–30cm between plants	6.0–7.5	✅ 10–15L container	No	Sempervivum, other sedums, ornamental grasses	—	—
G21	Juniper	<i>Juniperus communis</i>	☀️	20–40cm, spreading	At pot level, ~15cm deep	1–1.5m for ground cover	4.5–7.5	⚠️ Large shallow container	No	Heather, sempervivum, saxifrage	—	—
C11	Kiwi	<i>Actinidia deliciosa</i>	☀️	4–9m	At pot level; do not bury crown	3–5m between plants; needs permanent support	6.0–7.0	⚠️ Min. 60–80L (better in ground)	No	Climbing roses, wisteria, lavender, garlic	Киви	—
S24	Koidzumi's Wood Fern	<i>Dryopteris koidzumiana</i>	☁️ to ☛	60–90cm	At pot level; crown at/just below surface	60cm between plants	5.5–7.0	✅ 40–50cm / 25–30L	No	Hostas, astilbe, hellebores, bamboo	—	—
T28	Korean Fir	<i>Abies koreana</i>	☀️ to ☁️	2–5m	At nursery soil mark	3–4m; dwarf cvs. much closer	5.0–6.5	⚠️ Large container for young plants	No	Heather, dwarf conifers	—	—
A10	Lacy Phacelia	<i>Phacelia tanacetifolia</i>	☀️	60–90cm	1cm deep (seed)	20–30cm between plants; annual, sow successionaly	6.0–7.5	✅ 5L+ container	No	Vegetable beds, fruit trees (pollinator support)	Фацелия пижмолистная	—
S25	Lady Fern	<i>Athyrium filix-femina</i>	☁️ to ☛	60–120cm	At pot level; crown at/just below surface	30–45cm between plants	5.5–6.5	✅ 30–40cm / 15L+	No	Hostas, hellebores, astilbe	—	—
P21	Lady's Bedstraw	<i>Galium verum</i>	☀️	20–30cm	Crown at soil level	20–30cm between plants	6.0–7.5	✅ 5L+ container	Good, dries well	Ox-eye daisy, yarrow, wild grasses	Подмаренник настоящий	Bolach cnis
A100	Lambs Tails	<i>Ptilotus exaltatus</i>	☀️	30cm–1.2m	Sow under cover, spring; at pot level	30–40cm between plants	6.0–7.5	✅ 10–15L container	Good	Other drought-tolerant annuals, gravel-garden plants	—	—
P22	Lanceleaf Tickseed	<i>Coreopsis lanceolata</i>	☀️	45–60cm	Crown at soil level	30–45cm between plants; self-seeds freely	5.5–7.0	✅ 15–20L container	Good	Yarrow, dianthus, ornamental grasses	Кореопсис ланцетовидный	—
H15	Lavender	<i>Lavandula angustifolia</i>	☀️	45–60cm	At pot level	30–45cm between plants	6.5–8.0	✅ Terracotta 20–30L, with grit	Good, dries beautifully	Roses, rosemary, thyme	Лаванда узколистная	Labhandar

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
H16	Lemon Balm	<i>Melissa officinalis</i>	☀️ to ☁️	60–90cm	At pot level	30–45cm between plants; spreads readily	6.0–7.5	✅ 15–20L container (to contain spread)	No	Brassicas, tomatoes	Мелисса лекарственная	Lus na meala
H17	Lemon Verbena	<i>Aloysia citrodora</i>	☀️	1–2m	At pot level	One plant per pot; 60–90cm if grown in a bed	6.0–7.5	✅ Essential; move under cover for winter	Good, fragrant foliage	Best grown alone in own container	—	—
H18	Lemongrass	<i>Cymbopogon citratus</i>	☀️	60cm–1m	At pot level	One plant per pot; 40–50cm if grown in a bed	6.0–7.5	✅ Essential; move under cover for winter	No	Best grown alone in own container	—	—
T29	Lewis Mock Orange	<i>Philadelphus lewisii</i>	☀️ to ☁️	2–3m	At nursery soil mark	1.5–2m between plants	6.0–7.5	⚠️ 50L+ container	Good, fragrant branches	Deutzia, lilac, roses, spring bulbs	Чубушник Льюиса	—
T30	Lilac	<i>Syringa vulgaris</i>	☀️	20–50cm	At nursery soil mark	1.5m between; 2m from walls	6.5–8.0	❌ Too large	Good	Roses, alliums, peonies, irises	Сирень обыкновенная	Craobh liathchorcra
B26	Lilies	<i>Lilium spp.</i>	☀️	20–30cm	15cm (3× bulb height) on grit; autumn/spring	15–30cm between bulbs	6.0–7.0	✅ 30–40cm / 15–25L	Good	Hostas, geraniums, roses, alliums	Лилия	—
T31	Lily Magnolia	<i>Magnolia liliiflora</i>	☀️ to ☁️	2.5–3m	At nursery soil mark	2–3m between plants/structures	5.0–6.5	⚠️ 50–80L container	Good, flowering branches	Hellebores, ferns, snowdrops, Japanese maple	—	—
S26	Lily of the Valley	<i>Convallaria majalis</i>	☁️	15–20cm	2–3cm deep (rhizome)	15–20cm between plants; ⚠️ toxic, spreads	6.0–7.5	✅ 15–20L container	Good ⚠️ toxic, handle with care	Ferns, hostas, hellebores	Ландыш майский	—
P23	Lilyleaf Ladybells	<i>Adenophora liliifolia</i>	☀️ to ☁️	60–90cm	Crown at soil level	30–40cm between plants	6.0–7.5	⚠️ 20L+ container (dislikes disturbance)	Good	Bellflowers, delphiniums, phlox	Бубенчик лилиелистный (колокольчик лилиелистный)	—
F13	Lingonberry	<i>Vaccinium vitis-idaea</i>	☁️	15–20cm	At pot level	30cm between plants	4.2–5.5	✅ 25–30cm / 10–15L	No	Blueberry, heather, cranberry, deer fern	Брусника обыкновенная	—
T1	"Little Girl" Magnolia hybrids	<i>Magnolia liliiflora</i> 'Nigra' × <i>Magnolia stellata</i> 'Rosea'	☀️ to ☁️	2.5–4m	At nursery soil mark	2.5–4m between plants/structures	5.0–6.5	⚠️ 50–80L container	Good, flowering branches	Hellebores, ferns, snowdrops, Japanese maple	—	—
T32	Loebner Magnolia	<i>Magnolia</i> × <i>loebneri</i>	☀️ to ☁️	4–6m	At nursery soil mark	4–6m between plants/structures	5.0–6.5	❌ Too large for pots long-term	Good, flowering branches	Hellebores, ferns, snowdrops, Japanese maple	—	—
T33	Monkey Puzzle Tree	<i>Araucaria araucana</i>	☀️ to ☁️	15–25m	At nursery soil mark	Allow at least 6–8m from buildings and paths	5.5–7.0	❌ Too large for pots long-term	No	Best as a specimen tree	—	—
W14	Loosestrife		☀️ to ☁️	20–50cm	Crown at soil level		6.0–7.5		Good, filler		Вербейник обыкновенный	Breallán léana

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
		<i>Lysimachia vulgaris</i> and <i>L. punctata</i>				30–50cm between plants; spreads vigorously		✅ 20L+ container (to contain spread)		Yellow Flag Iris, Meadowsweet, Marsh Marigold		(Breallán dlúth)
W15	Lotus	<i>Nelumbo spp.</i>	☀️	30–60cm above water	Tuber horizontal, just under soil; 5–60cm water above	One tuber per large container	6.0–7.0 (water)	✅ Essential: large container acting as mini-pond	Good, seedheads dry well	Best grown alone in own container	—	—
A11	Love-in-a-Mist	<i>Nigella damascena</i>	☀️ to 🌤️	30–60cm	1cm deep (seed)	20cm between plants; annual, self-seeds freely	6.0–7.5	✅ 5L+ container	Good, seed pods dry well	Cornflower, poppies, briza maxima	Чернушка дамасская (девица в зелени, нигелла)	Nigéal
P25	Lungworts	<i>Pulmonaria spp.</i>	🌤️	25–30cm	Crown at soil level	30–40cm between plants; divide every 3–4 yrs	6.0–7.5	✅ 15–20L container	No	Hellebores, ferns, hostas	Медуница	—
P26	Lupins	<i>Lupinus polyphyllus</i> and hybrids	☀️ to 🌤️	90cm–1.5m	Crown at soil level	45–60cm between plants	5.5–6.5	⚠️ 20L+ container (dislikes disturbance)	Good	Delphiniums, roses, foxgloves	Люпин многолистный	—
P61	Maiden Pink	<i>Dianthus deltoides</i>	☀️	15–20cm	At pot level	20–30cm between plants	6.0–7.5	✅ 15–20cm / 5L+	No	Phlox subulata, sempervivum, saxifrage	—	—
S27	Maidenhair Fern (Himalayan)	<i>Adiantum venustum</i>	🌤️ to 🌑	15–25cm	At pot level	20–30cm between plants	5.5–7.0	✅ 25–30cm / 10–15L	No	Hostas, hellebores, primroses	—	—
S28	Male Fern	<i>Dryopteris filix-mas</i>	🌤️ to 🌑	60–100cm	Crown 7–12cm above soil	60–90cm between plants	5.0–7.0	✅ 40–50cm / 30L+	Good, foliage filler	Hostas, astilbe, bamboo, snowdrops	Щитовник мужской	Raithneach mhadra
W16	Mare's Tail	<i>Hippuris vulgaris</i>	☀️ to 🌤️	20–50cm	Crown at soil surface; shallow water/wet mud	20–30cm between plants	6.5–7.5	✅ Aquatic basket	No	Water mint, water forget-me-not	—	—
W17	Marsh Marigold	<i>Caltha palustris</i>	☀️ to 🌤️	15–30cm	Crown at soil level / shallow water	30–40cm between plants	6.0–7.5	✅ Aquatic basket, 3–5L	No	Yellow flag iris, bogbean, ferns	Калужница болотная	Lus buí Bealtaine
W18	Marsh Orchids	<i>Dactylorhiza spp.</i>	☀️ to 🌤️	20–50cm	5–8cm deep (tuber) / at pot level	15–20cm between plants; buy nursery stock only	6.0–7.0	⚠️ Large container, kept constantly moist	No, do not pick (protected)	Yellow flag iris, meadowsweet, ragged robin	Пальчатокоренник	—
B27	Martagon Lily	<i>Lilium martagon</i>	🌤️	90–150cm	15cm deep (3× bulb height); autumn/spring	20–30cm between bulbs	6.0–7.5	✅ Large 20L+ container	Good	Hostas, ferns, hellebores; light woodland edge	Лилия кудреватая	—
B28	Meadow Saffron (Colchicum)	<i>Colchicum autumnale</i>	☀️ to 🌤️	10–20cm	7–10cm deep; July–August	15cm between corms	4.5–7.5	✅ 10–15L container	No	Daffodils, snake's head fritillaries, camassia	—	—
P27	Masterwort	<i>Astrantia major</i>	☀️ to 🌤️	60–90cm	Crown at soil level	30–45cm between plants	5.5–7.5	✅ 20–25L container	Good, dries well	Roses, ferns, hostas	Астранция крупная	—
W19	Meadowsweet	<i>Filipendula ulmaria</i>	☀️ to 🌤️	1–1.5m	Crown at soil level		5.0–6.5					

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
						60cm between plants; can self-seed		⚠️ Large 40–50cm / 30L+	Good, fragrant filler	Yellow flag iris, bogbean, royal fern, astilbe	Лабазник вязолистный	Airgead luachra
A12	Mealycup Sage	<i>Salvia farinacea</i>	☀️	45–60cm	At pot level	25–30cm between plants	5.5–7.5	✅ 10–15L container	Good, dries reasonably	Zinnias, cosmos, gomphrena	Шалфей мучнистый	—
P54	Mexican Feather Grass	<i>Nassella tenuissima</i> (syn. <i>Stipa tenuissima</i>)	☀️	40–60cm	At pot level	30–45cm between plants	6.0–7.5	✅ 10–15L container	No	Sedum, echinacea, rudbeckia	—	—
H19	Mint	<i>Mentha</i> spp.	☀️🌧️	30–90cm	At pot level	60cm if in ground with root barrier	6.0–7.0	✅ Essential (contains spread): 30cm / 10L+	No	Near brassicas/tomatoes as repellent (in pots)	Мята	Miontas
S29	Monkshood	<i>Aconitum napellus</i>	☁️ to ☀️	90cm–1.5m	Crown at soil level	45–60cm between plants; ⚠️ toxic, wear gloves	6.0–7.5	⚠️ 20–30L container	Good ⚠️ toxic, handle with care	Delphiniums, hostas, astilbe	Борец клубучковый (аконит)	—
T34	Mophead / Lacecap Hydrangea	<i>Hydrangea macrophylla</i>	☁️	1–2m	At pot level; rootball top slightly raised	90cm–2.4m between (check label for variety size)	5.0–7.0 (blue 5.0–6.0; pink 6.0–7.0)	✅ Excellent: 40cm compact / 50–60cm standard	Good, dries well	Astilbe, hostas, ferns, yarrow, heucheras	Гортензия крупнолистная	—
G22	Mother of Thyme (Creeping Thyme)	<i>Thymus serpyllum</i>	☀️	5–10cm, mat-forming	At pot level	20–30cm between plants	6.0–8.0	✅ Terracotta 20cm / 5L+ with grit	No	Rosemary, oregano, lavender, creeping juniper	Тимьян ползучий	—
T35	Mountain Ash (Rowan)	<i>Sorbus aucuparia</i>	☀️ to 🌧️	10–15m	At nursery soil mark	3–5m from structures	5.0–7.0	⚠️ 80–100L container	Good, berried branches	Holly, hawthorn, ferns, foxgloves, hellebores	Рябина обыкновенная	Caorthann
T36	Norfolk Island Pine	<i>Araucaria heterophylla</i>	☀️ to 🌧️	1–2m in containers (Ireland)	At pot level	Grown as a single container specimen	6.0–7.0	⚠️ Container essential, brought indoors for winter	No	Not typically underplanted	—	—
G23	Mountain/ Caucasian Rock Cress	<i>Arabis caucasica</i>	☀️	25–30cm	At pot level	30–45cm between plants	6.0–7.5	✅ 10–15L container	No	Aubretia, alyssum, spring bulbs	—	—
H100	Mustard Greens	<i>Brassica juncea</i>	☀️ to 🌧️	30–60cm	Sow direct/modules, 1cm deep	20–30cm between plants	6.0–7.5	✅ 10–15L container	No	Other brassicas (rotate); legumes	—	—
B29	Naples Garlic	<i>Allium cowanii</i> (syn. <i>Allium neapolitanum</i>)	☀️	20–30cm	8–10cm deep; autumn	10–15cm between bulbs	6.0–7.5	✅ 3–5L container	No	Crocus, dwarf iris, other small spring bulbs	—	—
H20	Nasturtiums	<i>Tropaeolum majus</i>	☀️ to 🌧️	20–30cm	1–2cm deep (seed)	20–30cm between plants; annual, self-seeds	6.0–7.5	✅ 5L+ container	Good, short vase life	Apples, brassicas, cucumbers (trap crop)	Настурция большая	Gleorán

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
B30	Native Bluebells	<i>Hyacinthoides non-scripta</i>		20–40cm	8cm deep; autumn	8–10cm between bulbs	6.0–6.8	✅ 5L+ container	No, do not pick (protected)	Ferns, hostas, primroses, wood anemones	Гиацинтоидес неописанный	Coinnle corra
S30	Native Irish Mosses	<i>various spp.</i>	 to 	1–5cm	Surface transplant, not buried	Establish as patches; keep consistently moist	5.0–6.5 (most)	✅ Shallow tray/ log/pot	No	Ferns, wood sorrel, primroses	Мхи	—
W35	Native White Water Lily	<i>Nymphaea alba</i>		Leaves float; flowers just above surface	Crown at soil surface in basket; start 20–30cm below water surface, lower to 90–150cm	1.5–2m between plants; large ponds only	6.5–7.5 (water)	✅ (pond basket essential): 30–40cm+ basket	Good, short vase life	Yellow flag iris, bogbean, oxygenating plants	Кувшинка белая	Bacán bán
C12	Necklace Vine (Maidenhair Vine)	<i>Muehlenbeckia complexa</i>	 to 	3–4m	At nursery soil mark	1–1.5m between plants	5.5–7.5	✅ Large container or ground	No	Ornamental grasses, topiary frames	—	—
F14	Olive	<i>Olea europaea</i>		2–3m	At nursery soil mark	2–3m between plants	6.0–8.5	✅ Strongly recommended	No	Lavender, rosemary	—	—
H21	Oregano (Wild Marjoram)	<i>Origanum vulgare</i>		15–40cm	At pot level	30–45cm between plants	6.5–8.0	✅ 25cm / 8L+	No	Thyme, rosemary; pollinator attractor for fruit	Душица обыкновенная	Máirtín fiáin
S31	Ostrich Fern	<i>Matteuccia struthiopteris</i>	 to 	1–1.8m	Crown at soil surface	45–90cm between plants; spreads by runners	5.0–7.0	⚠️ Large 30L+ container, keep very moist	Good, foliage filler	Bog-garden and damp-border companions	Страусник обыкновенный	—
B31	Ostrowsky's Onion	<i>Allium oreophilum</i>		15–20cm	8–10cm deep; autumn	8–10cm between bulbs	6.0–7.5	✅ 3–5L container	No	Dwarf iris, crocus, other rockery bulbs	—	—
P57	Pampas Grass	<i>Cortaderia selloana</i>		2–3m	At pot level	2–3m between plants	6.0–7.5	❌ Too large for pots	Good, dried plumes	Best as a solo specimen	—	—
H22	Parsley	<i>Petroselinum crispum</i>	 to 	20–30cm	1cm deep (seed)	20–30cm between plants; sow successionally	6.0–7.0	✅ 10–15L container	No	Tomatoes, asparagus, roses	Петрушка кудрявая	Peirsil
P29	Pasqueflower	<i>Pulsatilla vulgaris</i>		20–50cm	At pot level; do not disturb	20–30cm between plants	6.5–8.0	✅ Essential on clay: 25–30cm / 10L+	No, seedheads dry decoratively	Dianthus, Eryngium, Achillea, ornamental grasses	Прострел обыкновенный	—
H23	Patio Tomatoes	<i>Solanum lycopersicum</i> (compact/dwarf cultivars)		30–45cm	Deep; bury to lowest leaves	One plant per 30–40cm pot	6.0–6.8	✅ 30–40cm/ 10L+ pot; essential	No	Basil, marigolds, chives	—	—
F15	Peach	<i>Prunus persica</i>		60cm+	At nursery soil mark; graft above soil	2–4m; cvs. 'Peregrine',	6.0–7.0		Good, blossom	Chives, garlic	—	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
						'Rochester', 'Melred'		✅ Large container (compact cvs.)				
P47	Peach-leaved Bellflower	<i>Campanula persicifolia</i>	☀️ to 🌥️	60cm–1m	Crown at soil level	30–45cm between plants; divide every 2–4 yrs	6.0–7.5	✅ 15–20L container	Good	Delphiniums, roses, lupins	—	—
F16	Pear	<i>Pyrus communis</i>	☀️	20–40cm, spreading	Graft union at/above soil	Depends on rootstock; cvs. 'Conference', 'Concorde', 'Doyenné du Comice'	6.0–7.5	✅ Container on Quince C	No	Chives, garlic	—	—
H24	Peas	<i>Pisum sativum</i>	☀️	45cm–1.8m	Sow 2–5cm deep	5–7cm between seeds; 45–60cm between rows	6.0–7.5	✅ 30–40cm / 10L+ container	No	Carrots, radishes, cucumbers, beans	—	—
P30	Penstemon	<i>Penstemon spp.</i>	☀️	45–75cm	Crown at soil level	30–45cm between plants	5.5–7.0	✅ 20–30L container	Good	Salvia, echinacea, rudbeckia, lavender	Пенстемон	—
P31	Peonies	<i>Paeonia spp.</i>	☀️ to 🌥️	60–90cm	Eyes MAX 2.5–5cm below soil	90cm between plants	6.5–7.0	⚠️ 50L+ large tub	Good	Alliums, irises, salvia, roses, foxgloves	Пион	—
H25	Peppermint	<i>Mentha × piperita</i>	🌥️	30–90cm	At pot level	45–60cm between plants; ⚠️ vigorous	6.0–7.0	✅ 30cm+ container (or root barrier)	No	Roses, brassicas, tomatoes	—	—
P32	Perennial Flax	<i>Linum perenne</i>	☀️	30–45cm	Crown at soil level	20–30cm between plants	6.0–7.5	✅ 10–15L container	No	Yarrow, lavender, drought-tolerant perennials	Лён многолетний	—
G24	Periwinkle	<i>Vinca minor and V. major</i>	🌑 to ☀️	15–20cm	At pot level	30–45cm between plants; can spread	5.5–8.0	✅ 25–35cm / 10L+	No	Hellebores, snowdrops, ivy; under trees/shrubs	Барвинок малый	Fincín mór
B32	Persian Fritillary	<i>Fritillaria persica</i>	☀️	60cm+	15–20cm deep, on its side; autumn	20–25cm between bulbs	6.5–8.0	⚠️ Large gritty container	No	Tulips, alliums, euphorbia	—	—
P33	Pheasant's Eye	<i>Adonis vernalis</i> / <i>A. amurensis</i>	☀️ to 🌥️	30–40cm	Crown at soil level	20–30cm between plants; ⚠️ toxic	6.5–7.5	✅ 10–15L container	No ⚠️ toxic	Snowdrops, hellebores	Адонис весенний	—
G25	Pickle Plant	<i>Delosperma echinatum</i>	☀️	15–20cm	At pot level	20–30cm between plants	6.0–7.5	✅ 10–15L container	No	Sempervivum, saxifrage	—	—
P34	Pincushion Flower	<i>Scabiosa columbaria</i>	☀️	30–60cm	Crown at soil level	30–40cm between plants; divide every 2–3 yrs	6.2–7.5	✅ 15–20L container	Good, seed pods dry well	Roses, salvias, ornamental grasses	Скабиоза голубиная	—
B33	Pineapple Lily	<i>Eucomis spp.</i>	☀️	30–60cm	10–15cm deep; spring	25–30cm between bulbs	6.0–7.5	✅ Large container ideal	Good	Alliums, crocosmia, dahlias	—	—
F17	Plum Tree	<i>Prunus domestica</i>	☀️	3–4m			6.0–7.0		No	Chives, garlic	—	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
					Top of rootball just below surface	1–1.5m from structures; self-fertile		✓ 25cm+ pot, standard form				
A13	Poached Egg Plant	<i>Limnanthes douglasii</i>	☀️	15–20cm	Surface-sown (seed)	10–20cm between plants; annual, self-seeds	5.5–7.5	✓ 5L+ container	No	Vegetable beds, cornflower, love-in-a-mist	Лимнантес Дугласа	Cúr léana
B34	Pointed-Petal Fritillary	<i>Fritillaria acmopetala</i>	☀️	30–70cm	10cm deep; autumn	8–10cm between bulbs	6.0–8.0	✓ Raised bed/ trough/pot	No	Other species fritillarias, dwarf iris, crocus	—	—
S32	Polypody	<i>Polypodium vulgare</i>	☁️ to 🌑	15–40cm	Surface transplant, not buried	Establish as patches; keep consistently moist	5.0–6.5 (most)	✓ Shallow tray/ log/pot	No	Ferns, wood sorrel, primroses	—	—
F18	Pomegranate	<i>Punica granatum</i>	☀️	1.5–3m	At nursery soil mark	2–3m against wall; borderline hardy, best in a container	5.5–7.0	✓ Large 50L+ container, movable	No	Passiflora, grapevine on same warm wall	Гранат обыкновенный	—
A14	Poppies	<i>Papaver spp., e.g. P. rhoeas, Shirley poppies</i>	☀️	45–90cm	Surface-sown (seed)	15–20cm between plants; annual, self-seeds freely	6.0–7.5	✓ 5L+ container	Good, sear stems	Cornflower, love-in-a-mist, briza maxima	Мак самосейка	Cailleach dhearg
B35	Poppy Anemone	<i>Anemone coronaria</i>	☀️	20–40cm	5–8cm deep; autumn	10–15cm between corms	6.0–7.5	✓ 20–25cm / 5L+	No	Ranunculus, other spring corms	—	—
A15	Pot Marigold	<i>Calendula officinalis</i>	☀️ to 🌤️	30–50cm	1cm deep (seed)	15–30cm between plants; annual, self-seeds	6.0–7.0	✓ 10–15L container	Good	Brassicas, tomatoes, carrots	Календула лекарственная	—
G26	Prickly Heath	<i>Gaultheria mucronata</i>	☀️ to 🌤️	60cm–1m	At nursery soil mark	45–60cm between plants; ♂+♀ for berries	4.5–6.0	✓ 20–30L ericaceous compost	No	Heather, blueberry, lingonberry, dwarf conifers	Гаультерия остроколючная	Fraoch deilgneach
S33	Primroses	<i>Primula vulgaris</i>	☁️	10–15cm	Crown at soil level	20–25cm between plants	5.5–7.0	✓ 10–15L container	No	Bluebells, wood anemones, violets, ferns	Первоцвет обыкновенный	Sabhaircin
B36	Purple-flowered Onion	<i>Allium atropurpureum</i>	☀️	80cm–1m	20cm deep (2–3× bulb depth); autumn	25–30cm between bulbs	6.0–7.5	✓ Large 5L+ container	No	Roses, peonies, ornamental grasses	—	—
P101	Purpletop Vervain	<i>Verbena bonariensis</i>	☀️	1.5–2m	At pot level	45–60cm between plants; self-seeds freely	6.0–7.5	✓ 15–20L container	Good	Ornamental grasses, echinacea, rudbeckia	—	—
H26	Radish	<i>Raphanus sativus</i>	☀️ to 🌤️	10–15cm	1cm deep (seed)	2–3cm between plants; sow successionally	6.0–7.0	✓ 5L+ container	No	Carrots, lettuce, green onions	Редис	Raidis
W20	Ragged Robin	<i>Lychnis flos-cuculi</i>	☀️ to 🌤️	30–45cm	Crown at soil level; damp meadow, not standing water	30–45cm between plants	6.0–7.5	✓ 10–15L container	Good	Meadowsweet, yellow flag iris, marsh orchids	—	—
B37	Ranunculus		☀️	30–45cm			6.0–7.0		Good		Лютик азиатский	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
		<i>Ranunculus asiaticus</i>			5–8cm deep; claws down; spring, lift & store	15–20cm between tubers		✅ Better in pots: 25–30cm / 10L+		Pansies, muscari, spring anemones		
F19	Raspberry (Glen Ample / Zefa Herbsternte / Autumn Bliss / Heritage / Good as Gold / Lucky Berry)	<i>Rubus idaeus</i>	☀️	1.5–1.75m	Crown 5–7cm below soil	45–60cm between canes; 1.8m between rows	5.8–6.5	❌ (patio cvs: ✅ 45–60cm wide deep pot)	No	Garlic, marigolds, tansy; away from potatoes	Малина обыкновенная	Sú craobh
C27	Red-Flowered Magnolia Vine	<i>Schisandra rubriflora</i>	☀️	6–9m	At nursery soil mark	2–3m between plants against support	6.0–7.5	✅ Large 40–50L container	No	Climbing hydrangea, ivy	—	—
F20	Redcurrant	<i>Ribes rubrum</i>	☀️ (north fence ok)	20–30cm	At nursery mark; roots 5cm	1.5m between plants	6.0–7.5	⚠️ 30L+ large pot	No	Gooseberry, whitecurrant	Смородина красная	Cuirín dearg
G27	Reindeer Lichen	<i>Cladonia rangiferina</i>	☀️ to ☁️	3–8cm	Surface only, not buried	Establishes slowly; avoid disturbance	4.0–5.5	⚠️ Shallow tray/rockery	No	Heather, sempervivum, open heath planting	Кладония оленья	—
F21	Rhubarb	<i>Rheum × hybridum</i>	☀️	60–90cm	Buds 1–2cm below soil	90cm between crowns	6.0–7.0	⚠️ 50cm / 50L+ deep pot	No ⚠️ leaves toxic	Beans, peas nearby; away from fennel	Ревень	Biabhóg
B38	River Lily	<i>Hesperantha coccinea</i> (syn. <i>Schizostylis coccinea</i>)	☀️ to ☀️	60cm	Rhizome at soil level; spring	20–30cm between plants	6.0–7.0	✅ 10–15L container	Good	Astilbe, Japanese anemone, ornamental grasses	—	—
G28	Rockcress	<i>Arabis ferdinandi-coburgi</i>	☀️	10–15cm	At pot level	30–40cm between plants	6.0–7.5	✅ 10–15L container	No	Aubretia, alyssum, spring bulbs	—	—
H27	Rocket	<i>Eruca sativa</i>	☀️ to ☁️	20–30cm	1cm deep (seed)	15–20cm between plants; sow successionally	6.0–7.0	✅ 5L+ container	No	Radish, green onions, lettuce	Руккола (гусеничник посевной, индау посевной)	Ruachán
G29	Rose/Coast Rock Cress	<i>Arabis blepharophylla</i>	☀️	15–20cm	At pot level	20–25cm between plants	6.0–7.5	✅ 10–15L container	No	Aubretia, alyssum, spring bulbs	—	—
H28	Rosemary	<i>Salvia rosmarinus</i> , syn. <i>Rosmarinus officinalis</i>	☀️	1–1.5m	At pot level	45–60cm between plants	6.0–7.5	✅ Terracotta 20–30L, with grit	Good, foliage filler	Brassicas, carrots, beans, thyme, lavender	Розмарин лекарственный	Marós
S34	Rough Tree Fern	<i>Cyathea australis</i>	☁️	2–4m	Trunk at same depth as grown	1.5–3m between plants; wrap crown in hard frost	5.5–7.0	✅ Large 50L+ container	No	Hostas, camellias, rhododendrons, mosses	Циатея южная	—
W21	Round-leaved Sundew	<i>Drosera rotundifolia</i>	☀️ to ☀️	3–8cm	Crown at soil surface, permanently wet	10–15cm between plants	4.0–5.5	✅ Boggy container	No	Common butterwort, bog asphodel	—	—
S35		<i>Hepatica nobilis</i>	☁️	10–15cm	Crown at soil level		6.0–7.5		No			—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
	Round-Lobed Hepatica					15–20cm between plants		✅ 10–15L container		Snowdrops, hellebores, wood anemones	Печёночница благородная	
S36	Royal Fern	<i>Osmunda regalis</i>	☀️ to 🌧️	1–2m	Crown slightly above soil	1–1.5m between plants	4.5–6.5	❌ Too large	Good, foliage filler	Hostas, iris, marginal aquatics, bamboo	Чистоус королевский	Raithneach riúil
B39	Saffron Crocus	<i>Crocus sativus</i>	☀️	10–15cm	8–10cm deep; plant August	8–9cm between corms	6.0–7.5	✅ Best in containers	No	Best grown alone for easy harvest	—	—
H29	Sage	<i>Salvia officinalis</i>	☀️	30–60cm	At pot level	45–60cm between plants	5.6–7.8	✅ Terracotta 20–30L, with grit	Good, foliage filler	Rosemary, lavender, thyme, cabbages, carrots	Шалфей лекарственный	Sáiste
T37	Saucer Magnolia	<i>Magnolia × soulangeana</i>	☀️ to 🌧️	4.5–6m	At nursery soil mark	4–6m between plants/structures	5.0–6.5	❌ Too large for pots long-term	Good, flowering branches	Hellebores, ferns, snowdrops, Japanese maple	—	—
G30	Saxifrage	<i>Saxifraga</i> spp., including Mossy Saxifrage <i>S. × arendsii</i>	☀️ to 🌧️	10–15cm, trailing	At pot level	15–25cm between plants	5.5–7.5	✅ Trough/rockery, 3–5L	No	Sempervivum, campanula saxifraga, dwarf bulbs	Камнеломка	Mórán
T38	Scots Pine	<i>Pinus sylvestris</i>	☀️	20–30cm	At nursery soil mark	6–10m between plants	4.5–7.0	❌ Too large for pots	No	Heather, gorse	—	—
H30	Scurvy Grass	<i>Cochlearia officinalis</i>	☀️ to 🌧️	10–20cm	At pot level / surface-sown seed	15–20cm between plants	6.5–7.5	✅ 5L+ container	No	Sea kale, coastal edible plants	Ложечница лекарственная	Biolar trá
F22	Sea Buckthorn	<i>Hippophae rhamnoides</i>	☀️	2–4m	At nursery soil mark	1.5–2m between plants; ♂+♀ for berries	5.5–8.0	⚠️ Large 50–80L container	Good, berried branches	Other coastal shrubs; windbreak planting	Облепиха крушиновидная	Draighean mara
P36	Sea Holly	<i>Eryngium</i> spp.	☀️	30–60cm	Crown at soil level	40–90cm between plants; dislikes disturbance	5.0–7.5	⚠️ Large 20–30L container, sharp drainage	Good, dries well	Roses, ornamental grasses, taller perennials	Синеголовник	Cuilleann trá
F23	Serviceberry	<i>Amelanchier lamarckii</i>	☀️ to 🌧️	4–8m	At nursery soil mark	2–4m between plants/structures	5.5–7.0	⚠️ 50–80L container	Good, blossom/ foliage branches	Hellebores, snowdrops, ferns, Japanese maple	Ирга Ламарка	—
T39	Shrub Roses	<i>Rosa</i> , shrub and old-fashioned cultivars	☀️	1–2m	Bud union at/just below soil level	75cm–1m between plants	5.5–7.0	⚠️ Large 40–50L container	Good, some dry well	Alliums, catmint, hardy geraniums, lavender	Роза	Rós
T40	Shrubby Cinquefoil	<i>Potentilla fruticosa</i> (incl. var. <i>aurea</i>)	☀️	60cm–1m	At nursery soil mark	60–90cm hedge; 1m specimen	5.5–8.0	✅ 20–30L container	Good, cut flowers	Lavender, catmint, ornamental grasses	—	—
P49	Siberian Iris	<i>Iris sibirica</i>	☀️ to 🌧️	60–100cm	Rhizome at soil level or 2–3cm below	30–45cm between plants; divide every 3–5 yrs	5.8–7.0	✅ 35–40cm / 15–20L	Good, short vase life	Astilbe, hostas, yellow flag iris, daylilies, royal fern	Ирис сибирский	—
B40	Siberian Squill	<i>Scilla siberica</i>	☀️ to 🌧️	10–15cm	7–10cm deep; autumn	8–10cm between bulbs	6.0–7.0	✅ 5L+ container	No		Пролеска сибирская	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
										Snowdrops, crocus, dwarf daffodils, chionodoxa		
P37	Siberian Statice	<i>Goniolimon tataricum</i>	☀️	45–60cm	Crown at soil level	30–40cm between plants	6.0–7.5	✅ 15–20L container	Good, dries well	Ornamental grasses, achillea, sedum	Кермек татарский	—
S37	Silver Fern	<i>Cyathea dealbata</i>	☁️	2–4m	Trunk at same depth as grown	1.5–3m between plants; tender, overwinter under cover	5.5–6.5	✅ Large 50L+ container, movable	Good, foliage filler	Hostas, ferns, hellebores, camellias	Циатея серебристая	—
G31	Siskiyou Lewisia	<i>Lewisia cotyledon</i>	☀️ to 🌤️	10–15cm	Rosette proud of soil, grit collar	20–25cm between plants	6.0–7.0	✅ Trough/rockery, 3–5L	No	Sempervivum, saxifrage, houseleek	—	—
P38	Slender Vervain	<i>Verbena rigida</i>	☀️	1–1.5m	At pot level	25–35cm between plants; borderline hardy, mulch for winter	6.0–7.2	✅ 15–20L container	Good	Ornamental grasses, other verbenas, sedum	Вербена жёсткая	—
T41	Smooth Sumac	<i>Rhus glabra</i>	☀️	1–1.5m	At nursery soil mark	2–3m between plants	5.5–7.5	⚠️ Large container, controls suckering	Good, autumn foliage	Ornamental grasses	—	—
A16	Snapdragons	<i>Antirrhinum majus</i>	☀️ to 🌤️	30–90cm	Surface-sown (seed) / at pot level	20–30cm between plants	6.0–7.0	✅ 10–15L container	Good	Wallflowers, sweet William, forget-me-nots	Львиный зев	Srubb laio
P39	Sneezeweed	<i>Helenium autumnale</i>	☀️	90cm–1.2m	Crown at soil level	45–60cm between plants; divide every 2–3 yrs	5.5–7.0	✅ 20–25L container	Good	Rudbeckia, echinacea, asters, ornamental grasses	Гелениум осенний	—
P40	Sneezewort	<i>Achillea ptarmica</i>	☀️ to ☁️	45–60cm	Crown at soil level	30–45cm between plants; avoid heavy waterlogged clay	5.5–7.5	✅ 15–20L container	Good, dries well	Yarrow, ornamental grasses, sedum	Тысячелистник птармика	Lus corráin
B41	Snow Crocus	<i>Crocus chrysanthus</i>	☀️	7–10cm	7–10cm deep; autumn	8–9cm between corms	6.0–7.5	✅ Excellent: 15–20cm / 3L+	No	Snowdrops, daffodils, muscari, aconites	—	—
B42	Snowdrops	<i>Galanthus nivalis</i>	☁️ to 🌑	10–20cm	10cm dry (autumn) / at growing depth in the green (spring)	8–10cm between bulbs	5.5–7.0	✅ 20–25cm / 5L+	No	Hellebores, aconites, early narcissus, cyclamen coum	Подснежник белоснежный	Plúirín sneachta
B43	Snowflake (Summer)	<i>Leucojum aestivum</i>	🌤️	15–45cm	8–10cm deep; autumn	8–10cm between bulbs	5.5–7.0	✅ 30–40cm / 15L+	Good	Daffodils, snowdrops, hellebores; pond edges	Белоцветник летний	Plúirín samhraidh
P41	Society Garlic	<i>Tulbaghia violacea</i>	☀️	30–45cm	Crown at soil level	25–30cm between plants	6.0–7.5	✅ 10–15L container	Good	Lavender, rosemary	—	—
S38	Solomon's Seal	<i>Polygonatum multiflorum</i> / <i>P. × hybridum</i>	🌑 to ☀️	60–90cm	Rhizome 5cm deep	20–30cm between plants; spreads slowly	6.0–7.5	✅ 20–30L container	Good, arching stems	Ferns, hostas, hellebores, cyclamen, primroses	Купена многоцветковая	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
F24	Sour Cherry	<i>Prunus cerasus</i>	☁️	2.5–4m	At nursery soil mark	Up to 4m; cvs. 'Morello', 'Nabella', 'Kentish Red'	6.0–7.0	✅ Large container	No	Chives, garlic, spring bulbs	Вишня обыкновенная	Crann síliní searbha
P46	Spreading Bellflower	<i>Campanula patula</i>	☀️ to ☁️	30–60cm	Crown at soil level / surface-sown seed	20–30cm between plants; biennial/ short-lived	6.0–7.5	✅ 10–15L container	Good	Ox-eye daisy, wild grasses	Колокольчик раскидистый	—
H101	Spring Onions	<i>Allium cepa</i>	☀️ to ☁️	30–45cm	Sow direct, 1cm deep, or plant sets	2.5–5cm between plants in rows	6.0–7.0	✅ 10–15L container	No	Carrots, roses	—	—
B44	Spring Sowbread	<i>Cyclamen coum</i>	☁️	5–8cm	2–3cm deep, flat side down; late summer/autumn	10–15cm between tubers	6.0–7.5	✅ 3–5L container	No	Snowdrops, winter aconite, hellebores	Цикламен косский (дряква косская)	—
T42	St John's Wort	<i>Hypericum calycinum</i>	☀️ to ☁️	1–1.5m	At nursery soil mark	1–1.5m between plants	5.5–7.5	⚠️ 40–50L container	Good, berries	Heather, skimmia, roses, late perennials	Зверобой	—
S39	St Patrick's Cabbage	<i>Saxifraga spathularis</i>	☁️ to 🌑	10–20cm	Crown at soil level	15–20cm between plants	5.0–6.0	✅ 10–15L container/ rockery	No	Ferns, native mosses, shaded rockery plants	Камнеломка лопатчатая	Cabáiste mhadra rua
T43	Star Magnolia	<i>Magnolia stellata</i>	☀️	2–3m	At pot level; no deeper	2.5m spread; shelter from N/E winds	5.0–6.5	✅ 80–100L stone/terracotta	Good, flowering branches	Snowdrops, daffodils, hellebores, hardy geraniums	—	—
P24	Statice	<i>Limonium sinuatum</i>	☀️	30–45cm	Crown at soil level	30–45cm between plants	6.0–8.0	✅ 10–15L container	Good, dries well	Ornamental grasses, achillea, sedum	Кермек выемчатый	—
P42	Stocks	<i>Matthiola incana</i> / <i>M. longipetala</i>	☀️	30–90cm	At pot level; seeds on surface	20–30cm between plants	6.5–7.5	✅ 25–30cm / 10L+	Good, fragrant	Wallflowers, sweet William, pansies	Левкой седой	—
F25	Strawberry (Korona / Ostara / Summer Breeze)	<i>Fragaria × ananassa</i>	☀️	20–30cm	Crown exactly at soil level	30–45cm between plants (or 45cm × 75cm rows)	5.5–6.8	✅ 30–35cm / 15–20L per plant	No	Borage, garlic, chives, marigolds	Клубника садовая (земляника ананасная)	Sú talún
A17	Strawflower	<i>Xerochrysum bracteatum</i>	☀️	45–75cm	Surface-sown (seed) / at pot level	20–30cm between plants	5.5–7.0	✅ 10–15L container	Good, dries excellently	Cosmos, zinnias, ammobium	Бессмертник прицветниковый	—
S40	Sunset Fern	<i>Dryopteris lepidopoda</i>	☁️ to 🌑	60–75cm	At pot level	45–60cm between plants	5.5–7.0	✅ 20–25L container	Good, foliage filler	Heuchera, tiarella, hostas	Щитовник	—
A18	Sweet Alyssum	<i>Lobularia maritima</i>	☀️ to ☁️	10–15cm	1–2mm deep (seed)	15–25cm between plants; annual, self-seeds	6.0–7.0	✅ 5L+ container	No	Roses, snapdragons, vegetable-bed edging	Лобулярия приморская (алиссум морской)	Alasam cumhra
C23	Sweet Autumn Clematis	<i>Clematis terniflora</i>	☁️ (roots shaded)	3–6m	10–15cm DEEPER than pot	60–90cm between; cool roots essential	6.5–7.5	✅ 45cm/40L+ container	No	Climbing roses, other clematis	—	—
F26	Sweet Cherry	<i>Prunus avium</i>	☀️	1–4m	Graft union at/above soil (own-root cvs. at pot level)	1–4m depending on rootstock; cvs. 'Athos', 'Stella',	5.5–7.5	✅ 30–40cm+ container	No	Chives, garlic	—	—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
						'Sunburst', 'Lapins', 'Sweetheart', 'Sylvia'						
A19	Sweet Peas	<i>Lathyrus odoratus</i>	☀️	1.8–2.5m	2cm deep (seed)	15–20cm between plants against support	6.0–7.5	✅ Large 20L+ container with support	Good, fragrant	Climbing roses, clematis; vegetable garden	Душистый горошек	—
P58	Sweet William	<i>Dianthus barbatus</i>	☀️	30–60cm	At pot level	30cm between plants	5.8–6.5	✅ 25–30cm / 10L+	Good	Pinks, stocks, foxgloves, wallflowers, roses	Гвоздика турецкая (гвоздика бородатая)	—
B45	Tarda Tulip	<i>Tulipa tarda</i>	☀️	10–15cm	8–10cm deep; autumn	8–10cm between bulbs	6.0–7.5	✅ Raised bed/ pot	No	Crocus, dwarf iris, sempervivum	—	—
T44	Tarentum Myrtle	<i>Myrtus communis subsp. tarentina</i>	☀️ to 🌤️	1–2m	At nursery soil mark	1–1.5m between plants; needs sheltered spot	6.0–7.5	✅ 30–40L container	Good, foliage	Lavender, rosemary, Mediterranean shrubs	Мирт тарентский	—
H31	Tarragon	<i>Artemisia dracunculus</i>	☀️	50–100cm	At pot level	30–50cm between plants	6.5–7.0	✅ 10–15L container	No	Rosemary, sage, lavender	—	—
S41	Tasmanian Tree Fern	<i>Dicksonia antarctica</i>	🌤️ to 🌑	2–4m	Trunk at same depth as grown	1.5–3m between plants; wrap crown in hard frost	5.5–6.5	✅ Large 50L+ container	No	Hostas, ferns, hellebores, snowdrops	Диксония антарктическая	—
S42	Toad Lily	<i>Tricyrtis hirta</i>	🌤️ to 🌑	30–90cm	Crown at soil level	30–45cm between plants	5.5–7.0	✅ 15–20L container	Good	Hostas, ferns, hellebores	—	—
P43	Toadflax	<i>Linaria vulgaris</i>	☀️ to 🌤️	20–50cm	Crown at soil level / surface-sown seed	20–30cm between plants; spreads readily	6.0–7.5	✅ 5L+ container	No	Ox-eye daisy, yarrow, wildflower meadow	Льянка обыкновенная	—
G32	Trailing Rock Bellflower	<i>Campanula saxifraga</i>	☀️	10–15cm, trailing	At pot level	15–20cm between plants	6.5–7.5	✅ Trough/ rockery, 3–5L	No	Sempervivum, saxifrage, wall pennywort	Колокольчик камнеломка	—
G33	Tree Heath	<i>Erica arborea</i>	☀️	1–2m in cultivation (to 7m in the wild)	At pot level	1–1.5m between plants; hardier var. alpina available	5.0–6.5	⚠️ Large 40–50L container	Good, dries well	Blueberry, lingonberry, ornamental grasses	—	—
C14	Tufted Vetch	<i>Vicia cracca</i>	☀️ to 🌤️	1–2m	1–2cm (seed) / at pot level	20–30cm between plants; scrambles via tendrils	6.0–7.5	✅ 5L+ container	No	Grasses, wildflower meadow species, hedgerow shrubs	Горошек мышиный	Peasair na luch
B46	Tulip (garden hybrids)	<i>Tulipa spp.</i>	☀️	30–60cm	20cm (3× bulb height); autumn	10–15cm between bulbs	6.0–7.0	✅ Excellent: 25–30cm / 10L+	Good	Forget-me-nots, daffodils, alliums, wallflowers	Тюльпан	Tiúilip
B47	Turkestan Tulip	<i>Tulipa turkestanica</i>	☀️	10–15cm	10cm deep; autumn	8–10cm between bulbs	6.0–7.5	✅ Raised bed/ pot	No	Crocus, dwarf iris, other early species bulbs	—	—
W22	Umbrella Grass	<i>Cyperus alternifolius</i> (syn.	☀️ to 🌤️	60cm–1m		40–60cm between plants; borderline	6.0–7.5					—

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
		<i>Cyperus involucratus</i>			Crown just above water / max 5cm below water	hardy, protect crown in winter		✅ 10–20L aquatic basket	Good, foliage (fresh, architectural)	Egyptian papyrus, yellow flag iris	Сыть очерёднолистная	
W23	Umbrella Plant	<i>Darmera peltata</i>	☀️ to 🌧️	1–1.8m	Rhizome at/just below soil level	60–90cm between plants	5.5–7.0	⚠️ Large container, keep very moist	No	Rodgersia, candelabra primula, astilbe, ferns	—	—
C15	Virginia Creeper	<i>Parthenocissus quinquefolia</i>	☀️	10–20m	At pot level	1.5–3m between plants	5.5–7.5	✅ 30–40L container	Good, autumn foliage	Ivy (same wall), late clematis	Виноград девичий пятилисточковый	—
G34	Wall Pennywort	<i>Umbilicus rupestris</i>	🌧️	5–10cm	At pot level / wall crevice	15–20cm between plants	6.0–7.5	✅ Small pot or wall crevice	No	Ivy, ferns, sempervivum, saxifrage	Умбиликус	Lus na pingine
W24	Water Forget-me-not	<i>Myosotis scorpioides</i>	☀️ to 🌧️	10–40cm	Crown at soil surface; up to 10cm water above	15–30cm between plants	6.0–7.5	✅ Aquatic basket	No	Yellow flag iris, marsh marigold, bogbean	—	—
W100	Water Hyacinth	<i>Eichhornia crassipes</i> (syn. <i>Pontederia crassipes</i>)	☀️	Up to 1m above water	ILLEGAL — EU/Irish invasive species ban	N/A — not for cultivation	N/A	❌ Illegal — do not buy or keep	No	N/A — not for cultivation	—	—
W27	Water Mint	<i>Mentha aquatica</i>	☀️	15–25cm above water	Crown at soil surface; up to 25cm water above	30–45cm between plants; ⚠️ vigorous	6.0–7.5	✅ Aquatic basket	No	Bog pimpernel, yellow flag iris	—	—
W28	Water Soldier	<i>Stratiotes aloides</i>	☀️	Floating rosette 15–25cm	Floats just below surface, sinks in winter	Allow to spread; thin if congested	6.0–7.5 (water)	✅ No planting needed; free-floating	No	Frogbit, native water lilies	—	—
W29	Water Violet	<i>Hottonia palustris</i>	☀️ to 🌧️	10–15cm above water	Mostly submerged; do not disturb in summer	Allow to spread loosely	6.0–7.5 (water)	✅ No planting needed; free-floating	No	Hornwort, common water crowfoot	—	—
W30	Watershield	<i>Brasenia schreberi</i>	☀️ to 🌧️	Floating at surface	Rhizome in mud; floating leaves	Allow room to spread	6.0–7.5 (water, estimated)	⚠️ Aquatic basket; limited Irish availability	No	Water lilies	—	—
S43	Western Sword Fern	<i>Polystichum munitum</i>	🌧️ to 🌑	60–120cm	At pot level	60cm–1m between plants	5.0–7.0	✅ 30–40L container	Good, foliage filler	Hostas, astilbe, snowdrops	Многорядник защищённый	—
G35	White Clover	<i>Trifolium repens</i>	☀️ to 🌧️	5–15cm	At pot level / sow direct	Sow/plant as a patch; spreads by stolons	6.0–7.5	⚠️ 10–15L container	No	Lawn grasses; fixes nitrogen, benefiting neighbouring plants	Клевер белый	Seamair bhán
B48	Whittall's Tulip	<i>Tulipa orphanidea</i>	☀️	15–20cm	10–15cm deep; autumn	8–10cm between bulbs	6.0–7.5	✅ Raised bed/ pot	No	Crocus, grape hyacinth, other species tulips	—	—
H32	Wild Garlic	<i>Allium ursinum</i>	🌑	25–30cm	2.5cm deep	15–20cm between bulbs; spreads vigorously	5.5–7.0	✅ 10–15L container (to contain spread)	No	Native bluebells, ferns, primroses	Лук медвежий	Creamh

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
G36	Wild Thyme	<i>Thymus polytrichus</i>	☀️	2–5cm, mat-forming	At pot level	20–30cm between plants; spreads by runners	6.5–7.5	✅ Trough/rockery, 3–5L	No	Sempervivum, saxifrage, wall pennywort	Тимьян дикий	Tím chreige
B49	Wild Tulip	<i>Tulipa sylvestris</i>	☀️ to ☀️	20–30cm	10–15cm deep; autumn	10–15cm between bulbs	6.0–7.5	✅ 5L+ container	Good	Daffodils, other naturalising bulbs	Тюльпан лесной	—
W31	Willow Moss	<i>Fontinalis antipyretica</i>	☁️ to ☀️	Submerged mats	Attach to submerged stone/wood	Space stones/clumps as desired	6.0–7.5 (water)	✅ No soil needed; attach to stone	No	Hornwort, common water crowfoot	—	—
A20	Winged Everlasting	<i>Ammobium alatum</i>	☀️	45–60cm	At pot level; lightly cover seed	30–40cm between plants	5.5–7.0	✅ 10–15L container	Good, dries excellently	Strawflower, statice	Аммобиум крылатый	—
B50	Winter Aconite	<i>Eranthis hyemalis</i>	☀️ to ☁️	5–15cm	5cm deep; early autumn	5–8cm between tubers	6.5–7.5	✅ 5L+ container	No	Snowdrops, crocus	—	—
C24	Winter Clematis	<i>Clematis cirrhosa</i>	☀️	2.5–4m	At pot level (evergreen type)	2.5–4m between plants against support	6.5–7.5	✅ Large container against support	No	Climbing roses, honeysuckle	—	—
G37	Winter Heath	<i>Erica carnea</i>	☀️	10–25cm	At pot level	30–45cm between plants	5.5–7.5	✅ 20–25cm / 5–10L ericaceous or multipurpose compost	Good, dries well	Blueberry, lingonberry, deer fern, ornamental grasses	—	—
C25	Winter-flowering Clematis	<i>Clematis urophylla</i>	☁️	About 3m	At pot level (evergreen type)	2–3m between plants against support	6.5–7.5	✅ Large container against support	Good, winter interest	Climbing hydrangea, ivy	—	—
C16	Wisteria	<i>Wisteria sinensis</i> / <i>W. floribunda</i>	☀️	9–18m	At pot level; graft above soil	45cm from wall; 3m between plants	6.0–7.0	⚠️ 45cm/60L+ container	Good, short vase life	Climbing roses (same wall), alliums, irises	Глициния китайская	—
T45	Witch Hazel	<i>Hamamelis × intermedia</i> , <i>Hamamelis mollis</i>	☀️ to ☁️	2.5–4m	At nursery soil mark	3–4.5m between plants	5.0–6.5	⚠️ Large 40–60L container	Good, fragrant, winter	Hellebores, snowdrops, spring bulbs underneath	Гаммелис	—
B51	Wood Anemone	<i>Anemone nemorosa</i>	☁️	10–15cm	5–8cm deep; autumn	10cm between corms	6.0–7.5	✅ 20–25cm / 5L+	No	Snowdrops, bluebells, foxgloves	—	—
S44	Wood Sorrel	<i>Oxalis acetosella</i>	🌑 to ☁️	5–10cm	Crown at soil level	10–15cm between plants	5.0–6.5	✅ 5L+ container	No	Ferns, native mosses, primroses	Кислица обыкновенная	Seamsóg
F27	Woodland Strawberry	<i>Fragaria vesca</i>	☀️ to ☁️	10–15cm	Crown at soil level	25–30cm between plants; spreads by runners	5.5–7.0	✅ 20–30L container	No	Ferns, hostas, primroses	Земляника лесная	Sú talún fiáin
P44	Yarrow	<i>Achillea millefolium</i>	☀️	30–60cm	At pot level; bare-root buds 2–3cm below	30–60cm between plants; divide every 2–3 yrs	5.5–7.0	✅ 30cm / 10L+	Good, dries well	Roses, salvia, echinacea, hydrangea, ornamental grasses	Тысячелистник обыкновенный	Athair thalún
W34	Yellow Flag Iris	<i>Iris pseudacorus</i>	☀️	90cm–1.5m			5.5–8.0	✅ 19–24cm aquatic basket	Good	White water lily, bogbean, bog pimpernel	Ирис аировидный	Feileastram

#	English Name	Latin Name	Light	Height	Planting Depth	Spacing	pH	In Pot?	Cutflowers	Key Companions	Russian Name	Irish Name
					Crown at soil level; 0–20cm water above	30–60cm between plants; divide every 2–3 yrs						
B52	Yellow Star-of-Bethlehem	<i>Gagea lutea</i>		5–15cm	5–8cm deep; autumn	5–8cm between bulbs	6.5–7.5	✔ 5L+ container	No	Snowdrops, wood anemones	Гусиный лук жёлтый	—
W32	Yellow Water Lily	<i>Nuphar lutea</i>	 to 	45–150cm+ above water	Crown at basket surface; 45–150cm+ water above	1–2m ultimate spread	6.5–7.5 (water)	⚠ Large ponds/lakes only, not for small pots	No	Native white water lily, bogbean	—	—
T46	Yulan Magnolia	<i>Magnolia denudata</i>	 to 	6–9m	At nursery soil mark	5–8m between plants/structures	5.0–6.5	✗ Too large for pots long-term	Good, flowering branches	Hellebores, ferns, snowdrops, Japanese maple	—	—
A21	Zinnia	<i>Zinnia elegans</i>		30–90cm	5–6mm deep (seed) / at pot level	20–30cm between plants	5.5–7.5	✔ 15–20L container	Good	Cosmos, dahlias, cornflower	Цинния изящная	—
H33	Zucchini (Courgette)	<i>Cucurbita pepo</i> var. <i>cylindrica</i> , var. <i>giraumontia</i>		45–60cm	At pot level (after frost)	60–90cm between plants	6.0–7.0	✔ Large 30–40L container	No	Nasturtiums, sweetcorn, beans	Кабачок (Цуккини)	Cúirséad

KEY GROUPS

Ericaceous plants (acid-lovers — never add lime near these):

Blueberry · Heather (*Calluna vulgaris*) · Heather (*Erica* spp.) · Lingonberry · Cranberry · Japanese Maple (partial) · Deer Fern · Royal Fern · Japanese Skimmia · Dicksonia antarctica (partial) · Japanese Camellia · Prickly Heath · St Patrick's Cabbage

Best clay-tolerant plants on your list:

Virginia Creeper · Ivy · Hops · Bamboo (clump-forming) · Astilbe · Japanese Anemone · Bergenia · Hellebore · Male Fern · Royal Fern · Forsythia · Blackcurrant · Blackberries · Honeyberry · Hostas · Holly · Irish Yew · Climbing Hydrangea · Hydrangea macrophylla · Meadowsweet · Yellow Flag Iris · Snowflake (Leucojum) · Periwinkle · Native Bluebells · Daylilies · Common Hawthorn · Mountain Ash (Rowan) · Sorbaria sorbifolia · Marsh Marigold · Trollius · Yellow Loosestrife

Needs raised bed or exceptional drainage on Irish clay:

Rosemary · Lavender · Pasqueflower · Fritillaria imperialis · Acidanthera · Thyme · Creeping Juniper · Ranunculus · Tulips (or annual pots) · Dianthus pinks · Sweet William · Phlox subulata · Bearded Iris · Dwarf Iris · Allium · Sempervivum · Saxifrage · Campanula saxifraga · Edelweiss · Auricula · Siberian Statice · Linum

Must be in containers on wet Irish clay:

Blueberry · Cranberry · Lingonberry (unless naturally acidic area) · Mint (to contain spread) · Melissa/Lemon Balm (to contain spread) · Pasqueflower (strongly recommended) · Ranunculus (best practice) · Rosemary (or raised bed) · Lavender (or raised bed) · Heather (if clay is not acidic enough) · Freesia (tender) · Ixia (borderline hardy) · Iron Cross Oxalis (lift over winter)

Pond/water plants — water depth guide:

- **Deep water (90–150cm):** Native White Water Lily (*Nymphaea alba*)
- **Shallow water (0–25cm) / pond margin:** Yellow Flag Iris, Bogbean, Bog Pimpernel, Marsh Marigold
- **Bog/damp margin (not submerged but consistently moist):** Meadowsweet, Bog Pimpernel, Royal Fern, Astilbe, Trollius, Yellow Loosestrife, Marsh Orchids
- **Permanently wet, acid bog only:** Bog Asphodel

Toxic plants — site away from children, pets and livestock:

Holly (berries) · Irish Yew (all parts except berry flesh) · Snowdrops · Daffodils · Bluebells (native and Spanish) · Fritillaria · Aconitum/ Monkshood (all parts, sap irritates skin) · Convallaria/Lily of the Valley (all parts) · Adonis (all parts) · Bog Asphodel (foliage, to livestock) · Japanese Skimmia (berries, mildly)

Sources: RHS Growing Guides (rhs.org.uk), gardens4you.ie product listings (P22 rootstock; Sweet Cherry 'Sylvia'), Future Forests Ireland (futureforests.ie), Irish Seed Savers Association (irishseedsavers.ie), NC State Extension Plant Toolbox (plants.ces.ncsu.edu), Plants For A Future (pfaf.org), Missouri Botanical Garden Plant Finder, BBC Gardeners' World Magazine (gardenersworld.com), Garden UK (gardenuk.co.uk), Thompson & Morgan, Farmer Gracy, Wild Your Garden, Wetland Plants UK, Plants for Ponds, Pond Informer (pondinformer.com), White Flower Farm, Hydrangea.com, Plantura (plantura.garden), Gardenia.net, Old Farmer's Almanac, Hardy Plant Society, Sarah Raven, Wilson Bros Gardens, Garden Design (gardendesign.com), Wayside Gardens, GrowItBuildIt.com, Trehane Nursery, Primrose Hall Peonies, Pomona Fruits, Ashridge Trees, Wildflowers of Ireland (wildflowersofireland.net), Flora of Northern Ireland (habitas.org.uk), BSBI (bsbi.org), First Nature (first-nature.com), British Bryological Society (britishbryologicalsociety.org.uk), Woodland Trust (woodlandtrust.org.uk), Irish Peatland Conservation Council (ipcc.ie).