



76.92%

✓ Félicitations! Vous avez réussi!

POUR RÉUSSIR 75 % ou plus

NOTE 76,92 %

Graded quiz on Sets, Number Line, Inequalities,

Simplification, and Sigma Notation	
NOTE DE LA SOUMISSION LA PLUS RÉCENTE	

1.	Let $B=\{3,5,10,11,14\}.$ Is the following statement true or false: $3\notin B$ O True	1/1 point
	False	
	✓ correct The symbol \notin stands for "is not an element of." Since 3 is in an element of the set B , the given statement is not true.	
	Let $A=\{1,3,5\}$ and $B=\{3,5,10,11,14\}$. Which of the following sets is equal to the union $A\cup B$?	1/1 point
	$\bigcirc \{1,10,18\}$	
	\bigcirc {3,5,10,11,14}	
	(a) (1,3,5,10,11,14)(b) (1,3,5,10,11,14)	
	$\bigcirc \ \{1, 3, 5, 3, 5, 10, 11, 14\}$	
	Correct The union of two sets consists precisely of the elements that are in at least one of the two sets. That is precisely what is listed here.	
3.	How many real numbers are there between the integers 1 and 4 ?	0 / 1 point
	O None	
	O 4	
	O Infinitely many	
	Incorrect There are in fact two integers strictly between 1 and 4: namely, 2 and 3. But there are lots and lots of other real numbers between 1 and 4, such at 1.1, 1.001, 2.78, 3.9999998, and so on!	
4.	Suppose I tell you that x and y are two real numbers which make the statement $x \geq y$ true. Which pair of numbers \underline{cannot} be values for x and y ?	1/1 point
	igcirc $x=2$ and $y=1$	
	igcirc $x=10$ and $y=10$	
	$left{ } left{ } x=-1 ext{ and } y=0$	
	igcirc $x=5$ and $y=3.3$	

Recall that the statement $x \geq y$ means that x is either equal to y or x is to the right of y on the real number line. Since -1 is actually to the left of 0, these cannot be values for x and y.

following inequalities is false?	
$\bigcirc \ -z>-w$	
left $-5z < -5w$	
$\bigcirc z+3 < w+3$	
$\bigcirc w-7>z-7$	
\checkmark correct If we start with $z < w$ and multiply both sides by -5 , we need to flip the less-than sign, which would give $-5z > -5w$. For an example, try $z=1$ and $y=2$ and see what happens!	
6. Find the set of all x which solve the inequality $-2x+5 \leq 7$	0 / 1 point
$igcap x \geq -1$	
$\bigcirc \ x \geq -6$	
$\bigcirc x = -1$	
$left{@}\ x \leq -1$	
Incorrect If you got here, you probably correctly subtracted 5 from both sides of the inequality to obtain $-2x \le 2$.	
But then you probably	
divided both sides by -2 and forgot to flip the inequality sign.	
To see that this	
answer cannot be right, note that $x=-2$ satisfies this answer, but if we plug	
in -2 to the given inequality, we get $-2 imes (-2) + 5 = 4 + 5 = 9 \le 7$, which is not true!	
daci	
7. Which of the following real numbers is not in the closed interval $[2,3]$ ① 1 ② 2.1 ② 2 ③ 3	1/1 point
✓ Correct	
Recall that the closed interval $\left[2,3\right]$ consists of all	
real numbers x which satisfy $2 \leq x \leq 3$. Since $2 \leq 1$ is false, $1 \notin [2,3]$	
8. Which of the following intervals represents the set of all solutions to:	0 / 1 point
$-5 \leq x+2 < 10$?	
○ (7,8)	
\bigcirc [-5,10)	
● [-7,8]	
O [-7,8)	
Incorrect	
Since $8 \in [-7,8]$, but $8+2 ot< 10$ this would not be correct.	
	1/1 point
$^{9.}$ Which of the numbers below is equal to the following summation: $\Sigma_{k=2}^{5}2k$?	1/1 point
^{9.} Which of the numbers below is equal to the following summation: $\Sigma_{k=2}^5 2k$?	1/1 point
	1/1 point

_		
	9	Q

O 14

We compute $\Sigma_{k=2}^5 2k = 4+6+8+10 = 28.$

 $^{10.}$ Suppose we already know that $\Sigma_{k=1}^{20}k=210$. Which of the numbers below is equal to $\Sigma_{k=1}^{20}2k$?

- 420
- O 210
- O 2
- O 40

By applying one of our Sigma notation simplification rules, we can rewrite the summation in question as $2\left(\Sigma_{k=1}^{20}k\right)=2 imes210=420.$

^{11.} Which of the numbers below is equal to the summation $\sum_{i=2}^{10} 7$?

- 07
- 63
- O 70
- O 48

According to one of our Sigma notation simplification rules, this summation is just equal to 9copies of the number 7 all added together, and so we get $9 \cdot 7 = 63$.

12. Which of the following numbers is the variance of the set $Z=\{-2,4,7\}$?

- 14
- O 42
- O 69
- $O\sqrt{14}$

To get the variance of a set of numbers, you need to perform four steps:

First compute the mean (which is 3)

Then calculate all the squared differences between the numbers in the set and this mean (here you get 25, 1, 16)

Then add all these up (here you get 42)

Then divide by the number of elements in the set (which is 3).

Therefore, the variance of ${\cal Z}$

$$= \frac{1}{3} [(-2-3)^2 + (4-3)^2 + (7-3)^2]$$

$$= \frac{1}{3} [25 + 1 + 16] = \frac{42}{3} = 14$$

13. Which of the following sets does *not* have zero variance? (hint: don't do any calculation here, just think!)

- \bigcirc {1,1,1,1}
- \bigcirc {0,0,0,0,0,0,0}

 $\bigcirc \ \{5,5,5,5,5,5,5,5,5,5,5,5,5,5\}$

✓ Correct

Intuitively, the numbers in this set are spread out.