



MALAD KANDIVALI EDUCATION SOCIETY'S
NAGINDAS KHANDWALA COLLEGE OF COMMERCE, ARTS &
MANAGEMENT STUDIES & SHANTABEN NAGINDAS KHANDWALA
COLLEGE OF SCIENCE
MALAD [W], MUMBAI – 64
AUTONOMOUS INSTITUTION
(Affiliated To University Of Mumbai)
Reaccredited 'A' Grade by NAAC | ISO 9001:2015 Certified

CERTIFICATE

Name: Ms Anchal Kumari

Roll No: __318__

Programme: BSc IT

Semester: III

This is certified to be a bonafide record of practical works done by the above student in the college laboratory for the course **Data Structures (Course Code: 2032UISPR)** for the partial fulfilment of Third Semester of BSc IT during the academic year 2020-21.

The journal work is the original study work that has been duly approved in the year 2020-21 by the undersigned.

External Examiner

Mr. Gangashankar Singh
(Subject- In- Charge)

Date of Examination:

(College Stamp)

Class: S.Y. B.Sc. IT Sem- III

Roll No: _318__

Subject: Data Structures

INDEX

Sr No	Date	Topic	Sign
1	04/09/2020	Implement the following for Array: a) Write a program to store the elements in 1-D array and provide an option to perform the operations like searching, sorting, merging, reversing the elements. b) Write a program to perform the Matrix addition, Multiplication and Transpose Operation.	
2	11/09/2020	Implement Linked List. Include options for insertion, deletion and search of a number, reverse the list and concatenate two linked lists.	
3	18/09/2020	Implement the following for Stack: a) Perform Stack operations using Array implementation. b. b) Implement Tower of Hanoi. c) WAP to scan a polynomial using linked list and add two polynomials. d) WAP to calculate factorial and to compute the factors of a given no. (i) using recursion, (ii) using iteration	
4	25/09/2020	Perform Queues operations using Circular Array implementation.	
5	01/10/2020	Write a program to search an element from a list. Give user the option to perform Linear or Binary search.	
6	09/10/2020	WAP to sort a list of elements. Give user the option to perform sorting using Insertion sort, Bubble sort or Selection sort.	
7	16/10/2020	Implement the following for Hashing: a) Write a program to implement the collision technique.	

		b) Write a program to implement the concept of linear probing.	
8	23/10/2020	Write a program for inorder, postorder and preorder traversal of tree.	

Practical 1(a)

Aim: Implement the following for Array:

- a) Write a program to store the elements in 1-D array and provide an option to perform the operations like searching, sorting, merging, reversing the elements.


Theory:

Storing Data in Arrays. Assigning values to an element in an array is similar to assigning values to scalar variables. Simply reference an individual element of an array using the array name and the index inside parentheses, then use the assignment operator (=) followed by a value.

Following are the basic operations supported by an array.

- Traverse – print all the array elements one by one.
- Insertion – Adds an element at the given index.
- Deletion – Deletes an element at the given index.
- Search – Searches an element using the given index or by the value

Code and Output:



```
main.py [Run] [Clear]
1 # Implement the following for Array:
2 # Write a program to store the elements in 1-D array and provide an
  option
3 # to perform the operations like searching, sorting, merging,
  reversing the elements.
4 arr1=[12,35,42,22,1,6,54]
5 arr2=['hello','world']
6 arr1.index(35)
7 print(arr1)
8 arr1.sort()
9 print(arr1)
10 arr1.extend(arr2)
11 print(arr1)
12 arr1.reverse()
13 print(arr1)
```

```
[12, 35, 42, 22, 1, 6, 54]
[1, 6, 12, 22, 35, 42, 54]
[1, 6, 12, 22, 35, 42, 54, 'hello', 'world']
['world', 'hello', 54, 42, 35, 22, 12, 6, 1]
```

Practical 1(b)


Aim: Implement the following for Array:

Write a program to perform the Matrix addition, Multiplication and Transpose Operation.

Theory:

- `add()` – add elements of two matrices.
- `subtract()` – subtract elements of two matrices.
- `divide()` – divide elements of two matrices.
- `multiply()` – multiply elements of two matrices.
- `dot()` – It performs matrix multiplication, does not element wise multiplication.
- `sqrt()` – square root of each element of matrix.
- `sum(x,axis)` – add to all the elements in matrix. Second argument is optional, it is used when we want to compute the column sum if axis is 0 and row sum if axis is 1.
- `"T"` – It performs transpose of the specified matrix.

Code and Output:



```
main.py
31 # result is 3x3
32 result = [[0,0,0],
33           [0,0,0],
34           [0,0,0]]
35 # iterate through rows of X
36 for i in range(len(X)):
37     # iterate through columns of Y
38     for j in range(len(Y[0])):
39         # iterate through rows of Y
40         for k in range(len(Y)):
41             result[i][j] += X[i][k] * Y[k][j]
42         for r in result:
43             print(r)
44
45 # Program to transpose a matrix
46 X = [[12,7], [4,5], [3,8]]
47 result = [[0,0,0], [0,0,0]]
48 # iterate through rows
49 for i in range(len(X)):
50     # iterate through columns
51     for j in range(len(X[0])):
52         result[j][i] = X[i][j]
53     for r in result:
```

```
Shell
[16, 0, 0]
[0, 0, 0]
[0, 0, 0]
[16, 15, 0]
[0, 0, 0]
[0, 0, 0]
[16, 15, 4]
[0, 0, 0]
[0, 0, 0]
[16, 15, 4]
[10, 0, 0]
[0, 0, 0]
[16, 15, 4]
[10, 12, 0]
[0, 0, 0]
[16, 15, 4]
[10, 12, 9]
[0, 0, 0]
[16, 15, 4]
[10, 12, 9]
[11, 0, 0]
[16, 15, 4]
[10, 12, 9]
```

Practical 2

Aim: Implement Linked List. Include options for insertion, deletion and search of a number, reverse the list and concatenate two linked lists.

Theory:


A linked list is a sequence of data elements, which are connected together via links. Each data element contains a connection to another data element in form of a pointer. Python does not have linked lists in its standard library. We implement the concept of linked lists using the concept of nodes as discussed in the previous chapter. We have already seen how we create a node class and how to traverse the elements of a node. In this chapter we are going to study the types of linked lists known as singly linked lists. In this type of data structure there is only one link between any two data elements. We create such a list and create additional methods to insert, update and remove elements from the list.

- **Insertion in a Linked list:** Inserting element in the linked list involves reassigning the pointers from the existing nodes to the newly inserted node. Depending on

whether the new data element is getting inserted at the beginning or at the middle or at the end of the linked list.

- **Deleting an Item form a Linked List:** We can remove an existing node using the key for that node. In the below program we locate the previous node of the node which is to be deleted. Then point the next pointer of this node to the next node of the node to be deleted.
- **Searching in linked list:** Searching is performed in order to find the location of a particular element in the list. Searching any element in the list needs traversing through the list and make the comparison of every element of the list with the specified element. If the element is matched with any of the list element then the location of the element is returned from the function.
- **Reversing a Linked list:** To reverse a Linked List recursively we need to divide the Linked List into two parts: head and remaining. Head points to the first element initially. Remaining points to the next element from the head. We traverse the Linked List recursively until the second last element.
- **Concatenating Linked lists:** Concatenate the two lists by traversing the first list until we reach it's a tail node and then point the next of the tail node to the head node of the second list. Store this concatenated list in the first list

Code and Output:



```
main.py
1 class Node:
2
3     def __init__(self, element, next = None):
4         self.element = element
5         self.next = next
6         self.previous = None
7     def display(self):
8         print(self.element)
9
10 class LinkedList:
11
12     def __init__(self):
13         self.head = None
14         self.size = 0
15
16
17
18     def __len__(self):
19         return self.size
20
21     def get_head(self):
22         return self.head
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
```

```
Shell
> element 8
> element 7
> element 6
> element 5
> element 4
> element 3
> element 2
> element 1
> Searching at 0 and value is element 1
> Searching at 1 and value is element 2
> Searching at 2 and value is element 3
> Searching at 3 and value is element 4
> Searching at 4 and value is element 5
> Searching at 5 and value is element 6
> Found value at 5 location
>
```

Waiting for googleads.g.doubleclick.net...

Practical 3(a)

Aim: Implement the following for Stack:

- a) Perform Stack operations using Array implementation.


Theory:

Stacks is one of the earliest data structures defined in computer science. In simple words, Stack is a linear collection of items. It is a collection of objects that supports fast last-in, first-out (LIFO) semantics for insertion and deletion. It is an array or list structure of function calls and parameters used in modern computer programming and CPU architecture. Similar to a stack of plates at a restaurant, elements in a stack are added or removed from the top of the stack, in a "last in, first out" order. Unlike lists or arrays, random access is not allowed for the objects contained in the stack.

There are two types of operations in Stack:

- Push– To add data into the stack.
- Pop– To remove data from the stack

Code and Ouput:



The screenshot shows a Python IDE with a file named 'main.py'. The code defines a 'Stack' class with methods for initialization, adding elements, checking if an element is in the stack, getting the top element, and removing an element. The output window shows the results of running the code: 'R', 'R', 'J', and '> |'.

```
1 class Stack:
2     def __init__(self):
3         self.stack=[]
4
5     def add(self,data):
6
7         if data not in self.stack:
8             self.stack.append(data)
9             return True
10        else:
11            return False
12
13    def top(self):
14        return self.stack[-1]
15
16    def remove(self):
17        if len(self.stack)<=0:
18            return ("No element in Stack")
19        else:
20            return self.stack.pop()
21
22 B=Stack()
23 B.add(10)
```

Output:

```
R
R
J
> |
```

Practical 3(b)


Aim: Implement Tower of Hanoi.

Theory:

- We are given n disks and a series of rods, we need to transfer all the disks to the final rod under the given constraints
- We can move only one disk at a time.
- Only the uppermost disk.

Code:

Output:



```
9:59 AM | 3.8KB/s
x Terminal
Move disk 1 from source A to destination
Move disk 2 from source A to destination
Move disk 1 from source C to destination
Move disk 3 from source A to destination
Move disk 1 from source B to destination
Move disk 2 from source B to destination
Move disk 1 from source A to destination
Move disk 4 from source A to destination
Move disk 1 from source C to destination
Move disk 2 from source C to destination
Move disk 1 from source B to destination
Move disk 3 from source C to destination
Move disk 1 from source A to destination
Move disk 2 from source A to destination
Move disk 1 from source C to destination
Process finished.
```


Practical 3(C)

Aim: WAP to scan a polynomial using linked list and add two polynomials.

Theory:

Polynomial is a mathematical expression that consists of variables and coefficients. for example $x^2 - 4x + 7$. In the Polynomial linked list, the coefficients and exponents of the polynomial are defined as the data node of the list. For adding two polynomials that are stored as a linked list. We need to add the coefficients of variables with the same power. In a linked list node contains 3 members, coefficient value link to the next node a linked list that is used to store Polynomial looks like - Polynomial : $4x^7 + 12x^2 + 45$

Code and Output:



The screenshot shows a Python IDE with a file named 'main.py'. The code defines a 'Node' class and a 'LinkedList' class. The 'Node' class has an 'element' attribute and 'next' and 'previous' pointers. The 'LinkedList' class has a 'head' pointer and a 'size' attribute. The 'add_head' method adds a new node to the head of the list. The output window shows the user entering the order for a polynomial (10), the coefficient for power 10 (100), and the coefficient for power 9.

```
1- class Node:
2
3-     def __init__(self, element, next=None):
4         self.element = element
5         self.next = next
6         self.previous = None
7
8-     def display(self):
9         print(self.element)
10
11
12- class LinkedList:
13
14-     def __init__(self):
15         self.head = None
16         self.size = 0
17
18-     def add_head(self, e):
19         self.head = Node(e)
20         self.size += 1
21
```

Shell

Enter the order for polynomial : 10
Enter coefficient for power 10 : 100
Enter coefficient for power 9 :

Practical 3(d)

Aim: WAP to calculate factorial and to compute the factors of a given no.

- (i) using recursion
- (ii) using iteration

Theory:


The factorial of a number is the product of all the integers from 1 to that number. For example, the factorial of 6 is $1*2*3*4*5*6 = 720$. Factorial is not defined for negative numbers and the factorial of zero is one, $0! = 1$.

- Recursion: In Python, we know that a function can call other functions. It is

even possible for the function to call itself. These types of construct are termed as recursive functions.

- Iteration: Repeating identical or similar tasks without making errors is something that computers do well and people do poorly. Repeated execution of a set of statements is called iteration. Because iteration is so common, Python provides several language features to make it easier.

Code and Output:



```
main.py
1- def factorial(number):
2-     if number < 0:
3-         print('Invalid entry! Cannot find factorial of a negative
         number')
4-         return -1
5-     if number == 1 or number == 0:
6-         return 1
7-     else:
8-         return number * factorial(number - 1)
9
10
11- def factorial_iteration(number):
12-     if number < 0:
13-         print('Invalid entry! Cannot find factorial of a negative
         number')
14-         return -1
15-     fact = 1
16-     while(number > 0):
17-         fact = fact * number
18-         number = number - 1
19-     return fact
```

Shell

```
* Factorial using Recursion of 8 is: 40320
Factorial using Iteration of 8 is: 40320
>
```

Practical 4

Aim: Perform Queues operations using Circular Array implementation.

Theory:

Circular queue avoids the wastage of space in a regular queue implementation using arrays. Circular Queue works by the process of circular increment i.e. when we try to increment the pointer and we reach the end of the queue, we start from the beginning of the queue. Here, the circular increment is performed by modulo division with the queue size. That is, if $REAR + 1 == 5$ (overflow!), $REAR = (REAR + 1) \% 5 = 0$ (start of queue) The circular queue work as follows:


two pointers FRONT and REAR FRONT track the first element of the queue

REAR track the last elements of the queue initially, set value of FRONT and REAR to - 1

1. Enqueue Operation check if the queue is full for the first element, set value of FRONT to 0 circularly increase the REAR index by 1 (i.e. if the rear reaches the end, next it would be at the start of the queue) add the new element in the position pointed to by REAR

2. Dequeue Operation check if the queue is empty return the value pointed by FRONT circularly increase the FRONT index by 1 for the last element, reset the values of FRONT and REAR to - 1

Code and Output:



```
main.py
1- class CircularQueue:
2-
3-     #Constructor
4-     def __init__(self):
5-         self.queue = list()
6-         self.head = 0
7-         self.tail = 0
8-         self.maxSize = 8
9-
10-    #Adding elements to the queue
11-    def enqueue(self,data):
12-        if self.size() == self.maxSize-1:
13-            return ("Queue Full!")
14-        self.queue.append(data)
15-        self.tail = (self.tail + 1) % self.maxSize
16-        return True
17-
18-    #Removing elements from the queue
19-    def dequeue(self):
20-        if self.size()==0:
21-            return ("Queue Empty!")
22-        data = self.queue[self.head]
23-        self.head = (self.head + 1) % self.maxSize
```

Shell

```
True
True
True
True
True
True
Queue Full!
Queue Full!
1
2
3
4
5
6
7
Queue Empty!
Queue Empty!
> |
```

Practical 5


Aim: Write a program to search an element from a list. Give user the option to perform Linear or Binary search.

Theory:

- Linear Search: This linear search is a basic search algorithm which searches all the elements in the list and finds the required value. This is also known as sequential search.

- Binary Search: In computer science, a binary searcher half-interval search algorithm finds the position of a target value within a sorted array. The binary search algorithm can be classified as a dichotomies divide-and-conquer search algorithm and executes in logarithmic time.

Code and Output:



```

main.py
1 print ("BINARY SEARCH METHOD\n")
2 def bsm(arr,start,end,num):
3     if end==start:
4         mid=start+(end-start)//2
5         if arr[mid]==x:
6             return mid
7         elif arr[mid]>x:
8             return bsm(arr,start,mid-1,x)
9         else:
10            return bsm(arr,mid+1,end,x)
11    else:
12        return -1
13 arr=[10,27,36,49,58,69,70]
14 x=int(input("Enter the number to be searched : "))
15 result=bsm(arr,0,len(arr)-1,x)
16 if result != -1:
17     print ("Number is found at ",result)
18 else:
19     print ("Number is not present\n")
20
21 print ("Linear Search\n")
22 def linearsearch(arr, x):
23     for i in range(len(arr)):
24         if arr[i] == x:

```

```

Shell
^ BINARY SEARCH METHOD
Enter the number to be searched : 27
Number is found at 1
Linear Search

enter character you want to search: 36
element found at index -1
>

```

Practical 6

Aim: Write a program to search an element from a list. Give user the option to perform Linear or Binary search.


Theory:

- Bubble Sort: Bubble Sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements if they are in wrong order.
- Selection Sort: The selection sort algorithm sorts an array by repeatedly finding the minimum element (considering ascending order) from unsorted part and putting it at the beginning. The algorithm maintains two sub arrays in a given array
- Insertion Sort: Insertion sort iterates, consuming one input element each

repetition, and growing a sorted output list. At each iteration, insertion sort removes one element from the input data, finds the location it belongs within the sorted list, and inserts it there. It repeats until no input elements remain.

Code and Output:

:



```
main.py
1 class Sorting:
2
3     def __init__(self, lst):
4         self.lst = lst
5
6     def bubble_sort(self, lst):
7         for i in range(len(lst)):
8             for j in range(len(lst)):
9                 if lst[i] < lst[j]:
10                    lst[i], lst[j] = lst[j], lst[i]
11            else:
12                pass
13        return lst
14
15    def selection_sort(self, lst):
16        for i in range(len(lst)):
17            smallest_element = i
18            for j in range(i+1, len(lst)):
19                if lst[smallest_element] > lst[j]:
20                    smallest_element = j
21            lst[i], lst[smallest_element] = lst[smallest_element], lst[i]
22        return lst
23
```

Shell

```

Select the sorting algorithm:
1. Bubble Sort.
2. Selection Sort.
3. Insertion Sort.
4. Quit
Option: 1
[2, 5, 12, 12, 43, 53, 57, 87, 98]
Select the sorting algorithm:
1. Bubble Sort.
2. Selection Sort.
3. Insertion Sort.
4. Quit
Option: 2
[2, 5, 12, 12, 43, 53, 57, 87, 98]
Select the sorting algorithm:
1. Bubble Sort.
2. Selection Sort.
3. Insertion Sort.
4. Quit
Option: 3
3
>

```

Practical 7(a)

Aim: Implement the following for Hashing:

Write a program to implement the collision technique.

Theory:

Hashing:

Hashing is an important Data Structure which is designed to use a special

function called the Hash function which is used to map a given value with a particular key for faster access of elements. The efficiency of mapping depends of the efficiency of the hash function used.

- **Collisions:** A Hash Collision Attack is an attempt to find two input strings of a hash function that produce the same hash result. If two separate inputs produce the same hash output, it is called a collision.
- **Collision Techniques:** When one or more hash values compete with a single hash table slot, collisions occur. To resolve this, the next available empty slot is assigned to the current hash value
- **Separate Chaining:** The idea is to make each cell of hash table point to a linked list of records that have same hash function value.
- **Open Addressing:** Like separate chaining, open addressing is a method for handling collisions. In Open Addressing, all elements are stored in the hash table itself. So at any point, the size of the table must be greater than or equal to the total number of keys (Note that we can increase table size by copying old data if needed)

Code:

```

←  prac7. 1.py  Saved
class Hash:
    def __init__(self, keys, lowerrange, higherrange):
        self.value = self.hashfunction(keys, lowerrange, higherrange)

    def get_key_value(self):
        return self.value

    def hashfunction(self, keys, lowerrange, higherrange):
        if lowerrange == 0 and higherrange > 0:
            return keys % (higherrange - lowerrange + 1)

if __name__ == '__main__':
    list_of_keys = [23, 43, 1, 87]
    list_of_list_index = [None, None, None, None]
    print("Before : " + str(list_of_list_index))
    for value in list_of_keys:
        #print(Hash(value, 0, len(list_of_keys)))
        list_index = Hash(value, 0, len(list_of_keys))
        if list_of_list_index[list_index]:
            print("Collision detected")
        else:
            list_of_list_index[list_index] = value
    print("After: " + str(list_of_list_index))

```

Output:

```

× Terminal
Before : [None, None, None, None]
Collision detected
Collision detected
After: [None, 1, None, 23]

Process finished.

```


Practical 7(b)

Aim: Implement the following for Hashing:

Write a program to implement the concept of linear probing.

Theory:

Linear probing is a scheme in computer programming for resolving collisions in hash tables, data structures for maintaining a collection of key-value pairs and looking up the value associated with a given key. Along with quadratic probing and double hashing, linear probing is a form of open addressing.

Code:

```
← prac7. 2.py
Saved

1 class Hash:
2     def __init__(self, keys, lowerrange, higherrange):
3         self.value = self.hashfunction(keys, lowerrange, higherrange)
4
5     def get_key_value(self):
6         return self.value
7
8     def hashfunction(self, keys, lowerrange, higherrange):
9         if lowerrange == 0 and higherrange > 0:
10            return keys % (higherrange)
11
12 if __name__ == '__main__':
13     linear_probing = True
14     list_of_keys = [23, 43, 1, 87]
15     list_of_list_index = [None, None, None, None]
16     print("Before : " + str(list_of_list_index))
17     keys:
18     : Try Dcoder's keyboard 0, len(list_of_keys)).get_key_value()
19     list_index = hash(value % len(list_of_keys)).get_key_value()
```

Output:

```
× Terminal

Before : [None, None, None, None]
hash value for 23 is :3
hash value for 43 is :3
Collision detected for 43
hash value for 1 is :1
hash value for 87 is :3
Collision detected for 87
After: [43, 1, 87, 23]

Process finished.
█
```

Practical 8

Aim: Write a program for inorder, postorder and preorder traversal of tree.

Theory:

- Inorder: In case of binary search trees (BST), Inorder traversal gives nodes in non-decreasing order. To get nodes of BST in non-increasing order, a variation of Inorder traversal where Inorder traversal is reversed can be used.
- Preorder: Preorder traversal is used to create a copy of the tree. Preorder traversal is also used to get prefix expression on of an expression tree.
- Postorder: Postorder traversal is also useful to get the postfix expression of an expression tree.

Code:

```
← prac8.py Saved
1
2 class Node:
3
4     def __init__(self, key):
5
6         self.left = None
7
8         self.right = None
9
10        self.val = key
11
12
13
14
15
16 # A function to do inorder tree traversal
17
18 def printInorder(root):
19
20
21
22     if root:
23
24
25
26         # First recur on left child
27         printInorder(root.left)
28
29
30
31         # then print the data of node
32         print(root.val),
33
34
35
36
37         # now recur on right child
38         printInorder(root.right)
39
40
41
42
43
```


```
1:55 PM | 0.3KB/s | ...  
← prac8.py Saved  
# Then recur on left child  
printPreorder(root.left)  
  
# Finally recur on right child  
printPreorder(root.right)  
  
# Driver code  
root = Node(1)  
root.left = Node(2)  
root.right = Node(3)  
root.left.left = Node(4)  
root.left.right = Node(5)  
print "Preorder traversal of binary tree is"  
printPreorder(root)  
  
print "\nInorder traversal of binary tree is"  
printInorder(root)
```

Output:

```
× Terminal  
Preorder traversal of binary tree is  
1 2 4 5 3  
Inorder traversal of binary tree is  
4 2 5 1 3  
  
Process finished.
```

Practical 9

Code and Output:




The screenshot shows a code editor with a file named `main.py`. The code defines a `Graph` class with an `__init__` method and a `printSolution` method. The `__init__` method takes `vertices` as an argument and initializes `self.V` and `self.graph`. The `printSolution` method takes `dist` as an argument and prints the distance for each vertex. The shell window shows an error message: "A module you have imported isn't available at the moment. It will be available soon."

```
1 import sys
2
3 class Graph():
4
5     ...
6
7     def __init__(self, vertices):
8
9         self.V = vertices
10
11         self.graph = [[0 for column in range(vertices)]
12                       ...for row in range(vertices)]
13
14     ...
15
16
17     def printSolution(self, dist):
18
19         print ("Vertex tDistance from Source")
20
21         for node in range(self.V):
```

Shell

A module you have imported isn't available at the moment. It will be available soon.

Practical 10



The screenshot shows a Jupyter Notebook interface. The left sidebar contains icons for file management, search, and other notebook functions. The main area is divided into two panes. The top pane, titled 'main.py', contains a Python script for a `Graph` class. The script starts with `import sys`, followed by the class definition `class Graph():`. Inside the class, there is an `__init__` method that takes `vertices` as an argument and initializes `self.V` and `self.graph`. The `graph` attribute is a 2D list of zeros, with dimensions determined by `vertices`. Below the `__init__` method, there is a `printSolution` method that takes `self` and `dist` as arguments and prints the distance of each vertex from the source. The script ends with a loop that iterates over the range of `self.V`.

```
1 import sys
2
3 class Graph():
4
5     ...
6
7     def __init__(self, vertices):
8
9         self.V = vertices
10
11         self.graph = [[0 for column in range(vertices)]
12                        ...
13                        for row in range(vertices)]
14
15     ...
16
17     def printSolution(self, dist):
18
19         print ("Vertex tDistance from Source")
20
21         for node in range(self.V):
```

The bottom pane, titled 'Shell', displays an error message: "A module you have imported isn't available at the moment. It will be available soon." The message is followed by a prompt character `>`.