- **Answers of File 3** Ans 1 d) Collinearity Ans 2 b) Random Forest Ans 3 c) Decision Tree are prone to overfit Ans 4 c) Training data **Ans 5** c) Anamoly detection Ans 6 c) Case based Ans 7 d) Both a and b Ans 8 d) None **Ans 9** c) 3 **Ans 10** a) PCA Ans 11 d) None of the above Ans 12 b) SVG Ans 13 b) Underfitting Ans 14 a) Reinforcement learning **Ans 15** b) Mean squared error
- Ans 16 c) Nonlinear, binary
- Ans 17 A. supervised learning
- Ans 18 C. both a and b
- **Ans 19** A. removing columns which have too many missing values
- Ans 20 C. input attribute.
- Ans 21 (A) SVM allows very low error in classification
- Ans 22 (B) Only 2
- **Ans 23** (A) $-(6/10 \log(6/10) + 4/10 \log(4/10))$
- Ans 24 (A) weights are regularized with the l1 norm
- **Ans 25** (B) Logistic regression and Gaussian discriminant analysis
- **Ans 26** (D) Either 2 or 3
- Ans 27 (B) increase by 5 pound
- Ans 28 (D) Minimize the squared distance from the points
- Ans 29 (C) As the value of one attribute decreases the value of the second attribute increases
- **Ans 30** (B) Convolutional Neural Network