Data Collection and Preprocessing Phase

Date	15 March 2024
Team ID	739920
Project Title	Work Force Retention System
Maximum Marks	6 Marks

Data Exploration and Preprocessing Report

Dataset variables will be statistically analyzed to identify patterns and outliers, with Python employed for preprocessing tasks like normalization and feature engineering. Data cleaning will address missing values and outliers, ensuring quality for subsequent analysis and modeling, and forming a strong foundation for insights and predictions.

Section	Description

Data Overview

Dimension:

14999 rows × 10 columns

Descriptive statistics:

```
df.describe()
```

	satisfaction_level	last_evaluation	number_project	average_montly_hours	time_spend_company	Work_accident	left	promotion_last_5years
count	14999.000000	14999.000000	14999.000000	14999.000000	14999.000000	14999.000000	14999.000000	14999.000000
mean	0.612834	0.716102	3.803054	201.050337	3.498233	0.144610	0.238083	0.021268
std	0.248631	0.171169	1.232592	49.943099	1.460136	0.351719	0.425924	0.144281
min	0.090000	0.360000	2.000000	96.000000	2.000000	0.000000	0.000000	0.000000
25%	0.440000	0.560000	3.000000	156.000000	3.000000	0.000000	0.000000	0.000000
50%	0.640000	0.720000	4.000000	200.000000	3.000000	0.000000	0.000000	0.000000
75%	0.820000	0.870000	5.000000	245.000000	4.000000	0.000000	0.000000	0.000000
max	1.000000	1.000000	7.000000	310.000000	10.000000	1.000000	1.000000	1.000000

Univariate Analysis

```
sns.countplot(df['left'])
```

```
<AxesSubplot:xlabel='left', ylabel='count'>
```



Bivariate Analysis	To find the relation between two features we use bivariate analysis. You can use seaborn package to plot visualisation uisng two variables of the datase

Multivariate Analysis	`sns.pairplot(df)`
	`<seaborn.axisgrid.PairGrid at 0x2ab22b4e5b0>`
	 

Loading Data

Loading Data

```
df = pd.read_csv('HR_comma_sep.csv')
```

```
df
```

	satisfaction_level	last_evaluation	number_project	average_montly_hours	time_spend_company	Work_accident	left	promotion_last
0	0.38	0.53	2	157	3	0	1	
1	0.80	0.86	5	262	6	0	1	
2	0.11	0.88	7	272	4	0	1	
3	0.72	0.87	5	223	5	0	1	
4	0.37	0.52	2	159	3	0	1	
...	...	...	...	...	...	...	...	
14994	0.40	0.57	2	151	3	0	1	
14995	0.37	0.48	2	160	3	0	1	
14996	0.37	0.53	2	143	3	0	1	
14997	0.11	0.96	6	280	4	0	1	
14998	0.37	0.52	2	158	3	0	1	

14999 rows × 10 columns

Handling missing Values

```
df.shape
```

```
(14999, 10)
```

```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 14999 entries, 0 to 14998
Data columns (total 10 columns):
 #   Column                 Non-Null Count  Dtype
---  ------                 --------------  -----
 0   satisfaction_level     14999 non-null  float64
 1   last_evaluation        14999 non-null  float64
 2   number_project         14999 non-null  int64
 3   average_montly_hours   14999 non-null  int64
 4   time_spend_company     14999 non-null  int64
 5   Work_accident          14999 non-null  int64
 6   left                   14999 non-null  int64
 7   promotion_last_5years  14999 non-null  int64
 8   sales                  14999 non-null  object
 9   salary                 14999 non-null  object
dtypes: float64(2), int64(6), object(2)
memory usage: 1.1+ MB
```

Feature Engineering **Save processed data**	Attached the codes in final submission -