emonEVSE32-3Ø Open-source WiFi EV Charging Station

INPUT: 230V~, 32A, 50Hz, 3ø OUTPUT: 230V~, 32A, 50Hz, 3ø PROTECTION: IP44

OPERATING TEMP: -25°C to 30°C WEEE: WEE/KG4239XX

BS EN 61851-1

WLAN 2.4Ghz FCC 2ADUIESP-12

SERIAL: \${1}

CAUTION HIGH VOLTAGE

- △ Do not expose to flammable vapours

Made in UK by OpenEnergyMonitor openenergymonitor.org support@openenergymonitor.zendesk.com +44(0)1248 672607

emonEVSE32-3ø

Open-source WiFi EV Charging Station

INPUT: 230V~, 32A, 50Hz, 3ø OUTPUT: 230V~, 32A, 50Hz, 3ø PROTECTION: IP44

OPERATING TEMP: -25°C to 30°C WEEE: WEE/KG4239XX

BS EN 61851-1

WLAN 2.4Ghz FCC 2ADUIESP-12

SERIAL: \${1}

CAUTION HIGH VOLTAGE

- $\ \, \underline{ \ \, } \hskip 1pt \text{Isolate before opening}$
- $\ensuremath{\Delta}$ Do not expose to flammable vapours \triangle RCD, GND and temp fault detection

Made in UK by OpenEnergyMonitor openenergymonitor.org support@openenergymonitor.zendesk.com +44(0)1248 672607

emonEVSE32-3ø

Open-source WiFi EV Charging Station

INPUT: 230V~, 32A, 50Hz, 3ø OUTPUT: 230V~, 32A, 50Hz, 3ø PROTECTION: IP44

OPERATING TEMP: -25°C to 30°C WEEE: WEE/KG4239XX BS EN 61851-1

WLAN 2.4Ghz FCC 2ADUIESP-12 SERIAL: \${1}



CAUTION HIGH VOLTAGE

- △ Do not expose to flammable vapours △ RCD, GND and temp fault detection
- A Unit must be earthed

Made in UK by OpenEnergyMonitor openenergymonitor.org support@openenergymonitor.zendesk.com +44(0)1248 672607

emonEVSE32-3ø


Open-source WiFi EV Charging Station

INPUT: 230V~, 32A, 50Hz, 3ø OUTPUT: 230V~, 32A, 50Hz, 3ø PROTECTION: IP44

OPERATING TEMP: -25°C to 30°C WEEE: WEE/KG4239XX

BS EN 61851-1

WLAN 2.4Ghz FCC 2ADUIESP-12 SERIAL: \${1}



- △ Do not expose to flammable vapours
- △ RCD, GND and temp fault detection

Made in UK by OpenEnergyMonitor openenergymonitor.org support@openenergymonitor.zendesk.com +44(0)1248 672607

emonEVSE32-3ø

Open-source WiFi EV Charging Station

INPUT: 230V~, 32A, 50Hz, 3ø OUTPUT: 230V~, 32A, 50Hz, 3ø PROTECTION: IP44

OPERATING TEMP: -25°C to 30°C WEEE: WEE/KG4239XX BS EN 61851-1

WLAN 2.4Ghz FCC 2ADUIESP-12 SERIAL: \${1}

CAUTION HIGH VOLTAGE

- △ Do not expose to flammable vapours
- △ RCD, GND and temp fault detection
- △ Unit must be earthed

Made in UK by OpenEnergyMonitor openenergymonitor.org support@openenergymonitor.zendesk.com +44(0)1248 672607

emonEVSE32-3ø

Open-source WiFi EV Charging Station

INPUT: 230V~, 32A, 50Hz, 3ø OUTPUT: 230V~, 32A, 50Hz, 3ø PROTECTION: IP44 OPERATING TEMP: -25°C to 30°C

WEEE: WEE/KG4239XX BS EN 61851-1

WLAN 2.4Ghz FCC 2ADUIESP-12 SERIAL: \${1}

CAUTION HIGH VOLTAGE

- △ Isolate before opening
- ∆ Do not expose to flammable vapours
- △ RCD, GND and temp fault detection
- △ Unit must be earthed

Made in UK by OpenEnergyMonitor openenergymonitor.org support@openenergymonitor.zendesk.com +44(0)1248 672607

emonEVSE32-3ø Open-source WiFi EV Charging Station

INPUT: 230V~, 32A, 50Hz, 3ø OUTPUT: 230V~, 32A, 50Hz, 3ø PROTECTION: IP44 OPERATING TEMP: -25°C to 30°C WEEE: WEE/KG4239XX

BS EN 61851-1 WLAN 2.4Ghz FCC 2ADUIESP-12 SERIAL: \${1}

CAUTION HIGH VOLTAGE

△ RCD, GND and temp fault detection

Made in UK by OpenEnergyMonitor openenergymonitor.org support@openenergymonitor.zendesk.com +44(0)1248 672607

emonEVSE32-3ø

Open-source WiFi EV Charging Station

OUTPUT: 230V~, 32A, 50Hz, 3Ø PROTECTION: IP44 INPUT: 230V~, 32A, 50Hz, 3ø OPERATING TEMP: -25°C to 30°C WEEE: WEE/KG4239XX

BS EN 61851-1 WLAN 2.4Ghz FCC 2ADUIESP-12

SERIAL: \${1} **CAUTION HIGH VOLTAGE**

- △ Do not expose to flammable vapours
- △ RCD, GND and temp fault detection
- △ Unit must be earthed

Made in UK by OpenEnergyMonitor openenergymonitor.org support@openenergymonitor.zendesk.com +44(0)1248 672607

emonEVSE32-3Ø Open-source WiFi EV Charging Station

INPUT: 230V~, 32A, 50Hz, 3ø OUTPUT: 230V~, 32A, 50Hz, 3ø PROTECTION: IP44 OPERATING TEMP: -25°C to 30°C

WEEE: WEE/KG4239XX BS EN 61851-1

WLAN 2.4Ghz FCC 2ADUIESP-12 SERIAL: \${1}

CAUTION HIGH VOLTAGE △ Isolate before opening

- △ Do not expose to flammable vapours
- △ RCD, GND and temp fault detection

Made in UK by OpenEnergyMonitor openenergymonitor.org support@openenergymonitor.zendesk.com +44(0)1248 672607

emonEVSE32-3ø Open-source WiFi EV Charging Station

INPUT: 230V~, 32A, 50Hz, 3ø OUTPUT: 230V~, 32A, 50Hz, 3ø PROTECTION: IP44 OPERATING TEMP: -25°C to 30°C WEEE: WEE/KG4239XX BS EN 61851-1 WLAN 2.4Ghz FCC 2ADUIESP-12

CAUTION HIGH VOLTAGE

SERIAL: \${1}

- ∆ Do not expose to flammable vapours

Made in UK by OpenEnergyMonitor openenergymonitor.org support@openenergymonitor.zendesk.com +44(0)1248 672607

Open-source WiFi EV Charging Station

INPUT: 230V~, 32A, 50Hz, 3ø OUTPUT: 230V~, 32A, 50Hz, 3ø PROTECTION: IP44 OPERATING TEMP: -25°C to 30°C WEEE: WEE/KG4239XX

CAUTION HIGH VOLTAGE

- ∆ Do not expose to flammable vapours
- △ Unit must be earthed

Made in UK by OpenEnergyMonitor openenergymonitor.org support@openenergymonitor.zendesk.com +44(0)1248 672607

emonEVSE32-3ø Open-source WiFi EV Charging Station

INPUT: 230V~, 32A, 50Hz, 3ø OUTPUT: 230V~, 32A, 50Hz, 3ø PROTECTION: IP44 OPERATING TEMP: -25°C to 30°C WEEE: WEE/KG4239XX BS EN 61851-1 WLAN 2.4Ghz FCC 2ADUIESP-12 SERIAL: \${1}

CAUTION HIGH VOLTAGE

∆ Do not expose to flammable vapours

△ RCD, GND and temp fault detection

Made in UK by OpenEnergyMonitor openenergymonitor.org support@openenergymonitor.zendesk.com +44(0)1248 672607



BS EN 61851-1 WLAN 2.4Ghz FCC 2ADUIESP-12 SERIAL: \${1}

 Δ Isolate before opening

 ⚠ RCD, GND and temp fault detection