




Desenvolvimento de Software para WEB

Aula 9 - Introdução ao Git(Hub)

Professor: Anderson Almada



Built for developers

GitHub is a development platform inspired by the way you work. From open source to business, you can host and review code, manage projects, and build software alongside 31 million developers.

Username

Pick a username

Email

you@example.com

Password

Create a password

Make sure it's more than 15 characters OR at least 8 characters including a number and a lowercase letter. [Learn more](#).

Sign up for GitHub

By clicking "Sign up for GitHub", you agree to our [terms of service](#) and [privacy statement](#). We'll occasionally send you account related emails.



Search or jump to...



[Pull requests](#) [Issues](#) [Marketplace](#) [Explore](#)



⚠️ The password you provided is weak and can be easily guessed. To increase your security, please [change your password](#) as soon as possible.

Read our [documentation](#) on [safer password practices](#).

👤 andersonalmada ▾

Repositories

📄 New

Find a repository...

📄 [andersonalmada/desenvolvimento...](#)

📄 [famt/cloud_development_ufc](#)

📄 [andersonalmada/auditoria_seguranca](#)

📄 [andersonalmada/so](#)

📄 [andersonalmada/emufc_webadmin](#)

📄 [andersonalmada/CAOS](#)

📄 [maumneto/SMART](#)

Show more

Your teams

Find a team...

Learn Git and GitHub without any code!

Using the Hello World guide, you'll create a repository, start a branch, write comments, and open a pull request.

Read the guide

Start a project



Welcome to the new dashboard. Get closer to the stuff you care about most.



Discover repositories

[titouancreach/vuejs-redux](#)

High order component facilities for Vue and Redux

🟡 JavaScript ★ 32

[davestewart/vuex-pathify-demos](#)

A set of demos for the Vuex Pathify plugin

🟢 Vue ★ 9

[vuejs-tips/vuex-cheatsheet](#)

Vuex Complete API CheatSheet

🟠 HTML ★ 168

[Go to Explore](#) →



You've been added to the **BuSHTeam** organization!



Here are some quick tips for a first-time organization member.

- Use the switch context button in the upper left corner of this page to



Search or jump to...



[Pull requests](#) [Issues](#) [Marketplace](#) [Explore](#)



⚠️ The password you provided is weak and can be easily guessed. To increase your security, please [change your password](#) as soon as possible.

Read our documentation on [safer password practices](#).

👤 andersonalmada ▾

Repositories



Find a repository...

📁 andersonalmada/desenvolvimento_...

📁 famt/cloud_development_ufc

📁 andersonalmada/auditoria_seguranca

📁 andersonalmada/so

📁 andersonalmada/emufc_webadmin

📁 andersonalmada/CAOS

📁 maumneto/SMART

Show more

Your teams

Find a team...

📁 BuSHTeam/...

Learn Git and GitHub without any code!

Using the Hello World guide, you'll create a repository, start a branch, write comments, and open a pull request.

Read the guide

Start a project



Welcome to the new dashboard. Get closer to the stuff you care about most.



Discover repositories

titouancreach/vuejs-redux

High order component facilities for Vue and Redux

🟡 JavaScript ★ 32

davestewart/vuex-pathify-demos

A set of demos for the Vuex Pathify plugin

🟢 Vue ★ 9

vuejs-tips/vuex-cheatsheet

Vuex Complete API CheatSheet

🔴 HTML ★ 168

[Go to Explore](#) →



You've been added to the **BuSHTeam** organization!



Here are some quick tips for a first-time organization member.

• Use the switch context button in the upper left corner of this page to

Owner

Repository name *



andersonalmada ▾

/ novo



Great repository names are short and memorable. Need inspiration? How about **friendly-invention**?

Description (optional)

**Public**

Anyone can see this repository. You choose who can commit.

**Private**

You choose who can see and commit to this repository.

**Initialize this repository with a README**

This will let you immediately clone the repository to your computer. Skip this step if you're importing an existing repository.

Add .gitignore: **None** ▾Add a license: **None** ▾**Create repository**

Owner

Repository name *



andersonalmada ▾

/ novo



Great repository names are short and memorable. Need inspiration? How about **friendly-invention**?

Description (optional)

**Public**

Anyone can see this repository. You choose who can commit.

**Private**

You choose who can see and commit to this repository.


**Initialize this repository with a README**

This will let you immediately clone the repository to your computer. Skip this step if you're importing an existing repository.

Add .gitignore: **None** ▾Add a license: **None** ▾**Create repository**



GitHub, Inc. [US] | https://github.com/andersonalmada/novo



andersonalmada / novo

Unwatch ▾

1

★ Star

0

🍴 Fork

0

<> Code

🔔 Issues 0

🔗 Pull requests 0

📁 Projects 0

📖 Wiki

📊 Insights

⚙️ Settings

No description, website, or topics provided.

Edit

[Manage topics](#)

📄 1 commit

🌿 1 branch

📦 0 releases

👤 1 contributor

Branch: master ▾

New pull request

Create new file

Upload files

Find File

Clone or download ▾



andersonalmada Initial commit

Latest commit 500076a just now



README.md

Initial commit

just now

📖 README.md



🔗 novo



 [andersonalmada](#) / [novo](#)

 Unwatch ▾ 1

 Star 0

 Fork 0

[<> Code](#)

[🔔 Issues 0](#)

[🔗 Pull requests 0](#)

[📁 Projects 0](#)


[📖 Wiki](#)

[📊 Insights](#)


[⚙️ Settings](#)

No description, website, or topics provided. [Edit](#)

[Manage topics](#)

 1 commit



 1 branch



 0 releases


 1 contributor

Branch: [master ▾](#) [New pull request](#)

[Create new file](#) [Upload files](#) [Find File](#) [Clone or download ▾](#)

-  [andersonalmada](#) Initial commit Latest commit 500076a just now
-  [README.md](#) Initial commit just now

 README.md 

 **novo**

GitHub, Inc. [US] | https://github.com/andersonalmada/novo

andersonalmada / novo

Unwatch

1

Star

0

Fork

0

<> Code

Issues 0

Pull requests 0

Projects 0

Wiki

Insights

Settings

No description, website, or topics provided.

Edit

Topics (separate with spaces)

Add topics to categorize your repository and make it more discoverable.

Done

1 commit

1 branch

0 releases

1 contributor

Branch: master

New pull request

Create new file

Upload files

Find File

Clone or download

andersonalmada Initial commit

Initial commit

README.md

README.md

novo

Clone with HTTPS


Use SSH

Use Git or checkout with SVN using the web URL.

https://github.com/andersonalmada/novo

Download ZIP

```
anderson@anderson: ~  
Arquivo  Editar  Ver  Pesquisar  Terminal  Ajuda  
anderson@anderson:~$ git clone https://github.com/andersonalmada/novo.git
```




The image shows a terminal window with a menu bar (Arquivo, Editar, Ver, Pesquisar, Terminal, Ajuda) and a title bar (anderson@anderson: ~). The command `git clone https://github.com/andersonalmada/novo.git` is entered. In the background, a GitHub repository page is visible but blurred. Key elements on the page include: "1 branch", "0 releases", a "pull request" button, "Create new file", "Upload files", "Find file", "Initial commit", and a "Clone with HTTPS" section containing the URL `https://github.com/andersonalmada/novo.git` and a "Download" button.

```
anderson@anderson: ~  
Arquivo  Editar  Ver  Pesquisar  Terminal  Ajuda  
anderson@anderson:~$ git clone https://github.com/andersonalmada/novo.git  
Cloning into 'novo'...  
remote: Enumerating objects: 3, done.  
remote: Counting objects: 100% (3/3), done.  
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0  
Unpacking objects: 100% (3/3), done.  
anderson@anderson:~$
```

```
anderson@anderson: ~/novo
Arquivo  Editar  Ver  Pesquisar  Terminal  Ajuda
anderson@anderson:~$ git clone https://github.com/andersonalmada/novo.git
Cloning into 'novo'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), done.
anderson@anderson:~$ cd novo/
anderson@anderson:~/novo$ ls
README.md
anderson@anderson:~/novo$
```

Copie todos os arquivos da aplicação
web para o repositório local



A terminal window titled "anderson@anderson: ~/novo" with a menu bar containing "Arquivo", "Editar", "Ver", "Pesquisar", "Terminal", and "Ajuda". The terminal shows the command "ls" being executed, resulting in the output "css index.html js README.md". The prompt "anderson@anderson:~/novo\$" is shown again with a cursor.

```
anderson@anderson: ~/novo
Arquivo  Editar  Ver     Pesquisar  Terminal  Ajuda
anderson@anderson:~/novo$ ls
css  index.html  js  README.md
anderson@anderson:~/novo$
```

```
anderson@anderson: ~/novo
Arquivo  Editar  Ver  Pesquisar  Terminal  Ajuda
anderson@anderson:~/novo$ git add --all
anderson@anderson:~/novo$ git status
No ramo master
Your branch is up to date with 'origin/master'.

Mudanças a serem submetidas:
  (use "git reset HEAD <file>..." to unstage)

    new file:   css/bootstrap.min.css
    new file:   index.html
    new file:   js/bootstrap.min.js
    new file:   js/jquery.min.js
    new file:   js/popper.min.js
    new file:   js/vue.js

anderson@anderson:~/novo$
```

```
anderson@anderson: ~/novo
Arquivo  Editar  Ver  Pesquisar  Terminal  Ajuda

anderson@anderson:~/novo$ git commit -m "Adicionado index.html e toda a customiz
acao e manipulacao de dom"
[master c7af1ce] Adicionado index.html e toda a customizacao e manipulacao de do
m
6 files changed, 96 insertions(+)
create mode 100644 css/bootstrap.min.css
create mode 100644 index.html
create mode 100644 js/bootstrap.min.js
create mode 100644 js/jquery.min.js
create mode 100644 js/popper.min.js
create mode 100644 js/vue.js
anderson@anderson:~/novo$
```



```
anderson@anderson: ~/novo
Arquivo  Editar  Ver  Pesquisar  Terminal  Ajuda

anderson@anderson:~/novo$ git commit -m "Adicionado index.html e toda a customiz
acao e manipulacao de dom"
[master c7af1ce] Adicionado index.html e toda a customizacao e manipulacao de do
m
6 files changed, 96 insertions(+)
create mode 100644 css/bootstrap.min.css
create mode 100644 index.html
create mode 100644 js/bootstrap.min.js
create mode 100644 js/jquery.min.js
create mode 100644 js/popper.min.js
create mode 100644 js/vue.js
anderson@anderson:~/novo$ git status
No ramo master
Seu ramo está à frente de 'origin/master' por 1 submissão.
(use "git push" to publish your local commits)

nothing to commit, working tree clean
anderson@anderson:~/novo$
```

```
anderson@anderson: ~/novo
Arquivo  Editar  Ver  Pesquisar  Terminal  Ajuda
anderson@anderson:~/novo$ git push
Username for 'https://github.com': andersonalmada
Password for 'https://andersonalmada@github.com':
Counting objects: 10, done.
Delta compression using up to 4 threads.
Compressing objects: 100% (9/9), done.
Writing objects: 100% (10/10), 109.18 KiB | 5.75 MiB/s, done.
Total 10 (delta 0), reused 0 (delta 0)
To https://github.com/andersonalmada/novo.git
    500076a..c7af1ce  master -> master
anderson@anderson:~/novo$
```

[andersonalmada](#) / [novo](#)

Unwatch ▾

1

★ Star

0

🔗 Fork

0

<> Code

! Issues 0

🔗 Pull requests 0

📁 Projects 0

📖 Wiki

📊 Insights

⚙️ Settings

No description, website, or topics provided.

[Edit](#)[Manage topics](#)

📦 2 commits

🌿 1 branch

📦 0 releases

👤 1 contributor

Branch: master ▾

[New pull request](#)[Create new file](#)[Upload files](#)[Find File](#)[Clone or download ▾](#)**andersonalmada** Adicionado index.html e toda a customizacao e manipulacao de dom

Latest commit c7af1ce 2 minutes ago

[css](#)

Adicionado index.html e toda a customizacao e manipulacao de dom

2 minutes ago

[js](#)

Adicionado index.html e toda a customizacao e manipulacao de dom

2 minutes ago

[README.md](#)

Initial commit

15 minutes ago

[index.html](#)

Adicionado index.html e toda a customizacao e manipulacao de dom

2 minutes ago

📖 README.md



novo

[andersonalmada](#) / [novo](#)

Unwatch ▾

1

★ Star

0

🔗 Fork

0

<> Code

! Issues 0

🔗 Pull requests 0

📁 Projects 0

📖 Wiki

📊 Insights

⚙️ Settings

No description, website, or topics provided.

[Edit](#)[Manage topics](#)

📦 2 commits

🌿 1 branch

📦 0 releases

👤 1 contributor

Branch: master ▾

[New pull request](#)[Create new file](#)[Upload files](#)[Find File](#)[Clone or download ▾](#)**andersonalmada** Adicionado index.html e toda a customizacao e manipulacao de dom

Latest commit c7af1ce 2 minutes ago

[css](#)

Adicionado index.html e toda a customizacao e manipulacao de dom

2 minutes ago

[js](#)

Adicionado index.html e toda a customizacao e manipulacao de dom

2 minutes ago

[README.md](#)

Initial commit

15 minutes ago

[index.html](#)

Adicionado index.html e toda a customizacao e manipulacao de dom

2 minutes ago

📖 README.md



novo

📄 andersonalmada / novo

👁 Unwatch ▾

1

★ Star

0

🍴 Fork

0

↔ Code

🔔 Issues 0

🔗 Pull requests 0

📁 Projects 0

📖 Wiki

📊 Insights

⚙ Settings

novo / README.md

📄 or cancel

↔ Edit file

👁 Preview changes

Spaces ▾

2 ▾

Soft wrap ▾

```
1 # Repositório da APLICAÇÃO WEB
2
3 ## Detalhes de implementação |
```



Commit changes

Update README.md

Add an optional extended description...

- ☒ Commit directly to the `master` branch.
- ☐ Create a **new branch** for this commit and start a pull request. [Learn more about pull requests.](#)

Commit changes

Cancel





Commit changes

Update README.md


Add an optional extended description...

- ☒ Commit directly to the `master` branch.
- ☐ Create a **new branch** for this commit and start a pull request. [Learn more about pull requests.](#)

Commit changes

Cancel



[Manage topics](#) **3** commits **1** branch **0** releases **1** contributorBranch: **master** ▼[New pull request](#)[Create new file](#)[Upload files](#)[Find File](#)[Clone or download](#) ▼**andersonalmada** Update README.md

Latest commit 322defe 22 seconds ago

**CSS**

Adicionado index.html e toda a customizacao e manipulacao de dom

6 minutes ago

**js**

Adicionado index.html e toda a customizacao e manipulacao de dom

6 minutes ago

**README.md**

Update README.md

22 seconds ago

**index.html**

Adicionado index.html e toda a customizacao e manipulacao de dom

6 minutes ago

 **README.md**


Repositório da APLICAÇÃO WEB

Detalhes de implementação




```
anderson@anderson: ~/novo
Arquivo  Editar  Ver  Pesquisar  Terminal  Ajuda

anderson@anderson:~/novo$ git pull
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), done.
From https://github.com/andersonalmada/novo
   c7aflce..322defe  master    -> origin/master
Updating c7aflce..322defe
Fast-forward
 README.md | 4 +++-
 1 file changed, 3 insertions(+), 1 deletion(-)
anderson@anderson:~/novo$
```



Links importantes

- <https://github.com/>
- <https://medium.com/@rafaelvicio/introdu%C3%A7%C3%A3o-a-git-5ae36c303850>



Dúvidas??

E-mail: almada@crateus.ufc.br