Anderson Diagnostic Services Private Limited
No 26, Rajarathinam Street, Kilpauk, Chennai - 600 010.
Helpline No: 044-4353 9444 / 99620 00048
Email: enquiries@andersondiagnostics.com
www.andersondiagnostics.com

Peripheral Blood Karyotyping

Patient name	: **Mrs. Viji V (9070089001)(900044601)**	**PIN**	: **CBC0000002827**
Gender/ Age	: **Female / 34 Years**	**Sample Number**	: **260164755**
Specimen	: **Peripheral blood**	**Sample collection date**	: **23-02-2026**
Referring Clinician	: **Dr. Geetha Haripriya**	**Sample receipt date**	: **23-02-2026**
Hospital/Clinic	: **Prashanth Hospital & Research Centre - Chetpet**	**Report Date**	: **06-03-2026**

MC-6558

Test Indication

To rule out gross chromosomal abnormality

Result

International System for Human Cytogenomic Nomenclature (ISCN 2024): 46,XX



Anderson Clinical Genetics is a division of Anderson Diagnostics and Labs

PGT-A, PGT-M & PGT-SR | Clinical Exome Sequencing | Microarray | Male Infertility | Recurrent Pregnancy Loss | Carrier Screening | Amniotic Fluid Testing | POC Analysis | NIPS
Fertility Genetics | Genetic Counseling | Oncogenetics | Neurogenetics | Infectious Genetics | New Born Screening

Metaphase analysed : 25	Autosome : Variant Observed
Estimated band resolution : 475	Sex chromosome : Normal

Interpretation

Karyotype shows an apparently normal female.

Comments

A pericentric inversion of chromosome 9 was observed. This is a structural chromosomal variant that occurs frequently in the human population and usually has no phenotypic effect. However, reports of the effect of this variant on fertility and reproductive outcomes is debatable.

Recommendations

Advised genetic counseling.

Test Methodology

A 72-hour PHA-M stimulated culture of the received peripheral blood sample was processed, according to a protocol adapted from the AGT Cytogenetics Laboratory Manual, Third Edition. Numerical and structural chromosomal abnormalities were ruled out at a banding resolution suitable for the referral indication, in accordance with current ISCN guidelines.

Limitations

- All genetic disorders cannot be ruled out by conventional karyotyping.
- The accuracy of the test is about 99%.
- G-banded analysis cannot detect small rearrangements and submicroscopic deletions.
- Low-level mosaicism may not be detected.

References

1. The AGT Cytogenetics Laboratory Manual Third Edition (1997) *Editors: Margaret J. Barch, TuridKnutsen, Jack L. Spurbeck.*
2. ISCN- An International System for Human Cytogenetic Nomenclature (2024) *Editors: Ros J. Hastings, Sarah Moore, Nicole Chia.*

This report has been reviewed and approved by:

Dr. R. Deepika., Ph.D.,
Consultant Cytogeneticist
Anderson Diagnostics & Labs

Dr. Teena Koshy., Ph.D.,
Consultant Cytogeneticist
Anderson Diagnostics & Labs

Dr. Suriya kumar G
Director
Anderson Diagnostics & Labs