Anderson Diagnostic Services Private Limited
No 26, Rajarathinam Street, Kilpauk, Chennai - 600 010.
Helpline No: 044-4353 9444 / 99620 00048
Email: enquiries@andersondiagnostics.com
www.andersondiagnostics.com

Peripheral Blood Karyotyping

Patient name	: **Mrs. Shalini**	**PIN**	: **ADB0000025612**
Gender/ Age	: **Female / 35 Years**	**Sample Number**	: **260163616**
Specimen	: **Peripheral blood**	**Sample collection date**	: **23-02-2026**
Referring Clinician	: **Dr. Shwetha Anand Baratikkae**	**Sample receipt date**	: **24-02-2026**
Hospital/Clinic	: **Dr Shwetha's Janisthaa Fertility And IVF Centre -**	**Report Date**	: **17-03-2026**

MC-6558

Test Indication

To rule out gross chromosomal abnormality

Result

International System for Human Cytogenomic Nomenclature (ISCN 2024): 46,XX



Metaphase analysed	: 25	Autosome	: Normal
Estimated band resolution	: 475	Sex chromosome	: Normal

Anderson Clinical Genetics is a division of Anderson Diagnostics and Labs

PGT-A, PGT-M & PGT-SR | Clinical Exome Sequencing | Microarray | Male Infertility | Recurrent Pregnancy Loss | Carrier Screening | Amniotic Fluid Testing | POC Analysis | NIPS
Fertility Genetics | Genetic Counseling | Oncogenetics | Neurogenetics | Infectious Genetics | New Born Screening

Interpretation

Karyotype shows an apparently normal female.

Recommendations

Genetic counseling is recommended to discuss the implications of the result.

Test Methodology

A 72-hour PHA-M stimulated culture of the received peripheral blood sample was processed, according to a protocol adapted from the AGT Cytogenetics Laboratory Manual, Third Edition. Numerical and structural chromosomal abnormalities were ruled out at a banding resolution suitable for the referral indication, in accordance with current ISCN guidelines.

Limitations

- All genetic disorders cannot be ruled out by conventional karyotyping.
- The accuracy of the test is about 99%.
- G-banded analysis cannot detect small rearrangements and submicroscopic deletions.
- Low-level mosaicism may not be detected.

References

1. The AGT Cytogenetics Laboratory Manual Third Edition (1997) *Editors: Margaret J. Barch, TuridKnutsen, Jack L. Spurbeck.*
2. ISCN- An International System for Human Cytogenetic Nomenclature (2024) *Editors: Ros J. Hastings, Sarah Moore, Nicole Chia.*

This report has been reviewed and approved by:

Dr. R. Deepika., Ph.D.,
Consultant Cytogeneticist
Anderson Diagnostics & Labs

Dr. Teena Koshy., Ph.D.,
Consultant Cytogeneticist
Anderson Diagnostics & Labs

Dr. Suriya kumar G
Director
Anderson Diagnostics & Labs