

# Regular Expression Quick Reference v0.14

Online RegEx Resources: <http://gmckinney.info/links/resources.html>

## Literal Characters

<code>\f</code>	Form feed
<code>\n</code>	Newline (Use <code>\p</code> in UltraEdit for platform independent line end)
<code>\r</code>	Carriage return
<code>\t</code>	Tab
<code>\v</code>	Vertical tab
<code>\a</code>	Alarm (beep)
<code>\e</code>	Escape
<code>\xxx</code>	The ASCII character specified by the octal number xxx
<code>\xnn</code>	The ASCII character specified by the hexadecimal number nn
<code>\cX</code>	The control character ^X. For example, <code>\cl</code> is equivalent to <code>\t</code> and <code>\cJ</code> is equivalent to <code>\n</code>

## Options

<code>g</code>	Perform a global match. That is, find all matches rather than stopping after the first match.
<code>i</code>	Do case-insensitive pattern matching.
<code>m</code>	Treat string as multiple lines (^ and \$ match internal \n).
<code>s</code>	Treat string as single line (^ and \$ ignore \n, but . matches \n).
<code>x</code>	Extend your pattern's legibility with whitespace and comments.

## Replacement

<code>\</code>	Turn off the special meaning of the following character.
<code>\n</code>	Restore the text matched by the nth pattern previously saved by <code>\(</code> and <code>\)</code> . n is a number from 1 to 9, with 1 starting on the left.
<code>&amp;</code>	Reuse the text matched by the search pattern as part of the replacement pattern.
<code>~</code>	Reuse the previous replacement pattern in the current replacement pattern. Must be the only character in the replacement pattern. (ex and vi).
<code>%</code>	Reuse the previous replacement pattern in the current replacement pattern. Must be the only character in the replacement pattern. (ed).
<code>\u</code>	Convert first character of replacement pattern to uppercase.
<code>\U</code>	Convert entire replacement pattern to uppercase.
<code>\l</code>	Convert first character of replacement pattern to lowercase.
<code>\L</code>	Convert entire replacement pattern to lowercase.

## Character Classes

[ . . . ]	Any one character between the brackets.						
[ ^ . . . ]	Any one character not between the brackets.						
.	Any character except newline. Equivalent to [^\n]						
\w	Any word character. Equivalent to [a-zA-Z0-9_] and [[:alnum:]]						
\W	Any non-word character. Equivalent to [^a-zA-Z0-9_] and [^[:alnum:]]						
\s	Any whitespace character. Equivalent to [ \t\n\r\f\v] and [[:space:]]						
\S	Any non-whitespace. Equivalent to [^ \t\n\r\f\v] and [^[:space:]] Note: \w != \S						
\d	Any digit. Equivalent to [0-9] and [[:digit:]]						
\D	Any character other than a digit. Equivalent to [^0-9] and [^[:digit:]]						
[\b]	A literal backspace (special case)						
[[:class:]]	alnum lower	alpha print	ascii punct	blank space	cntrl upper	digit xdigit	graph

## Repetition

<code>{n,m}</code>	Match the previous item at least n times but no more than m times.
<code>{n,}</code>	Match the previous item n or more times.
<code>{n}</code>	Match exactly n occurrences of the previous item.
<code>?</code>	Match zero or one occurrences of the previous item. Equivalent to <code>{0,1}</code>
<code>+</code>	Match one or more occurrences of the previous item. Equivalent to <code>{1,}</code>
<code>*</code>	Match zero or more occurrences of the previous item. Equivalent to <code>{0,}</code>

## Anchors

<code>^</code>	Match the beginning of the string, and, in multiline searches, the beginning of a line.
<code>\$</code>	Match the end of the string, and, in multiline searches, the end of a line.
<code>\b</code>	Match a word boundary. That is, match the position between a <code>\w</code> character and a <code>\W</code> character. (Note, however, that <code>[b]</code> matches backspace.)
<code>\B</code>	Match a position that is not a word boundary.

## Grouping

<code>( . . . )</code>	Grouping. Group several items into a single unit that can be used with <code>*</code> , <code>+</code> , <code>?</code> , <code> </code> , and so on, and remember the characters that match this group for use with later references.
<code> </code>	Alternation. Match either the subexpressions to the left or the subexpression to the right.
<code>\n</code>	Match the same characters that were matched when group number n was first matched. Groups are subexpressions within (possibly nested) parentheses.