



Present's

owgels®
Godcare®



5 Liter Oxygen Concentrator OZ-5-01PW0



Flow rate and function of 5L oxygen concentrator, in compact size

Movability

Four universal wheels for easy movement

Continues stable oxygen production

Applying with CECA molecular sieve

High Concentration

93% ± 3% high concentration

Nebulization

Separate nebulization interface,
nebulization and oxygen concentration can be used at the same time

5 Liter Oxygen Concentrator E3-5-01PW0

Product Details



Large LCD Intelligent display .



Unique
Nebulization Nozzle Design



Flexible adjustment of flowmeter,
accurate flow data.



Easy To replace , Humidifier Bottle.

Product Specifications

Weight

17.5KG

Dimension

300mm*260mm*520mm

Input Power

350VA

Average Sound Pressure Level

≤60dB(A)

Maximum Recommended Flow

5L/min

Oxygen Concentration

≥90%(V/V)

Nebulizer Gas Flow

No less than 10L



10 Liter Oxygen Concentrator OZ-5-01GW0



Oxygen Concentration

-Purity Of oxygen reaches $93\% \pm 3\%$

Multiple Ways to use


-It comes with two flow-meters having flow from 0-5 liter and 0-10 liter per minute, it can deliver 5LPM oxygen with two persons at the same time, and can deliver 10LPM with one person.
-It also has atomization function

Safety

-The machine has audiovisual alarm for power failure, low oxygen level, low pressure

10 Liter Oxygen Concentrator OZ-5-01GW0

Product Details



-Simple switch between 5L and 10L flow through the operation interface.

Product Specifications

Flow Specification Total
Oxygen Concentration
Power Consumption
Average Noise Level
Dimensions (mm)
Weight
Warranty

10 LPM (Dual 5 LPM each)
 $93\% \pm 3\%$
750 Watts
 $\leq 60\text{dB(A)}$
390*350*720MM
29.5KG
2years



NEBULIZER

with HEPA Filter



HEPA Filter



Dual Pressure



Particles less than 5 µm



Most efficient dust filtration



Less than 55 dB



Easy to carry

Technical Specifications

Model No.	OZ-NBZ01
Input Voltage	AC 220V 22V, 50Hz 1Hz
Input Power	≤ 180 W
Max. Nebulization Rate	≥ 0.18ml / min
Medication Capacity	Max 8ml
Weight	1.3 KG
Dimension	175mm (L) * 90mm (W) * 135mm (H)
Air flow	> 10L /min
Particle Size	Ø≤ 5µ m > 60%
MMAD	2.2µ m +/- 25%
Continuous mode	20 - 30 minutes
Sound Level	< 65 dB(A)
Storage Temperature	-10 °C to +40 °C
Operating Humidity Range	30% RH - 80% RH
Standard Accessories	Nebulizer, Air tube, Mouth piece, Filter & 2 Masks



Medical Infrared Thermometer

OZ-05MT

Specification

- Displayed Temperature Range: 32.0°C-42.9°C (<32°C, Display 'LO°C'; >42.9°C, Display 'HI°C')
- Operating emperature Range: 10.0°C-40.0°C (50°F-104°F) RH<93%
- Accuracy: 0.1°C
- Display Type: Backlight liquid crystal display
- Automatic power Off: < 2min
- Dimension: 136mm*38mm*33mm
- Memory: 15 results record
- Storage: -20°C-55°C (-5°F-131°F) RH≤93%
- Power supply: DC 3V (2*AAA)
- Devition
35°C-42°C ; ±0.2°C
32°C-34.9°C ; ±0.3°C
42.1°C-42.9°C ; ±0.3°C



Temperature	Backlight	Indicator
32.0°C-37.4°C	Green	B
37.5°C-37.9°C	Yellow	B
38.0°C-42.9°C	Red	B
≤ 32.0°C	Display LO °C	B
≥42.9°C	Display HI °C	B B B

owgels® Godcare®



Care 4U Medical Devices
B-43, Phase I, Okhla
Industrial Area,
New Delhi-110020

WhatsApp - +91-88009 66566
Mob - +91-98683 75388
Email- care4umedical@gmail.com

