

Tes Programmer

1) Urutkan Pegawai Berdasarkan Gelar

Urutan:

D3 → S1 → S2

Query:

```
SELECT *
FROM pegawai
ORDER BY
CASE gelar
  WHEN 'D3' THEN 1
  WHEN 'S1' THEN 2
  WHEN 'S2' THEN 3
END;
```

Tampilannya:

↩ T →				id_pegawai	nama	gelar	id_jabatan
☐	 Edit	 Copy	 Delete	2 Budi Hartono	D3	1	
☐	 Edit	 Copy	 Delete	5 Taufik Hidayat	D3	1	
☐	 Edit	 Copy	 Delete	1 Andi Pratama	S1	2	
☐	 Edit	 Copy	 Delete	4 Dian Novita	S1	4	
☐	 Edit	 Copy	 Delete	3 Clara Wijaya	S2	3	

2) Hitung Total Potongan Pegawai

Query:

```
SELECT
  p.id_pegawai,
  p.nama,

  SUM(
    CASE
      WHEN pr.status_hadir = 'alpa'
      THEN 100000
      ELSE 0
    END
  ) AS potongan_alpa,

  SUM(pr.terlambat_menit * 2000) AS potongan_terlambat,

  (
    SUM(
      CASE
        WHEN pr.status_hadir = 'alpa'
```

```

        THEN 100000
        ELSE 0
        END
    )
    +
    SUM(pr.terlambat_menit * 2000)
) AS total_potongan

FROM pegawai p
JOIN presensi pr
ON p.id_pegawai = pr.id_pegawai

GROUP BY p.id_pegawai, p.nama;

```

3) Hitung Total Lembur Pegawai

Query:

```

SELECT
    p.id_pegawai,
    p.nama,
    SUM(pr.lembur_menit) AS total_menit_lembur,
    SUM(pr.lembur_menit) * 1000 AS total_lembur
FROM pegawai p
JOIN presensi pr
ON p.id_pegawai = pr.id_pegawai
GROUP BY p.id_pegawai, p.nama;

```

4) Hitung Gaji Bersih Pegawai

Query:

```

SELECT
    p.nama AS pegawai,
    j.nama_jabatan AS jabatan,
    j.gaji_pokok,

    (
        SUM(
            CASE
                WHEN pr.status_hadir='alpa'
                THEN 100000
                ELSE 0
            END
        )
    )
    +
    SUM(pr.terlambat_menit * 2000)
) AS total_potongan,

```

```

SUM(pr.lembur_menit * 1000) AS total_lembur,

(
  j.gaji_pokok
  -
  (
    SUM(
      CASE
        WHEN pr.status_hadir='alpa'
        THEN 100000
        ELSE 0
      END
    )
  )
  +
  SUM(pr.terlambat_menit * 2000)
)
+
SUM(pr.lembur_menit * 1000)
) AS gaji_bersih

FROM pegawai p
JOIN jabatan j
ON p.id_jabatan = j.id_jabatan

JOIN presensi pr
ON p.id_pegawai = pr.id_pegawai

GROUP BY
p.id_pegawai,
p.nama,
j.nama_jabatan,
j.gaji_pokok;

```

Buat query SQL menghasilkan:

| Pegawai | Jabatan | Gaji Pokok | Total Potongan | Total Lembur | Gaji Bersih |

Query:

```

SELECT
  p.nama AS Pegawai,
  j.nama_jabatan AS Jabatan,
  j.gaji_pokok AS 'Gaji Pokok',

  (
    SUM(

```

```

        CASE
            WHEN pr.status_hadir = 'alpa'
            THEN 100000
            ELSE 0
        END
    )
    +
    SUM(pr.terlambat_menit * 2000)
) AS 'Total Potongan',

SUM(pr.lembur_menit * 1000) AS 'Total Lembur',

(
    j.gaji_pokok
    -
    (
        SUM(
            CASE
                WHEN pr.status_hadir = 'alpa'
                THEN 100000
                ELSE 0
            END
        )
        +
        SUM(pr.terlambat_menit * 2000)
    )
    +
    SUM(pr.lembur_menit * 1000)
) AS 'Gaji Bersih'

FROM pegawai p
INNER JOIN jabatan j
    ON p.id_jabatan = j.id_jabatan
INNER JOIN presensi pr
    ON p.id_pegawai = pr.id_pegawai

GROUP BY
    p.id_pegawai,
    p.nama,
    j.nama_jabatan,
    j.gaji_pokok

ORDER BY p.nama;

```