

Modul 7

Nama : Andhika

Muhammad Nur

NIM : 2105101001

Tag Div

The screenshot shows two instances of Visual Studio Code side-by-side, both displaying the file `tagdiv.html`. The left instance shows the CSS part of the code, and the right instance shows the full HTML structure.

Left Instance (CSS):

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Penggunaan Tag Div</title>
    <style>
        .satubag {
            background-color: black;
            color: white;
            margin: 20px;
            padding: 20px;
        }
    </style>
</head>
```

Right Instance (HTML Structure):

```
color: white;
margin: 20px;
padding: 20px;
}
</style>
</head>
<body>
    <div class="satubag">
        <h2>Pengumuman</h2>
        <p>Seminar Nasional</p>
        <p>Dengan Tema Penguatan Kualitas Pendidikan Tinggi Melalui Publikasi Ilmiah Bereputasi</p>
    </div>
</body>
</html>
```


The browser preview at the bottom shows the rendered output:

Pengumuman

Seminar Nasional

Dengan Tema Penguatan Kualitas Pendidikan Tinggi Melalui Publikasi Ilmiah Bereputasi

Praktikum 1



CSS = Bagian Ini Tentang Text

```
<html>
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
  </head>
  <body>
    <div style="position: relative">
      <div style="opacity: 0.5; position: absolute; left: 50px; top: -30px; width: 300px; height: 150px;">
        <div style="margin-top: 30px; width: 360px; height: 130px; padding: 20px; border-radius: 10px; border: 2px solid #b4009e; background-color: #fff; position: relative; z-index: 1;>
          <h1>CSS = Bagian Ini Tentang Text</h1>
          <div style="letter-spacing: 12px; font-size: 15px; position: relative; left: 25px; top: 25px">Text</div>
          <span style="background-color: #b4009e; color: #ffffff">Kotak</span>
        </div>
      </div>
    </div>
  </body>
</html>
```

Praktikum 2

The screenshot shows a Microsoft Visual Studio Code (VS Code) interface. The title bar includes the application name "Prak Web". The left sidebar displays a file tree under the "EXPLORER" tab, showing a folder named "PRAK WEB" containing various files like "border.html", "boxsizing.html", etc., and several "praktikum" files. The "praktikum2.html" file is currently selected and open in the main editor area. The code itself is an HTML document with a single CSS style block:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
    <style>
      .satubag {
        background-color: black;
        color: white;
        margin: 20px;
        padding: 20px;
      }
    </style>
  </head>
```

```
<div class="satubag">
<h2>Tentang Kota Madiun</h2>
<p>Kota Madiun itu kota yang cukup kecil wilayahnya terdiri dari kecamatan saja</p>
<p>Tapi justru karena kecilnya itu membuat pengelolaanya menjadi lebih intensif. Ini seperti Negara besar.</p>
</div>

<div class="satubag">
<h2>Kota Wisata</h2>
<p>Magetan.</p>
<p>Berada di kaki dan lereng gunung Lawu, menyimpan potensi pariwisata dan pertanian</p>
<p>Nuansa desa yang masih alami banyak dijumpai di kabupaten ini. Pasar tradisional banyak diisi c</p>
</div>
```

Ln 8, Col 17 Spaces:2 UTF-8 CRLF HTML Go Live Quokka Prettier

```
<div class="satubag">
<h2>Ponorogo</h2>
<p>Ponorogo adalah kota yang mempunyai budaya yang cukup kuat, yaitu budaya reog</p>
<p>Berada di sebelah selatan Kota Madiun, alamnya yang masih baik masih menyisakan nuansa pedesaan</p>
<p>Siapa ingin berkunjung ke Ponorogo dijamin akan puas berpariwisata kuliner yaitu mencoba sate Ponorogo</p>
</div>
</body>
</html>
```

Ln 8, Col 17 Spaces:2 UTF-8 CRLF HTML Go Live Quokka Prettier

Tentang Kota Madiun

Kota Madiun itu kota yang cukup kecil wilayahnya terdiri dari kecamatan saja

Tapi justru karena kecilnya itu membuat pengelolaanya menjadi lebih intensif. Ini seperti Negara Singapura, negara yang karena kecilnya dapat mengelola wilayahnya menjadi lebih baik dan lebih cepat dibandingkan negara yang lebih besar.

Kota Wisata

Magetan.

Berada di kaki dan lereng gunung Lawu, menyimpan potensi pariwisata dan pertanian

Nuansa desa yang masih alami banyak dijumpai di kabupaten ini. Pasar tradisional banyak diisi oleh sayuran segar hasil petik kebun

Ponorogo

Ponorogo adalah kota yang mempunyai budaya yang cukup kuat, yaitu budaya reog

Berada di sebelah selatan Kota Madiun, alamnya yang masih baik masih menyisakan nuansa pedesaan yang murni

Siapa ingin berkunjung ke Ponorogo dijamin akan puas berpariwisata kuliner yaitu mencoba sate Ponorogo dan dawet jabung.

Praktikum 3


The image shows two side-by-side screenshots of a code editor interface, likely Microsoft Visual Studio Code, displaying CSS code for a web page.

Top Screenshot: This screenshot shows the CSS code for the `#header` section. The code is as follows:

```
6 <title>Document</title>
7
8 <style>
9   #header {
10     background-color: black;
11     color: white;
12     text-align: center;
13     padding: 5px;
14   }
15
16   #nav {
17     line-height: 30px;
18     background-color: #eeeeee;
19     height: 300px;
20     width: 100px;
21     float: left;
22     padding: 5px;
23 }
```

Bottom Screenshot: This screenshot shows the CSS code for the `#section` and `#footer` sections. The code is as follows:

```
22
23   #section {
24     width: 350px;
25     float: left;
26     padding: 10px;
27   }
28
29   #footer {
30     background-color: black;
31     color: white;
32     clear: both;
33     text-align: center;
34     padding: 5px;
35   }
36
37 </style>
38
39 </head>
40
41 <body>
```



The screenshot shows the Microsoft Edge browser displaying a local HTML file named "praktikum3.html". The page title is "Kota Wisata". The content includes a header section with three cities: Madiun, Magetan, and Ponorogo, each preceded by a small image icon. Below this is a section titled "Ponorogo" with descriptive text about its culture and a note about its proximity to Madiun. At the bottom, there is a footer linking to "www.kuliner.jatim".

Code View:

```
<body>
  <div id="header">
    <h1>Kota Wisata</h1>
  </div>
  <div id="nav">
    Madiun<br />
    Magetan<br />
    Ponorogo<br />
  </div>
  <div id="section">
    <h2>Ponorogo</h2>
    <p>Ponorogo adalah kota yang mempunyai budaya yang cukup kuat, yaitu budaya reog</p>
    <p>Berada di sebelah selatan Kota Madiun, alamnya yang masih baik masih menyisakan nuansa pedesaan</p>
    <p>Siapa ingin berkunjung ke Ponorogo dijamin akan puas berpariwisata kuliner yaitu mencoba sate Pono</p>
  </div>
  <div id="footer">Info lebih lanjut kunjungi www.kuliner.jatim

File Explorer:



- PRAK WEB
  - Latihan Modul 3
  - Modul 4
  - Modul 5
  - Modul 6
  - Modul 7
    - Tugas
      - border.html
      - boxsizing.html
      - dimension.html
      - display.html
      - float\_1.html
      - float\_2.html
      - float\_3.html
      - margin.html
      - overflow.html
      - padding.html
      - position.html
      - praktikum1.html
      - praktikum2.html
      - praktikum3.html

```

Display

File Edit Selection View Go Run ...

Prak Web

EXPLORER PRAK WEB

- > Latihan Modul 3
- > Modul 4
- > Modul 5
- > Modul 6
- > Modul 7
 - > Tugas
 - > border.html
 - > boxesizing.html
 - > dimension.html
 - > display.html
 - > float_1.html
 - > float_2.html
 - > float_3.html
 - > margin.html
 - > overflow.html
 - > padding.html
 - > position.html
 - > praktikum1.html
 - > praktikum2.html
 - > praktikum3.html
 - > tagdiv.html
 - unimpa.jpg
- > Tugas Modul 3
 - 2105101028_Akbar Herv...
 - 2105101028_Akbar Herv...
- > OUTLINE
- > TIMELINE

display.html

```

3 <html>
4   <head>
5     <style>
6       .navigasi {
7         text-align: center;
8       }
9       .navigasi li {
10         display: inline-block;
11         background-color: red;
12         width: 150px;
13         height: 150px;
14       }
15     </style>
16   </head>
17 <body>

```

Ln 1, Col 15 Spaces: 2 UTF-8 CRLF HTML ⚡ Go Live ⚡ Quokka ⚡ Prettier

File Edit Selection View Go Run ...

Prak Web

EXPLORER PRAK WEB

- > Latihan Modul 3
- > Modul 4
- > Modul 5
- > Modul 6
- > Modul 7
 - > Tugas
 - > border.html
 - > boxesizing.html
 - > dimension.html
 - > display.html
 - > float_1.html
 - > float_2.html
 - > float_3.html
 - > margin.html
 - > overflow.html
 - > padding.html
 - > position.html
 - > praktikum1.html
 - > praktikum2.html
 - > praktikum3.html
 - > tagdiv.html
 - unimpa.jpg
- > Tugas Modul 3
 - 2105101028_Akbar Herv...
 - 2105101028_Akbar Herv...
- > OUTLINE
- > TIMELINE

display.html

```


17 <body>
18   <div class="header">
19     <h1>SELAMAT DATANG DI WEBKU</h1>
20   </div>
21   <div class="navigasi">
22     <ul>
23       <li><a href="#">HOME</a></li>
24       <li><a href="#">PROFIL</a></li>
25       <li><a href="#">CONTACT</a></li>
26     </ul>
27   </div>
28   <div class="main">
29     <h2>Bagian ini adalah isi web</h2>
30     <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Totam et quia nobis atque aliquid quos</p>
31   </div>

```

Ln 1, Col 15 Spaces: 2 UTF-8 CRLF HTML ⚡ Go Live ⚡ Quokka ⚡ Prettier

/D/KULIAH%2055/Prak%20Web/... file:///D/KULIAH%2055/Prak%20Web/Modul%207/display.html

SELAMAT DATANG DI WEBKU



Bagian ini adalah isi web

Lorem ipsum dolor sit amet consectetur adipisicing elit. Totam et quia nobis atque aliquid quos eligendi molestias quasi libero, perferendis tempore, a distinctio maxime soluta reiciendis cupiditate sed similiq[ue] debitis.

Dimension



The screenshot shows a Microsoft Edge browser window displaying a simple HTML page. The page has a pink header with the text "WELCOME" and a blue footer with the text "Hello World". The browser's address bar shows the file path: "file:///D:/KULIAH SS/Prak Web/Modul 7/dimension.html".

The code editor above the browser shows the source HTML and CSS. The CSS defines two classes: ".satu" and ".dua". The ".satu" class sets a width of 200px, height of 200px, and a background color of pink. The ".dua" class sets a width of 100%, height of 20%, and a background color of aqua. The HTML structure includes a head section with a style block containing these styles, and a body section with two div elements: one with class "satu" and one with class "dua".

```
<head>
<style>
.satu {
width: 200px;
height: 200px;
background-color: #pink;
}
.dua {
width: 100%;
height: 20%;
background-color: #aqua;
}
</style>
</head>
<body>
<div class="satu">WELCOME</div>
<br />
<div class="dua">Hello World</div>
</body>
</html>
```

Overflow

The screenshot shows the Visual Studio Code interface with the following details:

- Explorer View:** Shows a tree structure of files under "PRAK WEB". "overflow.html" is selected.
- Editor View:** Displays the content of "overflow.html".

```
<head>
<style>
.satu {
    width: 200px;
    height: 200px;
    background-color: #pink;
    overflow: auto;
}
</style>
</head>
<body>
<br />
<div class="satu">
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Mollitia in quam cupiditate animi ea reiciendis et. Quia quod nisi, unde, natus, voluptate. Quia quod nisi, unde, natus, voluptate.
</div>
</body>

```
- Browser Preview:** A small window below the editor shows a pink box containing the text "Lorem ipsum dolor sit amet consectetur adipisicing elit. Mollitia in quam cupiditate animi ea reiciendis et. Quia quod nisi, unde, natus, voluptate. Quia quod nisi, unde, natus, voluptate.". The URL in the preview bar is "file:///D/KULIAH%20SS/Prak%20Web/Modul%207/overflow.html".

Margin

The screenshot shows the Visual Studio Code interface with the following details:

- Explorer View:** Shows a tree structure of files under "PRAK WEB". "margin.html" is selected.
- Editor View:** Displays the content of "margin.html".

```
<title>CSS Layouting : Display</title>
<style>
.satu {
    width: 120px;
    height: 120px;
    background-color: #lightblue;
    margin-top: 10px;
    margin-left: 30px;
}
.dua {
    width: 100px;
    height: 100px;
    background-color: #purple;
    margin-left: -50px;
    margin-bottom: 50px;
}

```

```

<body>
  <div class="satu">SATU</div>
  <div class="dua">DUA</div>
</body>
</html>

```


Border

```

.satu {
  width: 120px;
  height: 120px;
  background-color: lightblue;
  margin-top: 10px;
  margin-left: 30px;
  border-left: 5px dashed grey;
}

.dua {
  width: 100px;
  height: 100px;
  background-color: purple;
  margin-left: -50px;
  margin-bottom: 50px;
  border-top: 10px dotted white;
}

```



Padding

```
<!DOCTYPE html>
<html>
<head>
<title>CSS Layouting : Display</title>
<style>
.satu {
    width: 120px;
    height: 120px;
    background-color: lightblue;
    margin-top: 10px;
    margin-left: 30px;
    border-left: 5px dashed grey;
    padding-left: 50px;
}
.dua {
}
```

```
.dua {
    width: 100px;
    height: 100px;
    background-color: purple;
    /* margin-left: -50px; */
    margin-bottom: 50px;
    border-top: 10px dotted white;
    padding-top: 30px;
}
</style>
</head>
<body>
<div class="satu">SATU</div>
<div class="dua">DUA</div>
</body>
```




Box Sizing

```
<!DOCTYPE html>
<html>
  <head>
    <title>CSS Layouting : Display</title>
    <style>
      .satu {
        width: 120px;
        height: 120px;
        background-color: lightblue;
        margin-top: 10px;
        margin-left: 30px;
        border-left: 5px dashed grey;
        padding-left: 50px;
      }
    .dua {
      width: 100px;
      height: 100px;
      background-color: purple;
      margin-left: -50px;
      border-top: 10px dotted white;
      padding-top: 30px;
      box-sizing: border-box;
    }
  </style>
</head>
<body>
  <div class="satu">SATU</div>
  <div class="dua">DUA</div>
</body>

```

```
.dua {
  width: 100px;
  height: 100px;
  background-color: purple;
  /* margin-left: -50px; */
  margin-bottom: 50px;
  border-top: 10px dotted white;
  padding-top: 30px;
  box-sizing: border-box;
}
```



Float

Text Wrapping

Prak Web

```

<style>
  .container {
    background-color: red;
    margin: auto;
    width: 500px;
    padding: 5px;
    overflow: hidden;
  }
  .gambar {
    height: 150px;
    width: 150px;
    float: left;
    margin: 5px;
  }
</style>
<head>
<body>
  <div class="container">
    
    <p class="tulisan">
      Lorem ipsum dolor sit amet, consectetur adipisicing elit. Inventore quasi cupiditate eveniet. Cor
    </p>
  </div>
<div class="clear"></div>
</body>
</head>

```

Ln 28, Col 9 Spaces: 2 UTF-8 CRLF HTML Go Live Quokka Prettier

Portfolio file:///D/KULIAH SS/Prak Web/Modul 7/float_1.html

The logo of Universitas PGRI Madiun (UNIPMA) is displayed on the right side of the browser window. It features a red shield-shaped emblem with a yellow border. Inside the shield, there is a stylized yellow bird or flame-like design above a blue base. Below the emblem, the text "UNIPMA" is written in white.

Float

Image Gallery

The image shows three vertically stacked screenshots of the Microsoft Edge browser interface, illustrating the development of a floating image gallery.

Screenshot 1: The first window displays the CSS code for the container and galeri classes. The .container class has a width of 500px and margin set to auto. The .galeri class has a width of 100px, height of 100px, margin of 5px, background-color of lightgreen, and float of left. The text-align is center, and line-height is 100px.

```
<style>
    .container {
        margin: auto;
        width: 500px;
    }
    .galeri {
        width: 100px;
        height: 100px;
        margin: 5px;
        background-color: lightgreen;
        float: left;
        text-align: center;
        line-height: 100px;
    }
    .clear {

```

Screenshot 2: The second window shows the addition of a clear class with a left value in the CSS section. The body contains a container div containing seven galeri divs, each with a different number (1 through 7).


```
.clear {
    clear: left;
}
</style>
</head>
<body>
    <div class="container">
        <div class="galeri">1</div>
        <div class="galeri">2</div>
        <div class="galeri">3</div>
        <div class="galeri">4</div>
        <div class="galeri">5</div>
        <div class="galeri">6</div>
        <div class="galeri">7</div>
    </div>

```

Screenshot 3: The third window shows the completion of the HTML structure with a final clear div at the end of the body.

```
<div class="clear"></div>
</body>
</html>

```



Float

Multi-Column Layout

The image displays two side-by-side screenshots of a code editor, likely Visual Studio Code, showing CSS code for a multi-column layout. Both screenshots show the same file, "float_3.html", with different parts of the CSS visible in each view.

Screenshot 1 (Top):

```
<style>
  .container {
    margin: auto;
    width: 800px;
  }

  .sidebar {
    width: 150px;
    height: 500px;
    background-color: lightgreen;
    float: left;
  }
```

Screenshot 2 (Bottom):

```
}

  .main {
    width: 500px;
    height: 500px;
    background-color: lightgrey;
    float: left;
  }

  .rightbar {
    background-color: red;
    width: 150px;
    height: 500px;
    float: left;
  }

</style>
</head>
```

The code defines a container with a width of 800px and margin set to auto. It contains three CSS classes: ".sidebar" (width: 150px, height: 500px, background-color: lightgreen, float: left), ".main" (width: 500px, height: 500px, background-color: lightgrey, float: left), and ".rightbar" (background-color: red, width: 150px, height: 500px, float: left). The code ends with a closing style tag and head tag.

Screenshot of a code editor showing an HTML file named `float_3.html`. The code uses floating elements to create a layout with three vertical columns: a sidebar (green), a main content area (grey), and a right bar (red). The sidebar has a height of 2000px, the main area has a height of 100px, and the right bar has a height of 100px.

```

<html>
  <head>
    ...
  </head>
  <body>
    <div class="container">
      <div class="sidebar">1</div>
      <div class="main">2</div>
      <div class="rightbar">3</div>
    </div>
  </body>
</html>

```

Position

Screenshot of a code editor showing an HTML file named `position.html`. The code defines a container with a width of 800px and a height of 2000px, centered on the page. It also defines three floating elements: .sidebar, .main, and .rightbar, each with a width of 100px and a height of 100px.

```

<html>
  <head>
    <title>Portfolio</title>
    <style>
      .container {
        margin: auto;
        width: 800px;
        height: 2000px;
      }
      .sidebar,
      .main,
      .rightbar {
        width: 100px;
        height: 100px;
      }
    </style>
  </head>
  <body>
    <div class="container">
      <div class="sidebar">1</div>
      <div class="main">2</div>
      <div class="rightbar">3</div>
    </div>
  </body>
</html>

```

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8" />
        <style>
            .sidebar {
                background-color: lightgreen;
            }
            .main {
                background-color: lightgrey;
                position: fixed;
                top: 0px;
                left: 0px;
                /* width: 100%; */
            }
            .rightbar {
                background-color: red;
            }
        </style>
    </head>
    <body>
        <div class="container">
            <div class="sidebar">1</div>
            <div class="main">2</div>
            <div class="rightbar">3</div>
        </div>
    </body>
</html>
```

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8" />
        <style>
            .sidebar {
                background-color: lightgreen;
            }
            .main {
                background-color: lightgrey;
                position: fixed;
                top: 0px;
                left: 0px;
                /* width: 100%; */
            }
            .rightbar {
                background-color: red;
            }
        </style>
    </head>
    <body>
        <div class="container">
            <div class="sidebar">1</div>
            <div class="main">2</div>
            <div class="rightbar">3</div>
        </div>
    </body>
</html>
```



Tugas Praktikum

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="UTF-8" />
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Portofolio</title>
<link rel="stylesheet" href="style.css" />
</head>
<body id="home">
<nav>
<ul>
<a href="" class="merk">Valliant Dheka F</a>
<li><a href="#home">Home</a></li>
<!-- <li><a href="#home">About Me</a></li> -->
<li><a href="#profile">Profile</a></li>
<li><a href="#profile">Contact</a></li>
</ul>
</nav>
<div class="container">
<div id="about">

<br><br><br>
<h1>Valliant Dheka F</h1>
<p class="univ">Mahasiswa Universitas PGRI Madiun</p>
<p>Teknik Informatika</p>
<div class="clear"></div>
</div>

<div id="profile">
<div class="school"><a href="#sd">SD</a></div>
<div class="school"><a href="#smp">SMP</a></div>
<div class="school"><a href="#sma">SMA</a></div>
</div>
<div id="sd">
<h2>SD</h2>
<p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Exercitationem, animi.</p>
</div>
<div id="smp">
<h2>SMP</h2>
<p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Nesciunt suscipit ratione cum minus numquam magni saepe eligendi dolores delectus cumque.</p>
</div>
```

```
<div id="sma">
  <h2>SMA</h2>
  <p>Lorem ipsum dolor sit, amet consectetur adipisicing elit. Sed repellendus libero aut! A minima, nihil laboriosam corporis eos dolore eligendi numquam debitis quam vero alias. Tenetur vel expedita eligendi inventore.</p>
</div>
</div>
</body>
```

CSS

```
/* html {
    padding: 0;
    margin: 0;
} */
html {
    background-color: red;
}

nav {
    width: 100%;
    background-color: red;
    position: fixed;
    top: 0;
    left: 0;
    text-align: end;
    font-size: 1.1rem;
    z-index: 99999999;
}
nav ul {
    transform: translateX(-10em);
}
nav ul li {
    margin-right: 20px;
    display: inline-block;
}
nav ul li a {
```

```
text-decoration: none;
color: white;
padding: 5px;
}

nav ul .merk {
    text-decoration: none;
    color: white;
    margin-right: 49em;
}
.container {
    width: 80%;
    background-color: white;
    margin: auto;
}
```

```
#about {
    text-align: center;
    transform: translateY(5em);
}
#about img {
    float: left;
    border-radius: 50%;
    transform: translateX(22em);
    border: 5px solid red;
}
.clear {
    clear: left;
}
#about h1,
p {
```

```
transform: translateY(1em);
}
.container #about .univ {
  transform: translateY(2em);
}

#profile {
  display: flex;
  justify-content: space-around;
  margin-top: 10em;
}
#profile .school {
  width: 100px;
  height: 100px;
  background-color: red;
  transform: translateY(1em);
}
.container #about .univ {
  transform: translateY(2em);
}

#profile {
  display: flex;
  justify-content: space-around;
  margin-top: 10em;
}
#profile .school {
  width: 100px;
  height: 100px;
  background-color: red;
```

```
text-align: center;
line-height: 100px;
display: flex;
flex-direction: column;
align-items: center;
justify-content: center;
border-radius: 1em;
}

#profile a {
    text-decoration: none;
    color: black;
}

#sd,
#smp,
display: block;
color: black;
border: 2em solid #fff;
text-align: center;
background-color: red;
padding: 1.5em;
}
```

Hasil

