Edit the current checkout

Launch from your terminal workspace. Files, buffers and views stay in the editor.

Files

`Space ff`	Find file
`Space fg`	Search working directory
`Space fn`	New file
`Space fr`	Recent files in working directory
`Space fS`	Save all files
`Space fs`	Save file
`Space e`	File Explorer

Buffers

`Space bd`	Close buffer / hide agent
`Space bl`	Open buffers
`Space bb`	Buffer manager
`Shift+h / Shift+l`	Previous / next buffer

One checkout per terminal workspace

Choose projects in the terminal, then launch nvim there. On Windows, WezTerm selects projects and gwt creates worktrees. Neovim inherits the directory.

Tabs and views

`Space Tab [`	Previous tab
`Space Tab ]`	Next tab
`Space Tab n`	New view tab
`Space Tab r`	Rename tab
`Space Tab x`	Close view tab
`gt / gT`	Next / previous tab

Windows

`Ctrl+h/j/k/l`	Move left / down / up / right
`_ / |`	Horizontal / vertical split
`Ctrl+w =`	Equalize split sizes
`Ctrl+w q`	Close a split

Views keep editing simple

Tabs show filenames or your custom view name. Closing a view retains other buffers and does not save a project session. Space bl lists open buffers.

AI alongside your code

Copilot Chat and optional editor terminals stay available.

Chat and editor agents

`Space aa`	Toggle Copilot Chat
`Space ae`	AI: explain code
`Space ah`	Hide agent terminal
`Space al`	All agents / tasks
`Space am`	Choose Copilot model
`Space an`	New CLI agent
`Space ao`	AI: outline a change
`Space ap`	Choose Copilot prompt
`Space ar`	AI: review code
`Space aR`	Reset Copilot conversation
`Space as`	Stop agent / task
`Space at`	AI: propose tests
`Space ax`	Stop Copilot response

Keep long-running work in the terminal

Use the terminal workspace agent pane for independent tasks. Editor-hosted agents keep their original directory; hiding their window does not stop them. Quitting Neovim ends editor-hosted jobs.

Shell terminals

`Space tn`	New Terminal
`Space tp`	Pick Terminal
`Space tt`	Toggle Terminal
`Ctrl+/`	Toggle editor shell
`Esc Esc [T]`	Return to terminal normal mode

Chat context

`#buffer:active`	Active source file (sticky)
`#buffer:listed`	Listed editor buffers
`#file:path`	Attach a specific file
`#gitdiff:staged`	Attach staged changes

Inside Copilot Chat

`Enter [N] / Ctrl+s [I]`	Send prompt
`gd [N]`	Preview proposed diff
`Ctrl+y`	Accept proposed diff
`q [N] / Ctrl+c [I]`	Close chat
`gh [N]`	Show chat help

Java and code intelligence

Navigation, refactoring, builds and debugging remain editor responsibilities.

Navigation

`gd / gD`	Definition / declaration
`gI / gr`	Implementation / references
`K / gk`	Documentation / signature
`ge / gE`	Line / cursor diagnostics
`[e / ]e`	Previous / next diagnostic
`Ctrl+o / Ctrl+i`	Jump backward / forward
`Ctrl+Space [I]`	Java completion
`Ctrl+n/p, Enter [I]`	Select and accept completion

Code intelligence

`Space ca`	Code action
`Space cf`	Format
`Space ci`	Incoming calls
`Space co`	Outgoing calls
`Space cr`	Rename symbol
`Space cR`	Rename File
`Space cS`	Workspace symbols
`Space cs`	Document symbols / outline

Java and IntelliJ

`Space ji`	IntelliJ health
`Space jl`	IntelliJ license / sign in
`Space jn`	Java file template
`Space jo`	Java import / build output
`Space jR`	Restart IntelliJ server
`Space jr`	Reload Java project

Build and run

`Space rb`	Build project
`Space rd`	Debug Java at cursor
`Space rl`	Run Java code lens
`Space rr`	Run Java at cursor
`Space rs`	Stop Java run / build
`Space rt`	Test project

Debugger

`Space dB`	Conditional breakpoint
`Space db`	Toggle breakpoint
`Space dc`	Continue debugger
`Space de`	Evaluate expression
`Space di`	Step into
`Space dn`	Step over
`Space do`	Step out
`Space dq`	Stop debugger
`Space dv`	Debug panel
`Space dw`	Watch expression

Find, inspect, refine

Search, Git review and editing without branch or checkout management.

Search

`Space s"`	Registers
`Space s/`	Search History
`Space sb`	Grep Open Buffers
`Space sc`	Command History
`Space sd`	Diagnostics
`Space sD`	Buffer Diagnostics
`Space sf`	Smart Find Files
`Space sh`	Help Pages
`Space sm`	Marks
`Space sM`	Man Pages
`Space sq`	Quickfix List
`Space ss`	Grep
`Space su`	Undo History

Git review

`Space gc`	Git Changes (CodeDiff)
`Space gd`	Git Diff (Hunks)
`Space gl`	Git Log
`Space gL`	Git Log Line
`Space gs`	Git Status
`Space gS`	Git Stash

Interface

`Space ud`	Toggle diagnostic messages
`Space uh`	Toggle inlay hints
`Space uH`	Workflow health / prerequisites
`Space um`	Toggle Markdown rendering
`Space un`	Notification history
`Space ?`	Show buffer shortcuts
`Space qq`	Quit Neovim

Editing

`Esc`	Clear search highlight
`gc / gcc`	Comment selection / line
`J / K [V]`	Move selected lines down / up
`< / > [V]`	Indent and retain selection
`Ctrl+v [I]`	Paste clipboard
`Y`	Yank to end of line
`c / C`	Change without replacing yank register
`ysiw"`	Surround word with quotes
`cs"'`	Change double to single quotes
`ds"`	Delete surrounding quotes

Review the active checkout

CodeDiff, status, log, stash and hunk pickers stay available. Branch checkout and worktree management are handled from the terminal.

Setup and command reference

Authentication, language servers and maintenance.

Java commands

`:IntellijLspLicense`	Trial, sign in and licensing
`:IntellijLspReload`	Reload after build configuration changes
`:IntellijLspRestart`	Restart language servers
`:IntellijLspOutput`	Import, build and program output
`:IntellijLspFileTemplate`	Java / Kotlin file template
`:IntellijLspRun[!]`	Run; ! skips build
`:IntellijLspRunStop`	Stop current build or program
`:IntellijLspDebugPanel`	Stack, locals and watches
`:IntellijLspClearCache`	Reindex only for broken caches

Editor agents

`:Agent [COMMAND]`	Choose an agent or run a command
`:Agents`	Pick an editor agent / task
`:AgentStop`	Choose an editor job to stop

First launch

Use Neovim 0.12+, Git, curl 8+ and ripgrep. Restore the locked plugin revisions. IntelliJ downloads its server and activates through Space jl; open Space aa for Copilot sign-in. Authenticate CLI agents separately.

Chat and maintenance

`:CopilotChat [PROMPT]`	Ask Copilot
`:CopilotChatSave NAME`	Save conversation locally
`:CopilotChatLoad NAME`	Load a saved conversation
`:CopilotChatModels`	Choose an available model
`:CopilotChatPrompts`	Choose a prompt
`:CodeDiff`	Review changes
`:Lazy restore`	Install locked plugin revisions
`:Lazy update`	Update plugins and review lockfile
`:Mason`	Inspect / install language servers
`:ParsersInstall`	Install optional language parsers
`:TSUpdate`	Update installed parsers
`:checkhealth dotfiles`	Check workflow prerequisites
`:checkhealth intellij-lsp`	Check server and licensing
`:checkhealth CopilotChat`	Check chat dependencies
`:WhichKey`	Discover mappings

Language tooling

IntelliJ imports/indexes Java projects and needs a trial or eligible Ultimate license. Mason handles non-Java servers. Optional syntax parsers need a C compiler and tree-sitter CLI >= 0.26.1.