



Andrew Kesler
GIXD-503-01
November 12, 2024


Time and oscillation




When starting this project, I wanted to complete the requirement of creating an element after a predetermined interval of time had passed, first. So, I followed along to Maxim's video and made my version of the ellipse.




I created the ellipse just like the video and started playing around with directions.



After some trial and error, I finally settled on the direction that Maxim originally had in the video where the ellipse touches all 4 corners of the frame.



I then added my second element, which is a yellow rectangle that swings like a pendulum.



Intrigued by the original pendulum I created, I decided to make another but in a different fashion. I stylized it to have a more teal RGB value and I also increased the speed so it is double the original yellow pendulum.

I have included the p5.js sketch below for reference:

p5.js sketch:

```

let angle = 0;
let white
let posX, posY, velX, velY
let diameter = 60

function setup() {
  createCanvas(400, 400);
  white = color(255, 255, 255)

  posX = width/2
  posY = height/2

  velX = random(-5, 5)
  velY = random(-3.5, 3.5)

  noStroke()

  angleMode(DEGREES);
  rectMode(CENTER);
}

```

```

function draw() {
  background(0);

```

```
fill(white)
circle(posX,posY,diameter)

if(posX >= width || posX <= 0){
  velX = velX * -1
}
if(posY >= height || posY <= 0){
  velY = velY * -1
}

posX = posX+velX
posY = posY+velY

push();
translate(50, 50);
rotate(angle);
fill(500, 400, 100);
rect(40, 40, 100, 50);
pop();

push();
translate(300, 300);
rotate(-angle * 3);
fill(50, 200, 300);
rect(0, 0, 100, 50);
pop();

angle = angle + 5;

}
```