



THE REPUBLIC OF UGANDA
MINISTRY OF HEALTH


Under the Net

CAMPAIGN 2026

KEY FACTS ABOUT MALARIA PREVENTION AND CONTROL



Make sure the net is fully tucked in and there is no way for mosquitoes to enter.



Take care of your net by sewing or repairing any holes or torn areas.

For more information visit the nearest Health facility **OR** call Ministry of Health

Toll free line: **0800100066**

1 What is Malaria and how is it spread?

Malaria is a killer or dangerous disease that is caused by parasites.

Parasites are spread from one person to another through a bite from an infected female anopheles mosquito.

2 What are the signs and symptoms of Malaria?

- **Fever**
- **Headache**
- **Loss of appetite**
- **Chills and rigors**
- **Vomiting**
- **Body pains**
- **Fatigue**
- **Abdominal pain**
- **Nausea**

3 What does one do in case of Malaria signs and symptoms

• If you or you family members experience malaria signs and symptoms, go to the nearest health facility within 24 hours.

• Make sure you are tested to confirm it is Malaria. If positive you will be given treatment and take the **FIRST** dose at the health facility in the presence of the health care provider.

• Complete treatment as guided by the health worker and avoid sharing the medicines.

• **Remember;** Early testing and treatment is important and saves lives.



If one delays to seek care, they spread parasites to the other people they leave with, they remain

sick for some time and the disease progresses to severe forms, disability or death

4 How does one prevent Malaria?

a) Use of Mosquito Net:

In order to prevent Malaria, make sure that all your family members, especially children under 5 years of age and pregnant women sleep under a treated mosquito net every night.

- Hang your mosquito net over the bed or place where you sleep and ensure that it is tucked under your mattress or mat.

When it gets dark, remember to close doors and windows early enough (between 6 – 7 pm) to stop mosquitoes from coming into the house.

- Continue using the treated mosquito net even if your house was sprayed during the Indoor Residual Spraying (IRS).

- Take care of your mosquito net by sewing or repairing torn areas.



b) Vaccination:

Vaccinate your child against Malaria in in order to reduce severe malaria cases and death. The Malaria vaccine is a four-dose vaccine administered at; 6 months, 7 months, 8 months and 18 months.

It is important that children complete all the doses in order to get full protection against Malaria.

ROUTINE IMMUNIZATION VACCINES AND ROUTE OF ADMINISTRATION



WHEN IT IS GIVEN (AGE)	VACCINE GIVEN & DOSE
AT BIRTH	Oral Polio Vaccine 0
	BCG
	Hepatitis B
AT 6 WEEKS (One and half months)	Oral Polio Vaccine 1
	Injectable polio vaccine (IPV1)
	DPT-Hep B-Hib 1
	Pneumococcal Conjugate vaccine 10 (PCV1)
	Rotavirus vaccine 1
	Oral Polio Vaccine 2
AT 10 WEEKS (Two and half months)	DPT-Hep B-Hib 2
	Pneumococcal Conjugate vaccine 10 (PCV2)
	Rotavirus vaccine 2
	Oral Polio Vaccine 3
	Injectable polio vaccine (IPV2)
AT 14 WEEKS (Three and half months)	DPT-Hep B-Hib 3
	Pneumococcal Conjugate vaccine 10 (PCV3)
	Rotavirus vaccine 3
	At 6 months
	At 7 months
	At 8 months
At 9 MONTHS	Malaria Vaccine 1
	Malaria vaccine 2
At 18 MONTHS	Malaria Vaccine 3
	Measles - Rubella vaccine 1
	Yellow Fever vaccine
	Measles - Rubella vaccine 2
	Malaria Vaccine 4

c) Environmental management

- Clear bushes and places with stagnant water where mosquitoes breed around your homesteads such as pits, plastic containers and tins.



d) Malaria in pregnancy

- All pregnant women should attend all 8 antenatal care visits and get malaria prevention drugs.
- This protects the woman and the unborn baby from malaria
- Where people sleep in the open such as funerals, ensure that all children and pregnant women sleep in the house under a treated mosquito net every night.
- Take the malaria prevention drugs as prescribed by the health worker



e) Indoor Residual Spraying (IRS)

- Ensure that your house is sprayed during the government IRS exercise.
- You can also buy insecticide from your local market and spray your house in areas where there is no government IRS program.



5 What is your role as an individual / community leader?

- Ensure that every household in your community receives, has, uses and takes care of the mosquito nets.
- Ensure that all homesteads have cleared bushes and places with stagnant water where mosquitoes breed such as pits, plastic containers and tins.
- Mobilise, supervise, educate and advise the community on how Malaria is spread, the signs & symptoms of Malaria, where to get treatment and how to prevent Malaria.
- Set a good example in your home and community as a whole,

6 Five simple steps to make sure that you use your treated mosquito net properly:

HOW TO USE AND TAKE CARE OF YOUR NET

Step 1 – The net has loops on each corner. Tie a string to each loop if there is none

Step 2 – Hang the net by tying each corner string up so the sides of the net are straight

Step 3 – Make sure you hang your net so that it can be fully tucked under your mattress and that there is no way for mosquitoes to enter

Step 4 – During the day, fold the net so it does not get damaged or move the net out



of the way in the morning and set it up again at night before going to sleep.

Step 5 – Sew your net or tie a knot in case it gets a hole, wash it with ordinary soap BUT not detergent



KEY POINTS TO REMEMBER:

- The Government of Uganda through the Ministry of Health is conducting a nationwide Mosquito Net distribution campaign in 2026.
- Your leader will let you know when the registration and distribution will happen in your location.
- Make sure you are registered in order to get a Mosquito Net
- Get to know the dates and venues of distribution from your local leader.

The best way to prevent Malaria is to sleep under a treated mosquito net every night

- It is important for you and all members of your family to sleep under treated mosquito nets every night. But it is MOST important for pregnant women and children under 5 to be safe from Malaria.
- Malaria is a serious disease that can kill if left untreated.
- If you or your family member gets any of the symptoms for

Malaria, go to the nearest health facility immediately (within 24 hours) to test and if confirmed get treatment for Malaria.

- Complete your Malaria treatment as told by the health worker even when you feel better and report back to health facility if you feel unwell after completing the dosage.
- Remember that your child should complete their vaccination schedule including the malaria vaccine

For more information visit the nearest Health facility **OR** call
Ministry of Health Toll free line **0800100066**