



## Sign in to GitHub

Username or email address

Password

[Forgot password?](#)

Sign in

New to GitHub? [Create an account.](#)



## Two-factor authentication



Authentication code [?](#)

Verify

Open your two-factor authenticator (TOTP) app or browser extension to view your authentication code.

Having problems?

- [Use a recovery code or begin account recovery](#)

1. Sudah terdaftar



belajar utk mengetahui


2 followers · 2 following


## Popular repositories

Customize your pins

22 contributions in the last year

Contribution settings ▼





## Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository](#).

Owner \* andonebekasi / Repository name \* tugas-devops  
✔ tugas-devops is available.

Great repository names are short and memorable. Need inspiration? How about [fuzzy-system](#)?

Description (optional)

☒ **Public**  
Anyone on the internet can see this repository. You choose who can commit.

☐ **Private**  
You choose who can see and commit to this repository.

Initialize this repository with:


☐ **Add a README file**  
This is where you can write a long description for your project. [Learn more about READMEs](#).

Add .gitignore  
.gitignore template: None

Choose which files not to track from a list of templates. [Learn more about ignoring files](#).

Choose a license

2.



## Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository](#).

Owner \* andonebekasi / Repository name \* tugas-devops  
✔ tugas-devops is available.

Great repository names are short and memorable. Need inspiration? How about [fuzzy-system](#)?

Description (optional)

☒ **Public**  
Anyone on the internet can see this repository. You choose who can commit.

☐ **Private**  
You choose who can see and commit to this repository.

Initialize this repository with:


☐ **Add a README file**  
This is where you can write a long description for your project. [Learn more about READMEs](#).

Add .gitignore  
.gitignore template: None

Choose which files not to track from a list of templates. [Learn more about ignoring files](#).


Choose a license





Search or jump to...

[Pull requests](#) [Issues](#) [Codespaces](#) [Marketplace](#) [Explore](#)



**andi (andonebekasi)**  
Your personal account [Switch to another account](#)

[Go to your profile](#)

[Public profile](#)

[Account](#)

[Appearance](#)

[Accessibility](#)

[Notifications](#)

[Access](#)

[Billing and plans](#)

[Emails](#)

[Password and authentication](#)

[Sessions](#)

[SSH and GPG keys](#)


[Organizations](#)

## SSH keys

[New SSH key](#)

This is a list of SSH keys associated with your account. Remove any keys that you do not recognize.

Authentication Keys



**test**  
SHA256:oG3z5n1+SVKv1LJoMuxDRjv95Hs1mBy3+hexDnm/HQY  
Added on Apr 30, 2023  
Never used — Read/write

[Delete](#)

Check out our guide to [generating SSH keys](#) or troubleshoot [common SSH problems](#).

## GPG keys

[New GPG key](#)

There are no GPG keys associated with your account.


## Push github

```
[andi@instance-1:~/tugas-devops$ git remote set-url origin git@github.com:andonebekasi/tugas-devops.git
[andi@instance-1:~/tugas-devops$ git push -u origin main
The authenticity of host 'github.com (140.82.112.3)' can't be established.
ECDSA key fingerprint is SHA256:p2QAMXNIC1TJYWeIOttrVc98/R1BUFWu3/LiyKgUfQM.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'github.com,140.82.112.3' (ECDSA) to the list of known hosts.
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 227 bytes | 227.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To github.com:andonebekasi/tugas-devops.git
 * [new branch]      main -> main
Branch 'main' set up to track remote branch 'main' from 'origin'.
[andi@instance-1:~/tugas-devops$ cat README.md
test
```

test

test

```
[andi@instance-1:~/tugas-devops$
```



Kita test bikin folder dan push ke github

```
Terminal Shell Edit View Window Help
moladin — andi@instance-1: ~/tugas-devops — ssh andi@35.188.13.253 — 204x1

...di: /home/andi — ssh andi@192.168.1.14 ...gas-devops — ssh andi@35.188.13.253 ...stance-2: ~ — ssh andi@34.171.161.93 ~

[andi@instance-1:~/tugas-devops/empat$ cd ..
[andi@instance-1:~/tugas-devops$ ls -al
total 36
drwxrwxr-x 8 andi andi 4096 Apr 30 08:34 .
drwxr-xr-x 7 andi andi 4096 Apr 30 07:54 ..
drwxrwxr-x 8 andi andi 4096 Apr 30 08:34 .git
-rw-rw-r-- 1 andi andi 20 Apr 30 07:52 README.md
drwxrwxr-x 2 andi andi 4096 Apr 30 08:35 dua
drwxrwxr-x 2 andi andi 4096 Apr 30 08:35 empat
drwxrwxr-x 2 andi andi 4096 Apr 30 08:35 satu
drwxrwxr-x 2 andi andi 4096 Apr 30 08:34 test.txt
drwxrwxr-x 2 andi andi 4096 Apr 30 08:35 tiga
[andi@instance-1:~/tugas-devops$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    dua/
    empat/
    satu/
    tiga/

nothing added to commit but untracked files present (use "git add" to track)
[andi@instance-1:~/tugas-devops$ git add .
[andi@instance-1:~/tugas-devops$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   dua/test.txt
    new file:   empat/text.txt
    new file:   satu/test.txt
    new file:   tiga/textgt.txt


[andi@instance-1:~/tugas-devops$ git commit -m "test nambah foldel dan file, folder harus di isi baru bisa di commit"
[main 80418bc] test nambah foldel dan file, folder harus di isi baru bisa di commit
4 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 dua/test.txt
create mode 100644 empat/text.txt
create mode 100644 satu/test.txt
create mode 100644 tiga/textgt.txt
[andi@instance-1:~/tugas-devops$ git push origin main
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (6/6), 509 bytes | 509.00 KiB/s, done.
Total 6 (delta 0), reused 0 (delta 0)
To github.com:andonebekasi/tugas-devops.git
db179a4..80418bc main -> main
[andi@instance-1:~/tugas-devops$ ]
```

← → ↻ [github.com/andonebekasi/tugas-devops](#)


[andonebekasi / tugas-devops](#) Public Pin Un

<> **Code** Issues Pull requests Actions Projects Wiki Security Insights Settings

main 1 branch 0 tags Go to file Add file <> Code

 **andonebekasi** test nambah foldel dan file, folder harus di isi baru bisa di commit 80418bc 1 minute ago 2 commits

dua	test nambah foldel dan file, folder harus di isi baru bisa di commit	1 minute ago
empat	test nambah foldel dan file, folder harus di isi baru bisa di commit	1 minute ago
satu	test nambah foldel dan file, folder harus di isi baru bisa di commit	1 minute ago
tiga	test nambah foldel dan file, folder harus di isi baru bisa di commit	1 minute ago
README.md	initial commit	31 minutes ago

**README.md** 


```
test

test


test
```


Catatan ::::


← → ↻ [github.com/settings/tokens?type=beta](#) ☆ ≡ 👤


 Search or jump to... / [Pull requests](#) [Issues](#) [Codespaces](#) [Marketplace](#) [Explore](#)


[Settings](#) / [Developer settings](#) / Personal access tokens

 GitHub Apps

 OAuth Apps

 **Personal access tokens**

 Fine-grained tokens Beta

 Tokens (classic)


### Fine-grained personal access tokens Beta

Generate new token

These are fine-grained, repository-scoped tokens suitable for personal [API](#) use and for using Git over HTTPS.

Make sure to copy your personal access token now as you will not be able to see this again.

github\_pat\_11AIHJRAA08g0VPN4ZrBFD\_L9wc603tJp7up0z4P



Expires on Sat, Jul 29 2023.

Never used

Delete

© 2023 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Docs](#) [Contact GitHub](#) [Pricing](#) [API](#) [Training](#) [Blog](#) [About](#)



\*\*\*ini contoh repo\*\*\*

git remote set-url origin <git@github.com:andonebekasi/tugas-devops.git>

\*\*\* utk push ke github\*\*\*