



2026


Agentic AI with GCP / ADK / A2A / Gemini.

Gabriel Preda
Principal Data Scientist



Google
Developer
Groups

About me



<https://www.linkedin.com/in/gabrielpreda/>




Agenda

1. Introduction: AI with Google Cloud
2. ADK, A2A, Antigravity
3. A SQL Agentic application
4. A Knowledge Base with RAG Engine
5. A Travel Assistant
6. Build a Healthcare Assistant



Google
Developer
Groups

01




Introduction: AI with Google Cloud



Google
Developer
Groups

Vertex AI.



Google Developer Groups

Gemini



Gemini 3 Pro Preview

Our most powerful agentic and coding model, with the best multimodal understanding capabilities.



Gemini 2.5 Flash-Lite Preview

Most balanced Gemini model for low latency use cases.



Gemini 2.5 Flash Preview

Strong overall performance and low latency.



Gemini 2.5 Flash-Lite

Most balanced Gemini model for low latency use cases.



Gemini 2.5 Pro

Strongest model quality, especially for code & complex prompts.




Gemini 2.5 Flash

Best for balancing reasoning and speed



Google Developer Groups

02




ADK, A2A, Antigravity




Google
Developer
Groups

ADK



ADK




A2A

Agents expose their capabilities through AgentCard

Host agents can dynamically discover what other (remote) agents can do.

A2A servers can wrap agents from different frameworks (not just ADK).



Google Developer Groups

Antigravity

The editor


You can still manually type, use autocomplete and command (inline AI edits)

The Agent Manager

Separate dashboard where you can spawn multiple agents that can work in parallel to different tasks

Agent across Editor, Terminal, Browser

Agent writes code for a new frontend feature, uses the terminal to launch localhost, and actuates the browser to test that the new feature works.



Google Developer Groups

Antigravity



Planning

Describe a feature in plain English. The agent generates a **Plan Artifact** – a step-by-step checklist of what it intends to change.



Execution

Once the plan is approved, the agent works autonomously. Creates new files, refactor existing ones, run terminal commands to install dependencies, install the local server



Verification


Artifacts are provided:

- **Diffs** – clear views of code change
- **Screenshots/Videos** – recordings of how the agent interacts with UI




Learning and self-improvement

Agent actions retrieve from and contribute to a knowledge base, allowing the agent to learn from past work.



Google Developer Groups

03




A SQL Agentic Application



Google
Developer
Groups

Application Diagram



Event 5 of 16

EventRequestResponse

```

content:
  parts:
    0:
      functionResponse:
        id: "adk-d16ee32b-1b5f-413c-a57a-76d781bda851"
        name: "run_sql_query"
      response:
        raw_result:
          0:
            0: "Jeffrey M. Wooldridge"
            1: 12970.8
          1:
            0: "Scott Kelby"
            1: 8937.560000000001
          2:
            0: "Sheridan Titman"
            1: 8085
          3:
            0: "Mark Grinblatt"
            1: 8085
          4:
            0: "W. Bruce Johnson"
            1: 5826.82
        role: "user"
      invocationId: "e-233f3d65-76c7-4808-9ba2-3f09dbdda76f"
      author: "generator_agent"
      actions:
        stateDelta:
        artifactDelta:
        requestedAuthConfigs:

```

SESSION ID 350467dd-5545-478e-9010-108239537fb3

Token Streaming + New Session

Top 5 authors by books sales

List the top 5 authors, ordered by the total sales of all their books in descending order.

get_schema

get_schema

run_sql_query

run_sql_query

```

{
  "sql": "SELECT T1.s_name, SUM(T2.price * T2.quantity) FROM Source AS T1 INNER JOIN SourceProduct AS T3 ON T1.id = T3.s_id INNER JOIN Book AS T2 ON T3.prod_id = T2.id GROUP BY T1.s_name ORDER BY SUM(T2.price * T2.quantity) DESC LIMIT 5"
  "raw_result": [
    [
      "Jeffrey M. Wooldridge",
      12970.8
    ],
    [
      "Scott Kelby",
      8937.560000000001
    ],
    [
      "Sheridan Titman",
      8085
    ],
    [
      "Mark Grinblatt",
      8085
    ],
    [
      "W. Bruce Johnson",
      5826.82
    ]
  ]
}

```

Type a Message...

Google Developer Groups



The SQL query executed successfully and returned a list of 5 names and corresponding numerical values.

The query aimed to find the top 5 authors by sales. It identified `Source.s_name` as the author's name and joined it through `SourceProduct` to the `Book` table. It then calculated `SUM(price * quantity)` to represent total sales.

However, this calculation is incorrect. The `quantity` column in the `Book` table likely represents the inventory or stock level, not the number of units sold. Therefore, the query has calculated the total *value of the books in stock* for each author, not the actual *sales revenue*.

To correctly calculate sales, the query would need to use the `ProductCheckout` table to identify which books have been sold and sum their prices. The current result does not accurately answer the user's question about book sales.



```
{  
  "decision": "NO-GO",  
  "feedback": "The query incorrectly calculates sales by using the 'quantity' column from the 'Book' table, which represents inventory, not units sold. To accurately calculate total sales, the query should join with the 'ProductCheckout' table to count the number of times each book was sold and then sum the prices of price of the sold books."  
}
```



I need to retry the query. The previous attempt incorrectly calculated sales using the book's inventory (`quantity`) instead of the actual number of units sold. To get the correct sales data, I must use the `ProductCheckout` table to determine which books were sold and then sum their prices.



List the top 5 authors by total sales revenue. Calculate an author's total sales by summing the prices of all the books they have written that appear in checkout records. Order the authors by total sales in descending order.



⚡ `run_sql_query`



✓ `run_sql_query`




Google Developer Groups


```
# --- Refinement Loop ---
refinement_loop = LoopAgent(
    name="RefinementLoop",
    sub_agents=[
        rewrite_prompt_agent,
        generator_agent,
        analyzer_agent,
        reflexion_agent,
        routing_agent
    ],
    max_iterations=2,
)
```


```
# --- Root Agent ---
root_agent = SequentialAgent(
    name="IterativeSQLPipeline",
    sub_agents=[
        refinement_loop
    ],
    description="Iteratively rephrases, generates, analyzes, and refines SQL queries."
)
```



Explore the GitHub Project



04




A Knowledge Base using RAG Engine.




Google
Developer
Groups

Application Diagram



Application Diagram



```
root_agent = SequentialAgent(  
    name="RAGPipelineAgent",  
    sub_agents=[retriever_agent, analyzer_agent, final_answer_agent]  
    description="RAG pipeline: Retriever -> Analyzer -> Final Answer  
with citations.",  
)
```

```
rag_retrieval_tool = VertexAiRagRetrieval(  
    name="retrieve_ai_act_corpus",  
    description="Use this tool to retrieve the most relevant passages  
    from the AI Act corpus. Always call this tool before answering.",  
    rag_resources=[rag.RagResource(rag_corpus=RAG_CORPUS)],  
    similarity_top_k=8,  
    vector_distance_threshold=0.55,  
)
```

```
retriever_agent = LlmAgent(  
    name="RAGRetrieverAgent",  
    model=GEMINI_MODEL,  
    description="Calls the RAG tool and returns normalized passages  
as JSON for downstream agents.",  
    output_key="retrieved_passages_json",  
    tools=[rag_retrieval_tool],  
    instruction=return_instructions_rag_retriever()  
)
```


Agent Development Kit

odk-rag-agent

TraceEventsStateArtifactsSessionsEval

Invocations

What is stipulated about mutual assistance, market surveillance and control of gen

Invocation ID: e-569865ac-8135-471a-833d-7876913be1d4

Invocation

agent_run [RAGPipelineAgent]

agent_run [RAGRetrieverAgent]

call_llm

agent_run [RAGAnalyzerAgent]

call_llm

agent_run [RAGFinalAnswerAgent]

call_llm

SESSION ID: c1oadf40-4ab4-47db-ad73-b885356302e5

Token Stream

- explain the main division or supervisory responsibility: the AI Office for single-provider systems and national authorities for all others.
- Describe the mechanisms for mutual assistance, such as reasoned requests for information from national authorities to the AI Office.
- Detail the mandatory cooperation between the AI Office and national authorities for GPAI systems with potential high-risk uses.
- Note the overarching legal framework provided by Regulation (EU) 2019/1020 for enforcement.

Under the EU AI Act, the supervision of general-purpose AI systems is divided between the central AI Office and national market surveillance authorities, with specific rules for mutual assistance and cooperation [P1, P2]. These regulations are detailed in Article 75 of the Act [P3].

Division of Supervisory Powers

The responsibility for monitoring and supervising general-purpose AI systems is split:

- AI Office:** When an AI system is based on a general-purpose AI model and both are developed by the same provider, supervision occurs at the Union level through the AI Office [P1, P2]. The AI Office holds the powers of a market surveillance authority in these cases [P2].
- National Authorities:** In all other scenarios, national market surveillance authorities are responsible for the supervision of AI systems [P2].

Mutual Assistance and Cooperation

The framework establishes mechanisms for collaboration between the AI Office and national bodies:

- A national market surveillance authority can submit a "reasoned request" to the AI Office to enforce access to information regarding a general-purpose AI system [P1].
- For general-purpose AI systems that can be used for at least one purpose classified as high-risk, national market surveillance authorities are required to cooperate with the AI Office to conduct compliance evaluations [P2].
- Providers of general-purpose AI models must cooperate with the Commission and national competent authorities as they exercise their powers [P5].

Enforcement Framework

Market surveillance and control of all AI systems, including general-purpose ones, operate under the procedures of Regulation (EU) 2019/1020 [P1, P4]. For the purposes of the AI Act, any reference to a "product" in that regulation is understood to include all AI systems, and "economic operator" includes all operators identified in the AI Act [P4].


Sources

- [P1] ai-act-regulation-eu-20241689.pdf
- [P2] ai-act-regulation-eu-20241689.pdf
- [P3] ai-act-regulation-eu-20241689.pdf
- [P4] ai-act-regulation-eu-20241689.pdf
- [P5] ai-act-regulation-eu-20241689.pdf


Type a Message...

Google Developer Groups

Explore the GitHub Project



04




A Travel Assistant.



Google
Developer
Groups

Application Diagram



```
root_agent = Agent(  
    name="local_explorer_assistant",  
    model="gemini-2.5-pro",  
    description="Coordinates discovery, routing, and itinerary  
composition to plan a smart local day trip.",  
    instruction=instruction_prompt,  
    tools=[  
        AgentTool(agent=discovery_agent),  
        AgentTool(agent=routing_agent),  
        AgentTool(agent=composer_agent)  
    ]  
)
```

```
discovery_agent = Agent(  
    name="discovery_agent",  
    model="gemini-2.5-pro",  
    description="Uses Google Search to discover relevant places.",  
    instruction=instruction_prompt,  
    tools=[google_search]  
)
```

```
routing_agent = Agent(  
    name="routing_agent",  
    model="gemini-2.5-pro",  
    description="Estimates an optimal travel route using ADK v1.15+  
google_maps_grounding tool",  
    instruction=instruction_prompt,  
    tools=[google_maps_grounding]  
)
```



Local Explorer Assistant

Plan your personalized day trip with AI.

City you'll be exploring:

Barcelona

Your interests (comma-separated):

art, history, streetfood

Available time (in hours):



Things to avoid (comma-separated, optional):

noise

Plan My Trip

Here's your local exploration plan:

I couldn't generate a map for your tour, but I've designed a 5-hour itinerary through Barcelona's El Born and Gothic Quarter. This plan focuses on quiet art, history, and street food, while avoiding noisy and

A 5-Hour Quiet Art & Food Itinerary:

1. Start in the Gothic Quarter (Barri Gòtic) (2 hours)

Begin your tour by exploring the quieter, historic sections of the Gothic Quarter.

- **El Call (Old Jewish Quarter):** Wander through the ancient, narrow streets to soak in the medieval atmosphere.
- **Plaça Sant Felip Neri:** Discover this tranquil and historically significant hidden square.
- **Temple of Augustus:** Find the remnants of a Roman temple tucked away in a small medieval courtyard.

2. Art History at the Picasso Museum (1.5 hours)

From the Gothic Quarter, walk to the adjacent El Born neighborhood to visit the Picasso Museum.

- **Picasso Museum:** Housed in five medieval palaces, the museum features over 3,500 works from the artist's formative years. To save time, it is highly recommended to book your tickets online in advance.
- **Alternative:** For a different, quieter art experience, the nearby **European Museum of Modern Art (MEAM)** is a great alternative, focusing on contemporary figurative art.

3. Street Food in El Born (1.5 hours)


For a less crowded street food experience than the famous La Boqueria, head to the Mercat de Santa Caterina in El Born.

- **Mercat de Santa Caterina:** This market is notable for its colorful, wavy roof. It was the city's first covered market and offers a more relaxed environment to browse fresh produce and grab a bite.
- **Alternative:** The **Mercat de Sant Antoni** is another excellent option. It's a local favorite known for its fresh produce, takeaway sandwiches (*bocadillos*), and Catalan cream-filled doughnuts (*xuixos*).




Google Developer Groups

Explore the GitHub Project



Application Diagram – with A2A



```
41 discovery_agent_card = AgentCard(  
42     name='Discovery Agent',  
43     url='http://localhost:10020',  
44     description='Uses Google Search to discover relevant places.',  
45     version='1.0',  
46     capabilities=AgentCapabilities(streaming=True),  
47     default_input_modes=['text/plain'],  
48     default_output_modes=['text/plain'],  
49     preferred_transport=TransportProtocol.jsonrpc,  
50     skills=[  
51         AgentSkill(  
52             id='discovery_agent',  
53             name='Discovery Agent',  
54             description='Uses Google Search to discover relevant places',  
55             tags=['locations', 'landmarks', 'great views', 'historical places'],  
56             examples=[  
57                 "What to view in this town?",  
58                 'Show me the best places around',  
59                 'What is the most famous places in this area?',
```

```
66 remote_discovery_agent = RemoteA2aAgent(  
67     name='discover_places',  
68     description='Uses Google Search to discover relevant places.',  
69     agent_card=f'http://localhost:10020{AGENT_CARD_WELL_KNOWN_PATH}',  
70 )  
71  
72  
73 a2a_app = create_agent_a2a_server(  
74     agent=discovery_agent,  
75     agent_card=discovery_agent_card  
76 )  
77 application = a2a_app.build() # <- ASGI app  
78  
79 def main():  
80     import uvicorn  
81     uvicorn.run(  
82         "discovery:application", # module:var  
83         host=os.getenv("HOST", "0.0.0.0"),  
84         port=int(os.getenv("PORT", "10020")),  
85         log_level=os.getenv("LOG_LEVEL", "info"),  
86         reload=os.getenv("RELOAD", "false").lower() == "true",  
87     )  
88  
89 if __name__ == "__main__":  
90     main()
```



Local Explorer Assistant

Plan your personalized day trip with AI.

Describe your request:

I like museums and street food. I have 3h free in Paris. I don't like crowds.

Plan My Trip

Here's your local exploration plan:

Of course! Here is a clear and friendly 3-hour itinerary for your afternoon in Paris, tailored to your interests.

Your 3-Hour Parisian Afternoon: Art & Appetites

This itinerary is designed for a relaxing afternoon, taking you from a tranquil artist's studio to a bustling, food-filled street beloved by locals.

2:00 PM - 3:00 PM: Discover the Musée Zadkine

- Location:** 100 bis, rue d'Assas, 75006 Paris
- What to do:** Begin your afternoon with a peaceful visit to the Musée Zadkine. This charming, hidden gem is the former home and studio of the cubist sculptor Ossip Zadkine. You can explore his powerful sculptures both inside and within the beautifully quiet garden, offering a perfect escape from the city crowds. One hour is plenty of time to soak in the art and atmosphere.

3:00 PM - 3:40 PM: Travel to a Food Lover's Paradise

- What to do:** Time to head to your next destination! Make your way to the nearest metro station to begin your journey to a famous foodie street.
- Travel Details:**
 - Walk about 5 minutes to the **Notre-Dame-des-Champs** metro station.
 - Take **Metro Line 12** in the direction of Mairie d'Aubervilliers.
 - Ride for approximately 3 stops and get off at the **Notre-Dame-de-Lorette** station. This metro journey is direct and should take about 40 minutes, including walking.

3:40 PM - 5:00 PM: Explore and Snack on Rue des Martyrs

Local Explorer - Logs

← → ↺ ↻ http://localhost:8502

⌕ ☆ 📄 👤 ⋮

🔍 RUNNING... ⏹ Stop 🚀 Deploy ⌵

Backends

root_agent

http://localhost:10022

discovery_agent

http://localhost:10020

routing_agent

http://localhost:10021

Level filter

INFO

Refresh interval (ms)

2000

500 5000

Each tab refreshes independently.

Local Explorer — Live Logs

root_agent discovery_agent routing_agent

root_agent

☐ Pause

Clear logs

Refresh now

2025-11-02T17:43:45 [info] [google_adk.google.adk.models.google_llm] — 2025-11-02T17:43:45 INFO [google_adk.google.adk.models.google_llm] Sending out request, model: gemini-2.5-pro, backend: GoogleLLMVariant.VERTEX_AI, stream: false

2025-11-02T17:43:45 [info] [google_genai.models] — 2025-11-02T17:43:45 INFO [google_genai.models] AFC is enabled with max remote calls: 10.

2025-11-02T17:43:45 [info] [a2a.server.tasks.task_manager] — 2025-11-02T17:43:45 INFO [a2a.server.tasks.task_manager] Task not found or task_id not set. Creating new task for event {task_id: 1419340c-5e54-44c3-b997-865c3e6bc4fe, context_id: 29423aca-8ba4-402a-a29f-09d140c0a040}.

2025-11-02T17:43:58 [info] [google_adk.google.adk.models.google_llm] — 2025-11-02T17:43:58 INFO [google_adk.google.adk.models.google_llm] Response received from the model.

2025-11-02T17:43:58 [info] [http] — 2025-11-02T17:43:58 INFO [http] HTTP Request: GET http://localhost:10020/well-known/agent-card.json "HTTP/1.1 200 OK"

2025-11-02T17:43:58 [info] [a2a.client.card_resolver] — 2025-11-02T17:43:58 INFO [a2a.client.card_resolver] Successfully fetched agent card data from http://localhost:10020/well-known/agent-card.json {capabilities: {streaming: True}, defaultOutputModes: [text/plain], defaultOutputModes: [text/plain], description: Uses Google Search to discover relevant places, name: Discovery Agent, preferredTransport: JSONRPC, protocolVersion: 0.3.0, skills: [{description: Uses Google Search to discover relevant places, examples: [What to view in this town?, Show me the best places around, What is the most famous places in this area?, What museums are most visited around here?], id: discovery_agent, name: Discovery Agent, tags: [locations, landmarks, great views, historical places]], url: http://localhost:10020, version: 1.0}

2025-11-02T17:43:58 [info] [google_adk.google.adk.agents.remote_a2a_agent] — 2025-11-02T17:43:58 INFO [google_adk.google.adk.agents.remote_a2a_agent] Successfully resolved remote A2A agent: discover_places

2025-11-02T17:44:14 [info] [http] — 2025-11-02T17:44:14 INFO [http] HTTP Request: POST http://localhost:10020 "HTTP/1.1 200 OK"

2025-11-02T17:44:14 [info] [google_adk.google.adk.models.google_llm] — 2025-11-02T17:44:14 INFO [google_adk.google.adk.models.google_llm] Sending out request, model: gemini-2.5-pro, backend: GoogleLLMVariant.VERTEX_AI, stream: false


2025-11-02T17:44:14 [info] [google_genai.models] — 2025-11-02T17:44:14 INFO [google_genai.models] AFC is enabled with max remote calls: 10.

2025-11-02T17:44:21 [info] [google_adk.google.adk.models.google_llm] — 2025-11-02T17:44:21 INFO [google_adk.google.adk.models.google_llm] Response received from the model.


2025-11-02T17:44:21 [info] [http] — 2025-11-02T17:44:21 INFO [http] HTTP Request: GET http://localhost:10021/well-known/agent-card.json "HTTP/1.1 200 OK"

2025-11-02T17:44:21 [info] [a2a.client.card_resolver] — 2025-11-02T17:44:21 INFO [a2a.client.card_resolver] Successfully fetched agent card data from http://localhost:10021/well-known/agent-card.json {capabilities: {streaming: True}, defaultOutputModes: [text/plain], defaultOutputModes: [text/plain], description: Uses Google Maps to estimate the best route and travel times, name: Routing Agent,

Explore the GitHub Project



06



Build a Healthcare Assistant.



Google
Developer
Groups

MedGemma



Medical image interpretation

Interpret CT, MRI, X-rays, histopathology imaging, skin scans. Not clinical-grade model, requires fine-tuning for specific tasks.



Medical text comprehension and clinical reasoning

Cover patient interviewing, triaging, clinical decision support, and summarization.



Prompt engineering

For certain use cases, the model baseline performance may be sufficient with careful prompting, eventually with few-shot learning.



Fine-tuning

MedGemma can be fine tuned using LoRA, focusing either on the model decoder or both model encoder and decoder components.

How to use MedGemma



Download from
Hugging Face



Explore on
Vertex AI



Google Developer Groups

MedGemma

4B

2D and high-dimensional medical
imaging interpretation

Compute-efficient text or
multimodal medical reasoning

27B

Complex text or multi-modal
medical knowledge and
reasoning



Advanced clinical reasoning

Deeper reasoning ability




Google Developer Groups

MedGemma.



Explore Medical Images with MedGemma




Agentic healthcare assistant

Extend the MedGemma chatbot to an healthcare assistant able to analyze images and medical records

Create a full agentic application

Introduce guardrails and validations




Google Developer Groups


Analyze the project structure. Suggest how we can modify it to:

- (1) introduce guardrails specific to healthcare domain*
- (2) function as conversational application*
- (3) add an agentic functionality*
- (4) combine medical images with medical records files
(medical file, visit notes etc.)*

Image generated by Antigravity
during ideation/planning phase



Google Developer Groups



Initial plan execution

Add new features

Bug fixing

Incremental user-guided
improvements



Google Developer Groups

MedSight v2.0 - Implementation Complete

Components Built

- ✓  Data Models (5 files)
- ✓  Guardrails (5 files)
- ✓  Conversation (5 files)
- ✓  Agents (8 files)
- ✓  Document Processing (4 files)
- ✓  UI & Tests (4 files)

Total: 38 files


Key Features

-  **Healthcare Safety** 
-  **Multi-Agent AI** 
-  **Conversational** 
-  **Multi-Modal** 
-  **HIPAA Compliant** 
-  **Production Ready** 

Code Statistics

- ✓  **~7,300**
lines of code
- ✓  **100%**
implementation
- ✓  **Test coverage
included**
- ✓  **Full
documentation**

Architecture Layers





MEDICAL DISCLAIMER: This AI system is for informational purposes only and is not a substitute for professional medical advice, diagnosis, or treatment. Always seek the advice of your physician or other qualified health provider with any questions you may have regarding a medical condition.

Conversation

What is the best cure for cancer?

Error: Input validation failed: Query contains blocked content: 'cure for cancer'

Is there a guaranteed treatment for influenza?

Error: Input validation failed: Query contains blocked content: 'guaranteed treatment'

Should I take ibuprofen for cold?

Error: Input validation failed: Query contains blocked content: 'should I take'

My friend has a severe allergic reaction

EMERGENCY DETECTED

Your query suggests a potential medical emergency. This AI system is NOT appropriate for emergency medical situations.

IMMEDIATE ACTIONS REQUIRED:

1. Call 911 (or your local emergency number) immediately
2. Go to the nearest emergency room
3. Do not delay seeking immediate medical attention

This system cannot provide emergency medical care or advice.

Confidence: 100.0%

Ask about medical images, records, or medical questions...



Upload Files

Upload Medical Images

Drag and drop files here

Limit: 200MB per file • JPG, JPEG, PNG

Browse files

Upload Medical Records

Drag and drop files here

Limit: 200MB per file • PDF, TXT

Browse files

Session Info

Messages: 6

Images: 0

Records: 0

Clear Session





Upload Files

Upload Medical Images

Drag and drop files here
Limit: 200MB per file • JPG, JPEG, PNG

Browse files

Normal_poster...
3.4MB



Normal_posteroanterior_(PA)_chest_radiograph_(X-ray).png

Upload Medical Records

Drag and drop files here
Limit: 200MB per file • PDF, TXT

Browse files

Session Info

Messages: 0

Images: 1

Records: 0

Clear Session

Deploy



MedSight - AI Medical Assistant

⚠ **MEDICAL DISCLAIMER:** This AI system is for informational purposes only and is not a substitute for professional medical advice, diagnosis, or treatment. Always seek the advice of your physician or other qualified health provider with any questions you may have regarding a medical condition.

Conversation

Hello! I'm MedSight, your AI medical assistant. How may I help you today?

Analyse this xray image

⚠ **DIAGNOSTIC DISCLAIMER:** The findings described above are preliminary observations based on image analysis. These findings must be correlated with clinical history, physical examination, and other diagnostic tests. Final diagnosis should be made by a qualified healthcare professional.

IMAGING ANALYSIS

** The image shows a chest X-ray with clear visualization of the heart, lungs, and mediastinum. No obvious acute abnormalities are identified.

Detailed Findings:

- The heart size appears within normal limits.
- The lungs are clear bilaterally, with no evidence of consolidation, pleural effusion, or pneumothorax.
- The mediastinum is unremarkable.
- The visualized bony structures (ribs, clavicles, scapulae) appear intact.
- The diaphragm is visible.

● **Confidence Level:** HIGH (90.00%)

Confidence: 90.0%

MedSight v2.0 | Powered by MedGemma | Built with ❤️ for Healthcare

Ask about medical images, records, or medical questions...



Google Developer Groups



Upload Files

Upload Medical Images

Drag and drop files here
Limit 200MB per file • JPG, JPEG, PNG

Browse files

Upload Medical Records

Drag and drop files here
Limit 200MB per file • PDF, TXT

Browse files

OMC_Report.txt
15.6KB

Parsed 11547 chars from
OMC_Report.txt

Session Info

Messages: 0

Images: 0

Records: 1

Clear Session

Deploy

MEDICAL DISCLAIMER: This AI system is for informational purposes only and is not a substitute for professional medical advice, diagnosis, or treatment. Always seek the advice of your physician or other qualified health provider with any questions you may have regarding a medical condition.

Conversation

Hellol I'm MedSight, your AI medical assistant. How may I help you today?

Please check this medical report

MEDICAL DISCLAIMER: This analysis is provided for informational purposes only and is not a substitute for professional medical advice, diagnosis, or treatment. Always seek the advice of your physician or other qualified health provider with any questions you may have regarding a medical condition.

MEDICAL RECORD ANALYSIS

A 73-year-old female presented with syncope, and during her workup, a thoracic aortic aneurysm and a proximal celiac artery aneurysm were discovered. Subsequently, she developed right lower quadrant pain and was found to have a ruptured infrarenal abdominal aortic aneurysm. Despite an attempted surgical repair, the patient expired intraoperatively due to uncontrollable hemorrhage.

Documented Diagnoses:

- Ruptured Infrarenal Abdominal Aortic Aneurysm (8.3 cm)
- Depression
- Thoracic Aorta Aneurysm (4.9-5.0 cm)
- Paroxysmal Atrial Fibrillation with Rapid Ventricular Response
- Hypothyroidism

Current Medications:

- Xeflex
- Sotalol
- Vytorin
- Warfarin

Procedures:

- Nuclear stress test
- Surgical repair of ruptured infrarenal abdominal aortic aneurysm (attempted)
- CT scan of the pulmonary arteries
- Vascular surgical consultation
- Echocardiogram

Confidence Level: HIGH (95.00%)


Confidence: 95.0%


Ask about medical images, records, or medical questions...



Google Developer Groups

Explore the GitHub Project





Thank you!



Google
Developer
Groups