

Search



You can use this application to:

- Get information about prescription or over-the-counter (OTC) medications.
- Store information about your favorite medications or current prescriptions for quick reference.



Search

# **Acetaminophen**

Save 🔩

#### **Purpose**

Purpose Pain reliever/fever reducer

### **Indications and Usage**

Uses temporarily relieves minor aches and pains due to: headache the common cold backache minor pain of arthritis toothache muscular aches premenstrual and menstrual cramps temporarily reduces fever

#### Do Not Use

Do not use if you are allergic to acetaminophen or any of the inactive ingredients in this product with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

#### Ask a Doctor

Ask a doctor before use if you have liver



Search

# My Cabinet:

- X <u>Ibuprofen</u>
  - X Naproxen Sodium
  - X <u>Guaifenesin</u>
    - X <u>Acetaminophen</u>



Search

# Acetaminophen

Remove

#### **Purpose**

Purpose Pain reliever/fever reducer

## **Indications and Usage**

Uses temporarily relieves minor aches and pains due to: headache the common cold backache minor pain of arthritis toothache muscular aches premenstrual and menstrual cramps temporarily reduces fever

#### Do Not Use

Do not use if you are allergic to acetaminophen or any of the inactive ingredients in this product with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

#### Ask a Doctor

Ask a doctor before use if you have liver

Do not rely on openFDA to make decisions regarding medical care. While we make every effort to ensure that data is accurate, you should assume all results are unvalidated. We may limit or otherwise restrict your access to the API in line with our Terms of Service.

# Inactive Ingredients Inactive ingredients

Disclaimer

Inactive ingredients croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized starch, propylene

glycol, shellac glaze, stearic acid, titanium dioxide

Purpose
Purpose Pain reliever/fever reducer

## Children (keep out of reach)

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## Warnings

Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening blisters rash If a skin reaction occurs, stop use and seek medical help right away. Do not use if you are allergic to acetaminophen or any of the inactive ingredients in this product with any other drug containing acetaminophen (prescription). If

skin reaction occurs, stop use and seek medical help right away. Do not use if you are allergic to acetaminophen or any of the inactive ingredients in this product with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Stop use and ask a doctor if

new symptoms occur pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days redness or swelling is