Screen – default w/nothing saved



Type your drug name

Search

Searches the API


Welcome to the Medicine Cabinet.


You can use this application to:

- Get information about prescription or over-the-counter (OTC) medications.
- Store information about your favorite medications or current prescriptions for quick reference.


This is the default content if you have *no* saved medications

Screen – search results (not saved)





Screen – item detail (saved)



Searches the API

Delete item from DB

Ask a doctor before use if you have liver

Sample data...

Disclaimer

Do not rely on openFDA to make decisions regarding medical care. While we make every effort to ensure that data is accurate, you should assume all results are unvalidated. We may limit or otherwise restrict your access to the API in line with our Terms of Service.

Inactive Ingredients

Inactive ingredients croscarmellose sodium, D&C red #33, FD&C blue #1, FD&C red #40, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, stearic acid, titanium dioxide

Purpose

Purpose Pain reliever/fever reducer

Children (keep out of reach)

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Warnings

Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening blisters rash If a skin reaction occurs, stop use and seek medical help right away. Do not use if you are allergic to acetaminophen or any of the inactive ingredients in this product with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Stop use and ask a doctor if new symptoms occur pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days redness or swelling is present These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Questions

Questions or comments? 1-800-426-9391

Ask a Doctor

Ask a doctor before use if you have liver disease.

Dosage and Administration

Directions do not take more than directed adults and children 12 years and over take 2 gelcaps every 6 hours while symptoms last do not take more than 6 gelcaps in 24 hours, unless directed by a doctor do not take for more than 10 days unless directed by a doctor children under 12 years: ask a doctor

Pregnancy or Breast Feeding

If pregnant or breast-feeding, ask a health professional before use.

Stop Use

Stop use and ask a doctor if new symptoms occur pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days redness or swelling is present These could be signs of a serious condition.

Storage & Handling

Other information store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) avoid high humidity see end flap for expiration date and lot number

Do Not Use

Do not use if you are allergic to acetaminophen or any of the inactive ingredients in this product with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Indications and Usage

Uses temporarily relieves minor aches and pains due to: headache the common cold backache minor pain of arthritis toothache muscular aches premenstrual and menstrual cramps temporarily reduces fever

Ask a Doctor or Pharmacist

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Active Ingredient

Active ingredient (in each gelcap) Acetaminophen 500 mg