# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: fd. Annual number of days when TN < 0 degrees_C

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: fd. Monthly number of days when TN < 0 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.451

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tnlt2. Annual number of days when TN < 2 degrees_C

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tnlt2. Monthly number of days when TN < 2 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.81

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tnltm2. Annual number of days when TN < −2 degrees_C

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tnltm2. Monthly number of days when TN < −2 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.553

Climpact v 3.2.0

**Station: São Gabriel [−30.34138888°S, −54.31083333°W]**

Index: tnltm20. Annual number of days when TN < −20 degrees_C

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tnltm20. Monthly number of days when TN < −20 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 1

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: id. Annual number of days when TX < 0 degrees_C

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: id. Monthly number of days when TX < 0 degrees_C

days

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 1

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: su. Annual number of days when TX > 25 degrees_C

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: su. Monthly number of days when TX > 25 degrees_C

Sen's slope = 0   lower bound = −0.012,   upper bound = 0.026,   p−value = 0.561

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tr. Annual number of days when TN > 20 degrees_C

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tr. Monthly number of days when TN > 20 degrees_C

days

30
25
20
15
10
5
0

2010   2015   2020

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.158

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: gsl. Annual number of days between the first occurrence of 6 consecutive days with TM > 5 degrees_C and the first occurrence of 6 consecutive days with TM < 5 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.785

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: txx. Annual warmest daily TX

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: txx. Monthly warmest daily TX

Sen's slope = 0.005   lower bound = −0.005,   upper bound = 0.016,   p−value = 0.339

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tnn. Annual coldest daily TN

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tnn. Monthly coldest daily TN

degrees_C

Sen's slope = 0.006   lower bound = −0.008,   upper bound = 0.021,   p−value = 0.377

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tnx. Annual warmest daily TN

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

**Station: São Gabriel [−30.34138888°S, −54.31083333°W]**

Index: tnx. Monthly warmest daily TN

Sen's slope = 0.005   lower bound = −0.002,   upper bound = 0.014,   p−value = 0.161

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: txn. Annual coldest daily TX

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: txn. Monthly coldest daily TX

Sen's slope = 0.004   lower bound = −0.011,   upper bound = 0.017,   p−value = 0.587

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: dtr. Mean annual difference between daily TX and daily TN

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: dtr. Mean monthly difference between daily TX and daily TN

Sen's slope = −0.003 lower bound = −0.007, upper bound = 0.002, p−value = 0.302

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: wsdi. Annual number of days contributing to events where 6 or more consecutive days experience TX > 90th percentile

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: wsdi1. Annual number of days with at least 1 consecutive days when TX > 90th percentile

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: csdi. Annual number of days contributing to events where 6 or more consecutive days experience TN < 10th percentile

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: csdi1. Annual number of days with at least 1 consecutive days when TN < 10th percentile

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: txgt50p. Annual percentage of days when TX > 50th percentile

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: txgt50p. Monthly percentage of days when TX > 50th percentile

Sen's slope = −0.044   lower bound = −0.09,   upper bound = 0.003,   p−value = 0.066

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tx10p. Annual percentage of days when TX < 10th percentile

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tx10p. Monthly percentage of days when TX < 10th percentile

Sen's slope = 0.005   lower bound = −0.006,   upper bound = 0.03,   p−value = 0.353

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tx90p. Annual percentage of days when TX > 90th percentile

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tx90p. Monthly percentage of days when TX > 90th percentile

Sen's slope = 0   lower bound = −0.013,   upper bound = 0.02,   p−value = 0.799

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tn10p. Annual percentage of days when TN < 10th percentile

%

14

12

10

8

6

2010   2015   2020

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tn10p. Monthly percentage of days when TN < 10th percentile

Sen's slope = 0   lower bound = −0.014,   upper bound = 0.023,   p−value = 0.745

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tn90p. Annual percentage of days when TN > 90th percentile

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tn90p. Monthly percentage of days when TN > 90th percentile

Sen's slope = 0   lower bound = −0.009,   upper bound = 0.021,   p−value = 0.66

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tmge5. Annual number of days when TM >= 5 degrees_C

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tmge5. Monthly number of days when TM >= 5 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.849

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tmlt5. Annual number of days when TM < 5 degrees_C

days

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tmlt5. Monthly number of days when TM < 5 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.428

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tmge10. Annual number of days when TM >= 10 degrees_C

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tmge10. Monthly number of days when TM >= 10 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.778

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tmlt10. Annual number of days when TM < 10 degrees_C

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tmlt10. Monthly number of days when TM < 10 degrees_C

days

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.675

Climpact v 3.2.0

**Station: São Gabriel [−30.34138888°S, −54.31083333°W]**

Index: txge30. Annual number of days when TX >= 30 degrees_C

days

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: txge30. Monthly number of days when TX >= 30 degrees_C

Sen's slope = 0   lower bound = −0.013,   upper bound = 0.012,   p−value = 0.92

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: txge35. Annual number of days when TX >= 35 degrees_C

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: txge35. Monthly number of days when TX >= 35 degrees_C

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.777

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tx95t. Value of 95th percentile of TX

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: hddheat18. Annual sum of 18 − TM

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: cddcold18. Annual sum of TM − 18

degree−days

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: gddgrow10. Annual sum of TM − 10

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: cdd. Maximum annual number of consecutive dry days (when precipitation < 1.0 mm)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

**Station: São Gabriel [−30.34138888°S, −54.31083333°W]**

Index: cwd. Maximum annual number of consecutive wet days (when precipitation >= 1.0 mm)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: r10mm. Annual number of days when precipitation >= 10 mm

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: r10mm. Monthly number of days when precipitation >= 10 mm

Sen's slope = 0   lower bound = 0,   upper bound = 0.007,   p−value = 0.237

Climpact v 3.2.0

**Station: São Gabriel [−30.34138888°S, −54.31083333°W]**

Index: r20mm. Annual number of days when precipitation >= 20 mm

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: r20mm. Monthly number of days when precipitation >= 20 mm

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.444

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: rx1day. Maximum annual 1−day precipitation total

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

**Station: São Gabriel [−30.34138888°S, −54.31083333°W]**

Index: rx1day. Maximum monthly 1−day precipitation total

Sen's slope = 0.032   lower bound = −0.027,   upper bound = 0.092,   p−value = 0.305

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: rx5day. Maximum annual 5−day precipitation total

mm

250
200
150
100

2010   2015   2020

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: rx5day. Maximum monthly 5−day precipitation total

Sen's slope = 0.061   lower bound = −0.042,   upper bound = 0.173,   p−value = 0.251

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: prcptot. Annual sum of daily precipitation >= 1.0 mm

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: prcptot. Monthly sum of daily precipitation >= 1.0 mm

Sen's slope = 0.09   lower bound = −0.079,   upper bound = 0.264,   p−value = 0.286

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: sdii. Annual total precipitation divided by the number of wet days (when total precipitation >= 1.0 mm)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: r95p. Annual sum of daily precipitation > 95th percentile

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: r99p. Annual sum of daily precipitation > 99th percentile

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: r95ptot. 100*r95p / PRCPTOT

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: r99ptot. 100*r99p / PRCPTOT

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: rx3day. Maximum 3−day precipitation total

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: rx3day. Maximum 3−day precipitation total

Sen's slope = 0.026   lower bound = −0.058,   upper bound = 0.117,   p−value = 0.528

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: r30mm. Number of days when precipitation >= 30

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: r30mm. Number of days when precipitation >= 30

Sen's slope = 0   lower bound = 0,   upper bound = 0,   p−value = 0.395

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: tx2tn2. Number of 2 consecutive days where both TX > 95th percentile and TN > 95th percentile

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: txb2tnb2. Number of 2 consecutive days where both TX < 5th percentile and TN < 5th percentile

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWM−Tx90. Heatwave Magnitude (mean temperature of all heatwave events)

°C

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWA−Tx90. Heatwave Amplitude (peak temperature of the hottest heatwave event)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWN−Tx90. Heatwave Number (number of discreet heatwave events)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWD−Tx90. Heatwave Duration (length of longest heatwave event)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWF−Tx90. Heatwave Frequency (number of days contributing to heatwave events)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWM−Tn90. Heatwave Magnitude (mean temperature of all heatwave events)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWA−Tn90. Heatwave Amplitude (peak temperature of the hottest heatwave event)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWN−Tn90. Heatwave Number (number of discreet heatwave events)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWD−Tn90. Heatwave Duration (length of longest heatwave event)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWF−Tn90. Heatwave Frequency (number of days contributing to heatwave events)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWM−EHF. Heatwave Magnitude (mean temperature of all heatwave events)

°C^2

2010   2015   2020

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWA−EHF. Heatwave Amplitude (peak temperature of the hottest heatwave event)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWN−EHF. Heatwave Number (number of discreet heatwave events)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWD−EHF. Heatwave Duration (length of longest heatwave event)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: HWF−EHF. Heatwave Frequency (number of days contributing to heatwave events)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: CWM−ECF. Coldwave Magnitude (mean temperature of all coldwave events)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: CWA−ECF. Coldwave Amplitude (minimum temperature of the coldest coldwave event)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: CWN−ECF. Coldwave Number (number of discreet coldwave events)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

# Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: CWD−ECF. Coldwave Duration (length of longest coldwave event)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0

Station: São Gabriel [−30.34138888°S, −54.31083333°W]

Index: CWF−ECF. Coldwave Frequency (number of days contributing to coldwave events)

NO LINEAR TREND: requires at least 10 data points and 70% of time−series to be valid.

Climpact v 3.2.0