ESCOLA E FACULDADE DE TECNOLOGIA SENAI ROBERTO MANGE

DESENVOLVIMENTO DE SISTEMAS














MONGO DB

MongoDB é um software de banco de dados orientado a documentos livre, de código aberto e multiplataforma, escrito na linguagem C++. Classificado como um programa de banco de dados NoSQL, o MongoDB usa documentos semelhantes a JSON com esquemas.



```
_id: "5cf0029caff5056591b0ce7d",
       firstname: 'Jane',
       lastname: 'Wu',
       address: {
         street: '1 Circle Rd',
         city: 'Los Angeles',
         state: 'CA',
         zip: '90404'
10
```











CRIANDO CONTAINER MONGO DB

- 1. docker pull mongo → faz o donwload da imagem docker na versão mais atualizada do mongo
- docker run --name NOME_DESEJADO -d mongo → inicia um container docker rodando em background com o nome desejado.
- 3. docker ps \rightarrow verifica se o container foi criado com sucesso e está sendo executado no momento

PS C:\Users\andre> docker ps						
CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
01b74b92439b	mongo	"docker-entrypoint.s"	5 seconds ago	Up 3 seconds	27017/tcp	mongoSomativa











CONECTANDO-SE NO CONTAINER MONGO DB - POWESHELL

- 4. docker exec --it $NOME_DO_SEU_CONTAINER$ bash \rightarrow executa o container mongo usando o bash
- 5. mongosh → abre a conexão com o container e disponibiliza o terminal para poder inserir comandos do mongo

```
Current Mongosh Log ID: 647517ccc809bb308f4d4bf0
                        mongodb://127.0.0.1:27017/?directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+
Connecting to:
Using MongoDB:
                        6.0.6
Using Mongosh:
                        1.9.0
For mongosh info see: https://docs.mongodb.com/mongodb-shell/
To help improve our products, anonymous usage data is collected and sent to MongoDB periodically (https://www.mongodb.co
m/legal/privacy-policy).
You can opt-out by running the disableTelemetry() command.
   The server generated these startup warnings when booting
   2023-05-29T21:19:19.757+00:00: Using the XFS filesystem is strongly recommended with the WiredTiger storage engine. S
ee http://dochub.mongodb.org/core/prodnotes-filesystem
   2023-05-29T21:19:21.137+00:00: Access control is not enabled for the database. Read and write access to data and conf
iguration is unrestricted
   2023-05-29T21:19:21.137+00:00: /sys/kernel/mm/transparent hugepage/enabled is 'always'. We suggest setting it to 'nev
   2023-05-29T21:19:21.137+00:00: vm.max map count is too low
 test>
```

