# Summarized variables in PHYSEXAM (excluding open-text)

| NAME        | LABEL   |
|-------------|---|
| StudyEvent  | StudyEvent                                    |
| PEHEENT     | HEENT   |
| PECardio    | Cardiovascular                                |
| PEResp      | Respiratory/Pulmonary                         |
| PEGI        | Gastrointestinal                              |
| PEHepatic   | Hepatic                                       |
| PEGU        | Genitourinary                                 |
| PERenal     | Renal   |
| PENeuro     | Neurologic                                    |
| PEPsych     | Psychiatric/Behavioral                        |
| PEEndo      | Endocrine                                     |
| PEHema      | Hematologic                                   |
| PEMusculo   | Musculoskeletal                               |
| PEDerm      | Dermatologic                                  |
| PEAllergies | Allergies                                     |
| PElmmune    | Immunology                                    |
| PEAlcohol   | Alcohol/Drug Abuse                            |
| PEDAY       | Physical Exam Day (relative to randomization) |

## **Summarized open-text variables in PHYSEXAM**

| NAME            | LABEL                           |
|-----------------|---------------------------------|
| PEHEENTDesc     | HEENT Comments                  |
| PECardioDesc    | Cardiovascular comments         |
| PERespDesc      | Respiratory/Pulmonary Comments  |
| PEGIDesc        | Gastrointestinal Comments       |
| PEHepaticDesc   | Hepatic Comments                |
| PEGUDesc        | Genitourinary Comments          |
| PERenalDesc     | Renal Comments                  |
| PENeuroDesc     | Neurologic Comments             |
| PEPsychDesc     | Psychiatric/Behavioral Comments |
| PEEndoDesc      | Endocrine Comments              |
| PEHemaDesc      | Hematologic Comments            |
| PEMusculoDesc   | Musculoskeletal Comments        |
| PEDermDesc      | Dermatologic Comments           |
| PEAllergiesDesc | Allergies Comments              |
| PEImmuneDesc    | Immunology Comments             |
| PEAlcoholDesc   | Alcohol/Drug Abuse Comments     |

### Variables in PHYSEXAM without summary

| NAME               | LABEL              |
|--------------------|--------------------|
| PUDID              | Subject ID         |
| Occurrence         | Occurrence         |
| ItemGroupRepeatKey | ItemGroupRepeatKey |
| PETime             | Physical Exam Time |

|  | N    | Percent |
|--|------|---------|
| StudyEvent   |      |         |
| Study Initiation   | 1389 | 100%    |
| HEENT  |      |         |
| Normal   | 639  | 46%     |
| Abnormal   | 744  | 54%     |
| Not Assessed   | 6    | 0%      |
| HEENT Comments   |      |         |
|  | 644  | 46%     |
| + dehydration  | 1    | 0%      |
| Dry mucous membranes 2. Sweet smelling breath 3. Depigmentation around L eye | 1    | 0%      |
| 3+ erythematous tonsils with exudate   | 1    | 0%      |
| ? exudate, left tonsil, pt uncooperative on exam                             | 1    | 0%      |
| C/O HA   | 1    | 0%      |
| Congestion   | 1    | 0%      |
| Congestion (mild), Rhinorrhea (mild),k Photophobia, Phonophobia, Dry lips    | 1    | 0%      |
| Conjuctival redness; dry mucous membranes                                    | 1    | 0%      |
| Cracked lips; reddish throat   | 1    | 0%      |
| DMM  | 1    | 0%      |
| Dark circles around her eyes. Dry mucous membranes                           | 1    | 0%      |
| Dehydrated, dry mm.  | 1    | 0%      |
| Dehydration - dry mucuous memb, OP   | 1    | 0%      |
| Dried rhinorrhea to nares  | 1    | 0%      |
| Dry  | 2    | 0%      |
| Dry MM   | 9    | 1%      |
| Dry MM.  | 1    | 0%      |
| Dry MM/lips  | 1    | 0%      |
| Dry Mouth, ketones on breath   | 1    | 0%      |
| Dry Mucous Membranes   | 4    | 0%      |
| Dry Mucous membranes   | 3    | 0%      |
| Dry Tongue; Dry oral mucosa  | 1    | 0%      |
| Dry and cracked lips   | 1    | 0%      |
| Dry lips   | 8    | 1%      |
| Dry lips & mucosal membrane  | 1    | 0%      |
| Dry lips and mm, headache, cough, sore throat                                | 1    | 0%      |
| Dry lips and mucous membranes  | 1    | 0%      |
| Dry lips, mucus membranes tacky  | 1    | 0%      |

|   | N  | Percen |
|---|----|--------|
| HEENT Comments  |    |        |
| Dry lips, sunken eyes, runny nose                                       | 1  | 0%     |
| Dry lips, tachy mm  | 1  | 0%     |
| Dry lips, tacky MM, headache  | 1  | 0%     |
| Dry lips, tacky mucous membranes  | 1  | 0%     |
| Dry lips/mucous membranes   | 1  | 09     |
| Dry lips; tachy mucous membranes  | 1  | 09     |
| Dry membranes   | 2  | 0'     |
| Dry mm  | 2  | 0'     |
| Dry mm.   | 3  | 0'     |
| Dry mouth   | 10 | 1'     |
| Dry mouth and lips`   | 1  | 0      |
| Dry mouth mucosal membrane  | 1  | 0      |
| Dry mouth/ lips   | 1  | 0      |
| Dry mouth/cracked lips  | 1  | 0      |
| Dry mucas membranes   | 1  | 0      |
| Dry muccous membranes   | 1  | 0      |
| Dry mucosa  | 2  | 0      |
| Dry mucosal membranes   | 2  | 0      |
| Dry mucosal membranes, sore throat                                      | 1  | 0      |
| Dry mucous Membranes  | 1  | 0      |
| Dry mucous membrane   | 5  | 0      |
| Dry mucous membranes  | 50 | 4      |
| Dry mucous membranes Mild nasal discharge                               | 1  | 0      |
| Dry mucous membranes to mouth   | 1  | 0      |
| Dry mucous membranes, Nasal discharge                                   | 1  | 0      |
| Dry mucous membranes, cracked lips, large tonsils.                      | 1  | 0      |
| Dry mucous membranes, erythema  | 1  | 0      |
| Dry mucous membranes, eyes sunken                                       | 1  | 0      |
| Dry mucous membranes, sunken eyes                                       | 2  | 0      |
| Dry mucous membranes, sunken eyes.                                      | 2  | 0      |
| Dry mucous membranes.   | 3  | 0      |
| Dry mucous membranes. Retracted L ear drum.                             | 1  | 0      |
| Dry mucous membranes/lips   | 1  | 0      |
| Dry mucous membranes; perioral lesions                                  | 1  | 0'     |
| Dry mucous membranes; upper respiratory infection symptoms; sore throat | 1  | 0'     |
| Dry mucous mmb  | 1  | 0'     |

|  | N | Percer |
|--|---|--------|
| IEENT Comments   |   |        |
| Dry mucousal membranes                                     | 1 | 09     |
| Dry mucus membrane   | 1 | 09     |
| Dry mucus membranes  | 4 | 09     |
| Dry mucus membranes Right tympanic membrane erythema       | 1 | 09     |
| Dry mucus membranes, blurred vision                        | 1 | 00     |
| Dry mucus membranes.                                       | 3 | 0,     |
| Dry muscus membranes, Eyes sunken.                         | 1 | 0,     |
| Dry oral mucosa.   | 1 | 0'     |
| Dry oropharyngeal mucosa                                   | 1 | 0'     |
| Dry, cracked lips. Circles under eye                       | 1 | 0'     |
| Dry, cracked lips; dry mouth                               | 1 | 0'     |
| Dry, tachy mucus membranes                                 | 1 | 0'     |
| Ear tube left ear  | 1 | 0      |
| Erythema to oropharynx                                     | 1 | 0      |
| Erythematous left tympanic membrane, dry mucous membranes  | 1 | 0      |
| Erythematous oropharynx, no tonsillar enlargement          | 1 | 0      |
| Erythematous rash on forehead                              | 1 | 0      |
| Erythemetous throat; sore throat.                          | 1 | 0      |
| Eyes sunken  | 1 | 0      |
| Eyes sunken, dry mouth                                     | 1 | 0      |
| Eyes sunken, dry mucous membranes                          | 1 | 0      |
| Fruity breath, slightly tacky MM                           | 1 | 0      |
| Geographic tongue lips-aphthous ulcers                     | 1 | 0      |
| HA w/ palpation of temple                                  | 1 | 0      |
| Headache 12/12/11.   | 1 | 0      |
| Headache and dizziness                                     | 1 | 0      |
| Headache at home- resolved in ER                           | 1 | 0      |
| Headache, dry mucous membranes, blurry vision              | 1 | 0      |
| Headache, tachy mucous membranes                           | 1 | 0      |
| Headache; tacky mucous membranes; slightly flushed cheeks. | 1 | 0      |
| INFECTED POST PHARYNX                                      | 1 | 0      |
| Ketotic breath, sunken eyes, dry mouth                     | 1 | 0      |
| Ketotic breath, tacky mucous membranes                     | 1 | 0      |
| Left occular weakness (wearing lenses)                     | 1 | 0'     |
| Lips dry   | 1 | 0'     |
| Lips dry, MM tacky   | 1 | 0'     |

|   | N | Percen |
|---|---|--------|
| HEENT Comments  |   |        |
| MM Tachy  | 1 | 0%     |
| MM dry  | 6 | 0%     |
| MM dry, lips pale   | 1 | 0%     |
| MM dry.   | 3 | 0%     |
| MM tachy  | 1 | 0%     |
| MM very dry   | 1 | 0%     |
| Mild conjunctival infection   | 1 | 0%     |
| Mild dry mucous membranes   | 1 | 0%     |
| Mild dry mucus membrane.  | 1 | 0%     |
| Mild eryothema of oropharynx  | 1 | 0%     |
| Mild pharyngeal erythema  | 1 | 0%     |
| Mild pharyngitis  | 1 | 0%     |
| Mildly dry lips/tongue  | 1 | 0%     |
| Mildly dry mucous membranes   | 1 | 0%     |
| Mildly tachy mucous membranes, fruity berath  | 1 | 0%     |
| Minimal, clear, colorless nasal discharge b/l nostrils pattent  | 1 | 0%     |
| Mm dry  | 1 | 0%     |
| Mouth dry, pupils equal, fruity breath  | 1 | 0%     |
| Mouth is slightly dry   | 1 | 0%     |
| Mucosa dry.   | 1 | 0%     |
| Mucous Membranes Dry  | 1 | 0%     |
| Mucous membrane dry   | 1 | 0%     |
| Mucous membrane is dry.   | 1 | 0%     |
| Mucous membranes dry  | 7 | 19     |
| Mucous membranes dry, eyes sunken.  | 1 | 0%     |
| Mucous membranes dry, limited oral exam in uncooperative pt.  | 1 | 0%     |
| Mucous membranes dry.   | 2 | 0%     |
| Mucous membranes dry. Poor dentition.   | 1 | 0%     |
| Mucous membranes dry; rhinorrhea  | 1 | 0%     |
| Mucous membranes tacky  | 1 | 0%     |
| Mucous membranes tacky, dry, Oral lesions (thrush lesions on tongue, ouccal mucosa, posterior hard palate) present. | 1 | 0%     |
| Mucous membranes, dry.  | 1 | 0%     |
| Mucus Membranes Dry   | 1 | 0%     |
| Mucus membranes dry.  | 1 | 0%     |
| Mucus membranes tachy   | 1 | 0%     |

|   | N | Percent |
|---|---|---------|
| HEENT Comments  |   |         |
| Myringotomy tubes   | 1 | 0%      |
| Nasal congestion otherwise norm   | 1 | 0%      |
| O3  | 1 | 0%      |
| Oral mucosa dry   | 1 | 0%      |
| Oropharnynx dry,tonsils erythematous  | 1 | 0%      |
| Oropharyngeal is dry  | 1 | 0%      |
| Oropharynx is dry   | 1 | 0%      |
| Oropharynx is slightly dry  | 1 | 0%      |
| Oropharynx looks dry, dry lips  | 1 | 0%      |
| Oropharynx red  | 1 | 0%      |
| PERRL, dry mucuous membranes  | 1 | 0%      |
| Paulent drainage in throat. Tacky MM  | 1 | 0%      |
| Post pharyngeal erythema, positive ant cervical tender LAD                                    | 1 | 0%      |
| Posterior Oropharynx slightly red   | 1 | 0%      |
| Pupils sluggish to light response   | 1 | 0%      |
| R conjuctivitis, pharyngeal erythema  | 1 | 0%      |
| R eat tender wtih manipulation of pinna tymp tubes visualized B/L mildly dry nucous membranes | 1 | 0%      |
| Rhinorrhea  | 2 | 0%      |
| Right otitis media.   | 1 | 0%      |
| Sleepy, incoherent  | 1 | 0%      |
| Slightly dry mouth  | 1 | 0%      |
| Slightly dry mucosal membranes  | 1 | 0%      |
| Slightly dry mucous membranes   | 1 | 0%      |
| Somewhat dry lips   | 1 | 0%      |
| Strep pharyngitis   | 1 | 0%      |
| Sunken Eyes   | 1 | 0%      |
| Sunken eyes   | 4 | 0%      |
| Sunken eyes /dry mouth  | 1 | 0%      |
| Sunken eyes and cheeks, dry lip and mucous membrane   | 1 | 0%      |
| Sunken eyes, DMM  | 1 | 0%      |
| Sunken eyes, dry MM, dry lips   | 1 | 0%      |
| Sunken eyes, dry cracked lips, tacky mucous membranes   | 1 | 0%      |
| Sunken eyes, dry mm   | 1 | 0%      |
| Sunken eyes, dry mucous membranes   | 2 | 0%      |
| Sunken eyes, dry oral mucosa  | 1 | 0%      |

|   | N | Percent |
|---|---|---------|
| HEENT Comments  |   |         |
| Sunken eyes.  | 1 | 0%      |
| Sunken orbits, temportal wasting  | 1 | 0%      |
| Tachy MM  | 2 | 0%      |
| Tachy muchous memranes  | 1 | 0%      |
| Tachy mucous membranes  | 2 | 0%      |
| Tachy mucous membranes, vesicles orophage   | 1 | 0%      |
| Tacky MM  | 3 | 0%      |
| Tacky and slightly dry membranes  | 1 | 0%      |
| Tacky membranes, aphthous ulcer on right cheek  | 1 | 0%      |
| Tacky mucous membrane   | 1 | 0%      |
| Tacky mucous membrane; mild headache  | 1 | 0%      |
| Tacky mucous membranes  | 8 | 19      |
| Tacky mucous membranes, dry cracked lips  | 1 | 0%      |
| Tacky mucous membranes, left eyelid ptosis  | 1 | 0%      |
| Tacky mucous membranes, sore throat, rhinorrhea   | 1 | 0%      |
| Tacky mucous membranes.   | 1 | 0%      |
| Tacky mucus membranes   | 1 | 0%      |
| Tacky/dry   | 1 | 0%      |
| Tacky/dry mucous membranes  | 1 | 0%      |
| Taky mucous membranes   | 1 | 0%      |
| Teeth Loss  | 1 | 0%      |
| Thrush  | 2 | 0%      |
| Tms with bilateral scarring s/p tympanostomy tubes, s/p T&A   | 1 | 0%      |
| Very dry mucous membranes   | 1 | 0%      |
| Yellow tongue discoloration, lips and mucous membranes dry, tonsillopharyngeal erythema.  | 1 | 0%      |
| adenopathy, dry mouth, acetone-smell on breath  | 1 | 0%      |
| bilateral TMs erythematous; purulence behind left TM with obscured landmarks; Acanthosis to neck; headache; congestion; sore throat | 1 | 0%      |
| blurred vision  | 1 | 0%      |
| blurry vision, dark circles under eyes, dry mucous membranes  | 1 | 0%      |
| chapped lips  | 1 | 0%      |
| circles under eyes, tacky mucous membranes  | 1 | 0%      |
| clear nasal drainage  | 1 | 0%      |
| clear rhinorrhea  | 2 | 0%      |
| congestion  | 1 | 0%      |
| congestion, rhinnorea, sneezing   | 1 | 0%      |

|   | N  | Percer |
|---|----|--------|
| IEENT Comments  |    |        |
| conjunctivae injected, tachy mucous membranes                     | 1  | 09     |
| conjunctival injection bilaterally                                | 1  | 0,     |
| decreased hydration, Dry MM                                       | 1  | 0,     |
| decreased moisture  | 2  | 0'     |
| decreased moisture in mouth                                       | 2  | 0'     |
| decreased moisture in mouth, dry lips, adenopathy                 | 1  | 0      |
| decreased moisture in mouth, mouth sticky, eyes slightly sunken   | 1  | 0      |
| decreased moisture of mucus membranes mild conjunctival injection | 1  | 0      |
| decreased moisture, fruity odor                                   | 1  | 0      |
| decreased mouth moisture  | 1  | 0      |
| dehydration   | 1  | 0      |
| drey mucous membranes   | 1  | 0      |
| dru appear mucous membranes                                       | 1  | 0      |
| dru mucous membranes  | 1  | 0      |
| dry mucous membranes  | 1  | 0      |
| dry (throat)  | 1  | 0      |
| dry MM  | 13 | 1      |
| dry MM R eyelid swelling otherwise WNL                            | 1  | 0      |
| dry MM, cachectic appearance                                      | 1  | 0      |
| dry MM, thrush  | 1  | 0      |
| dry lips  | 12 | 1      |
| dry lips and mucosa, otherwise normal                             | 1  | 0      |
| dry lips and mucous membranes                                     | 3  | 0      |
| dry lips otherwise normal   | 1  | 0      |
| dry lips, dry MM  | 1  | 0      |
| dry lips, dry mucous membranes, sunken eyes                       | 1  | 0      |
| dry lips, moist mucosa  | 1  | 0      |
| dry lips, slightly dry mucous membranes                           | 1  | 0      |
| dry lips, sunken eyes   | 1  | 0      |
| dry lips/ mucous membranes  | 2  | 0      |
| dry lips/appears ill, mm dry, Halitosis                           | 1  | 0      |
| dry lips/dry mucous membranes                                     | 1  | 0      |
| dry lips/mouth  | 1  | 0      |
| dry lips/mucous membranes   | 2  | 0'     |
| dry lips; tacky mucous membranes                                  | 1  | 0      |
| dry membranes   | 1  | 0      |

|   | N  | Percent |
|---|----|---------|
| HEENT Comments  |    |         |
| dry membranes, Erythema of tonsils  | 1  | 0%      |
| dry membranes, sunken eyes  | 1  | 0%      |
| dry mm  | 3  | 0%      |
| dry mm, sunken eyes   | 1  | 0%      |
| dry moucous membranes   | 1  | 0%      |
| dry mouth   | 19 | 1%      |
| dry mouth / dry lips  | 1  | 0%      |
| dry mouth and lips  | 1  | 0%      |
| dry mouth, fruity breath  | 1  | 0%      |
| dry mouth, sore throat  | 1  | 0%      |
| dry mouth, sunken eyes, mildly red throat   | 1  | 0%      |
| dry mucosa  | 2  | 0%      |
| dry mucous membrane   | 9  | 19      |
| dry mucous membrane; ear pain/ right acute otitis media   | 1  | 0%      |
| dry mucous membranes  | 96 | 79      |
| dry mucous membranes rhinorrhea   | 1  | 0%      |
| dry mucous membranes, PERRL, Sunken eyes  | 1  | 0%      |
| dry mucous membranes, dry lips  | 1  | 0%      |
| dry mucous membranes, dry oropharynx  | 1  | 0%      |
| dry mucous membranes, flushed cheeks, strawberry tongue   | 1  | 0%      |
| dry mucous membranes, injection eyes  | 1  | 0%      |
| dry mucous membranes, ketotic breath  | 2  | 0%      |
| dry mucous membranes, mild periorbital edema  | 1  | 0%      |
| dry mucous membranes, pale  | 1  | 0%      |
| dry mucous membranes, sore throat   | 1  | 0%      |
| dry mucous membranes, sunken eyes   | 2  | 0%      |
| dry mucous membranes, white plaques on tongue, moderately dehydrated, nouth sores, posterior oropharyngeal erythema | 1  | 0%      |
| dry mucous membranes; ketotic breath  | 1  | 0%      |
| dry mucous membranes; sunken eyes   | 1  | 0%      |
| dry mucous membrantes   | 1  | 0%      |
| dry mucous membrnes   | 1  | 0%      |
| dry mucousal membranes  | 1  | 0%      |
| dry mucuous membranes, occluded ear canal, adenopathy   | 1  | 0%      |
| dry mucus membrane  | 2  | 0%      |
| dry mucus membranes   | 9  | 19      |

|  | N | Percen |
|--|---|--------|
| EENT Comments  |   |        |
| dry mucus membranes, fruity odor                           | 1 | 0%     |
| dry mucus membranes, lips                                  | 1 | 0%     |
| dry mucus membranes, pharyngeal erythema                   | 1 | 0%     |
| dry oral mucosa  | 2 | 09     |
| dry oral mucuous membranes                                 | 1 | 09     |
| dry, chapped lips  | 1 | 00     |
| dry/tacky MM   | 1 | 0,     |
| drymm  | 1 | 0,     |
| drymouth   | 1 | 0,     |
| enlarged tonsils   | 1 | 00     |
| ertheyma of OP c papules and white tongue                  | 1 | 0,     |
| erythema, dry lips   | 1 | 0,     |
| erythema, headache   | 1 | 0,     |
| erythema, no exudate                                       | 1 | 0,     |
| erythematous lesions in throat                             | 1 | 0,     |
| erythematous oropharynx                                    | 1 | 0'     |
| erythematous oropharynx, dry mouth, white plaque on tongue | 1 | 0,     |
| erythematous oropharynx,tcky mucous membranes              | 1 | 0,     |
| extremely dry MM   | 1 | 0,     |
| eyes slightly sunken (otherwise normal)                    | 1 | 0,     |
| eyes sunken oral mucosa tacky                              | 1 | 0,     |
| eyes sunken, anicteric, mucous membranes dry, PERRLA       | 1 | 0,     |
| eyes sunken, decreased moisture in mouth                   | 1 | 0,     |
| eyes sunken, dry lips                                      | 1 | 0,     |
| eyes sunken, mucous membranes dry                          | 1 | 0,     |
| headache   | 2 | 0,     |
| headache, sore throat                                      | 1 | 0,     |
| injected conjunctiva; dry mucous membranes; poor dentition | 1 | 0,     |
| ketotic breath   | 1 | 0,     |
| ketotic breath, mucous membranes dry                       | 1 | 0,     |
| left OM  | 1 | 0,     |
| left OM w/ effusion  | 1 | 0,     |
| lips and tongue dry  | 1 | 0,     |
| lips cracked   | 1 | 0,     |
| lips dry   | 4 | 0,     |
| lips extremely dry   | 1 | 00     |

|  | N | Percen |
|--|---|--------|
| HEENT Comments   |   |        |
| lymphandenopathy, pharyngitis  | 1 | 0%     |
| membranes dry  | 1 | 0%     |
| mild conjunctival injection; decreased moisture to mouth                                     | 1 | 0%     |
| mild dry mucous membranes  | 1 | 0%     |
| mild erythema  | 1 | 0%     |
| mild erytheme, no exodus   | 1 | 0%     |
| mild mucous membrane dryness   | 1 | 0%     |
| mild oral thrush   | 1 | 0%     |
| mildly tacky mucous membranes  | 1 | 0%     |
| mm dry   | 4 | 0%     |
| mm tacky   | 1 | 0%     |
| mm tacky, dry lips   | 1 | 0%     |
| moderately dry mucous membranes  | 1 | 09     |
| moiat mucous membranes   | 1 | 09     |
| mou dry  | 1 | 0%     |
| mouth dry  | 2 | 0%     |
| mouth dry, lips dry  | 1 | 0%     |
| mouth tacky  | 1 | 0%     |
| mucos membranes are dry  | 1 | 0%     |
| mucous membranes are dry and pale  | 1 | 0%     |
| mucous membranes are dry, fruity odor on breath  | 1 | 0%     |
| mucous membranes are dry, tacky  | 1 | 09     |
| mucous membranes are tacky   | 1 | 0%     |
| mucous membranes dry   | 6 | 09     |
| mucous membranes dry and cracked   | 1 | 0%     |
| mucous membranes dry, cystic lesion noted behind left ear, left posterior auricular swelling | 1 | 0%     |
| mucous membranes tachy   | 1 | 0%     |
| mucous membranes tacky   | 4 | 0%     |
| mucuous membrances tacky and dry   | 1 | 0%     |
| mucus membrane dry   | 2 | 0%     |
| mucus membranes dry  | 1 | 0%     |
| nares/dental staining  | 1 | 0%     |
| nasal discharge  | 1 | 0%     |
| nasal flaring; decreased moisture in mouth, ketones on breath                                | 1 | 0%     |
| no dilation of vessels on fundoscopic exam   | 1 | 0%     |

|  | N  | Percen |
|--|----|--------|
| EENT Comments  |    |        |
| normal except for white coating to posterior pharynx and hard palate | 1  | 0%     |
| nose bruised, decreased moisture in mouth, dried blood in nares      | 1  | 0%     |
| palatal petachiae, dry mucous membranes                              | 1  | 0%     |
| pale conjunctiva; dry mucous membranes' dried blood inside of nose   | 1  | 09     |
| pale lips, dry cracked lips  | 1  | 09     |
| pharyngeal erythema & exudate  | 1  | 00     |
| pharyngitis (enlarged erythematous tonsils with exudate)             | 1  | 00     |
| photophobia  | 1  | 00     |
| positive strep   | 1  | 00     |
| post oropharynx erythema   | 1  | 00     |
| post pharygeal erethyma, white exudate                               | 1  | 00     |
| red bumps throat   | 1  | 0,     |
| red throat, slightly dry mucous membranes, fruity breath             | 1  | 0,     |
| reports ear infection  | 1  | 0,     |
| rhinorrhea, oropharynx inflamed                                      | 1  | 0,     |
| slightly dry OP  | 1  | 0,     |
| slightly dry mucous membranes  | 1  | 0,     |
| slightly moist mouth   | 1  | 0,     |
| small lymphnode on left neck, dry mouth and tongue                   | 1  | 0,     |
| small rim of purulent fluid behind TM                                | 1  | 0,     |
| sore throat  | 2  | 00     |
| stuffy nose  | 1  | 0,     |
| sunken eyes  | 7  | 19     |
| sunken eyes, dry MM/lips   | 1  | 0,     |
| sunken eyes, dry mouth   | 1  | 0,     |
| sunken eyes, dry mucus membranes, cracked lips                       | 1  | 0,     |
| sunken eyes, mucus membranes   | 1  | 0,     |
| sunken eyes, oral thrush   | 1  | 0,     |
| sunken eyes, tacky mucus membranes, stye below left eye              | 1  | 0,     |
| sunkey eyes, dry mucous membranes                                    | 1  | 0,     |
| tachy mucous membrane, pale  | 1  | 09     |
| tachy mucous membranes   | 12 | 19     |
| tachy mucous membranes (dehydrated)                                  | 1  | 0,     |
| tachy mucous membranes, dry lips                                     | 1  | 0,     |
| tachy mucus membranes  | 2  | 0,     |
| tachy, mucous membranes, nasal congestion                            | 1  | 09     |

|  | N   | Percent |
|--|-----|---------|
| HEENT Comments   |     |         |
| tacky M  | 1   | 0%      |
| tacky mm   | 1   | 0%      |
| tacky mm, white coated tongue  | 1   | 0%      |
| tacky mucosal membranes  | 1   | 0%      |
| tacky mucous membrane  | 1   | 0%      |
| tacky mucous membranes   | 8   | 1%      |
| tacky mucous membranes, Tempanic membranes within normal limits, negative for rhinnorhea, sunken eyes bilatterally | 1   | 0%      |
| tacky mucous membranes, ketotic breath   | 1   | 0%      |
| tacky mucous membranes, otherwise normal   | 1   | 0%      |
| tacky mucous membranes, sunken eyes, PERRL   | 1   | 0%      |
| tacky mucus membranes  | 3   | 0%      |
| tacky oral mucosa  | 1   | 0%      |
| tacky, mucous membranes  | 1   | 0%      |
| throat pain  | 1   | 0%      |
| thrush   | 1   | 0%      |
| tonsillar/pharyngeal erythema  | 1   | 0%      |
| tympanic membrane bulging  | 1   | 0%      |
| tympanic membranes are dull pink but mobile, breath smells of ketones, mucous membranes are dry                    | 1   | 0%      |
| upper lip swelling, dry mucous membranes   | 1   | 0%      |
| very dry lips/mouth  | 1   | 0%      |
| vesicles post pharynx, dry mucous membranes  | 1   | 0%      |
| white plaques on tounge - thrush   | 1   | 0%      |
| Cardiovascular   |     |         |
| Normal   | 615 | 44%     |
| Abnormal   | 772 | 56%     |
| Not Assessed   | 2   | 0%      |
| Cardiovascular comments  |     |         |
|  | 617 | 44%     |
| 1+ peripheral pulses, >3sec peripheral perfusion   | 1   | 0%      |
| 1-2+ pulses (slightly decreased)   | 1   | 0%      |
| 1/6 SEM.   | 1   | 0%      |
| 11/VISEM @ LUSB  | 1   | 0%      |
| 2 second cap refill  | 1   | 0%      |
| 3 second cap refill  | 1   | 0%      |
| 3/6 systolic ejection murmur, tachycardia  | 1   | 0%      |

|  | N | Percen |
|--|---|--------|
| Cardiovascular comments  |   |        |
| 3/6 systolic murmur at left sternal border                               | 1 | 0%     |
| Bounding pulses, tachycardia   | 1 | 0%     |
| CRT 3s   | 1 | 09     |
| CRT 4-5 sec  | 1 | 09     |
| Cap Refill 3 sec.  | 1 | 09     |
| Cap refill 3-4 seconds   | 1 | 0%     |
| Capillary refill 3 seconds distally                                      | 1 | 09     |
| Chest pain   | 3 | 09     |
| Clinically dehydrated  | 1 | 09     |
| Cool extremities   | 1 | 09     |
| Decreased perfusion, cap refill approximately 2 seconds                  | 1 | 09     |
| Delayed Cap Refill, Cool feet  | 1 | 09     |
| Delayed cap refill, Poor perfusion, Mottled, Tachy                       | 1 | 09     |
| Delayed cap refill, tachycardic  | 1 | 09     |
| Elevated heart rate  | 1 | 09     |
| Fast heart rate, tachycardic   | 1 | 09     |
| Flow murmur, tachycardia   | 1 | 09     |
| HR 110   | 1 | 09     |
| HR 130 prolonged QT on EKG   | 1 | 09     |
| HR=140   | 1 | 09     |
| Heart rate 90-100  | 1 | 09     |
| Hyperdynamic with bounding chest. No murmur, rub, or gallop. Tachycardic | 1 | 09     |
| III/VI systolic ejection murmur at left upper and lower sternal border.  | 1 | 09     |
| Increase HR  | 1 | 09     |
| Increased HR, decreased cap refill                                       | 1 | 09     |
| Increased Heat rate  | 1 | 09     |
| Increased heart rate   | 4 | 09     |
| Increased heartrate  | 1 | 09     |
| Increased heartrate.   | 1 | 09     |
| Intermittent tachycardia.  | 1 | 09     |
| Mild hypertension, tachycardia   | 1 | 09     |
| Mild tachycardia   | 3 | 09     |
| Mild tachycardia.  | 3 | 09     |
| Mild tachycardia. No murmur.   | 1 | 09     |
| Mild/med dehydration   | 1 | 09     |
| Mildly prolonged cap refill @ 1.5 seconds                                | 1 | 09     |

|  | N  | Percen |
|--|----|--------|
| Cardiovascular comments  |    |        |
| Palpitations at home   | 1  | 0%     |
| Prolonged capillary refill time (CRT) in the lower extremities.  | 1  | 0%     |
| RRR N s1, s2 - Tacky   | 1  | 0%     |
| Raised CRT to 3-4 seconds  | 1  | 0%     |
| Raised Heart rate  | 1  | 09     |
| Raised hear rate, dry lips                                       | 1  | 09     |
| Regular, rapid, tachycardic, no m/r/g                            | 1  | 09     |
| Reproducible chest pain  | 1  | 09     |
| SIS2 ox (+) tachycardia  | 1  | 09     |
| Sever dehydration, hypertension                                  | 1  | 0,     |
| Shock, poor perfusion, tachycardia                               | 1  | 0,     |
| Sinus tachycardia, cap refill 3-4 sec                            | 1  | 0,     |
| TACHYCARDIC  | 1  | 0'     |
| Tachcardia   | 1  | 0'     |
| Tachy  | 3  | 0'     |
| Tachy 120's, systolic blood pressure 130                         | 1  | 0'     |
| Tachy 120s   | 1  | 0'     |
| Tachy, cap refill 3 sec  | 1  | 0'     |
| Tachy.   | 1  | 0'     |
| Tachycadia   | 1  | 00     |
| Tachycarcdia   | 1  | 0,     |
| Tachycardia  | 72 | 5'     |
| Tachycardia (HR 152)   | 1  | 0'     |
| Tachycardia HR-114   | 1  | 0'     |
| Tachycardia on arrival to ED. HR 140.                            | 1  | 0,     |
| Tachycardia to 130s  | 1  | 0,     |
| Tachycardia w/good perfusion                                     | 1  | 0,     |
| Tachycardia, 4 second cap refill                                 | 1  | 0'     |
| Tachycardia, HR 117  | 1  | 0'     |
| Tachycardia, capillary refill 2-3 sec                            | 1  | 0'     |
| Tachycardia, capillary refill 3 seconds, 1+ dorsalis pedis pulse | 1  | 0'     |
| Tachycardia, delayed capillary refil                             | 1  | 0,     |
| Tachycardia, flow murmur   | 1  | 0,     |
| Tachycardia, hypotension   | 1  | 0,     |
| Tachycardia, no murmur   | 1  | 0,     |
| Tachycardia, radial pulse 1+                                     | 1  | 0,     |

|   | N  | Percen |
|---|----|--------|
| Cardiovascular comments   |    |        |
| Tachycardia, wme s1/s2, cap refill 3 sec pulses 3t                          | 1  | 0%     |
| Tachycardia.  | 6  | 0%     |
| Tachycardic   | 92 | 79     |
| Tachycardic (110's), pulses 2+, CR <2s                                      | 1  | 09     |
| Tachycardic 130s.   | 1  | 09     |
| Tachycardic 150   | 1  | 09     |
| Tachycardic HR 120  | 1  | 09     |
| Tachycardic RRR   | 1  | 09     |
| Tachycardic, 2+ pulses, less than 2 sec capillary refill                    | 1  | 09     |
| Tachycardic, 2/6 systolic flow murmur                                       | 1  | 09     |
| Tachycardic, 5 sec cap refill peripheral, 3 sec refill centrally            | 1  | 09     |
| Tachycardic, CR 35 cc   | 1  | 09     |
| Tachycardic, Capillary Refill 3 sec   | 1  | 09     |
| Tachycardic, Prolonged cap refill, weak paripheral pulses                   | 1  | 09     |
| Tachycardic, cap refill 4 seconds   | 1  | 09     |
| Tachycardic, cap refill 4s.   | 1  | 09     |
| Tachycardic, capillary refill 4 seconds                                     | 1  | 09     |
| Tachycardic, capillary refill <2 seconds                                    | 1  | 09     |
| Tachycardic, capillary refill time 6 seconds, peripheral pulses diminished. | 1  | 09     |
| Tachycardic, chest pain   | 1  | 09     |
| Tachycardic, decreased CR   | 1  | 09     |
| Tachycardic, delayed cap refill   | 1  | 09     |
| Tachycardic, delayed cap refill 4 sec                                       | 1  | 09     |
| Tachycardic, delayed capillary refill                                       | 1  | 09     |
| Tachycardic, mild chest discomfort  | 1  | 09     |
| Tachycardic, normal s1/s2, no murmur, normal pulse                          | 1  | 09     |
| Tachycardic.  | 14 | 19     |
| Tachycardic; 3-4 second capillary refill                                    | 1  | 09     |
| Tachycardic; bounding pulses  | 1  | 09     |
| Tachycaric  | 1  | 09     |
| Tachychardia  | 1  | 09     |
| Tachychardic  | 3  | 09     |
| Tachypneic  | 1  | 09     |
| Tachypnic   | 1  | 09     |
| Tacky to 115s-120s, +51/52  | 1  | 09     |
| Taclycandia   | 1  | 09     |

|  | N  | Percent |
|--|----|---------|
| Cardiovascular comments  |    |         |
| Weak pulses  | 1  | 0%      |
| bounding pulses  | 1  | 0%      |
| cap refil 2-3 seconds  | 1  | 0%      |
| cap refill 3-4 secs, sunken eyes, tachycardia, cool extremities                          | 1  | 0%      |
| cap refill >4 seconds, hypovolemic, tachycardic  | 1  | 0%      |
| cap refill ~3 sec  | 1  | 0%      |
| capillary refill 2-5 seconds   | 1  | 0%      |
| capillary refill 3sec, lower extremity cool  | 1  | 0%      |
| capillary refill = 3 seconds, tachycardia  | 1  | 0%      |
| capillary refill ~ 5 seconds, weak peripheral pulses                                     | 1  | 0%      |
| capillary refill=2 seconds, rapid heart rate   | 1  | 0%      |
| decreased cap refill, tachycardia  | 1  | 0%      |
| decreased capillary refill   | 1  | 0%      |
| decreased peripheral perfusion   | 1  | 0%      |
| decreased peripheral pulses, normal cap refill   | 1  | 0%      |
| delayed cap refill   | 3  | 0%      |
| delayed cap refill = 3 seconds, diminshed pedal pulses                                   | 1  | 0%      |
| delayed cap refill, cool mottled extremities   | 1  | 0%      |
| delayed cap refill, tachyacardia   | 1  | 0%      |
| delayed cap refill, tachycardia  | 1  | 0%      |
| delayed capillary refill   | 1  | 0%      |
| delayed capillary refill, increased heart rate, two out of four systolic ejection murmer | 1  | 0%      |
| delayed capillary refill; cool, distal extremities with fair perfusion                   | 1  | 0%      |
| elevated heart rate  | 1  | 0%      |
| heart rate 130, cap refill 2-3 seconds   | 1  | 0%      |
| heart rate 90's  | 1  | 0%      |
| hypertensive to 159  | 1  | 0%      |
| hypertensive, tachycardic  | 1  | 0%      |
| hypotension, tachycardia   | 1  | 0%      |
| inc. HR  | 1  | 0%      |
| increased HR   | 2  | 0%      |
| increased heart rate   | 4  | 0%      |
| increased pulses   | 1  | 0%      |
| mild decrease in pulse turgor  | 1  | 0%      |
| mild tachycardia   | 13 | 1%      |

|   | N   | Percen |
|---|-----|--------|
| Cardiovascular comments   |     |        |
| mild tachycardia, cap refill 3 seconds                          | 1   | 0%     |
| mild tachycardia, good perfusion                                | 1   | 0%     |
| mild tachycardic  | 1   | 0%     |
| mild tachychardia   | 1   | 0%     |
| mild taclycardia  | 1   | 0%     |
| mildly hypertensive, tachycardic                                | 1   | 0%     |
| mildly tachycardic  | 1   | 0%     |
| mottled, cold hands/extremities                                 | 1   | 0%     |
| murmur, chest pain  | 1   | 0%     |
| palpitations  | 1   | 0%     |
| prominent peripheral pulses, tachycardic                        | 1   | 0%     |
| slightly delayed cap refill                                     | 2   | 0%     |
| slightly tachycardic, chest pain                                | 1   | 0%     |
| slow capillary refill   | 1   | 0%     |
| squeaky systolic murmur   | 1   | 0%     |
| systolic murmur   | 1   | 0%     |
| systolic murmur 2/6   | 1   | 0%     |
| tachecardia   | 1   | 0%     |
| tachy   | 3   | 0%     |
| tachy 100   | 1   | 0%     |
| tachy but nl pulses/pecti                                       | 1   | 0%     |
| tachy in the 160s   | 1   | 0%     |
| tachy to the 150s   | 1   | 0%     |
| tachycard   | 1   | 0%     |
| tachycardi  | 1   | 0%     |
| tachycardi, hyperdynamic precordium                             | 1   | 0%     |
| tachycardia   | 133 | 10%    |
| tachycardia 130-150's, cap refill 3 sec                         | 1   | 0%     |
| tachycardia 140   | 1   | 0%     |
| tachycardia HR = 112  | 1   | 0%     |
| tachycardia, 2+ Rad/DP pulses, cap <2s                          | 1   | 0%     |
| tachycardia, 3 sec cap refill noted by endocrine resident       | 1   | 0%     |
| tachycardia, cap refil 3 sec, cool extremeties, 2+ radial pulse | 1   | 0%     |
| tachycardia, capillary refill 3-5 seconds                       | 1   | 0%     |
| tachycardia, decreased perfusion                                | 1   | 0%     |
| tachycardia, delayed cap refill                                 | 1   | 0%     |

|  | N   | Percen |
|--|-----|--------|
| Cardiovascular comments                                  |     |        |
| tachycardia, gallop, murmur                              | 1   | 0%     |
| tachycardia, hypertensive                                | 1   | 0%     |
| tachycardia, mid sternal chest wall pain                 | 1   | 0%     |
| tachycardia, murmur (II/VI)                              | 1   | 0%     |
| tachycardia, otehrwise normal                            | 1   | 09     |
| tachycardia, palpitations                                | 1   | 09     |
| tachycardia, prolonged cap refill                        | 1   | 09     |
| tachycardia, regular rhythm                              | 1   | 09     |
| tachycardia, skin CRT 3 sec                              | 1   | 09     |
| tachycardia, weak pulses, hypertensive                   | 1   | 09     |
| tachycardia; 2/6 systolic murmur                         | 1   | 09     |
| tachycardia; cap refill >2 sec.                          | 1   | 00     |
| tachycardic  | 175 | 139    |
| tachycardic / delayed CR                                 | 1   | 00     |
| tachycardic 130s   | 2   | 00     |
| tachycardic rate   | 1   | 00     |
| tachycardic to 104                                       | 1   | 0,     |
| tachycardic to 120                                       | 1   | 00     |
| tachycardic to 120's, increased pulses                   | 1   | 00     |
| tachycardic to 130s                                      | 1   | 00     |
| tachycardic with regular rhythm, no murmur               | 1   | 00     |
| tachycardic, 3/6 SEM                                     | 1   | 00     |
| tachycardic, HR 100                                      | 1   | 0,     |
| tachycardic, bounding pulses                             | 1   | 0,     |
| tachycardic, camp refill 3-4 seconds                     | 1   | 0,     |
| tachycardic, cap refil 4 sec                             | 1   | 0,     |
| tachycardic, cap refill 3-4 seconds                      | 1   | 0,     |
| tachycardic, cap refill ~3 seconds                       | 1   | 0,     |
| tachycardic, capillary refill 4 seconds                  | 1   | 09     |
| tachycardic, capillary refill:3-5 sec.                   | 1   | 00     |
| tachycardic, crying on exam                              | 1   | 09     |
| tachycardic, decreased perfusion, cap refill 3-4 seconds | 1   | 09     |
| tachycardic, delayed CR                                  | 1   | 09     |
| tachycardic, delayed cap refil                           | 1   | 09     |
| tachycardic, delayed cap refill                          | 2   | 00     |
| tachycardic, delayed capillary refill                    | 1   | 09     |

|   | N   | Percen |
|---|-----|--------|
| Cardiovascular comments   |     |        |
| tachycardic, delayed capillary refill, dizziness                                      | 1   | 0%     |
| tachycardic, diastolics in 40s  | 1   | 0%     |
| tachycardic, dry mucus membranes, sunken eyes   | 1   | 0%     |
| tachycardic, good pulses  | 1   | 0%     |
| tachycardic, hyperdynamic   | 1   | 0%     |
| tachycardic, hypertension   | 1   | 0%     |
| tachycardic, hypotensive  | 1   | 0%     |
| tachycardic, normal systole 1/systole 2, strong peripheral pulses                     | 1   | 0%     |
| tachycardic, otherwise normal   | 1   | 0%     |
| tachycardic, poor peripheral perfusion  | 1   | 0%     |
| tachycardic, regular rhythm   | 1   | 0%     |
| tachycardic, sl. delay cap refill   | 1   | 0%     |
| tachycardic, systolic murmur  | 1   | 0%     |
| tachycardic, weak pulses  | 3   | 0%     |
| tachychardic  | 6   | 0%     |
| tachychardic, per triage note: cap refill less than 4 seconds, skin pink/pale mottled | 1   | 0%     |
| tackycardic, cap refill 3-4 sec   | 1   | 0%     |
| tahycardic  | 1   | 0%     |
| weak peripheral pulses  | 1   | 0%     |
| weak pulses poor perfusion  | 1   | 0%     |
| weak pulses, tachycardia  | 1   | 0%     |
| Respiratory/Pulmonary   |     |        |
| Normal  | 871 | 63%    |
| Abnormal  | 517 | 37%    |
| Not Assessed  | 1   | 0%     |
| Respiratory/Pulmonary Comments  |     |        |
|   | 872 | 63%    |
| (+) kussmel stop CTA (-)wheezing/rails  | 1   | 0%     |
| + mild kussmal respirations   | 1   | 0%     |
| ? Kussmaul breathing  | 1   | 0%     |
| Abnormal breathing  | 1   | 0%     |
| Breathing deep and fast   | 1   | 0%     |
| Breathing heavily   | 1   | 0%     |
| Congestion, RN, sore throat   | 1   | 0%     |
| Cough, Tachypnea, Kussmaul  | 1   | 0%     |

|  | N  | Percen |
|--|----|--------|
| Respiratory/Pulmonary Comments             |    |        |
| Cough, tachypnea                           | 1  | 0%     |
| Coughing                                   | 1  | 0%     |
| Deep breathing, Increased respiratory rate | 1  | 0%     |
| Deep respirations                          | 1  | 09     |
| Deep respirations.                         | 1  | 09     |
| Deep, prolonged respiration                | 1  | 09     |
| Deep, rapid                                | 1  | 09     |
| Deep, rapid breathing                      | 1  | 09     |
| Deep, slow breathing                       | 1  | 09     |
| Effortless tachypnea.                      | 1  | 09     |
| End expiratory wheeze                      | 1  | 09     |
| Hypereic                                   | 1  | 00     |
| Hyperpnea                                  | 2  | 0'     |
| Hyperpnea, tachypnea.                      | 1  | 0'     |
| Hyperpneic                                 | 1  | 0'     |
| Hyperpneic, lungs clear                    | 1  | 0'     |
| Increaded respiratory rate                 | 1  | 0'     |
| Increase RR                                | 1  | 0'     |
| Increased RR                               | 1  | 0'     |
| Increased Respiratory Rate; kussmaul resp. | 1  | 0'     |
| Increased breathing                        | 1  | 0'     |
| Kusmal, shallow, fast                      | 1  | 0'     |
| Kussmaal                                   | 1  | 0'     |
| Kussmal                                    | 2  | 0'     |
| Kussmal Respirations                       | 2  | 0,     |
| Kussmal Resps                              | 1  | 0,     |
| Kussmal breathing                          | 4  | 0'     |
| Kussmal respiration                        | 1  | 0'     |
| Kussmal respirations                       | 2  | 0'     |
| Kussmal respirations.                      | 1  | 0'     |
| Kussmall Respirations                      | 1  | 0,     |
| Kussmaul                                   | 6  | 09     |
| Kussmaul Respiration                       | 1  | 09     |
| Kussmaul Respirations                      | 1  | 0,     |
| Kussmaul breathing                         | 18 | 19     |
| Kussmaul breathing lungs CTAB              | 1  | 09     |

|   | N  | Percen |
|---|----|--------|
| Respiratory/Pulmonary Comments            |    |        |
| Kussmaul breathing pattern                | 2  | 0%     |
| Kussmaul breathing, CTAB                  | 1  | 0%     |
| Kussmaul breathing, fruity odor to breath | 1  | 0%     |
| Kussmaul breathing, respiratory distress  | 1  | 0%     |
| Kussmaul breathing, rhinnorhea            | 1  | 0%     |
| Kussmaul breathing, tachypneic to 40s     | 1  | 0%     |
| Kussmaul breathing.                       | 3  | 09     |
| Kussmaul breathing/clear                  | 1  | 09     |
| Kussmaul breaths                          | 1  | 09     |
| Kussmaul but clear                        | 1  | 09     |
| Kussmaul resp.                            | 2  | 09     |
| Kussmaul respiration                      | 10 | 19     |
| Kussmaul respirations                     | 39 | 39     |
| Kussmaul respirations, CTAB               | 1  | 09     |
| Kussmaul respirations, tachypnea          | 1  | 09     |
| Kussmaul respirations,tachypnea           | 1  | 09     |
| Kussmaul respirations.                    | 6  | 09     |
| Kussmaul respirations; tachypnea.         | 1  | 09     |
| Kussmaul respirations; tachypneic         | 1  | 09     |
| Kussmaul respirators                      | 1  | 09     |
| Kussmaul respiratory rate                 | 1  | 09     |
| Kussmaul resps, otherwise non-focal       | 1  | 09     |
| Kussmaul's                                | 2  | 09     |
| Kussmaul's respirations                   | 1  | 09     |
| Kussmaul's, CTAB                          | 1  | 09     |
| Kussmauls, clear to auscultation          | 1  | 09     |
| Kussmual Breathing                        | 1  | 09     |
| Kussmuul's respirations                   | 1  | 09     |
| Labored Kussmaul respirations             | 1  | 09     |
| Mild cough, no wheeze                     | 1  | 09     |
| Mild kussmaul breathing                   | 1  | 09     |
| Mild tachnypnea                           | 1  | 09     |
| Mild tachypnea                            | 2  | 09     |
| Mildly hyperneic                          | 1  | 09     |
| Moderate resp distress kussmaul breathing | 1  | 09     |
| Occasional Kussmaul respirations          | 1  | 09     |

|  | N  | Percent |
|--|----|---------|
| Respiratory/Pulmonary Comments   |    |         |
| Positive kussmaul breathing but clear bilaterally, no wheeze. Good aeration.                 | 1  | 0%      |
| RR 28. heavy breathing   | 1  | 0%      |
| Raised Respiratory Rate  | 1  | 0%      |
| Raised respiratory rate  | 1  | 0%      |
| Raised respiratory rate, consistant with DKA   | 1  | 0%      |
| Rapid Kussmaul breathing   | 1  | 0%      |
| Rapid, deep breathing  | 1  | 0%      |
| Rapid, shallow breathing   | 1  | 0%      |
| Respiratory distress (tachypnea, RR 25, mild retractions, +nasal flaring, deep/rapid breaths | 1  | 0%      |
| Shallow breathing  | 1  | 0%      |
| Shallow respirations   | 1  | 0%      |
| Short of breath, kussmaul resp   | 1  | 0%      |
| Slight hyperpnea   | 1  | 0%      |
| Slightly positive breath sounds on respiration, tachypneic                                   | 1  | 0%      |
| Slightly raised work of breathing  | 1  | 0%      |
| Tachy  | 1  | 0%      |
| Tachy, Kussmaul respirations   | 1  | 0%      |
| Tachycardia  | 1  | 0%      |
| Tachypnea  | 22 | 2%      |
| Tachypnea, +kussmul breathing  | 1  | 0%      |
| Tachypnea, Kussmal respiration   | 1  | 0%      |
| Tachypnea, Kussmaul  | 1  | 0%      |
| Tachypnea, Kussmaul respiration  | 1  | 0%      |
| Tachypnea, Kussmaul respirations, retractions  | 1  | 0%      |
| Tachypnea, Kussmaul's  | 1  | 0%      |
| Tachypnea, RR 24   | 1  | 0%      |
| Tachypnea, mild Kussmaul respiration   | 1  | 0%      |
| Tachypnea.   | 1  | 0%      |
| Tachypnea/Kussmaul respirations  | 1  | 0%      |
| Tachypneic   | 19 | 19      |
| Tachypneic to 30 breathes per minute   | 1  | 0%      |
| Tachypneic, Kussmaul resp  | 1  | 0%      |
| Tachypneic, SOB  | 1  | 0%      |
| Tachypneic, belly breathing  | 1  | 0%      |
| Tachypneic, flaring, shortness of breath, Kussmaul breathing                                 | 1  | 0%      |

|   | N | Percen |
|---|---|--------|
| Respiratory/Pulmonary Comments                                    |   |        |
| Tachypneic, shortness of breath                                   | 1 | 0%     |
| Tachypneic.   | 3 | 0%     |
| Tachypnic   | 5 | 0%     |
| Tachypnic.  | 2 | 0%     |
| accessory muscle use, Kussmaul respirations                       | 1 | 0%     |
| b/l dec. breath sounds  | 1 | 0%     |
| breath sounds clear but tachypneic                                | 1 | 09     |
| breathing heavy   | 1 | 09     |
| breathing heavy, tachypneic                                       | 1 | 09     |
| chest pain, epigastric pain, and difficulty breathing             | 1 | 09     |
| complains of SOB  | 1 | 09     |
| cough   | 1 | 09     |
| crackles on R   | 1 | 09     |
| deep regular respirations- not kussmal                            | 1 | 09     |
| deep respirations   | 1 | 09     |
| deep, mild tachypnea  | 1 | 09     |
| effortless tachypnea  | 1 | 09     |
| elevated rate of breathing  | 1 | 09     |
| elevated respiratory rate   | 1 | 09     |
| elevated respiratory rate - kussmaul                              | 1 | 04     |
| expiratory wheeze   | 1 | 0,     |
| fast, shallow breathing   | 1 | 0,     |
| fast/deep breathing- Kussmaul breaths                             | 1 | 0,     |
| forced expiration   | 1 | 04     |
| grunting repirations, accessory muscle use, Kussmaul respirations | 1 | 09     |
| hypernea  | 1 | 09     |
| hyperpnea, kussmaul   | 1 | 09     |
| hyperpneic  | 1 | 09     |
| hypopnea  | 1 | 09     |
| inc. RR   | 1 | 09     |
| inc. resp rate  | 1 | 09     |
| increased RR  | 1 | 09     |
| increased repiratory rate with ketotic breath                     | 1 | 09     |
| increased respirations  | 1 | 09     |
| increased respiratory rate  | 3 | 09     |
| increased respiratory rate 20's                                   | 1 | 09     |

|   | N  | Percen |
|---|----|--------|
| Respiratory/Pulmonary Comments                                |    |        |
| increased respiratory rate, kussmaul breathing                | 1  | 0%     |
| increased respiratory rate/ deep breathing                    | 1  | 0%     |
| increased work of breathing                                   | 2  | 0%     |
| kusmal respirations   | 1  | 09     |
| kusmaul breathing   | 1  | 09     |
| kuss-maul breathing   | 1  | 09     |
| kussmal breathing   | 4  | 09     |
| kussmal breathing, tachypnea, difficulty breathing            | 1  | 09     |
| kussmal respiration   | 1  | 09     |
| kussmal respirations  | 2  | 09     |
| kussmall breathing, tachypnea                                 | 1  | 09     |
| kussmall respirations   | 1  | 09     |
| kussmaul  | 5  | 09     |
| kussmaul breathing  | 24 | 29     |
| kussmaul breathing, RR 40s                                    | 1  | 0,     |
| kussmaul breathing, increased WOB                             | 1  | 09     |
| kussmaul breathing, non focal                                 | 1  | 04     |
| kussmaul breathing, respiratory distress, shortness of breath | 1  | 0,     |
| kussmaul repirtations   | 1  | 0,     |
| kussmaul resp   | 2  | 0,     |
| kussmaul resp, tachypneic                                     | 1  | 0,     |
| kussmaul respiration  | 3  | 0,     |
| kussmaul respirations   | 28 | 29     |
| kussmaul respirations (severe)                                | 1  | 04     |
| kussmaul respirations but lungs clear                         | 1  | 04     |
| kussmaul respirations, LCTAB                                  | 1  | 0,     |
| kussmaul respirations, respiratory distress                   | 1  | 0,     |
| kussmaul respirations, tachypneic                             | 1  | 04     |
| kussmaul respirations- mild                                   | 1  | 00     |
| kussmaul respiratory  | 1  | 0,     |
| kussmaul respirs  | 1  | 09     |
| kussmaul's respirations                                       | 1  | 09     |
| kussmaull respirations  | 1  | 09     |
| kussmauls breathing   | 1  | 09     |
| labored breathing   | 1  | 09     |
| mild Kussmaul breathing                                       | 1  | 09     |

|   | N  | Percen |
|---|----|--------|
| Respiratory/Pulmonary Comments  |    |        |
| mild kussmaul breathing   | 1  | 0%     |
| mild labored breathing, mild Kussmaul respirations                          | 1  | 0%     |
| mild tachypnea  | 2  | 0%     |
| mild tachypnea, Kussmaul breathing  | 1  | 0%     |
| mild tachypneic, clear  | 1  | 0%     |
| mild tenderness mid sternum; shortness of breath, mild retractions, stridor | 1  | 0%     |
| minimal tachypnea   | 1  | 0%     |
| moderate accesory muscle use, tachypnea                                     | 1  | 0%     |
| nasal flaring, tachypnea  | 1  | 0%     |
| obvious Kussmaul breathing, sats low 90s                                    | 1  | 0%     |
| rapid deep breaths  | 1  | 0%     |
| resp distress, grunting, Kussmaul   | 1  | 0%     |
| respiratory distress, kussmaul breathing                                    | 1  | 0%     |
| respiratory rate 32, kussmaul respirations                                  | 1  | 0%     |
| retractions, kussmaul breathing   | 1  | 0%     |
| rhinorrhea  | 1  | 0%     |
| shortness of breath, Kussmaul respirations, accessory muscle use            | 1  | 0%     |
| shortness of breath, kussmaul breathing                                     | 1  | 0%     |
| slightly tachypnic  | 1  | 0%     |
| subcostal retractions   | 1  | 0%     |
| tachpnea  | 1  | 0%     |
| tachy c/w DKA   | 1  | 0%     |
| tachycardic   | 1  | 0%     |
| tachypenea  | 1  | 0%     |
| tachypenic  | 1  | 0%     |
| tachypnea   | 38 | 3%     |
| tachypnea RR-40   | 1  | 0%     |
| tachypnea noted in triage   | 1  | 0%     |
| tachypnea(kussmaul)   | 1  | 0%     |
| tachypnea, Kussmaul respiration   | 1  | 0%     |
| tachypnea, Kussmaul respirations  | 2  | 0%     |
| tachypnea, Kussmaul(grunting) respirations                                  | 1  | 0%     |
| tachypnea, kussmal breathing, respiratory distress (respirations)           | 1  | 0%     |
| tachypnea, kussmaul breathing   | 1  | 0%     |
| tachypnea, kussmaul respirations  | 4  | 0%     |
| tachypnea, retraction (moderate), Kussmaul breathing                        | 1  | 0%     |

|  | N   | Percen |
|--|-----|--------|
| Respiratory/Pulmonary Comments                   |     |        |
| tachypnea/ kussmaul, shortness of breath         | 1   | 0%     |
| tachypnea/Kussumaul                              | 1   | 0%     |
| tachypnea/kussmal resp                           | 1   | 0%     |
| tachypnea; kausmaul                              | 1   | 0%     |
| tachypneia                                       | 1   | 0%     |
| tachypneic                                       | 30  | 2%     |
| tachypneic increase WOB                          | 1   | 0%     |
| tachypneic, CTAB                                 | 1   | 0%     |
| tachypneic, Kussmaul respirations                | 1   | 0%     |
| tachypneic, deep respiration, kussmaul breathing | 1   | 0%     |
| tachypneic, kissmal respiration                  | 1   | 09     |
| tachypneic, kussmaul                             | 1   | 09     |
| tachypneic, retracting                           | 1   | 0,     |
| tachypneic, retractions                          | 1   | 0,     |
| tachypneic, subcostal retractions                | 1   | 0,     |
| tachypneic-mild                                  | 1   | 0'     |
| tachypneic; respiratory distress                 | 1   | 0,     |
| tachypnic  | 5   | 0'     |
| tachypnic, kussmaul breathing                    | 1   | 0,     |
| tachypreic                                       | 1   | 0'     |
| tacypneic  | 1   | 0'     |
| wheezing, SOB, cough                             | 1   | 0'     |
| Gastrointestinal                                 |     |        |
| Normal   | 841 | 619    |
| Abnormal   | 545 | 399    |
| Not Assessed                                     | 3   | 0,     |
| Gastrointestinal Comments                        |     |        |
|  | 844 | 61     |
| + abdominal pain                                 | 1   | 0,     |
| + diffuse abdominal tenderness                   | 1   | 0'     |
| +N/V   | 1   | 0,     |
| +emesis, +epigastric tenderness                  | 1   | 00     |
| +tender, mild, diffuse                           | 1   | 0,     |
| ABD pain, vomiting, no PO                        | 1   | 00     |
| Abd pain & tenderness - LUQ                      | 1   | 0,     |
| Abd pain and nausea                              | 1   | 0,     |

|  | N | Percen |
|--|---|--------|
| astrointestinal Comments   |   |        |
| Abd pain; no masses  | 1 | 0%     |
| Abdomen diffusely tender to palpation                                  | 1 | 0%     |
| Abdomen firm, mildly distended, nontender                              | 1 | 0%     |
| Abdomen tender LUQ,LLQ, periumbilical                                  | 1 | 09     |
| Abdomen tender to palpation  | 1 | 09     |
| Abdominal Pain   | 1 | 00     |
| Abdominal Tenderness   | 2 | 0,     |
| Abdominal pain   | 3 | 0,     |
| Abdominal pain (epigastric)  | 1 | 0'     |
| Abdominal pain and distention  | 1 | 0'     |
| Abdominal pain, decreased bowel sounds                                 | 1 | 0'     |
| Abdominal pain, emesis   | 1 | 0      |
| Abdominal pain, gastroenteritis x 1 week, nausea, vomiting, diarrhea   | 1 | 0      |
| Abdominal pain, generalized  | 1 | 0      |
| Abdominal pain, more on RLQ decreased appetite, emesis x1              | 1 | 0      |
| Abdominal pain, nausea   | 2 | 0      |
| Abdominal pain, nausea, vomiting, tenderness to RUQ, rebound, guarding | 1 | 0      |
| Abdominal pain, vomiting, nausea                                       | 1 | 0      |
| Abdominal pain; vomiting for two days.                                 | 1 | 0      |
| Abdominal tenderness   | 9 | 1      |
| Abdominal tenderness, vomiting   | 1 | 0      |
| Abdominal tenderness.  | 1 | 0      |
| Appears thin   | 1 | 0      |
| Bilious Vomiting during exam   | 1 | 0      |
| Complains of diffuse pain.   | 1 | 0      |
| DIFFUSE ABDOMINAL TENDERNESS   | 1 | 0'     |
| Decreased bowel sounds, abdominal tenderness                           | 1 | 0'     |
| Diarrhea   | 1 | 0      |
| Diarrhea, abdominal pain   | 1 | 0'     |
| Diffuse TTP and guarding   | 1 | 0'     |
| Diffuse TTP, soft, no rebound/guarding.                                | 1 | 0'     |
| Diffuse abdomen, tenderness to palpitation, nausea                     | 1 | 0,     |
| Diffuse abdominal pain   | 5 | 0,     |
| Diffuse abdominal pain and tenderness                                  | 1 | 0'     |
| Diffuse abdominal pain, no rebound/guarding                            | 1 | 0,     |
| Diffuse abdominal tenderness   | 3 | 0,     |

|  | N | Percen |
|--|---|--------|
| Gastrointestinal Comments  |   |        |
| Diffuse abdominal tenderness to deep palpation.                                    | 1 | 0%     |
| Diffuse abdominal tenderness, decreased bowel sounds.                              | 1 | 0%     |
| Diffuse abdominal tenderness, worse in RLQ, no rebound or guarding                 | 1 | 0%     |
| Diffuse discomfort only  | 1 | 0%     |
| Diffuse mild abd pain  | 1 | 0%     |
| Diffuse mild tenderness  | 1 | 0%     |
| Diffuse pain   | 1 | 0%     |
| Diffuse tenderness   | 4 | 09     |
| Diffuse tenderness on exam in periumbilical/epigastric area, pain to upper abdomen | 1 | 0%     |
| Diffuse tenderness to palpation  | 1 | 09     |
| Diffuse tenderness, nausea, diarrhea, BT x4  | 1 | 09     |
| Diffused Abdominal pain  | 1 | 09     |
| Diffused, tender to palpitation  | 1 | 00     |
| Diffusely TTP without guarding or rebound  | 1 | 09     |
| Diffusely tender   | 1 | 00     |
| Diffusely tender to palpation  | 1 | 00     |
| Distended abdomen, Peri-anal irritation  | 1 | 00     |
| Distended, tympanitic  | 1 | 00     |
| Distention, RLQ tenderness, Rovsing's sign   | 1 | 09     |
| Emesis   | 1 | 09     |
| Epigastic TTP  | 1 | 09     |
| Epigastric TTP, no guarding or rebound, 1 week of constipation                     | 1 | 00     |
| Epigastric abdominal pain  | 1 | 09     |
| Epigastric and RUQ tenderness  | 1 | 09     |
| Epigastric lower abdominal pain  | 1 | 09     |
| Epigastric pain  | 1 | 09     |
| Epigastric tenderness and guarding   | 1 | 09     |
| Epigastric tenderness, dehydration, sunken eyes                                    | 1 | 09     |
| Firm adb. &guarding, & tenderness  | 1 | 09     |
| Generalized abdominal tenderness   | 1 | 09     |
| Generalized tenderness, nausea/vomiting, diarrhea                                  | 1 | 09     |
| Hx of vomiting   | 1 | 09     |
| Hyperactive BS   | 1 | 09     |
| Hyperactive bowel sounds; nausea; coffee-ground vomit.                             | 1 | 09     |
| LUQTTP   | 1 | 09     |

|  | N | Percen |
|--|---|--------|
| astrointestinal Comments                               |   |        |
| LUQ abdominal pain                                     | 1 | 0%     |
| Lower abdominal pain                                   | 1 | 0%     |
| Mild CVA tenderness and suprapubic tenderness          | 1 | 09     |
| Mild TTP   | 1 | 09     |
| Mild TTP over diffuse abd.                             | 1 | 00     |
| Mild abd TTP.  | 1 | 0,     |
| Mild abdominal pain                                    | 1 | 0,     |
| Mild abdominal tenderness                              | 2 | 0,     |
| Mild diffuse ABD tenderness                            | 1 | 0,     |
| Mild diffuse TTP                                       | 1 | 0,     |
| Mild diffuse TTP, 0 guarding.                          | 1 | 0'     |
| Mild diffuse abd ttp                                   | 1 | 0'     |
| Mild diffuse abdominal TTP (tender to palpate)         | 1 | 0'     |
| Mild diffuse abdominal pain                            | 1 | 0      |
| Mild diffuse abdominal tenderness                      | 1 | 0      |
| Mild diffuse lower abdominal tenderness                | 1 | 0      |
| Mild diffuse tender to palpitation                     | 1 | 0      |
| Mild diffuse tenderness                                | 4 | 0      |
| Mild diffuse tenderness to palpation                   | 1 | 0      |
| Mild diffuse tenderness, soft without distention       | 1 | 0      |
| Mild diffuse tenderness. No guarding, no rebound.      | 1 | 0      |
| Mild diffused abdominal pain                           | 1 | 0      |
| Mild epigastric TTP> resolved.                         | 1 | 0      |
| Mild epigastric TTP.                                   | 1 | 0      |
| Mild epigastric pain                                   | 1 | 0'     |
| Mild epigastric tenderness                             | 2 | 0      |
| Mild non-specific tenderness with guarding             | 1 | 0      |
| Mild tenderness  | 1 | 0      |
| Mild tenderness to palpitation in epigastric region.   | 1 | 0      |
| Mild, diffuse abd. pain                                | 1 | 0      |
| Mild, diffuse abdominal tenderness                     | 1 | 0      |
| Mildly TTP in LUQ                                      | 1 | 0      |
| Mildly Tender To Palpitation                           | 1 | 0      |
| Mildly distended, tender in L abdomen + stool palpable | 1 | 0'     |
| Mildly tender epigastrum                               | 1 | 0'     |
| Mildly tnder to palpation diffusely                    | 1 | 0,     |

|  | N | Percen |
|--|---|--------|
| Gastrointestinal Comments  |   |        |
| Minimal epigastric abd tenderness to palpation.  | 1 | 0%     |
| Nausea   | 2 | 0%     |
| Nausea + Vomiting  | 1 | 0%     |
| Nausea and vomiting  | 1 | 0%     |
| Nausea, vomiting, appetite change, diffuse abdominal pain                                    | 1 | 0%     |
| Nausea, vomiting, mild LLQ pain  | 1 | 0%     |
| Nausea/Vomiting.   | 1 | 0%     |
| Nausea/vomiting  | 1 | 0%     |
| Nauseous   | 1 | 0%     |
| No description given, but on medical condition form, states hx GERD, nausea, vomiting today. | 1 | 0%     |
| Pain   | 1 | 09     |
| Pain to palpation - diffuse  | 1 | 09     |
| Pain/ TTP diffusely & epigastric in particular.  | 1 | 0%     |
| Pancreatitis   | 1 | 0%     |
| Per resident note, nausea, vomiting, diarrhea and some abdominal pain with vomiting          | 1 | 09     |
| Periumbilical tenderness   | 1 | 09     |
| Periumbilical tenderness, vomiting, nausea, bloody emesis, gastritis                         | 1 | 09     |
| Polydipsia, weight loss  | 1 | 09     |
| Positive epigastric pain   | 1 | 09     |
| Positive suprapubic tenderness, negative rebound guarding                                    | 1 | 09     |
| R sided abd pain   | 1 | 09     |
| RCQ  | 1 | 09     |
| RCQ surgical scar  | 1 | 09     |
| RLQ abdominal pain   | 1 | 09     |
| RLQ pain on deep palpitation   | 1 | 09     |
| RLQ(right lower quadrant), RUQ(right upper quadrant) abdominal pain                          | 1 | 0%     |
| RUQ Pain, TTP  | 1 | 09     |
| RUQTTP   | 1 | 09     |
| RUQ pain   | 1 | 09     |
| RUQ/RLQ/periumbilical tenderness   | 1 | 09     |
| Right lower quadrant, tender to palpatation  | 1 | 09     |
| Right sided abdominal pain, negative rebound   | 1 | 0%     |
| Right upper quadrant and periumbilical abdominal pain  | 1 | 09     |
| Right upper quadrant pain with palpation   | 1 | 09     |
| RuQ tenderness   | 1 | 09     |

|  | N | Percent |
|--|---|---------|
| Gastrointestinal Comments  |   |         |
| Slight Abdominal pain diffuse  | 1 | 0%      |
| Slight generalized tenderness to palpation   | 1 | 0%      |
| Slight left-sided mild abdominal pain  | 1 | 0%      |
| Slightly firm abdomen  | 1 | 0%      |
| Soft, diffuse tenderness. No hepatospleonomegaly.  | 1 | 0%      |
| Spleen tip palpable, abdominal tenderness  | 1 | 0%      |
| Suprapubic tenderness to palpation   | 1 | 0%      |
| TTP abdomen, worst at RLQ, but TTP in all quadrants. Negative distension                         | 1 | 0%      |
| TTp epigastrum   | 1 | 0%      |
| Tender   | 1 | 0%      |
| Tender Abd.  | 1 | 0%      |
| Tender diffusely   | 1 | 0%      |
| Tender to Palp   | 1 | 0%      |
| Tender to palpation all quads  | 1 | 0%      |
| Tender to palpation diffuse  | 1 | 0%      |
| Tender to palpation diffusely  | 1 | 0%      |
| Tender to palpation, abdomen   | 1 | 0%      |
| Tender. mild   | 1 | 0%      |
| Tenderness (mild in LUQ)   | 1 | 0%      |
| Tenderness in epigastric area(mild TTP in the epigastrum), Nausea,<br>Vomiting, & Abdominal Pain | 1 | 0%      |
| Tenderness to palpation  | 1 | 0%      |
| Tenderness to palpation diffusely  | 1 | 0%      |
| Tenderness to palpation over epigastrium   | 1 | 0%      |
| Voluntary guarding   | 1 | 0%      |
| Vomit x1   | 1 | 0%      |
| Vomiting   | 9 | 19      |
| Vomiting PTA   | 1 | 0%      |
| Vomiting, Abdominal Pain x 5days   | 1 | 0%      |
| Vomiting, Abdominal Pain, Tenderness (mild TPP in upper quadrants)                               | 1 | 0%      |
| Vomiting, Decreased breath sound, slightly tender to palpate                                     | 1 | 0%      |
| Vomiting, Nausea, Abdominal tenderness (mild epigastric)   | 1 | 0%      |
| Vomiting, abd pain   | 1 | 0%      |
| Vomiting, abdominal pain   | 2 | 0%      |
| Vomiting, appetite change  | 1 | 0%      |
| Vomiting, diarrhea   | 2 | 0%      |

|   | N  | Percen |
|---|----|--------|
| Gastrointestinal Comments   |    |        |
| Vomiting.   | 1  | 0%     |
| Vomiting/ Abd pain  | 1  | 0%     |
| Vomiting/diarrhea   | 2  | 0%     |
| abd pain  | 1  | 0%     |
| abd pain and palpation  | 1  | 0%     |
| abd tenderness  | 1  | 0%     |
| abdomen diffusely tender to palpation; hypoactive bowel sounds                      | 1  | 09     |
| abdomen mildly tender to palpation  | 1  | 09     |
| abdomen soft, diffusely tender to palpation in all 4 quadrants, no guarding         | 1  | 09     |
| abdomen tender  | 1  | 09     |
| abdominal pain  | 12 | 19     |
| abdominal pain tender on palpitation nausea   | 1  | 09     |
| abdominal pain to palpation   | 1  | 09     |
| abdominal pain, diffuse   | 3  | 09     |
| abdominal pain, mild nausea   | 1  | 0,     |
| abdominal pain, nausea, vomiting, tenderness, guarding                              | 1  | 0,     |
| abdominal pain, no tenderness   | 1  | 0,     |
| abdominal pain, right sided tenderness to palpation                                 | 1  | 0,     |
| abdominal pain, stomach pain, nausea  | 1  | 0,     |
| abdominal pain, vomiting  | 2  | 0,     |
| abdominal pain, vomiting, nausea, constipation                                      | 1  | 0,     |
| abdominal pain, weight loss   | 1  | 0'     |
| abdominal pain-muscles  | 1  | 0,     |
| abdominal pain/diffuse-mild   | 1  | 0,     |
| abdominal pain/nausea/vomiting  | 1  | 0,     |
| abdominal tenderness  | 25 | 29     |
| abdominal tenderness (LUQ, LLQ)   | 1  | 0,     |
| abdominal tenderness (epigastric area)  | 1  | 0,     |
| abdominal tenderness (mild diffuse)   | 1  | 09     |
| abdominal tenderness diffusely  | 1  | 09     |
| abdominal tenderness diffusely, nausea/vomiting                                     | 1  | 09     |
| abdominal tenderness, diffuse, no hepatosplenomegaly, no masts, normal lowel sounds | 1  | 09     |
| abdominal/back pain   | 2  | 09     |
| abodminal tenderness  | 1  | 09     |
| actively trying to vomit/dry heaving  | 1  | 09     |

|   | N  | Percent |
|---|----|---------|
| Gastrointestinal Comments   |    |         |
| adominal tenderness   | 1  | 0%      |
| belly pain, polyuria, polydipsia, emesis  | 1  | 0%      |
| bilateral lower quadrants tenderness  | 1  | 0%      |
| c/o n/v. +BS, belly soft  | 1  | 0%      |
| cachetic  | 1  | 0%      |
| complaining of "kidney pain" vomiting   | 1  | 0%      |
| constipation  | 1  | 0%      |
| constipation, dehydration   | 1  | 0%      |
| constipation, mild abdominal distension   | 1  | 0%      |
| cramp like abdominal pain, nausea and vomiting yesterday                                  | 1  | 0%      |
| decreased bowel sounds  | 1  | 0%      |
| dehydration   | 1  | 0%      |
| diffuse TTP, no focal findings  | 1  | 0%      |
| diffuse abd pain  | 1  | 0%      |
| diffuse abd pain without rebound/guarding   | 1  | 0%      |
| diffuse abd tenderness  | 1  | 0%      |
| diffuse abdominal discomfort  | 1  | 0%      |
| diffuse abdominal pain  | 10 | 1%      |
| diffuse abdominal pain tendency, soft nondistended  | 1  | 0%      |
| diffuse abdominal tenderness  | 5  | 0%      |
| diffuse abdominal tenderness and rebound guarding   | 1  | 0%      |
| diffuse abdominal tenderness without guarding or rebound tenderness                       | 1  | 0%      |
| diffuse abdominal tenderness, abdominal pain, vomiting, constipation                      | 1  | 0%      |
| diffuse abdominal tenderness, constipation, nausea, vomiting, abdominal pain, weight loss | 1  | 0%      |
| diffuse abdominal tenderness, no guarding   | 1  | 0%      |
| diffuse abdominal tenderness, vomiting  | 1  | 0%      |
| diffuse mild abd tenderness   | 1  | 0%      |
| diffuse mild abdoment tender, worst in lower quadrant, insulin pump L abd.                | 1  | 0%      |
| diffuse mild abdominal pain   | 3  | 0%      |
| diffuse mild tenderness   | 1  | 0%      |
| diffuse no specific tenderness, no guarding, no rebound                                   | 1  | 0%      |
| diffuse pain  | 2  | 0%      |
| diffuse pain, TTP in epigastrium w/o rebound or guarding                                  | 1  | 0%      |
| diffuse tender to palpation   | 1  | 0%      |
| diffuse tenderness  | 5  | 0%      |

|   | N | Percer |
|---|---|--------|
| Gastrointestinal Comments   |   |        |
| diffuse tenderness to palpatation, soft, non-distneded, no mass     | 1 | 09     |
| diffuse tenderness to palpation                                     | 2 | 09     |
| diffuse tenderness, no rebound                                      | 1 | 09     |
| diffusely tender but soft abdomen                                   | 1 | 0,     |
| difused abdominal pain  | 1 | 0,     |
| emesis  | 2 | 0'     |
| emesis x10  | 1 | 0'     |
| emesis, nausea  | 1 | 0'     |
| epegestric, tenderness mild,vomiting                                | 1 | 0'     |
| epigastric TTP  | 1 | 0'     |
| epigastric abdominal pain with tenderness to palpation              | 1 | 0      |
| epigastric pain   | 5 | 0      |
| epigastric tenderness   | 4 | 0      |
| epigastric tenderness nausea  | 1 | 0      |
| generalized abdominal tenderness                                    | 1 | 0      |
| generalized pain and tenderness                                     | 1 | 0      |
| generalized tenderness  | 1 | 0      |
| generalized tenderness, soft  | 1 | 0      |
| guarding, tenderness  | 1 | 0      |
| hypoactive bowel sounds   | 2 | 0      |
| hypoactive bowel sounds, non-tender, non-distended, no organomogaly | 1 | 0      |
| increased bowel sounds, abdominal tenderness, abdominal pain        | 1 | 0      |
| left lower quadrant tender to palpation                             | 1 | 0      |
| long term glucometer LLQ, insulin pump RLQ                          | 1 | 0      |
| mid epigastric tenderness   | 1 | 0      |
| mid-epigastric pain without rebound or guarding                     | 1 | 0      |
| midepigastric tenderness  | 1 | 0      |
| mild RUQ TTP  | 1 | 0      |
| mild TTP  | 1 | 0      |
| mild TTP epigastric   | 1 | 0      |
| mild TTP, tenderness, nausea, vomiting, abdominal pain              | 1 | 0      |
| mild abd tenderness   | 1 | 0      |
| mild abdominal discomfort   | 1 | 0      |
| mild abdominal discomfort, left flank pain                          | 1 | 0      |
| mild abdominal pain   | 1 | 0'     |
| mild abdominal tenderness   | 6 | 0'     |

|   | N  | Percen |
|---|----|--------|
| Gastrointestinal Comments                               |    |        |
| mild dehydration  | 1  | 0%     |
| mild diffuse TIP  | 1  | 0%     |
| mild diffuse abdominal pain                             | 1  | 0%     |
| mild diffuse abdominal tenderness                       | 2  | 0%     |
| mild diffuse abdominal tenderness, no rebound, vomiting | 1  | 0%     |
| mild diffuse pain to palpitation                        | 1  | 0%     |
| mild diffuse tenderness                                 | 5  | 09     |
| mild diffuse tenderness throughout abdomen              | 1  | 09     |
| mild diffuse tenderness to palpation                    | 2  | 09     |
| mild diffuse tenderness to palpitation                  | 1  | 09     |
| mild difuse tenderness                                  | 1  | 09     |
| mild discomfort to palpation                            | 1  | 09     |
| mild distention   | 1  | 09     |
| mild epigastric   | 1  | 09     |
| mild epigastric pain                                    | 1  | 09     |
| mild epigastric pain on exam symptom of nausea          | 1  | 09     |
| mild epigastric tenderness                              | 3  | 09     |
| mild lower abdominal pain                               | 1  | 09     |
| mild peri umbilical pain                                | 1  | 09     |
| mild tenderness   | 3  | 09     |
| mild tenderness in abdomen                              | 1  | 09     |
| mild tenderness in epigastric area                      | 1  | 09     |
| mild tenderness to deep palpation in suprapubic region  | 1  | 09     |
| mild tenderness to palpation in LUQ and RUQ             | 1  | 09     |
| mild tenderness to palpation over right upper quadrant  | 1  | 09     |
| mild tenderness. no guarding                            | 1  | 09     |
| mildly tender to palpitation throughout                 | 1  | 09     |
| mildy tender in LUQ                                     | 1  | 09     |
| minimal diffuse tenderness                              | 1  | 09     |
| moderate dehydration                                    | 1  | 09     |
| nausea  | 11 | 19     |
| nausea + mild abdominal discomfort                      | 2  | 09     |
| nausea and vomiting                                     | 2  | 09     |
| nausea, appetite change, vomiting, abdominal pain       | 1  | 09     |
| nausea, emesis (nontender)                              | 1  | 09     |
| nausea, epigastric tenderness                           | 1  | 09     |

|  | N | Percen |
|--|---|--------|
| Gastrointestinal Comments                                      |   |        |
| nausea, mild tenderness  | 1 | 0%     |
| nausea, vomited x 1  | 1 | 0%     |
| nausea, vomiting   | 4 | 0%     |
| nausea, vomiting but soft NT/ND                                | 1 | 0%     |
| nausea, vomiting, and abdominal pain                           | 1 | 0%     |
| nausea/mild Hp   | 1 | 0%     |
| nausea/vomiting  | 2 | 09     |
| normal bowel sounds No JSM + diffuse tenderness                | 1 | 09     |
| obese  | 2 | 0,     |
| pain in abdomen to palpation                                   | 1 | 09     |
| pain in epigastric to palpation                                | 1 | 0,     |
| right sided abdominal pain                                     | 1 | 0,     |
| right sided tenderness   | 1 | 0,     |
| right upper quadrant pain                                      | 1 | 0,     |
| right upper quadrant pain with hepatomegaly, nausea            | 1 | 0,     |
| right upper quadrant tenderness                                | 1 | 0,     |
| soft abdomen, diffuse tenderness, no rebound or guarding       | 1 | 0,     |
| soft but diffusely tender and guarding, loudly vomitting       | 1 | 0,     |
| soft diff tender   | 1 | 0,     |
| soft, LLQ, RLQ Tender to palpation without hepatosplenomeagaly | 1 | 0,     |
| soft, mild TTP periumbilical                                   | 1 | 0,     |
| suprapubic tenderness  | 1 | 0,     |
| tender   | 3 | 0,     |
| tender abdomen diffusely                                       | 1 | 0,     |
| tender abdomen, voluntary/involuntary guarding                 | 1 | 0,     |
| tender diffuse   | 1 | 0,     |
| tender diffusely   | 1 | 0,     |
| tender throughout  | 1 | 0,     |
| tender throughout; esp epigast.                                | 1 | 0,     |
| tender to palpation  | 1 | 0      |
| tender to palpation bilateral flanks                           | 1 | 0,     |
| tender to palpation diffusely                                  | 1 | 0,     |
| tender to palpation, worse in periumbilical                    | 1 | 0,     |
| tenderness (epigastric)  | 1 | 0,     |
| tenderness cenrees over L flank                                | 1 | 0,     |
| tenderness over the rectus, abdomen pain (diffuse)             | 1 | 0,     |

|  | N    | Percen |
|--|------|--------|
| Gastrointestinal Comments  |      |        |
| tenderness to abdomen  | 1    | 0%     |
| tenderness to epigastric area  | 1    | 0%     |
| tenderness to lower abdomen, positive for nausea, vomiting, abdominal pain, constipation | 1    | 0%     |
| tenderness to palpatation diffuesly  | 1    | 0%     |
| upper abdominal pain with deep palpation   | 1    | 0%     |
| very mild abd pain, diffuse  | 1    | 0%     |
| vomiting   | 16   | 19     |
| vomiting abdominal pain  | 1    | 0%     |
| vomiting and abdominal pain  | 1    | 0%     |
| vomiting but normal exam   | 1    | 0%     |
| vomiting for 24 hrs  | 1    | 0%     |
| vomiting since 1000, abdominal pain  | 1    | 0%     |
| vomiting x 3 days  | 1    | 0%     |
| vomiting x4 in past 3 days   | 1    | 0%     |
| vomiting, Nausea   | 1    | 0%     |
| vomiting, abd soft   | 1    | 0%     |
| vomiting, abdominal pain   | 1    | 0%     |
| vomiting, abdominal pain, nausea   | 1    | 0%     |
| vomiting, decreased appetite   | 1    | 0%     |
| vomiting, diarrhea   | 1    | 0%     |
| vomiting, diffuse minimal tenderness   | 1    | 0%     |
| vomiting, epigastric abdomen pain  | 1    | 0%     |
| vomiting, epigastric tenderness  | 1    | 0%     |
| vomiting, nausea   | 1    | 0%     |
| vomiting, nausea, abd pain   | 1    | 0%     |
| vomiting, nausea, reflux symptoms, abdominal pain  | 1    | 0%     |
| Hepatic  |      |        |
| Normal   | 1267 | 91%    |
| Abnormal   | 8    | 19     |
| Not Assessed   | 114  | 8%     |
| Hepatic Comments   |      |        |
|  | 1381 | 99%    |
| Diffuse, mild abdominal tenderness   | 1    | 0%     |
| Right upper quadrant tenderness  | 1    | 0%     |
| Tender right upper quadrant  | 1    | 0%     |

|  | N    | Percent |
|--|------|---------|
| Hepatic Comments   |      |         |
| diffuse tenderness   | 1    | 0%      |
| hepatosplenomegaly   | 1    | 0%      |
| liver 1cm below costal margin  | 1    | 0%      |
| mild tenderness to palpate   | 1    | 0%      |
| right upper quadrant pain with hepatomegaly, nausea                                      | 1    | 0%      |
| Genitourinary  |      |         |
| Normal   | 852  | 61%     |
| Abnormal   | 68   | 5%      |
| Not Assessed   | 469  | 34%     |
| Genitourinary Comments   |      |         |
|  | 1321 | 95%     |
| + dysuria and frequency  | 1    | 0%      |
| Diaper rash  | 1    | 0%      |
| Increased urination  | 6    | 0%      |
| Ketones in urine   | 1    | 0%      |
| Labial abscess   | 1    | 0%      |
| Left CVA tender to percussion  | 1    | 0%      |
| Not urinating  | 1    | 0%      |
| Perivaginal erythema and white discharge   | 1    | 0%      |
| Phimosis-no discharge; polyuria  | 1    | 0%      |
| Polyuria   | 7    | 19      |
| Polyuria, polydipsia   | 1    | 0%      |
| Polyuria; ketones in urine.  | 1    | 0%      |
| White vaginal discharge  | 1    | 0%      |
| abnormal UA  | 1    | 0%      |
| candidal rash  | 1    | 0%      |
| decreased urine volume   | 1    | 0%      |
| dehydration (severe)   | 1    | 0%      |
| dehydration, decreased urine output  | 1    | 0%      |
| diagnosed with a UTI yesterday plus dysuria  | 1    | 0%      |
| diaper area with erythema and exocriation with satellite lesion yeast like in appearance | 1    | 0%      |
| diaper rash  | 1    | 0%      |
| difficult to retract foreskin, milky white discharge, shallow ulcers.                    | 1    | 0%      |
| dysuria, frequency   | 1    | 0%      |
| erythema and tenderness to bilateral labia, clear discharge.                             | 1    | 0%      |

|  | N    | Percent |
|--|------|---------|
| Hepatic Comments   |      |         |
| erythematous patches   | 1    | 0%      |
| evaluated by attending- tanner IV-V unl  | 1    | 0%      |
| foley placed ni GU   | 1    | 0%      |
| frequency  | 1    | 0%      |
| frequent urination, new onset of bedwetting  | 1    | 0%      |
| groin rash - erythmematous vaginal discharge - brown   | 1    | 0%      |
| increased frequency  | 1    | 0%      |
| increased urination  | 3    | 0%      |
| irritant dermatitis to groin   | 1    | 0%      |
| ketones  | 1    | 0%      |
| mild erythema to genital erea  | 1    | 0%      |
| no gential lesions, scant discharge (white), serficial abrasions to labia<br>menora, therefore pt had tenderness with manual exam, CMT difficult to assess | 1    | 0%      |
| polydipsia, polyuria   | 1    | 0%      |
| polyuria   | 12   | 1%      |
| polyuria, dysuria  | 1    | 0%      |
| polyuria, polydipsia   | 2    | 0%      |
| purulent/milky vaginal discharge. patchy erythematous maculopapular rash   | 1    | 0%      |
| urinary frequency  | 1    | 0%      |
| urinating a lot  | 1    | 0%      |
| Renal  |      |         |
| Normal   | 1037 | 75%     |
| Abnormal   | 43   | 3%      |
| Not Assessed   | 309  | 22%     |
| Renal Comments   |      |         |
|  | 1346 | 97%     |
| "peees a lot"  | 1    | 0%      |
| 2+ ketones   | 1    | 0%      |
| 3+ glucose, 3+ketones, 1+pro   | 1    | 0%      |
| Acute kidney injury  | 1    | 0%      |
| Blood urea nitrogen 22 creatinine 0.93   | 1    | 0%      |
| Costovertebral tenderness  | 1    | 0%      |
| Cr 1.57  | 1    | 0%      |
| Elevated BUN/Cr  | 1    | 0%      |
| Elevated BUN/creatinine  | 1    | 0%      |
| Elevated CR  | 1    | 0%      |

|  | N    | Percen |
|--|------|--------|
| Genitourinary Comments                                 |      |        |
| Flank pain   | 1    | 0%     |
| Hypocalcemia   | 1    | 0%     |
| Increased BUN and creatinine secondary to dehydration. | 1    | 0%     |
| Increased BUN/CR                                       | 1    | 0%     |
| Increased urination                                    | 1    | 0%     |
| L flank tenderness.                                    | 1    | 0%     |
| Left CVA tender to percussion                          | 1    | 0%     |
| Microalbuminuria                                       | 1    | 0%     |
| Polyuria   | 4    | 0%     |
| Renal disease  | 1    | 0%     |
| abnormal UA  | 1    | 0%     |
| acute kidney injury                                    | 1    | 0%     |
| bilateral CVA tenderness                               | 1    | 0%     |
| decreased urine output                                 | 1    | 09     |
| dehydration  | 1    | 09     |
| diabetic nephropathy                                   | 1    | 09     |
| elevated blood sugar                                   | 1    | 09     |
| hemoconcentrated ^BUN/cr                               | 1    | 09     |
| increased urination                                    | 1    | 09     |
| increased urine output                                 | 1    | 09     |
| ketones  | 1    | 09     |
| large urine output in ED                               | 1    | 09     |
| longer urination                                       | 1    | 09     |
| mild dehydration                                       | 1    | 09     |
| mild flank pain  | 1    | 09     |
| no urination while in ED                               | 1    | 09     |
| polyuria   | 1    | 09     |
| polyuria, polydipsia                                   | 1    | 09     |
| right flank pain                                       | 1    | 09     |
| slightly increased CR                                  | 1    | 09     |
| Neurologic   |      |        |
| Normal   | 1059 | 76%    |
| Abnormal   | 328  | 249    |
| Not Assessed   | 2    | 09     |
| Neurologic Comments                                    |      |        |
|  | 1060 | 76%    |

|   | N | Percen |
|---|---|--------|
| Neurologic Comments   |   |        |
| + sensation feet, initially unsteady gait   | 1 | 0%     |
| AMS   | 1 | 0%     |
| Alert not oriented to year, dizziness, light headedness   | 1 | 0%     |
| Altered MS, GCS 14  | 1 | 0%     |
| Altered mental status   | 2 | 09     |
| Altered mental status-difficulty answering questions and staying awake                                  | 1 | 09     |
| Altert. responsive to pain, moaning. PERRL. intermittent verbalization but not responding to questions. | 1 | 09     |
| Asbergers syndrom   | 1 | 00     |
| Complaining of headache but normal exam   | 1 | 00     |
| Confused  | 1 | 0,     |
| Confused-GCS 13; fatigue; lethargic   | 1 | 0,     |
| Confusion   | 1 | 0,     |
| Confusion in answering questions slurred speech altered mental states                                   | 1 | 0,     |
| Decreased LOA   | 1 | 0,     |
| Decreased mentation, will awaken with questions and be alert  | 1 | 0'     |
| Diplopia, paresthesias lateral thighs bilaterally   | 1 | 0'     |
| Dizzines  | 1 | 0'     |
| Dizzy on standing   | 1 | 0,     |
| Drowsy, GCS 14  | 1 | 0,     |
| Drowsy, but oriented x 3, no focal neuro deficits, follows commands                                     | 1 | 0,     |
| Drowsy, but responsive  | 1 | 0,     |
| Drowsy/sleepy, alert and oriented x3, GCS 15  | 1 | 0,     |
| Fatigue   | 2 | 0,     |
| Fatigue, GC 15  | 1 | 0,     |
| Fatigued  | 3 | 0,     |
| Fatigued but oriented   | 1 | 00     |
| Fatigued, A+Ox3   | 1 | 0,     |
| Fatigued, less interactive than usual but no focal neurologic deficits.                                 | 1 | 00     |
| Frontal headache  | 1 | 0,     |
| GCS 12  | 1 | 0,     |
| GCS 12/15   | 1 | 0,     |
| GCS 13  | 1 | 0,     |
| GCS 14  | 9 | 19     |
| GCS 14 (eye opening).   | 1 | 00     |
| GCS 14 somnolent  | 1 | 00     |

|   | N | Percent |
|---|---|---------|
| Neurologic Comments   |   |         |
| GCS 14, AMS   | 1 | 0%      |
| GCS 14, agitated, sleepy  | 1 | 0%      |
| GCS 14, appears listless  | 1 | 0%      |
| GCS 14, eye opening to verbal command, answers questions appropriately, normal motor response; 2+ PT DTRs | 1 | 0%      |
| GCS 14, sleepy, arousable plus oriented   | 1 | 0%      |
| GCS 14,-1 verbal, slurred speech  | 1 | 0%      |
| GCS 14. Minus one for non spontaneous eye opening   | 1 | 0%      |
| GCS 14. slow to respond   | 1 | 0%      |
| GCS 15 but agitated.  | 1 | 0%      |
| GCS 15 but uncooperarive and uncomfortable.   | 1 | 0%      |
| GCS 15, but et somnolent and slow to answer questions   | 1 | 0%      |
| GCS 15, headache, weakness  | 1 | 0%      |
| GCS 15, somnolent, protects airways   | 1 | 0%      |
| GCS = 12  | 1 | 0%      |
| GCS = 14  | 1 | 0%      |
| GCS = 14. Does not know name or location  | 1 | 0%      |
| GCS about 13  | 1 | 0%      |
| GCS of 14   | 1 | 0%      |
| GCS-14 mild obtundation   | 1 | 0%      |
| GCS= 9(initial)-12(my assessment)-14(transfer to ICU)   | 1 | 0%      |
| GCS=14  | 2 | 0%      |
| GSC 14 E3V5M6   | 1 | 0%      |
| Glasgow Coma Scale - 14 for confusion, somnolent but arousable  | 1 | 0%      |
| Headache  | 4 | 0%      |
| Headache, sleepy  | 1 | 0%      |
| Headaches   | 2 | 0%      |
| III appearing   | 1 | 0%      |
| In and out of sleep   | 1 | 0%      |
| Increased severity of headache  | 1 | 0%      |
| Initial GCS 14  | 1 | 0%      |
| Intermittent irritability, only w/d from pain, slurred speech, GCS 12, decreased alertness                | 1 | 0%      |
| L eye ptosis, lethargy  | 1 | 0%      |
| Left eye ptosis   | 1 | 0%      |
| Lethargic   | 4 | 0%      |
| Lethargic, confused, quiet  | 1 | 0%      |

|   | N | Percent |
|---|---|---------|
| Neurologic Comments   |   |         |
| Lethargic, disoriented  | 1 | 0%      |
| Lethargic, follows simple commands  | 1 | 0%      |
| Lethargic, responsive   | 1 | 0%      |
| Lethargic, slurred speach   | 1 | 0%      |
| Lethargic: GCS 14   | 1 | 0%      |
| Lethargy  | 2 | 0%      |
| Listless  | 1 | 0%      |
| Listless, weakness generalized  | 1 | 0%      |
| Mentally slow, mumbling   | 1 | 0%      |
| Mild HA, normal neuroexam.  | 1 | 0%      |
| Mild Headache   | 1 | 0%      |
| Not oriented to time  | 1 | 0%      |
| Not responsive to questions; withdrawal from pain.  | 1 | 0%      |
| PERRLA, cranial nerves intact   | 1 | 0%      |
| Patient slightly confused, responded with "I don't know" to simple questions.                           | 1 | 0%      |
| Severe headache, fatigue, difficulty walking  | 1 | 0%      |
| Sleepy  | 7 | 19      |
| Sleepy but arousable  | 1 | 0%      |
| Sleepy but arouses, Ox3   | 1 | 0%      |
| Sleepy but easily arousable   | 1 | 0%      |
| Sleepy, answers questions when awakened, answers questions appropriately out responses slightly delayed | 1 | 0%      |
| Sleepy, appetite change, confusion, agitation   | 1 | 0%      |
| Sleepy, arouses appropriately to voice, GCS = 15  | 1 | 0%      |
| Sleepy, but arousable.  | 1 | 0%      |
| Sleepy, but easily arouses, non focal   | 1 | 0%      |
| Sleepy/Quiet  | 1 | 0%      |
| Sleepy/lethargic  | 1 | 0%      |
| Slight delay in answering questions and disoriented to yr she is in school                              | 1 | 0%      |
| Slightly decreased GCS (14), slightly confused  | 1 | 0%      |
| Slightly fatigued but lucid and cooperative   | 1 | 0%      |
| Slightly sleepy   | 1 | 0%      |
| Slightly tired  | 1 | 0%      |
| Slow response but oriented  | 1 | 0%      |
| Slow speech but CN II-X11 intact.   | 1 | 0%      |
| Slow speech, drowsy   | 1 | 0%      |

|  | N | Percen |
|--|---|--------|
| Neurologic Comments  |   |        |
| Slow to respond but CN 2-12 intact. SIS strength normal sensation.         | 1 | 0%     |
| Slow to respond.   | 1 | 0%     |
| Slurred Speech   | 1 | 09     |
| Slurred speech, slowed responses   | 1 | 09     |
| Slurry speech  | 1 | 09     |
| Somnelent, but answering questions appropriately when aroused              | 1 | 09     |
| Somnolent  | 2 | 00     |
| Somnolent but arousable  | 1 | 00     |
| Somnolent, but oriented without confusion                                  | 1 | 00     |
| Stuggish responses, borderline obtundation.                                | 1 | 00     |
| Tired  | 5 | 0,     |
| Tired appearing  | 2 | 0,     |
| Tired but GCS 15   | 1 | 0,     |
| Tired but arousable  | 1 | 0,     |
| Tired but responsive   | 1 | 0,     |
| Tired in appearance, slow to respond                                       | 1 | 0,     |
| Tired, responds to persistent arousal, headache                            | 1 | 0'     |
| Tired, slow before fluids> improved.                                       | 1 | 0'     |
| Tired, slowed response, GCS 15   | 1 | 0'     |
| Tired/sleepy, GCS 15   | 1 | 0,     |
| Weak but responsive  | 1 | 0,     |
| a little agitated  | 1 | 0,     |
| agitated, confused   | 1 | 0,     |
| alert/oriented/agitated/slurred speach/ HA                                 | 1 | 0,     |
| altered mental status  | 2 | 0,     |
| altered mental status, moans with IV insertion, nods "no to some questions | 1 | 0,     |
| altered mental status- not responding                                      | 1 | 0,     |
| altered ms   | 1 | 0,     |
| answers questions appropriately, but sleepy                                | 1 | 0,     |
| appears distressed   | 1 | 0,     |
| appears lethargic, distressed, gcs 14                                      | 1 | 0,     |
| appears tired  | 1 | 0,     |
| appears tired and weak, a bit slow to respond, slightly slurred speech     | 1 | 0,     |
| baseline Friedreich's Ataxia   | 1 | 0,     |
| confused   | 3 | 0,     |
| confused, irritable, oriented  | 1 | 00     |

|   | N | Percen |
|---|---|--------|
| Neurologic Comments   |   |        |
| confused, moadning, gcs14   | 1 | 0%     |
| confusion   | 2 | 0%     |
| decreased LOC   | 1 | 09     |
| decreased LOC + slow responsiveness   | 1 | 09     |
| decreased activities  | 1 | 09     |
| decreased activity level/mental status                                      | 1 | 00     |
| decreased alertness   | 1 | 00     |
| decreased mental status, lethargic, fatigue                                 | 1 | 09     |
| decreased mental status-slow  | 1 | 00     |
| disoriented in time   | 1 | 0,     |
| disoriented to place  | 1 | 0,     |
| distressed  | 1 | 0,     |
| dizziness, light-headedness   | 1 | 0,     |
| dizziness, light-headedness.  | 1 | 0,     |
| dizziness, lightheaded  | 1 | 0'     |
| drowsy  | 4 | 0'     |
| drowsy, lethargic   | 1 | 0'     |
| eyes closed answers questions & opens eyes when asleep                      | 1 | 0'     |
| fatigue   | 1 | 0,     |
| fatigue, drowsy   | 1 | 0,     |
| fatigue, weakness   | 1 | 0,     |
| fatigued, but normal neuro exam   | 1 | 0,     |
| fatigued, somnolent   | 1 | 0,     |
| fatigued/sleepy but easily aroused & appropriate responsiveness/interaction | 1 | 0,     |
| fussy   | 1 | 0,     |
| gcs 14  | 1 | 0,     |
| grossly   | 1 | 0,     |
| headache  | 5 | 0,     |
| headache - mild   | 1 | 0,     |
| headache, AMS   | 1 | 0'     |
| headaches   | 2 | 0,     |
| hippus on L; decreased reflexes on L patella (h/o fx)                       | 1 | 0,     |
| ill appearing   | 1 | 0,     |
| in pain, alert, interactive, oriented appropriately                         | 1 | 0,     |
| initially confused  | 1 | 0,     |
| irritable   | 1 | 00     |

|   | N | Percen |
|---|---|--------|
| leurologic Comments   |   |        |
| irritable but awake and alert   | 1 | 0%     |
| left sided headache- no visual changes  | 1 | 0%     |
| less interactive than normal  | 1 | 0%     |
| lethargic   | 7 | 19     |
| lethargic but arousable   | 1 | 09     |
| lethargic but responsive  | 1 | 00     |
| lethargic, confused   | 1 | 0,     |
| lethargic, ill  | 1 | 0,     |
| lethargic, responds slowly to questions   | 1 | 0,     |
| lethargic, slow to answer questions   | 1 | 0,     |
| lethargic/ confused   | 1 | 0,     |
| lethargic; GCS 14   | 1 | 0'     |
| listless  | 2 | 0'     |
| listless (though GCS=15)  | 1 | 0'     |
| listless, GCS 15  | 1 | 0      |
| listless, disoriented, decreased activity, appetite change                      | 1 | 0'     |
| listless, eyes closed   | 1 | 0'     |
| listless, tired   | 1 | 0      |
| looks tired   | 1 | 0'     |
| lowered mental status, lethargic  | 1 | 0      |
| mental status change  | 1 | 0      |
| mild headache   | 2 | 0      |
| mild headache, fatigue  | 1 | 0      |
| mild headache, sleepy   | 1 | 0'     |
| mild psychomotor retardation  | 1 | 0'     |
| mildly confused/ agitated   | 1 | 0'     |
| mildly drowsy   | 1 | 0'     |
| mildly drowsy but responds to verbal stimuli, follows commands                  | 1 | 0'     |
| mildly slow response; very tired but able to arouse from sleep                  | 1 | 0'     |
| more tired  | 1 | 0'     |
| obtunded  | 1 | 0,     |
| parathesia of feet, headache, dizziness   | 1 | 0,     |
| patient falling asleep, otherwise normal, answering all questions appropriately | 1 | 0,     |
| pt sleepy, slightly confused, able to answer questions                          | 1 | 0,     |
| quiet, CNS intact, NL strength, answers questions, disks sharp                  | 1 | 0,     |
| sickly appearance   | 2 | 00     |

|   | N | Percen |
|---|---|--------|
| Neurologic Comments   |   |        |
| sleepy  | 5 | 0%     |
| sleepy GCS 14   | 1 | 0%     |
| sleepy but answers questions appropriately  | 1 | 0%     |
| sleepy but arousable  | 1 | 0%     |
| sleepy but arousable, oriented and appropriate  | 1 | 0%     |
| sleepy but arouses easily   | 1 | 0%     |
| sleepy but eyes open, cooperative, answering questions by shaking head yes/no, not verbal MAE, PERRL                                      | 1 | 0%     |
| sleepy but follows commands GCS 14  | 1 | 0%     |
| sleepy otherwise normal   | 1 | 0%     |
| sleepy, GCS 15  | 1 | 0%     |
| sleepy, altered mental status   | 1 | 09     |
| sleepy, arousable GCS 15  | 1 | 09     |
| sleepy, arousable, orientated   | 1 | 09     |
| sleepy, lethargic   | 1 | 09     |
| sleepy, moved all extremities for weight check, when threatened with catheterization stood up and urinated in cup otherwise uncooperative | 1 | 09     |
| sleepy, no focal deficits   | 1 | 09     |
| sleepy, rousable  | 1 | 09     |
| sleepy, slow to respond   | 1 | 09     |
| sleepy, wakes easily and is oriented x 3  | 1 | 09     |
| slightly altered glasgow coma   | 1 | 09     |
| slightly altered sensorium  | 1 | 09     |
| slightly confused   | 1 | 09     |
| slightly depressed mental status  | 1 | 09     |
| slow in answering but appropriate   | 1 | 09     |
| slow to answer  | 1 | 09     |
| slow to answer questions  | 1 | 09     |
| slurred speach, sleepy, oriented to person place and time, dizzy  | 1 | 09     |
| slurred speech, GCS 15  | 1 | 09     |
| sommolent   | 1 | 09     |
| somnolent   | 3 | 09     |
| somnolent but arouses   | 1 | 09     |
| somnolent, GCS 15   | 1 | 09     |
| somnolent, slurred speech   | 1 | 09     |
| speech difficulty   | 1 | 09     |
| thin, sickly looking, tired   | 1 | 0,     |

|  | N    | Percen |
|--|------|--------|
| Neurologic Comments  |      |        |
| tired  | 2    | 0%     |
| tired appearance   | 1    | 0%     |
| tired appearing  | 3    | 0%     |
| tired but alert  | 1    | 0%     |
| tired but arousable  | 1    | 0%     |
| tired looking, confused, sleepy                            | 1    | 0%     |
| tired, GCS 14  | 1    | 0%     |
| tired, but GCS 15  | 1    | 0%     |
| tired, weak  | 1    | 0%     |
| tired/fatigued   | 1    | 0%     |
| verbal, appropriate  | 1    | 0%     |
| very drowsy  | 1    | 0%     |
| waxing waning mental status, sleepy, lethargic, distressed | 1    | 0%     |
| weakness   | 2    | 0%     |
| weakness, fatigued   | 1    | 0%     |
| weakness, unable to ambulate, slurred speech               | 1    | 0%     |
| weakness; listless   | 1    | 0%     |
| Psychiatric/Behavioral                                     |      |        |
| Normal   | 1145 | 82%    |
| Abnormal   | 156  | 119    |
| Not Assessed   | 88   | 6%     |
| Psychiatric/Behavioral Comments                            |      |        |
|  | 1234 | 89%    |
| A little decreased activity                                | 1    | 0%     |
| ADHD   | 1    | 0%     |
| Agitated   | 1    | 0%     |
| Agitated, Distressed                                       | 1    | 0%     |
| Anxiety  | 2    | 0%     |
| Anxiety/Oppositional-Defiant Disorder                      | 1    | 0%     |
| Anxious  | 4    | 0%     |
| Anxious, crying with IV placement                          | 1    | 0%     |
| Anxious.   | 1    | 0%     |
| Anxious/teary.   | 1    | 0%     |
| Asperger's   | 1    | 0%     |
| Concerns with poor compliance.                             | 1    | 0%     |
| · · ·  |      | 0%     |

|   | N | Percen |
|---|---|--------|
| Psychiatric/Behavioral Comments                                 |   |        |
| Decreased level of consciousness                                | 1 | 0%     |
| Developmental Delay   | 1 | 0%     |
| Diagnosed w/ depression though not active, no SI                | 1 | 09     |
| Difficult to asses due to how sleep patient was                 | 1 | 09     |
| Distressed, confused, restless                                  | 1 | 09     |
| Distressed, tearful   | 1 | 09     |
| Fatigue but cooperative   | 1 | 00     |
| Fatigue, v mild confusion                                       | 1 | 00     |
| Fatigued  | 2 | 00     |
| Fatigued, decreased interaction.                                | 1 | 00     |
| Flat affect.  | 1 | 00     |
| Fussy   | 1 | 0,     |
| Fussy and fatigued but appropriate. Normal mental status        | 1 | 0,     |
| GCS 14, eyes closed   | 1 | 0,     |
| GCS 15 but uncooperarive and uncomfortable.                     | 1 | 0,     |
| Grumpy  | 1 | 0,     |
| HX depression   | 1 | 0,     |
| Intermittent moaning; groaning                                  | 1 | 0,     |
| Less active   | 1 | 0,     |
| Lethargic   | 2 | 0,     |
| Limited social interaction                                      | 1 | 0,     |
| Listless  | 1 | 0,     |
| Mild autism, blunt affect.                                      | 1 | 0,     |
| Mildly anxious but AAO x3.                                      | 1 | 0,     |
| Mildly decreased activity                                       | 1 | 0,     |
| Moaning   | 1 | 0,     |
| Not cooperative   | 1 | 0,     |
| Not verbal at this time but cooperative                         | 1 | 0,     |
| Oppositional defiant, cutting, adjustment disorder              | 1 | 0,     |
| Outbursts   | 1 | 0,     |
| Panic Attacks   | 1 | 0,     |
| Patient reported she did not take insulin because she is "lazy" | 1 | 0,     |
| Sleepy  | 8 | 19     |
| Sleepy but arousable  | 1 | 0,     |
| Sleepy, arousable   | 1 | 0,     |
| Sleepy.   | 1 | 00     |

|  | N | Percen |
|--|---|--------|
| sychiatric/Behavioral Comments             |   |        |
| Sleepy/lethargic                           | 1 | 0%     |
| Slightly Sleepy                            | 1 | 0%     |
| Slightly agitated.                         | 1 | 0%     |
| Slightly disoriented initially             | 1 | 0%     |
| Slow speech but CN II-X11 intact.          | 1 | 09     |
| Somewhat slow to respond, may be baseline  | 1 | 00     |
| Somnolent, calm                            | 1 | 00     |
| Tearful                                    | 1 | 0,     |
| Tired                                      | 2 | 0,     |
| Tired and fussy.                           | 1 | 0,     |
| Tired appearing                            | 1 | 0,     |
| Tired appearing, withdrawn                 | 1 | 0'     |
| Tired.                                     | 1 | 0'     |
| Tired/sleepy                               | 1 | 0'     |
| Very anxious, cries with every interaction | 1 | 0'     |
| abnormal affect                            | 1 | 0'     |
| acting out-somewhat defiant                | 1 | 0'     |
| activity change/appetite change            | 1 | 0'     |
| agitated                                   | 3 | 0'     |
| agitation, punched a tech                  | 1 | 0'     |
| altered mental status                      | 1 | 0'     |
| anxious                                    | 4 | 0'     |
| anxious appearing                          | 1 | 0,     |
| anxious at first- resolved                 | 1 | 0'     |
| anxious, agitated                          | 1 | 0'     |
| anxious, crying                            | 1 | 0'     |
| apathetic                                  | 1 | 0'     |
| appears distressed                         | 1 | 0'     |
| appears uncomfortable                      | 1 | 0'     |
| appropriately withrawn,                    | 1 | 0'     |
| behavioral problems                        | 1 | 0,     |
| blunt affect, delayed speech, inattentive  | 1 | 0,     |
| confused                                   | 1 | 0,     |
| currently tearful, avoids eye contact      | 1 | 00     |
| decreased LOC + slow responsiveness        | 1 | 09     |
| decreased energy, responsive, but slow     | 1 | 00     |

|  | N | Percen |
|--|---|--------|
| Psychiatric/Behavioral Comments  |   |        |
| decreased level of consciousness   | 1 | 0%     |
| depressed affect   | 1 | 0%     |
| depression   | 1 | 0%     |
| depression, anxiety  | 1 | 0%     |
| developmental delay  | 1 | 0%     |
| difficult to examin due to oppositional behavior   | 1 | 09     |
| distressed   | 3 | 09     |
| distressed, tearful  | 1 | 00     |
| drowsy   | 1 | 00     |
| extremely irritable  | 1 | 09     |
| family and school and social stressors   | 1 | 0,     |
| fatigue, malaise   | 1 | 0,     |
| fatigued, activity change, appetite change   | 1 | 0,     |
| fatigued, but GCS = 15   | 1 | 0'     |
| flat affect  | 4 | 0'     |
| flat affect, depressed mood no SI  | 1 | 0'     |
| frat affect  | 1 | 0,     |
| fussy  | 1 | 0,     |
| irritable  | 2 | 0,     |
| irritable, uncomfortable   | 1 | 0'     |
| labile   | 1 | 0,     |
| less active per mom  | 1 | 0,     |
| lethargic  | 2 | 0,     |
| no concerns  | 1 | 0,     |
| not alert  | 1 | 0,     |
| quiet, eyes closed   | 1 | 0,     |
| shy/not talkative  | 1 | 0,     |
| sickly appearance  | 1 | 0'     |
| sleepy   | 1 | 0,     |
| sleepy but arousable, prefers eyes closed, opens when commended esponds to pain follows commands | 1 | 04     |
| sleepy but not aroused   | 1 | 0,     |
| sleepy s/p phenergen   | 1 | 0,     |
| slightly depressed sensurium, confused answers to questions. Obeys ommands.                      | 1 | 04     |
| slow thought content, slow thought process   | 1 | 0,     |
| somewhat flattened and uncooperative   | 1 | 0'     |

|   | N   | Percent |
|---|-----|---------|
| Psychiatric/Behavioral Comments               |     |         |
| tearful                                       | 1   | 0%      |
| tired   | 3   | 0%      |
| tired appearing                               | 1   | 0%      |
| tired, falling asleep easily                  | 1   | 0%      |
| uncooperitive                                 | 1   | 0%      |
| upset due to recent family death              | 1   | 0%      |
| very flat affect                              | 1   | 0%      |
| Endocrine                                     |     |         |
| Normal  | 583 | 42%     |
| Abnormal                                      | 624 | 45%     |
| Not Assessed                                  | 182 | 13%     |
| Endocrine Comments                            |     |         |
|   | 766 | 55%     |
| *No description was provided by the provider* | 1   | 0%      |
| + Glucose                                     | 1   | 0%      |
| + hyperglycemia, acidotic                     | 1   | 0%      |
| + ketones                                     | 1   | 0%      |
| ? Thyroid normal, has signs of DKA Tachy, dry | 1   | 0%      |
| Abnormal (high) blood sugar                   | 1   | 0%      |
| Abnormal glucose                              | 1   | 0%      |
| Accucheck >300                                | 1   | 0%      |
| Acetone breath                                | 3   | 0%      |
| Acetone smell                                 | 1   | 0%      |
| Acute diabetic ketoacidosis                   | 1   | 0%      |
| BS 450.                                       | 1   | 0%      |
| BS 495  | 1   | 0%      |
| BS 560, pH 7.11                               | 1   | 0%      |
| BS=>700                                       | 1   | 0%      |
| Bg 500+, with anion gap                       | 1   | 0%      |
| Blood Glucose 381                             | 1   | 0%      |
| Blood Glucose 442, polyuria, polydipsia       | 1   | 0%      |
| Blood glucose 400                             | 1   | 0%      |
| Blood glucose >500                            | 1   | 0%      |
| Blood glucose >600                            | 1   | 0%      |
| Blood sugar >500 on arrival                   | 1   | 0%      |
| Blood sugar >700, History of DMI & DKA        | 1   | 0%      |

|   | N   | Percen |
|---|-----|--------|
| indocrine Comments  |     |        |
| Borderline diabetes   | 1   | 0%     |
| By physical exam obese  | 1   | 0%     |
| Clinically in DKA, dehyrdration, Kussmaul breathing, vomiting           | 1   | 0%     |
| Concern for diabetic ketoacidosis-polyuria, polydipsia                  | 1   | 0%     |
| Concern for diabetic ketoacidosis; fatigued                             | 1   | 09     |
| Critically high blood sugar   | 1   | 09     |
| D stick high  | 1   | 00     |
| DKA   | 138 | 109    |
| DKA (diabetes ketoacidosis)   | 1   | 0,     |
| DKA - History of Insulin dependent diabetes mellitus                    | 1   | 0,     |
| DKA Polyuria, Polydypsia  | 1   | 0,     |
| DKA!!   | 1   | 0,     |
| DKA, (otherwise normal)   | 1   | 0,     |
| DKA, Hyperglycemia  | 1   | 0,     |
| DKA, dehydration  | 1   | 0,     |
| DKA, fever.   | 1   | 0,     |
| DKA, high blood sugar   | 1   | 0'     |
| DKA, polydipsia, polyphagia, polyuria                                   | 1   | 0'     |
| DKA, tachypnea.   | 1   | 0,     |
| DKA.  | 4   | 0,     |
| DKA; very cool extremities  | 1   | 0,     |
| DKa   | 1   | 0,     |
| DM  | 4   | 0,     |
| DM 1  | 1   | 0,     |
| DM Type 1, polyuria   | 1   | 0,     |
| DM w/ abnormal labs.  | 1   | 0,     |
| DM, elevated blood sugar.   | 1   | 0,     |
| DMI   | 1   | 0'     |
| DMT1  | 1   | 0'     |
| Dehydrated with tachy membranes   | 1   | 0,     |
| Dehydration, hyperglycemia, polyuria, polydipsia, diabetic ketoacidosis | 1   | 0,     |
| Diabetes  | 6   | 0,     |
| Diabetes DKA  | 1   | 0,     |
| Diabetes Ketoacidosis   | 2   | 0,     |
| Diabetes Mellitus-Type I  | 1   | 0,     |
| Diabetes mellitus   | 2   | 00     |

|  | N | Percen |
|--|---|--------|
| Endocrine Comments   |   |        |
| Diabetic Ketoacidosis  | 4 | 0%     |
| Diabetic ketoacidosis  | 3 | 0%     |
| Dry mucous membrane; Kussmaul breathing                        | 1 | 0%     |
| Dry mucous membranes, decreased alertness consistent with DKA. | 1 | 0%     |
| Dstix/Glucose >900   | 1 | 0%     |
| Elevated BG  | 1 | 0%     |
| Elevated BS  | 1 | 0%     |
| Elevated Blood glucose   | 1 | 0%     |
| Elevated D-stick at home                                       | 1 | 0%     |
| Elevated accucheck   | 1 | 0%     |
| Elevated blood glucose   | 1 | 09     |
| Elevated fasting sugar   | 1 | 09     |
| Elevated glucose, ketones in urine                             | 1 | 09     |
| Findings consistent with DKA                                   | 1 | 09     |
| Glu 524  | 1 | 09     |
| Glucose 516  | 1 | 09     |
| Glucose > 700 at arrival with ketouria.                        | 1 | 09     |
| Glucose > 700 on serum testing                                 | 1 | 09     |
| Glucose >400, + ketones in urine                               | 1 | 09     |
| Glucose >600, large ketones                                    | 1 | 09     |
| Glucose elevated, pH 7.06                                      | 1 | 09     |
| Glucose over 250   | 1 | 09     |
| Has DKA  | 1 | 09     |
| High Blood glucose   | 1 | 09     |
| High Glucose   | 2 | 09     |
| High blood glucose   | 1 | 09     |
| High blood sugar   | 1 | 09     |
| High blood sugars  | 1 | 09     |
| High blood sugars, dry mucous membranes                        | 1 | 09     |
| High glucose   | 1 | 09     |
| High glucose, DKA, low sodium                                  | 1 | 09     |
| High glucose; DKA  | 1 | 09     |
| High sugar   | 1 | 09     |
| High sugars  | 1 | 09     |
| His sugar is high  | 1 | 09     |
| History of DM1   | 1 | 09     |

|  | N  | Percen |
|--|----|--------|
| Endocrine Comments   |    |        |
| History of diabetes type 1                                       | 1  | 0%     |
| Hyperglycemia  | 15 | 19     |
| Hyperglycemia, dehydration                                       | 1  | 0%     |
| Hyperglycemia, ketonuria   | 1  | 09     |
| Hyperglycemia, polydipsia, acidosis, decreased appetite          | 1  | 09     |
| Hyperglycemia.   | 2  | 09     |
| Hyperglycemia; thyroid not palpable.                             | 1  | 09     |
| Hyperglycemic  | 8  | 19     |
| Hyperglycemic acidosis.  | 1  | 09     |
| Hyperglycemic over weekend                                       | 1  | 09     |
| Hyperglycemic, Metabolic Acidosis                                | 1  | 09     |
| Hyperglycemic; polydipsia.                                       | 1  | 00     |
| Hypoglycemia 1 day before, hyperglycemic prior to and on arrival | 1  | 0'     |
| Hypothermic  | 1  | 0'     |
| IDDM   | 2  | 0'     |
| IDDM DKA   | 1  | 0'     |
| IDDM new dx DKA  | 1  | 0'     |
| IDDM since 4 years old, recently hyperglycemic                   | 1  | 0      |
| In DKA; Dry mucous membranes                                     | 1  | 0'     |
| Increased BS   | 1  | 0'     |
| Increased Glucose  | 1  | 0'     |
| Increased blood glucose  | 1  | 0'     |
| Increased blood glucose.   | 1  | 0'     |
| Increased blood sugar  | 1  | 0'     |
| Increased glucose  | 1  | 0'     |
| Initial d-stick 760  | 1  | 0'     |
| Insulin Pump   | 2  | 0'     |
| Insulin dependent diabetes mellitus                              | 1  | 0'     |
| Insulin pump site normal appearing                               | 1  | 0'     |
| Ketones in urine   | 1  | 0'     |
| Ketotic breath   | 3  | 04     |
| Ketotic breath.  | 1  | 0,     |
| Known Type I Diabetes mellitus with elevated blood sugars.       | 1  | 0,     |
| Known Type I IDDM  | 1  | 0,     |
| Kussmaul   | 2  | 09     |
| Kussmaul breathing   | 1  | 09     |

|   | N | Percer |
|---|---|--------|
| Endocrine Comments  |   |        |
| Kussmaul respirations                                     | 1 | 0%     |
| Kussmaul respirations and stigmata of DKA.                | 1 | 09     |
| Kussmaul respirations.                                    | 1 | 09     |
| Labs c/w DKA  | 1 | 09     |
| Mucous membranes dry, FJBS 340                            | 1 | 09     |
| New DM/DKA  | 1 | 0,     |
| New Onset DKA   | 1 | 0,     |
| New onset D.M.  | 1 | 0,     |
| New onset Diabetes with physical exam consistant with DKA | 1 | 0'     |
| New onset diabetes  | 1 | 0,     |
| New onset diabetes, in diabetic ketoacidosis              | 1 | 0'     |
| New onset type 1 diabetes mellitus.                       | 1 | 0'     |
| No description  | 1 | 0      |
| Obese   | 1 | 0      |
| POC Glucose 748, DKA                                      | 1 | 0      |
| Pale  | 1 | 0      |
| Per DKA labs  | 1 | 0      |
| Per fellow note, polydipsia/polyuria for 1 month          | 1 | 0      |
| Polydipsia & Polyuria                                     | 1 | 0      |
| Polydypsia, Polyphagia                                    | 1 | 0      |
| Polyuria, polydipsia, polyphasia                          | 1 | 0      |
| Polyuria, polydipsia.                                     | 1 | 0      |
| Polyuria, polydypsia                                      | 1 | 0      |
| Polyuria/polydipsia                                       | 1 | 0      |
| Positive glucosuria/ketonuria                             | 1 | 0      |
| Possible DKA  | 1 | 0      |
| Pt in DKA; ill-appearing                                  | 1 | 0      |
| Raised blood glucose                                      | 2 | 0      |
| Raised glucose  | 1 | 0      |
| Severe DKA  | 1 | 0      |
| Severe acidosis   | 1 | 0      |
| Signs of DKA  | 1 | 0      |
| Stigmata of DKA.  | 1 | 0      |
| Strong odor of acetone                                    | 1 | 0'     |
| Thin  | 2 | 0'     |
| Thirsty   | 1 | 0'     |

|  | N | Percer |
|--|---|--------|
| ndocrine Comments  |   |        |
| Type 1 Diabetes Mellitus, insulin pump                         | 1 | 09     |
| Unclear what this means, in DKA                                | 1 | 0%     |
| Very thirsty   | 1 | 0%     |
| Weight loss  | 1 | 09     |
| Weight loss; decreased oral intake.                            | 1 | 09     |
| abdominal pain, emesis, increased glucose                      | 1 | 04     |
| abnormal labs  | 2 | 0'     |
| acanthosis   | 1 | 0'     |
| acanthosis nigricans   | 1 | 0'     |
| accucheck >500   | 1 | 0      |
| acetone smell to breath, thin                                  | 1 | 0      |
| acidosis, high glucose   | 1 | 0      |
| as per HPI, DKA  | 1 | 0      |
| asking for drink multiple times during exam                    | 1 | 0      |
| blood glucose >600   | 1 | 0      |
| blood sugar of 444   | 1 | 0      |
| breathing issue  | 1 | 0      |
| cacechtic  | 1 | 0      |
| cachectic (15 lb wt loss - 3 months)                           | 1 | 0      |
| concern for DKA  | 4 | 0      |
| concern for DKA, increase glucose at PCP                       | 1 | 0      |
| concern for diabetes   | 1 | 0      |
| concern for diabetes ketoacidosis                              | 3 | 0      |
| concern for diabetic ketoacidosis                              | 1 | 0      |
| concern for diabetic ketoacidosis. Dry lips. Mild dehydration. | 1 | 0      |
| dehydrated   | 1 | 0      |
| dehydrated & tacky mucous membranes                            | 1 | 0      |
| dehydrated, DKA, hyperglycemia                                 | 1 | 0      |
| dehydration  | 2 | 0      |
| dehydration consistant with DKA                                | 1 | 0      |
| diabetes   | 6 | 0      |
| diabetes - DKA   | 1 | 0      |
| diabetes ketoacidosis  | 5 | 0      |
| diabetes mellitus 1  | 1 | 0      |
| diabetes since 2009  | 1 | 0'     |
| diabetes, ketoacidosis   | 1 | 0,     |

|   | N  | Percen |
|---|----|--------|
| Endocrine Comments  |    |        |
| diabetic ketoacidosis                                     | 23 | 2%     |
| diabetic ketoacidosis (DKA)                               | 1  | 0%     |
| diabetic ketoacidosis, increased urination                | 1  | 0%     |
| diabetic ketoacidosis, new onset diabetes                 | 1  | 0%     |
| diabetic ketoacidosis, type I diabetes                    | 1  | 0%     |
| diagnosed prior to ED arrival with DKA                    | 1  | 0%     |
| dka   | 2  | 0%     |
| dry lips; thin-appearing                                  | 1  | 0%     |
| dry mouth, tachycardia,                                   | 1  | 0%     |
| elevated blood glucose                                    | 1  | 0%     |
| elevated blood glucose, kussmaul breathing                | 1  | 0%     |
| elevated blood sugar                                      | 5  | 0%     |
| elevated glucose  | 3  | 0%     |
| elevated glucose, decreased pH, decreased HCO3            | 1  | 09     |
| elevated glucose, in DKA                                  | 1  | 09     |
| elevated glucose, increased urination                     | 1  | 09     |
| elevated glucose, ketoacidosis                            | 1  | 09     |
| elevated glucose, ketonuria, acidemia consistent with DKA | 1  | 09     |
| elevated glucose- moderate DKA                            | 1  | 09     |
| elevated glumeter at home, positive urine ketones         | 1  | 09     |
| elevated ketone breath                                    | 1  | 09     |
| emerging diabetes   | 1  | 09     |
| evidence of DKA (Kussmaul respirations)                   | 1  | 09     |
| fatigued  | 1  | 09     |
| fatigued appearing/concern for diabetic ketoacidosis      | 1  | 09     |
| fruity odor   | 3  | 0%     |
| fruity/ketotic breath                                     | 1  | 0%     |
| glucose 389   | 1  | 09     |
| glucose >1000, increased polyuria, increased polydipsia   | 1  | 09     |
| glucose >700  | 1  | 09     |
| high blood glucose  | 3  | 0%     |
| high blood glucose, acidotic                              | 1  | 0%     |
| high blood sugar  | 3  | 09     |
| high blood sugar, acidotic                                | 1  | 09     |
| high glucose  | 1  | 0%     |
| high glucose 310, ketones large in urine                  | 1  | 0%     |

|   | N  | Percen |
|---|----|--------|
| Endocrine Comments                                  |    |        |
| high glucose and ketones                            | 1  | 0%     |
| high glucose, ketones                               | 1  | 0%     |
| high glucose, pH 6.9                                | 1  | 0%     |
| high glucose/abnormal labs                          | 1  | 09     |
| high sugar  | 1  | 0%     |
| high sugars, + ketones                              | 1  | 0%     |
| hyperglycemi  | 1  | 09     |
| hyperglycemia                                       | 22 | 29     |
| hyperglycemia, DKA                                  | 4  | 09     |
| hyperglycemia, acidosis                             | 1  | 09     |
| hyperglycemia, diabetes mellitus                    | 1  | 09     |
| hyperglycemia, glucosuria, ketonuria                | 1  | 09     |
| hyperglycemia, metabolic acidosis                   | 1  | 00     |
| hyperglycemia, polyuria, polydispia                 | 1  | 0,     |
| hyperglycemia/dka                                   | 1  | 09     |
| hyperglycemia; high ketones                         | 1  | 0,     |
| hyperglycemic                                       | 6  | 0,     |
| hyperglycemic, ketones in urine                     | 1  | 0,     |
| hyperglycemic, ketonuria, acidotic                  | 1  | 0,     |
| in DKA  | 4  | 0,     |
| in DKA. polyuria, polydipsia, hyperglycemia         | 1  | 0,     |
| inc. glucose, dec. pH                               | 1  | 0,     |
| increased D stick                                   | 1  | 0,     |
| increased FSBG                                      | 1  | 04     |
| increased blood glucose                             | 2  | 04     |
| increased blood sugar                               | 1  | 04     |
| increased blood sugar, acidotic                     | 1  | 04     |
| increased glucose                                   | 3  | 0,     |
| increased glucose and fatigue                       | 1  | 0,     |
| increased glucose, dehydrated, dry mucous membranes | 1  | 0,     |
| initial glucose - 662                               | 1  | 0,     |
| ketoacidosis  | 1  | 09     |
| ketones odor  | 1  | 09     |
| ketones on UA, (+) glucose on UA d-stick 544        | 1  | 09     |
| ketones on breath                                   | 1  | 09     |
| ketotic breath                                      | 6  | 00     |

|  | N | Percen |
|--|---|--------|
| Endocrine Comments                                 |   |        |
| ketotic breath, cachectic                          | 1 | 0%     |
| known Type 1 diabetes                              | 1 | 09     |
| kussmaul breathing                                 | 2 | 09     |
| kussmaul breathing, polyuria                       | 1 | 0,     |
| kussmaul resp                                      | 2 | 0,     |
| kussumall breathing, DKA                           | 1 | 0,     |
| labs in DKA  | 1 | 0,     |
| lethargic, diabetic ketoacidosis                   | 1 | 0'     |
| low body weight, weight loss, tried appearing      | 1 | 0'     |
| malaise, polyuria                                  | 1 | 0'     |
| marked hyperglycemia                               | 1 | 0'     |
| metabolic acidosis; ketonuria                      | 1 | 0'     |
| mucous membranes tacky, capillary refill 3 seconds | 1 | 0      |
| new dx DKA   | 1 | 0      |
| new onset DM type 1                                | 1 | 0      |
| new onset diabetes mellitus                        | 2 | 0      |
| new onset type 1 DM                                | 1 | 0      |
| no description                                     | 1 | 0      |
| obese  | 1 | 0      |
| obesity  | 1 | 0      |
| overweight   | 1 | 0      |
| pH 6.97  | 1 | 0      |
| pH 6.975   | 1 | 0      |
| polydipsia   | 4 | 0      |
| polydipsia, diabetic ketoacidosis                  | 1 | 0      |
| polydipsia, polyuria                               | 2 | 0      |
| polyuria   | 4 | 0      |
| polyuria and polydipsia                            | 1 | 0      |
| polyuria, hx diabetes, thyromegaly                 | 1 | 0      |
| polyuria, hyperglycemia                            | 1 | 0      |
| polyuria, polydipsia                               | 2 | 0      |
| polyuria, polydipsia, diabetes mellitus            | 1 | 0'     |
| polyuria, polydipsia, fatigue                      | 1 | 0'     |
| polyuria, polydipsia, hyperglycemia                | 1 | 0'     |
| polyuria, polydipsia, polyphagia                   | 1 | 0'     |
| polyuria, polydipsia, weight loss                  | 2 | 0'     |

|  | N    | Percen |
|--|------|--------|
| Endocrine Comments   |      |        |
| polyuria, polydypsia   | 2    | 0%     |
| polyuria, polydypsia, weight loss  | 1    | 0%     |
| presenting in DKA  | 1    | 0%     |
| presenting with diabetes   | 1    | 0%     |
| pt has diabetes  | 1    | 0%     |
| raised glucose, signs of DKA   | 1    | 0%     |
| reports polyuria and polydipsia  | 1    | 0%     |
| significantly dehydrated   | 1    | 0%     |
| signs of DKA   | 1    | 0%     |
| tender thyroid   | 1    | 0%     |
| the physician left this blank, however, the child is new onset diabetic in DKA | 1    | 0%     |
| thin/cachectic   | 1    | 0%     |
| thirsty, concern for diabetic ketoacidosis                                     | 1    | 0%     |
| thyroid normal, in DKA   | 1    | 0%     |
| triage blood glucose > 500   | 1    | 0%     |
| type 1 DM  | 1    | 0%     |
| type 1 diabetes mellitus   | 1    | 0%     |
| type 1 diabetes, DKA, insulin drip   | 1    | 0%     |
| weight loss  | 1    | 0%     |
| weight loss history, slightly thin appearance                                  | 1    | 0%     |
| weight loss, high blood sugar  | 1    | 0%     |
| Hematologic  |      |        |
| Normal   | 1116 | 80%    |
| Abnormal   | 27   | 2%     |
| Not Assessed   | 246  | 189    |
| Hematologic Comments   |      |        |
|  | 1362 | 989    |
| Elevated WBC   | 1    | 0%     |
| HCT elevated   | 1    | 0%     |
| Hcr 50- dry  | 1    | 09     |
| Leukocytosis   | 1    | 0%     |
| Pale skin and lips   | 1    | 0%     |
| Pallor   | 1    | 0%     |
| WBC 20.23 HgB 15.8   | 1    | 0%     |
| WBC 25.  | 1    | 09     |
| WBC 28.6 (Hgb 14.8, Plt 531)   | 1    | 09     |

|   | N    | Percen |
|---|------|--------|
| Endocrine Comments                          |      |        |
| WBC 32                                      | 1    | 0%     |
| WBC 40 ANC 31                               | 1    | 0%     |
| Weak, thready pulses                        | 1    | 0%     |
| ^WBC  | 1    | 0%     |
| abnormal labs                               | 1    | 0%     |
| cap refill > 3 se                           | 1    | 0%     |
| circulatory shock                           | 1    | 0%     |
| cold extremities                            | 1    | 0%     |
| concentrated/dehydrated                     | 1    | 0%     |
| elevated WBC count                          | 1    | 0%     |
| elevated white blood cell count             | 1    | 0%     |
| hematemesis                                 | 1    | 0%     |
| hemoconcentrated                            | 1    | 0%     |
| no explanation given                        | 1    | 09     |
| pale  | 1    | 09     |
| pale appearance                             | 1    | 09     |
| pallor                                      | 1    | 09     |
| polydipsia                                  | 1    | 09     |
| Musculoskeletal                             |      |        |
| Normal                                      | 1296 | 939    |
| Abnormal                                    | 64   | 59     |
| Not Assessed                                | 29   | 29     |
| Musculoskeletal Comments                    |      |        |
|   | 1325 | 95%    |
| Abd pain, diffuse                           | 1    | 0%     |
| Achiness                                    | 1    | 09     |
| Cachectic appearing                         | 1    | 09     |
| Cachectic, Bitemporal wasting               | 1    | 09     |
| Complains of LE pain                        | 1    | 09     |
| Cool extremities                            | 1    | 09     |
| Dec. activity                               | 1    | 09     |
| Ecchymosis over left knee, mild tenderness. | 1    | 09     |
| L shoulder TTP + mid sternal TTP            | 1    | 09     |
| Left ankle swelling related to injury       | 1    | 0%     |
| Left leg in a walking boot                  | 1    | 09     |
| Lipohypertrophy of left arm                 | 1    | 0%     |

|   | N | Percen |
|---|---|--------|
| Hematologic Comments  |   |        |
| Lower back pain   | 1 | 0%     |
| Midsternal reproducible pain  | 1 | 0%     |
| Neck pain, Lower back pain, Shoulder pain, Clumsy, Tender over left flank | 1 | 0%     |
| Pain related to abscess   | 1 | 09     |
| Right calf pain   | 1 | 09     |
| Surgical scars (knees)  | 1 | 09     |
| Tenderness and swelling L FA.   | 1 | 00     |
| Thin  | 2 | 0,     |
| Thin, emaciated   | 1 | 0,     |
| abnormal dentition  | 1 | 0,     |
| activity change, fatigue  | 1 | 0      |
| atrophy   | 1 | 0,     |
| back pain   | 1 | 0'     |
| bilateral leg pain, normal exam   | 1 | 0'     |
| cachectic   | 2 | 0'     |
| cachectic appearance  | 2 | 0'     |
| cachectic appearing   | 1 | 0'     |
| decreased muscle mass   | 1 | 0'     |
| delayed capillary refill  | 1 | 0'     |
| dry skin, cap refill 2-4 sec  | 1 | 0'     |
| eyes sunken, wasting/cachectic appearance                                 | 1 | 0'     |
| fatigue   | 1 | 0'     |
| grossly   | 1 | 0'     |
| hands mottled   | 1 | 0'     |
| left knee pain  | 1 | 0,     |
| lipohypertrophy on arms   | 1 | 0      |
| low back pain   | 1 | 0,     |
| lower back tenderness   | 1 | 0'     |
| lower right rib tenderness  | 1 | 0'     |
| midline low back tenderness   | 1 | 0'     |
| muscle aches  | 2 | 0'     |
| muscular atrophy, cachetic  | 1 | 0,     |
| myalgia   | 1 | 0,     |
| myalgias  | 2 | 0'     |
| myalgias, fatigue, decreased activity                                     | 1 | 0      |
| obese   | 1 | 0,     |

|   | N    | Percent |
|---|------|---------|
| Hematologic Comments  |      |         |
| reproducible sternal chest pain   | 1    | 0%      |
| rib pain  | 1    | 0%      |
| right knee swelling   | 1    | 0%      |
| right leg fracture, boot in place   | 1    | 0%      |
| skinny, sunken eyes + cheeks  | 1    | 0%      |
| soreness  | 1    | 0%      |
| tender to palpitation at R neck   | 1    | 0%      |
| under weight  | 1    | 0%      |
| very thin extremities   | 1    | 0%      |
| weakness, fatigue, decreased activity   | 1    | 0%      |
| weight loss, muscle wasting   | 1    | 0%      |
| Dermatologic  |      |         |
| Normal  | 1152 | 83%     |
| Abnormal  | 214  | 15%     |
| Not Assessed  | 23   | 2%      |
| Dermatologic Comments   |      |         |
|   | 1175 | 85%     |
| + eczematous patches bilateral inner legs   | 1    | 0%      |
| 4 sec cap refill, dry MM  | 1    | 0%      |
| 4cm abscess in R pubic region, erythema, TTP  | 1    | 0%      |
| Acanthosis nigrans  | 1    | 0%      |
| Acanthosis nigricans noted on posterior neck  | 1    | 0%      |
| Acne  | 5    | 0%      |
| Back abscess  | 1    | 0%      |
| Bite wound right side of back, healing  | 1    | 0%      |
| Blanching erythematous macules to diaper area.  | 1    | 0%      |
| Buttock Absess  | 1    | 0%      |
| Cachectic appearing   | 1    | 0%      |
| Cafe-au-lait spots  | 1    | 0%      |
| Candidal Diaper Rash  | 1    | 0%      |
| Candidal diaper rash  | 1    | 0%      |
| Cap refill 3.5 sec  | 1    | 0%      |
| Capillary refill takes 3 to 5 seconds. Rash (acanthosis nigricans in anterior neck fold), cold bilateral upper and lower extremities. Pallor. | 1    | 0%      |
| Cold hands, delayed cap refill  | 1    | 0%      |
| Cool distal extremities   | 1    | 0%      |

|   | N | Percer |
|---|---|--------|
| Permatologic Comments                               |   |        |
| Cool peripheries                                    | 1 | 09     |
| Cool skin, delayed capillary refill                 | 1 | 09     |
| Decreased cap refill                                | 1 | 09     |
| Dehydrated  | 1 | 00     |
| Diaphoresis   | 1 | 0,     |
| Dry Lips  | 1 | 0'     |
| Dry skin  | 7 | 1'     |
| Dry skin and lips, thin hair on scalp               | 1 | 0'     |
| Dry skin on hands and feet                          | 1 | 0'     |
| Dry, pale skin                                      | 1 | 0'     |
| Ecchymosis to left eye and left shoulder            | 1 | 0'     |
| Eczema and dry skin                                 | 1 | 0      |
| Eczema on right hand                                | 1 | 0      |
| Erythema on upper extremity                         | 1 | 0      |
| Erythematous papular rash on trunk.                 | 1 | 0      |
| Erythematous papules in genital area.               | 1 | 0      |
| Erythematous rash                                   | 1 | 0      |
| GU yeast rash                                       | 1 | 0      |
| Ingrown toenail R great toe, wound, skin pallor     | 1 | 0      |
| Left inguinal abscess 3cm, fluctuance, no drainage  | 1 | 0      |
| Linear abrasions healed to b/l forearms             | 1 | 0      |
| Lipohypertrophy to left arm                         | 1 | 0      |
| Lips slightly dry                                   | 1 | 0      |
| Low perfusion, High CRT                             | 1 | 0      |
| Low skin turgor                                     | 1 | 0      |
| Mild bruising of anterior legs                      | 1 | 0      |
| Mild xeroderma.                                     | 1 | 0      |
| Mucuous membranes dry, Eyes sunken, Skin warm & Dry | 1 | 0      |
| Pale  | 4 | 0      |
| Pale appearing                                      | 1 | 0      |
| Pale skin   | 2 | 0      |
| Pale, Cool  | 1 | 0      |
| Pallor  | 1 | 0      |
| Peri-anal irritation                                | 1 | 0      |
| Rash consistent w/tinea versicolor                  | 1 | 0'     |
| Rash in GU area as above                            | 1 | 0,     |

|   | N | Percent |
|---|---|---------|
| Dermatologic Comments   |   |         |
| Rash noted over trunk - erythematous, fine  | 1 | 0%      |
| Rash on arms  | 1 | 0%      |
| Rash on face and back of legs for 1 week.   | 1 | 0%      |
| Rash on face, back  | 1 | 0%      |
| Tinea Corporis  | 1 | 0%      |
| Wasp sting to forearm, surrounding erythema   | 1 | 0%      |
| Well healed L Externity   | 1 | 0%      |
| Well healed linear lacerations/ abrasions to bilateral forearms                                     | 1 | 0%      |
| White raised lesions at corner of mouth   | 1 | 0%      |
| abscess axilla, pale  | 1 | 0%      |
| acanthosis  | 1 | 0%      |
| acanthosis nigricans  | 4 | 0%      |
| acanthosis nigricans to neck and extensor surfaces of elbow/knees/finger knuckles, abdominal striae | 1 | 0%      |
| acanthosis on chest   | 1 | 0%      |
| acne  | 2 | 0%      |
| acne on face, trunk. Hyperpigmentation in antecubital fossa   | 1 | 0%      |
| acne on face/neck   | 1 | 0%      |
| acne to face  | 1 | 0%      |
| apallor, decreased cap refill   | 1 | 0%      |
| bilateral leg bruises   | 1 | 0%      |
| bruise on arm, scab on knee   | 1 | 0%      |
| bruises on Left forearm   | 1 | 0%      |
| bruising in lower extremities   | 1 | 0%      |
| burn to L foot  | 1 | 0%      |
| cap refil 3-4 sec   | 1 | 0%      |
| cap refill 2-3 sec  | 1 | 0%      |
| capillary refill 3-5 seconds  | 1 | 0%      |
| clamped down, marginal peeduaion  | 1 | 0%      |
| cool distal extremeties   | 1 | 0%      |
| cool heels and feet, otherwise WNL  | 1 | 0%      |
| cool to touch, dry, 3 sec capillary refill  | 1 | 0%      |
| cutting lacerations   | 1 | 0%      |
| dehydrated, acanthosis nigricans  | 1 | 0%      |
| dehydrated, dry membranes, cracked lips, acanthosis nigricans                                       | 1 | 0%      |
| dehydration, poor skin turgor   | 1 | 0%      |

|   | N | Percen |
|---|---|--------|
| Dermatologic Comments   |   |        |
| delayed cap refill  | 1 | 0%     |
| diaper area with erythema   | 1 | 0%     |
| diaper rash   | 2 | 0%     |
| diaphoretic   | 1 | 0%     |
| diaphoretic, moist, acanthosis nigrans                                  | 1 | 0%     |
| diffuse blancing 1mm pink paules across chest, abdomen and arms         | 1 | 0%     |
| diffusely dry skin  | 1 | 09     |
| dried lips  | 1 | 09     |
| dry   | 2 | 09     |
| dry and pale  | 1 | 09     |
| dry cool skin   | 1 | 09     |
| dry lips, sunken eyes   | 1 | 0,     |
| dry mucous membranes  | 1 | 0,     |
| dry skin  | 8 | 1'     |
| dry skin hands  | 1 | 0,     |
| dry, papular rash on cheeks and extensor surfaces of arms               | 1 | 0,     |
| ecchymosis to abdomen @ injection site                                  | 1 | 0,     |
| erythematous papules on scrotum, perianally and throughout diper region | 1 | 0,     |
| erythematous rash on lower abdomen and back with areas of excoriation   | 1 | 0,     |
| excoriations  | 1 | 0,     |
| extremity rash  | 1 | 0,     |
| exzematous changes  | 1 | 0,     |
| facial rash   | 1 | 0,     |
| flaking/erythema upper lip  | 1 | 0,     |
| flushed cheeks  | 1 | 0,     |
| general mottling of lower extremities                                   | 1 | 0,     |
| has "bug bites"   | 1 | 0,     |
| has mottled extremities   | 1 | 0,     |
| healing ulceration left arm, right axilla                               | 1 | 0,     |
| healing wound right LE  | 1 | 0,     |
| hyperpigmentation to anterior neck                                      | 1 | 0,     |
| hyperpigmented macules across truck and extremities                     | 1 | 0,     |
| hypopigmented areas, brown skin is darker                               | 1 | 0,     |
| keratosis pilaris to legs   | 1 | 0,     |
| lacey extremities   | 1 | 0,     |
| lipohypertrophy at injection sites in the arms                          | 1 | 09     |

|   | N  | Percen |
|---|----|--------|
| Dermatologic Comments   |    |        |
| lipohypertrophy, faint acanthosis nigricans around nape of neck       | 1  | 0%     |
| macules on trunk  | 1  | 0%     |
| mild acne   | 1  | 0%     |
| mild erythema   | 1  | 0%     |
| mild tenting of skin in extremities                                   | 1  | 0%     |
| molluscum rash  | 1  | 0%     |
| mottled, delayed cap refill   | 2  | 0%     |
| mottles extremities   | 1  | 0%     |
| mottling of skin  | 1  | 09     |
| mottling of skin, upper extremities                                   | 1  | 0%     |
| mucous membranes dry  | 1  | 09     |
| multiple hyperpigmented lesions on arms and legs "old mosquito bites" | 1  | 09     |
| oily skin   | 1  | 09     |
| painful left ingrown 1st toe nail, paronychia, mucous membranes dry   | 1  | 09     |
| pale  | 10 | 19     |
| pale no rash  | 1  | 0,     |
| pale skin   | 1  | 0,     |
| pale skin, dry lips   | 1  | 0,     |
| pale, cachextic   | 1  | 0,     |
| pale, decreased turgor, eyes appear sunken                            | 1  | 0,     |
| pale, dry   | 1  | 0,     |
| pallid  | 1  | 0,     |
| pallor  | 8  | 19     |
| pallor, diaphoretic   | 1  | 0,     |
| poor skin turgor  | 1  | 09     |
| rash  | 2  | 09     |
| rash on legs  | 1  | 09     |
| rash on penis   | 1  | 0,     |
| rash to buttocks and groin. C/W dermatitis from nocturnal eneuresis   | 1  | 09     |
| rash, pallor  | 1  | 09     |
| severe eczema; dry skin; scars to the extremeties                     | 1  | 09     |
| skin extremities capillary refil 3 seconds                            | 1  | 09     |
| skin infection  | 1  | 09     |
| skin mottling   | 1  | 09     |
| skin pallor   | 1  | 09     |
| slight pallor   | 1  | 09     |

|   | N    | Percent |
|---|------|---------|
| Dermatologic Comments   |      |         |
| slightly cool hands and feet  | 1    | 0%      |
| slightly mottled, acne  | 1    | 0%      |
| slightly pale   | 1    | 0%      |
| sun burn  | 1    | 0%      |
| sunken eyes   | 1    | 0%      |
| tacky mucous membranes  | 1    | 0%      |
| thinning hair   | 1    | 0%      |
| vaginal candida infection   | 1    | 0%      |
| Allergies   |      |         |
| Normal  | 1134 | 82%     |
| Abnormal  | 48   | 3%      |
| Not Assessed  | 207  | 15%     |
| Allergies Comments  |      |         |
|   | 1341 | 97%     |
| +drug allergies   | 1    | 0%      |
| ?keflex   | 2    | 0%      |
| Allergies to amoxicillin  | 1    | 0%      |
| Amoxicillin   | 1    | 0%      |
| Amoxicillin, IV contrast, watermelon, Rocephin, Kiwi, Zofran, Neurontin | 1    | 0%      |
| Amoxicillin, environmental(misc), penicillin.                           | 1    | 0%      |
| Celiac allergy  | 1    | 0%      |
| Food allergy  | 1    | 0%      |
| Gluten allergy (celiac disease)   | 1    | 0%      |
| Hazelnuts   | 1    | 0%      |
| History of Penicillin Allergy   | 1    | 0%      |
| Huggies diaper  | 1    | 0%      |
| Latex   | 1    | 0%      |
| Latex, red dye allergies  | 1    | 0%      |
| NKDA  | 1    | 0%      |
| PCN   | 1    | 0%      |
| PCN, sulfa  | 1    | 0%      |
| Pediazole   | 1    | 0%      |
| Penicillin  | 2    | 0%      |
| Penicillin allergy  | 1    | 0%      |
| Penicillin, sulfa drugs   | 1    | 0%      |
| Per Allergy Fellow, recurrent acute urticaria for past 5.5 weeks        | 1    | 0%      |

|   | N    | Percent |
|---|------|---------|
| Allergies Comments  |      |         |
| Rash with Penicillin  | 1    | 0%      |
| Soy   | 1    | 0%      |
| allergy to amoxicillin  | 1    | 0%      |
| amoxicillin   | 2    | 0%      |
| amoxicillin allergy   | 1    | 0%      |
| codeine sulfate   | 1    | 0%      |
| environmental (misc) allergies  | 1    | 0%      |
| environmental allergies   | 1    | 0%      |
| erythromycin  | 1    | 0%      |
| erythromycin, augmentin, penicillin, azithromycin, cefzil, nafzillin sodium, vancomycin                     | 1    | 0%      |
| food allergies  | 1    | 0%      |
| history of hives to asparaginase  | 1    | 0%      |
| ibuprofen allergy   | 1    | 0%      |
| latex   | 1    | 0%      |
| penicillin  | 1    | 0%      |
| penicillin allergy  | 1    | 0%      |
| penicillin, azythromycin  | 1    | 0%      |
| penicillins   | 2    | 0%      |
| rash from contact allergy   | 1    | 0%      |
| seasonal and animal allergies, gluten, singulair(nausea/stomach cramps)                                     | 1    | 0%      |
| tuna oil  | 1    | 0%      |
| zmax  | 1    | 0%      |
| Immunology  |      |         |
| Normal  | 991  | 71%     |
| Abnormal  | 8    | 19      |
| Not Assessed  | 390  | 28%     |
| Immunology Comments   |      |         |
|   | 1381 | 99%     |
| Bilateral submandibular LAD   | 1    | 0%      |
| Cervical lymphadenopathy  | 1    | 0%      |
| MCHC High, Auto Abs baso High, auto lymph percent hight, auto immature gran percent high, auto abs NRBC low | 1    | 0%      |
| Shotty lymphadenopathy neck   | 1    | 0%      |
| fever 38.1  | 1    | 0%      |
| lymph nodes shotty  | 1    | 0%      |
| shotty cervical LAD extending to base of neck, non tender   | 1    | 0%      |

|  | N    | Percent |
|--|------|---------|
| Immunology Comments                              |      |         |
| shotty inguinal adenopathy                       | 1    | 0%      |
| Alcohol/Drug Abuse                               |      |         |
| Normal   | 950  | 68%     |
| Abnormal   | 4    | 0%      |
| Not Assessed                                     | 435  | 31%     |
| Alcohol/Drug Abuse Comments                      |      |         |
|  | 1385 | 100%    |
| + THC on urine drug screen                       | 1    | 0%      |
| Admits to EtOH, not intoxicated                  | 1    | 0%      |
| Recent use of spice and alcohol.                 | 1    | 0%      |
| Smokes 2 black and milds daily, quit 2 weeks ago | 1    | 0%      |

|   | N     | Min | Max | Mean | SD | Q1 | Med | Q3 |
|---|-------|-----|-----|------|----|----|-----|----|
| Physical Exam Day (relative to randomization) | 1,389 | -1  | 1   | -0   | 0  | 0  | 0   | 0  |