


Controlled q-label heterogeneity: iid | APPLE diagnostics / aggregated / pooled over 5 clients | model=mcwauto_layers6_lr0.001_wd0.0001_do0.1_hd64_egoTrue_bs64

family=q_task_cycle2 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
family=q_task_cycle3 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
family=q_task_cycle4 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
family=q_task_cycle5 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
family=q_task_cycle6 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
heterogeneity=iid | gamma=0.20 | task_jsd_mean=0.000 | task_jsd_median=0.000 | task_jsd_max=0.000 | family_centroid_jsd_mean=0.000


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	64.2% ± 0.6%	67.8% ± 0.9%	79.6% ± 4.0%	78.3% ± 5.1%	66.8% ± 1.9%	61.9% ± 2.0%	48.9% ± 0.2%
APPLE	52.1% ± 2.7%	52.2% ± 2.6%	49.2% ± 3.0%	53.3% ± 1.2%	55.3% ± 1.0%	51.6% ± 5.5%	51.5% ± 3.1%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




family=q_task_cycle2 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
heterogeneity=iid | gamma=0.20 | task_jsd_mean=0.000 | task_jsd_median=0.000 | task_jsd_max=0.000 | family_centroid_jsd_mean=0.000


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	61.7% ± 2.9%	65.8% ± 2.5%	83.4% ± 5.2%	77.4% ± 2.3%	64.8% ± 2.9%	56.1% ± 5.8%	47.3% ± 2.8%
APPLE	52.5% ± 3.3%	52.6% ± 3.2%	50.4% ± 3.9%	54.6% ± 2.0%	55.2% ± 1.2%	51.6% ± 7.2%	51.2% ± 3.2%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




family=q_task_cycle3 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3% | heterogeneity=iid | gamma=0.20 | task_jsd_mean=0.000 | task_jsd_median=0.000 | task_jsd_max=0.000 | family_centroid_jsd_mean=0.000


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	59.3% ± 1.8%	62.3% ± 1.2%	70.6% ± 12.2%	70.7% ± 7.8%	63.8% ± 2.1%	59.4% ± 6.7%	46.7% ± 4.1%
APPLE	52.1% ± 3.3%	52.1% ± 3.2%	48.6% ± 2.4%	52.1% ± 2.0%	55.1% ± 0.7%	53.3% ± 7.9%	51.6% ± 3.1%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




family=q_task_cycle4 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3% | heterogeneity=iid | gamma=0.20 | task_jsd_mean=0.000 | task_jsd_median=0.000 | task_jsd_max=0.000 | family_centroid_jsd_mean=0.000


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	65.1% ± 6.6%	68.5% ± 6.7%	78.1% ± 11.0%	82.9% ± 5.3%	69.7% ± 5.5%	62.2% ± 8.5%	49.8% ± 5.3%
APPLE	52.1% ± 2.2%	52.2% ± 2.1%	49.4% ± 2.9%	53.9% ± 0.7%	55.6% ± 2.3%	50.8% ± 4.5%	51.2% ± 2.8%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




family=q_task_cycle5 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
heterogeneity=iid | gamma=0.20 | task_jsd_mean=0.000 | task_jsd_median=0.000 | task_jsd_max=0.000 | family_centroid_jsd_mean=0.000


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	66.7% ± 3.2%	69.8% ± 3.5%	83.1% ± 3.5%	76.9% ± 8.5%	67.2% ± 1.6%	69.7% ± 4.1%	52.1% ± 4.2%
APPLE	52.7% ± 2.4%	52.8% ± 2.3%	48.9% ± 2.2%	55.0% ± 1.0%	55.5% ± 0.8%	52.7% ± 5.5%	51.7% ± 3.2%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




family=q_task_cycle6 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
heterogeneity=iid | gamma=0.20 | task_jsd_mean=0.000 | task_jsd_median=0.000 | task_jsd_max=0.000 | family_centroid_jsd_mean=0.000


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	68.1% ± 1.5%	72.6% ± 1.2%	89.4% ± 1.7%	86.4% ± 0.7%	69.7% ± 3.6%	67.1% ± 2.2%	50.4% ± 1.9%
APPLE	51.4% ± 2.6%	51.4% ± 2.6%	48.8% ± 4.2%	51.0% ± 2.3%	55.0% ± 1.5%	50.3% ± 3.9%	51.8% ± 3.1%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)




Delta diagnostics: Local gap and APPLE mismatch gap




APPLE training-loss decomposition | iid heterogeneity

family=q_task_cycle2 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
family=q_task_cycle3 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
family=q_task_cycle4 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
family=q_task_cycle5 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
family=q_task_cycle6 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
heterogeneity=iid | gamma=0.20 | task_jsd_mean=0.000 | task_jsd_median=0.000 | task_jsd_max=0.000 | family_centroid_jsd_mean=0.000


APPLE lambda scheduler | apple_mu=0.001




C2-specialist | graph_id=3000000




C3-specialist | graph_id=3000001




C4-specialist | graph_id=3000002



C5-specialist | graph_id=3000003




C6-specialist | graph_id=3000004




APPLE DR behavior | iid heterogeneity

family=q_task_cycle2 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
family=q_task_cycle3 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
family=q_task_cycle4 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
family=q_task_cycle5 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
family=q_task_cycle6 | n_clients=1 | cycle2=visible 1.2%±0.0% / true 5.8% | cycle3=visible 1.2%±0.0% / true 6.2% | cycle4=visible 1.3%±0.0% / true 6.6% | cycle5=visible 1.3%±0.0% / true 6.4% | cycle6=visible 1.3%±0.0% / true 6.3%
heterogeneity=iid | gamma=0.20 | task_jsd_mean=0.000 | task_jsd_median=0.000 | task_jsd_max=0.000 | family_centroid_jsd_mean=0.000


APPLE DR self-weight p_{ii} over rounds




APPLE off-diagonal absolute mass over rounds




APPLE off-diagonal negative mass over rounds



APPLE DR movement away from p_0



Selected-best-round APPLE DR coefficients p_{ij} , mean over seeds




Controlled q-label heterogeneity: Mid | APPLE diagnostics | aggregated / pooled over 5 clients | model=mcwauto_layers6_lr0.001_wd0.0001_do0.1_hd64_egoTrue_bs64

family=q_task_cycle2 | n_clients=1 | cycle2=visible 2.9%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
family=q_task_cycle3 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 3.1%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
family=q_task_cycle4 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 3.3%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
family=q_task_cycle5 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 3.2%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
family=q_task_cycle6 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 3.1%±0.0% / true 6.3%
heterogeneity=mid | gamma=0.50 | task_jsd_mean=0.120 | task_jsd_median=0.121 | task_jsd_max=0.123 | family_centroid_jsd_mean=0.120


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	60.3% ± 0.4%	63.4% ± 0.4%	74.7% ± 4.2%	70.7% ± 0.1%	60.9% ± 2.0%	57.0% ± 1.1%	47.0% ± 0.4%
APPLE	47.3% ± 5.1%	47.4% ± 5.3%	43.7% ± 8.8%	47.9% ± 4.5%	50.1% ± 7.2%	46.2% ± 3.8%	48.8% ± 2.4%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




family=q_task_cycle2 | n_clients=1 | cycle2=visible 2.9%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
heterogeneity=mid | gamma=0.50 | task_jsd_mean=0.120 | task_jsd_median=0.121 | task_jsd_max=0.123 | family_centroid_jsd_mean=0.120


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	62.9% ± 2.7%	67.2% ± 2.6%	84.2% ± 3.3%	78.8% ± 3.0%	67.1% ± 2.5%	59.7% ± 2.9%	46.4% ± 2.7%
APPLE	48.0% ± 6.0%	48.0% ± 6.2%	44.3% ± 9.6%	49.2% ± 6.1%	50.5% ± 8.6%	46.7% ± 4.4%	49.4% ± 2.7%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




family=q_task_cycle3 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 3.1%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3% | heterogeneity=mid | gamma=0.50 | task_jsd_mean=0.120 | task_jsd_median=0.121 | task_jsd_max=0.123 | family_centroid_jsd_mean=0.120


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	55.7% ± 8.8%	57.9% ± 10.2%	66.6% ± 17.9%	62.6% ± 13.2%	58.0% ± 7.4%	56.9% ± 12.7%	45.4% ± 3.0%
APPLE	46.9% ± 4.7%	47.1% ± 5.1%	44.3% ± 9.9%	46.7% ± 3.7%	50.8% ± 8.1%	45.2% ± 2.8%	48.4% ± 2.1%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




Controlled q-label heterogeneity: Mid | APPLE diagnostics | family=q_task_cycle4 | n_clients=1 | model=mcwauto_layers6_lr0.001_wd0.0001_do0.1_hd64_egoTrue_bs64

family=q_task_cycle4 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 3.3%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3% | heterogeneity=mid | gamma=0.50 | task_jsd_mean=0.120 | task_jsd_median=0.121 | task_jsd_max=0.123 | family_centroid_jsd_mean=0.120


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	57.1% ± 7.9%	59.7% ± 8.6%	71.0% ± 8.9%	68.6% ± 10.4%	60.3% ± 10.1%	53.0% ± 10.3%	45.6% ± 4.2%
APPLE	45.9% ± 3.1%	45.8% ± 3.1%	41.4% ± 5.6%	46.2% ± 2.7%	46.9% ± 3.2%	46.0% ± 2.9%	48.7% ± 2.7%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




family=q_task_cycle5 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 3.2%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
heterogeneity=mid | gamma=0.50 | task_jsd_mean=0.120 | task_jsd_median=0.121 | task_jsd_max=0.123 | family_centroid_jsd_mean=0.120


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	62.7% ± 2.4%	65.2% ± 2.6%	76.5% ± 5.8%	75.7% ± 4.0%	59.8% ± 2.9%	64.6% ± 3.0%	49.4% ± 2.2%
APPLE	47.5% ± 6.3%	47.5% ± 6.5%	42.9% ± 9.1%	48.6% ± 6.5%	50.8% ± 9.3%	46.6% ± 5.5%	48.5% ± 2.3%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




family=q_task_cycle6 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 3.1%±0.0% / true 6.3% | heterogeneity=mid | gamma=0.50 | task_jsd_mean=0.120 | task_jsd_median=0.121 | task_jsd_max=0.123 | family_centroid_jsd_mean=0.120


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	63.1% ± 3.5%	67.2% ± 3.7%	86.9% ± 6.6%	77.7% ± 9.8%	63.1% ± 2.3%	58.3% ± 3.3%	49.9% ± 3.9%
APPLE	48.4% ± 5.6%	48.5% ± 5.9%	45.9% ± 10.3%	49.1% ± 4.9%	52.1% ± 8.2%	46.6% ± 4.4%	48.8% ± 2.2%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)




Delta diagnostics: Local gap and APPLE mismatch gap




APPLE training-loss decomposition | Mid heterogeneity

family=q_task_cycle2 | n_clients=1 | cycle2=visible 2.9%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
family=q_task_cycle3 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 3.1%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
family=q_task_cycle4 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 3.3%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
family=q_task_cycle5 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 3.2%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
family=q_task_cycle6 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 3.1%±0.0% / true 6.3%
heterogeneity=mid | gamma=0.50 | task_jsd_mean=0.120 | task_jsd_median=0.121 | task_jsd_max=0.123 | family_centroid_jsd_mean=0.120


APPLE lambda scheduler | apple_mu=0.001




C2-specialist | graph_id=3000005




C3-specialist | graph_id=3000006




C4-specialist | graph_id=3000007



C5-specialist | graph_id=3000008








C6-specialist | graph_id=3000009



APPLE DR behavior | Mid heterogeneity

family=q_task_cycle2 | n_clients=1 | cycle2=visible 2.9%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
family=q_task_cycle3 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 3.1%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
family=q_task_cycle4 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 3.3%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
family=q_task_cycle5 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 3.2%±0.0% / true 6.4% | cycle6=visible 0.8%±0.0% / true 6.3%
family=q_task_cycle6 | n_clients=1 | cycle2=visible 0.7%±0.0% / true 5.8% | cycle3=visible 0.8%±0.0% / true 6.2% | cycle4=visible 0.8%±0.0% / true 6.6% | cycle5=visible 0.8%±0.0% / true 6.4% | cycle6=visible 3.1%±0.0% / true 6.3%
heterogeneity=mid | gamma=0.50 | task_jsd_mean=0.120 | task_jsd_median=0.121 | task_jsd_max=0.123 | family_centroid_jsd_mean=0.120




family=q_task_cycle2 | n_clients=1 | cycle2=visible 4.6%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
family=q_task_cycle3 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 5.0%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
family=q_task_cycle4 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 5.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
family=q_task_cycle5 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 5.1%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
family=q_task_cycle6 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 5.0%±0.0% / true 6.3%
heterogeneity=high | gamma=0.80 | task_jsd_mean=0.399 | task_jsd_median=0.399 | task_jsd_max=0.403 | family_centroid_jsd_mean=0.399


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	29.1% ± 5.1%	29.5% ± 5.3%	22.1% ± 2.8%	26.7% ± 3.4%	26.9% ± 3.1%	26.5% ± 3.3%	30.2% ± 3.0%
APPLE	28.0% ± 3.6%	27.9% ± 3.6%	23.0% ± 3.2%	28.3% ± 3.9%	28.2% ± 3.3%	27.4% ± 2.9%	31.0% ± 2.6%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




family=q_task_cycle2 | n_clients=1 | cycle2=visible 4.6%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
heterogeneity=high | gamma=0.80 | task_jsd_mean=0.399 | task_jsd_median=0.399 | task_jsd_max=0.403 | family_centroid_jsd_mean=0.399


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	32.7% ± 12.1%	33.2% ± 12.8%	31.2% ± 16.3%	35.6% ± 15.5%	35.8% ± 15.4%	31.2% ± 10.3%	32.3% ± 6.7%
APPLE	25.7% ± 1.5%	25.6% ± 1.4%	20.9% ± 1.5%	26.1% ± 1.7%	26.2% ± 1.5%	25.8% ± 0.9%	29.2% ± 1.5%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




Controlled q-label heterogeneity: High | APPLE diagnostics | family=q_task_cycle3 | n_clients=1 | model=mcwauto_layers6_lr0.001_wd0.0001_do0.1_hd64_egoTrue_bs64

family=q_task_cycle3 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 5.0%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
heterogeneity=high | gamma=0.80 | task_jsd_mean=0.399 | task_jsd_median=0.399 | task_jsd_max=0.403 | family_centroid_jsd_mean=0.399


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	24.6% ± 3.5%	24.6% ± 3.5%	20.2% ± 3.0%	23.5% ± 4.2%	24.7% ± 3.6%	25.1% ± 3.4%	29.3% ± 3.3%
APPLE	30.0% ± 6.7%	29.9% ± 6.7%	25.8% ± 7.5%	31.1% ± 7.9%	30.4% ± 7.4%	29.9% ± 6.1%	32.6% ± 4.7%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




Controlled q-label heterogeneity: High | APPLE diagnostics | family=q_task_cycle4 | n_clients=1 | model=mcwauto_layers6_lr0.001_wd0.0001_do0.1_hd64_egoTrue_bs64

family=q_task_cycle4 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 5.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3% heterogeneity=high | gamma=0.80 | task_jsd_mean=0.399 | task_jsd_median=0.399 | task_jsd_max=0.403 | family_centroid_jsd_mean=0.399


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	20.9% ± 2.3%	21.0% ± 2.5%	16.7% ± 1.9%	21.0% ± 1.6%	20.9% ± 2.8%	20.3% ± 1.5%	26.1% ± 4.9%
APPLE	29.0% ± 5.5%	29.0% ± 5.5%	25.0% ± 5.6%	29.6% ± 6.6%	29.4% ± 5.9%	28.5% ± 5.1%	32.5% ± 4.3%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




family=q_task_cycle5 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 5.1%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
heterogeneity=high | gamma=0.80 | task_jsd_mean=0.399 | task_jsd_median=0.399 | task_jsd_max=0.403 | family_centroid_jsd_mean=0.399


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	34.0% ± 13.0%	34.3% ± 13.3%	29.8% ± 14.7%	32.8% ± 11.9%	34.7% ± 10.6%	37.8% ± 19.0%	36.2% ± 10.7%
APPLE	27.1% ± 3.9%	27.1% ± 3.8%	22.5% ± 3.6%	27.8% ± 4.4%	27.7% ± 4.1%	27.1% ± 3.6%	30.5% ± 3.6%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)



Delta diagnostics: Local gap and APPLE mismatch gap




family=q_task_cycle6 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 5.0%±0.0% / true 6.3%
heterogeneity=high | gamma=0.80 | task_jsd_mean=0.399 | task_jsd_median=0.399 | task_jsd_max=0.403 | family_centroid_jsd_mean=0.399


Best test performance (APPLE selected by after-local validation, rounds=80)

Algorithm	Micro-F1	Macro Pos-F1	cycle2 pos-F1	cycle3 pos-F1	cycle4 pos-F1	cycle5 pos-F1	cycle6 pos-F1
Local centralized	33.5% ± 12.2%	34.3% ± 13.3%	36.4% ± 23.0%	36.9% ± 15.6%	32.4% ± 10.8%	32.2% ± 9.6%	33.5% ± 7.5%
APPLE	28.0% ± 1.4%	28.0% ± 1.4%	23.1% ± 1.2%	28.6% ± 1.9%	29.1% ± 0.9%	27.5% ± 1.4%	31.5% ± 1.4%


Validation loss: selected APPLE vs end-of-round mismatch (rounds=80)




Pooled Local baseline micro / macro F1




Pooled APPLE micro / macro F1 (after-local selected model)



Pooled APPLE micro / macro F1 (end-of-round diagnostic only)




Delta diagnostics: Local gap and APPLE mismatch gap




APPLE training-loss decomposition | High heterogeneity

family=q_task_cycle2 | n_clients=1 | cycle2=visible 4.6%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
family=q_task_cycle3 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 5.0%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
family=q_task_cycle4 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 5.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
family=q_task_cycle5 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 5.1%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
family=q_task_cycle6 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 5.0%±0.0% / true 6.3%
heterogeneity=high | gamma=0.80 | task_jsd_mean=0.399 | task_jsd_median=0.399 | task_jsd_max=0.403 | family_centroid_jsd_mean=0.399


APPLE lambda scheduler | apple_mu=0.001




C2-specialist | graph_id=3000010




C3-specialist | graph_id=3000011




C4-specialist | graph_id=3000012



C5-specialist | graph_id=3000013




C6-specialist | graph_id=3000014




APPLE DR behavior | High heterogeneity

family=q_task_cycle2 | n_clients=1 | cycle2=visible 4.6%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
family=q_task_cycle3 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 5.0%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
family=q_task_cycle4 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 5.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
family=q_task_cycle5 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 5.1%±0.0% / true 6.4% | cycle6=visible 0.3%±0.0% / true 6.3%
family=q_task_cycle6 | n_clients=1 | cycle2=visible 0.3%±0.0% / true 5.8% | cycle3=visible 0.3%±0.0% / true 6.2% | cycle4=visible 0.3%±0.0% / true 6.6% | cycle5=visible 0.3%±0.0% / true 6.4% | cycle6=visible 5.0%±0.0% / true 6.3%
heterogeneity=high | gamma=0.80 | task_jsd_mean=0.399 | task_jsd_median=0.399 | task_jsd_max=0.403 | family_centroid_jsd_mean=0.399


APPLE DR self-weight p_{ii} over rounds




APPLE off-diagonal absolute mass over rounds



APPLE off-diagonal negative mass over rounds



APPLE DR movement away from p_0



Selected-best-round APPLE DR coefficients p_{ij} , mean over seeds

