
Pentaho Data Integration


Install Pentaho

1. Download Pentaho Data Integration (1.1GB) at this site: https://drive.google.com/file/d/1hENnxU-CBYctx3TbamjNUgwBtOucTgGF/view?usp=sharing
2. Extract pdi-ce-9.4.0.0-343.zip
3. Create folder Pentaho at C:/Program Files.
4. Copy folder data-integration from the unzip pdi-ce-9.4.0.0-343.zip.
5. Download the latest jre for windows 64-bit : https://download.cnet.com/Java-Runtime-Environment-JRE-64-Bit/3000-2213_4-75317067.html
6. Double click the downloaded jre.
7. Click **change destination folder**.
8. If the destination folder is at C:\Program Files\Java\jre1.8.0_251, click Next.
9. In your window search box, type: environment variables.
10. Click Edit the system environment variables.
11. Click Environment variables.
12. Click New under Systems variables.
13. In the text box of variable name type: PENTAHO_JAVA_HOME
14. In the variable value type: C:\Program Files\Java\jre1.8.0_251
15. Download the DB2 Driver. Refer to the link to this link: https://drive.google.com/file/d/1he1_YUd7R6ymkTmyKDnAglMdxnmJJlbZ/view?usp=sharing
16. Copy the **db2jcc.ja**r file to C:\Program Files\Pentaho\pdi-ce-9.4.0.0-343\data-integration\lib
17. Navigate C:\Program Files\Pentaho.
18. Right click spoon.bat | Run administrator.
19. You should have the following desktop.




20. Download SSExcelSource.xls

21. Click File | New | Transformation
22. Explode Grouping Component **Input.**
23. Click/drag **Microsoft Excel Input**.




24. Double-click Microsoft Excel Input drag component into the canvas.
25. Rename the component to SSExcelSource_[YOUR NAME].
26. Provide Screenshot of PDI with SSExcelSource_ [YOUR Name] just like below:




#	SalesUnits	SalesDollar	SalesCost	CustID	StoreID	ItemID	Day	Month	Year
1	111.0	1111.0	1111.0	C0954327	S1010398	I0036577	1.0	2.0	2010.0
2	222.0	2222.0	2222.0	C8654390	S9432910	I0036566	3.0	7.0	2013.0
3	333.0	3333.0	3333.0	C9128574	S0954327	I0036566	1.0	5.0	2013.0
4	444.0	4444.0	4444.0	C9403348	S0954327	I0036577	1.0	2.0	2011.0
5	101.0	1001.0	1001.0	C0954327	S9432910	I0036577	3.0	7.0	2013.0
6	202.0	2002.0	2002.0	<null>	S0954327	I0036566	1.0	5.0	2011.0
7	303.0	3003.0	3003.0	C9128574	S0954327	I0036566	1.0	2.0	2010.0
8	404.0	4004.0	4004.0	C9403348	<null>	I0036577	3.0	7.0	2013.0
9	121.0	4224.0	4224.0	C0954327	S0954327	I0036566	1.0	5.0	2011.0
1..	232.0	2332.0	2332.0	C8654390	S0954327	I0036566	1.0	2.0	2015.0
1..	323.0	3223.0	3223.0	C9128574	S9432910	I0036577	3.0	7.0	2013.0
1..	434.0	4334.0	4334.0	C9403348	S0954327	I9999999	3.0	7.0	2013.0


27. Connect to DB2 Cloud
28. Go to your cloud.ibm.com account
29. Make sure you have your own service credential created:




30. Go to **Manage | Goto UI | SQL** Paste/Populate SSSalesDW.sql script. Click **Run all** button.




31. Go back to your Pentaho transformation.
32. Click the **View** tab.




33. Click File | New | Database Connection




34. Fill-up the details




35. Click **Options** and supply the following:
Parameter: sslConnection, Value: true




36. Click Test to see if successfully connected.




37. Click the Ok button.
38. Click **Design** Tab | Input | Drag **Table** to the canvas.



39. Double-click Table input in the canvass and enter the following:



40. Click the Preview button.



#	SALESNO	SALESUNITS	SALESDOLLAR	SALESCOST	CUSTID	ITEMID	STOREID	TIMENO
1	1	100	5215.0	4187.0	C0954327	I0036566	S0954327	1
2	2	140	6215.0	4887.0	C1010398	I0036566	S0954327	2
3	3	120	5915.0	4687.0	C0954327	I0036566	S0954327	3
4	4	110	5745.0	4577.0	C9128574	I0036566	S0954327	4
5	5	105	5115.0	4287.0	C1010398	I0036566	S1010398	1
6	6	160	6915.0	4587.0	C0954327	I0036566	S1010398	2
7	7	90	4915.0	4847.0	C2388597	I0036566	S1010398	3
8	8	110	5448.0	4188.0	C8574932	I0036566	S1010398	4
9	9	105	5115.0	4287.0	C0954327	I0036566	S9432910	1
10	10	113	6115.0	4787.0	C0954327	I0036566	S9432910	2
11	11	144	5954.0	4655.0	C0954327	I0036566	S9432910	3
12	12	159	6245.0	5287.0	C3340959	I0036566	S9432910	4
13	13	100	5215.0	4187.0	C0954327	I0036577	S0954327	1
14	14	140	6215.0	4887.0	C8574932	I0036577	S0954327	2