





#### UNIVERSITÀ DEGLI STUDI DI MILANO-BICOCCA

Department of Physics "Giuseppe Occhialini"

Inter-University Master's Degree Programme
Artificial Intelligence for Science and Technology

# LUNG NODULE DETECTION AND EXPLAINABILITY IN CT SCANS

Andrea Borghesi REGISTRATION NR 916202

SUPERVISOR Prof. Pietro Govoni CO-SUPERVISOR Dr. Simone Gennai

#### Contents

1	Introduction	5
	1.1 Problem Statement and Motivation	5
	1.2 Research Challenges	6
	1.3 Research Questions and Objectives	
	1.4 Thesis Contributions	6
	1.5 Thesis Structure	6
2	Background	7
3	Data and Preprocessing	9
4	Explainability	11
5	Methodology	13
6	Results	<b>15</b>
7	Conclusions	17

4 CONTENTS

#### Introduction

#### 1.1 Problem Statement and Motivation

Lung cancer remains one of the leading causes of cancer-related mortality worldwide, with early detection being crucial for improving patient outcomes and survival rates. Computed Tomography (CT) screening programs, such as the National Lung Screening Trial (NLST), have demonstrated the potential to reduce lung cancer mortality through early identification of pulmonary nodules [1], [2]. However, the manual interpretation of CT scans is a time-intensive process that places significant burden on radiologists, while also being subject to inter-observer variability and potential oversight of small or subtle lesions.

Radiologists are often required to review hundreds of slices per patient, sometimes across dozens of patients in a single day. Under such conditions, cognitive fatigue can accumulate, potentially leading to decreased diagnostic precision, delayed reading times, or even missed findings, especially for low-contrast or small nodules that may appear on only a few slices [8, 9]. This challenge is further amplified in high-volume screening programs, where maintaining consistent accuracy over long hours is difficult even for experienced professionals.

Artificial intelligence (AI) based detection tools have the potential to alleviate this strain by automatically flagging suspicious regions of interest, enabling radiologists to focus attention on the most relevant slices. Such systems do not replace human expertise but can act as a second reader, improving sensitivity to subtle findings, reducing oversight caused by fatigue, and providing explainable visual cues that support decision-making and increase trust in automated recommendations [4]. On this note, it is important to mention that the use of AI in radiology is not always well-accepted, as it has been shown by Liu et al. [7] that radiologists with a higher workload and lower AI-acceptance are more likely to experience burnout. Regardless, the integration of AI tools into clinical workflows has been shown to enhance diagnostic accuracy and efficiency, ultimately leading to better patient care and outcomes [5, 6]

Nevertheless, existing AI solutions are often limited by computational demands and lack transparency in their predictions, motivating the need for efficient and explainable detection methods specifically tailored to lung nodule identification in CT scans. This need is further reinforced by the recent European Union Artificial Intelligence Act, which estab-

lishes a regulatory framework that emphasizes transparency, accountability, and human oversight for AI systems—particularly in high-risk domains such as healthcare [3].

- 1.2 Research Challenges
- 1.3 Research Questions and Objectives
- 1.4 Thesis Contributions
- 1.5 Thesis Structure

Background

# Data and Preprocessing

# Explainability

Methodology

#### Results

#### Conclusions

#### Bibliography

- [1] Denise R. Aberle, Alden M. Adams, Christine D. Berg, William C. Black, Jonathan D. Clapp, Roger M. Fagerstrom, Ilana F. Gareen, Constantine Gatsonis, Pamela M. Marcus, and Jennifer D. Sicks. Reduced lung-cancer mortality with low-dose computed tomographic screening. New England Journal of Medicine, 365(5):395–409, 2011.
- [2] Harry J de Koning, Carlijn M van Der Aalst, Pim A de Jong, Ernst T Scholten, Kristiaan Nackaerts, Marjolein A Heuvelmans, Jan-Willem J Lammers, Carla Weenink, Uraujh Yousaf-Khan, Nanda Horeweg, et al. Reduced lung-cancer mortality with volume ct screening in a randomized trial. New England journal of medicine, 382(6):503–513, 2020.
- [3] European Parliament and Council of the European Union. Regulation (eu) 2024/1689 of the european parliament and of the council laying down harmonised rules on artificial intelligence. Official Journal of the European Union (OJ L 2024/1689), adopted 13 June 2024, published 12 July 2024, entered into force 1 August 2024, 2024. High-risk AI systems in healthcare are regulated under this act.
- [4] Ella Glikson and Anita Williams Woolley. Human trust in artificial intelligence: Review of empirical research. *Academy of Management Annals*, 14(2):627–660, 2020.
- [5] Ali Guermazi, Chadi Tannoury, Andrew J Kompel, Akira M Murakami, Alexis Ducarouge, André Gillibert, Xinning Li, Antoine Tournier, Youmna Lahoud, Mohamed Jarraya, et al. Improving radiographic fracture recognition performance and efficiency using artificial intelligence. *Radiology*, 302(3):627–636, 2022.
- [6] Elizabeth Huynh, Ahmed Hosny, Christian Guthier, Danielle S Bitterman, Steven F Petit, Daphne A Haas-Kogan, Benjamin Kann, Hugo JWL Aerts, and Raymond H Mak. Artificial intelligence in radiation oncology. *Nature Reviews Clinical Oncology*, 17(12):771–781, 2020.
- [7] Hui Liu, Ning Ding, Xinying Li, Yunli Chen, Hao Sun, Yuanyuan Huang, Chen Liu, Pengpeng Ye, Zhengyu Jin, Heling Bao, et al. Artificial intelligence and radiologist burnout. *JAMA network open*, 7(11):e2448714–e2448714, 2024.
- [8] Nadia Stec, Danielle Arje, Alan R Moody, Elizabeth A Krupinski, and Pascal N Tyrrell. A systematic review of fatigue in radiology: is it a problem? American Journal of Roentgenology, 210(4):799–806, 2018.

20 BIBLIOGRAPHY

[9] Sian Taylor-Phillips and Chris Stinton. Fatigue in radiology: a fertile area for future research. *The British journal of radiology*, 92(1099):20190043, 2019.

# Acknowledgements