

W02 Analyze: Stacks

✓ Quiz submitted

×

- Due Jan 17 at 5:59pm
- Points 50
- Questions 13
- Available until Jan 24 at 5:59pm
- Time Limit None
- Allowed Attempts 3

Instructions

- **Purpose:** Demonstrate your knowledge of Stacks.
- **Task:** Refer to the [W02 Analyze: Stacks Instructions](https://byui-cse.github.io/cse212-ww-course/week02/analyze-stacks.html)  (<https://byui-cse.github.io/cse212-ww-course/week02/analyze-stacks.html>). When you have finished the assignment, submit your responses in this quiz.

Conditions:

- You may use the course materials and your notes while taking the quiz.
- You may take this quiz up to three times, so if you get any questions wrong, refer back to the learning activities, then take the quiz again.

Attempt History

	Attempt	Time	Score
KEPT	Attempt 3	3 minutes	50 out of 50
LATEST	Attempt 3	3 minutes	50 out of 50
	Attempt 2	3 minutes	36 out of 50
	Attempt 1	3 minutes	20 out of 50

❗ Correct answers are hidden.

✓ Quiz submitted

Score for this attempt: 50 out of 50

Submitted Jan 18 at 2:47pm

This attempt took 3 minutes.



Question 1

4 / 4 pts

In the course repository, browse to the `week02/analyze` project, find and open the file `MysteryStack1.cs`. Do **not** execute this code, instead, using the techniques from the learning materials this week, analyze this code to determine its purpose and the way a stack is useful. Which of the following best describes the purpose of this code?

- ☐ Add a reversed version of the string after the original, creating a mirror image string that is twice the length of the original.
- ☒ Reverse the input text.
- ☐ Return the input text as received.
- ☐ Count the number of letters in the input text.



Question 2

4 / 4 pts

Referring to the `MysteryStack1.cs` program, how does a stack help in the implementation of the program?

- ☐ Each letter is pushed onto the stack to count them.
- ☐ A stack is not used.
- ☒ Each letter is pushed onto the stack to store them. Then, they are popped off in reverse order.
- ☐ Each letter is pushed onto the stack to store them. Then, they are popped off in the same order they were pushed on.



Question 3

4 / 4 pts

Referring to the `MysteryStack1.cs` program, what is the output of the function if the input text is `racecar` ?

- ☐ racecarracecar

- ☐ true
- ☒ racecar
- ☐ an error occurs
- ☐ rrrrrrr

✓ Quiz submitted



Question 4

4 / 4 pts

Referring to the `MysteryStack1.cs` program, what is the output of the function if the input text is `stressed` ?

- ☐ false
- ☒ desserts
- ☐ stressed
- ☐ stresseddesserts
- ☐ dddddddd



Question 5

4 / 4 pts

Referring to the `MysteryStack1.cs` program, what is the output of the function if the input text is `a nut for a jar of tuna` ?

- ☒ anut fo raj a rof tun a
- ☐ a nut for a jar of tuna
- ☐ true
- ☐ a nut for a jar of tunaanut fo raj a rof tun a



Question 6

4 / 4 pts

In the course repository, browse to the `week02/analyze` project, find and open the file `MysteryStack2.cs` . Do **not** execute this code, instead, using the techniques from the learning materials this week, analyze this code to determine its purpose and the way a stack is useful. Which of the following best describes the purpose of this code?

- ☐ Adds numbers and ignores operators

- ☐ Return the input text as received.
- ☒ Pushes numbers to a stack and applies operators to the first two numbers it has seen, pushing the result back onto the stack.
- ☐ Pushes numbers to a stack and applies operators to the first two numbers it has seen, pushing the result back onto the stack.

✓ Quiz submitted



Question 7

4 / 4 pts

Referring to the `MysteryStack2.cs` program, how does a stack help in the implementation of the program?

- ☒ It keeps track of the numbers in a way that the most recent numbers can be easily accessed.
- ☐ It keeps track of the operators so that when a number is encountered the operator on the top of the stack can be used.
- ☐ It keeps track of the numbers in a way that the first number seen can be accessed first.
- ☐ It counts the number of numbers and operators to ensure that they match.



Question 8

4 / 4 pts

Referring to the `MysteryStack2.cs` program, what is the output of the function if the input text is `5 3 7 + *` ?

- ☐ 225
- ☒ 50
- ☐ 26
- ☐ 56



Question 9

4 / 4 pts

Referring to the `MysteryStack2.cs` program, what is the output of the function if the input text is `6 2 + 5 3 - /` ?

- ☐ 6
- ☐ 115
- ☐ 8
- ☒ 4



Question 10

4 / 4 pts

Referring to the `MysteryStack2.cs` program, which of the following would result in the function displaying `Invalid Case 1!` ?

- ☒ `3 4 * +`
- ☐ `3 4 * ^`
- ☐ `3 4 5 * +`
- ☐ `3 4 5 6 * +`



Question 11

4 / 4 pts

Referring to the `MysteryStack2.cs` program, which of the following would result in the function displaying `Invalid Case 2!` ?

- ☒ `3 4 0 * /`
- ☐ `0 3 /`
- ☐ `3 0 *`
- ☐ `3 0 * /`



Question 12

3 / 3 pts

Referring to the `MysteryStack2.cs` program, which of the following would result in the function displaying `Invalid Case 3!` ?

- ☐ `3 4 5 6 * +`
- ☒ `3 4 * ^`
- ☐ `3 4 5 * +`
- ☐ `3 4 * +`



Question 13

3 / 3 pts

Referring to the `MysteryStack2.cs` program, which of the following would result in the function displaying `Invalid Case 4!` ?

- ☐ 3 4 * +
- ☒ 3 4 5 6 * +
- ☐ 3 4 5 * +
- ☐ 3 4 * ^

✓ Quiz submitted

Quiz Score: 50 out of 50