
a) Cereals
Yield
Profitability
Soil health
Inputs efficiency
Resilience to pests
Labour demand
Biodiversity
Climate mitigation
Biomass management (vs. no residues or mulch)
Residues incorporation
65% n= 51
No data
65% n= 54
No data
No data
No data
No data
No data
Organic mulch
50% n= 16
No data
No data
No data
No data
No data
No data
No data
Nutrient management (vs. no fertilizer applied)
Mixed fertilizer
94% n= 36
No data
No data
No data
No data
No data
No data
No data
Biochar amendment
83% n= 6
No data
No data
No data
No data
No data
No data
No data
Organic fertilizer
0% n= 1
No data
No data
No data
No data
No data
No data
No data
Diversification (vs. monoculture)
Intercropping
No data
No data
No data
No data
100% n= 4
No data
50% n= 8
No data
Soil management (vs. conventional tillage)
Reduced tillage
67% n= 3
100% n= 3
No data
No data
No data
100% n= 1
No data
No data
b) Pulses and legumes
Diversification (vs. monoculture)
Intercropping
0% n= 10
No data
No data
No data
100% n= 10
No data
50% n= 20
No data
Nutrient management (vs. no fertilizer applied)
Biochar amendment
88% n= 8
No data
No data
No data
No data
No data
No data
No data
Mixed fertilizer
100% n= 8
No data
No data
No data
No data
No data
No data
No data
c) Vegetables
Soil management (vs. conventional tillage)
Zero tillage
11% n= 28
No data
No data
No data
No data
No data
No data
No data
Water management (vs. rainfed agriculture)
Supplemental irrigation
100% n= 6
50% n= 12
No data
No data
No data
No data
No data
No data
d) Nuts and seeds
Diversification (vs. monoculture)
Intercropping
No data
No data
No data
No data
100% n= 6
No data
50% n= 12
No data
e) Roots and tubers
Diversification (vs. monoculture)
Intercropping
No data
No data
No data
No data
100% n= 4
No data
50% n= 8
No data
Nutrient management (vs. no fertilizer applied)
Mixed fertilizer
0% n= 1
No data
No data
No data
No data
No data
No data
No data
% positive comparisons
Negative (≤35%)
Neutral (36–64%)
Positive (≥65%)
Strong evidence (n ≥ 50)
Limited evidence (n < 50)