Index

aberration, 78–9, 197
adjusting column width of spreadsheet, xvii
advance of Moon's perigee, 163
age of Moon (phase), 171–2, 197, 202
algebraic notation, xi
altitude, 34, 197
  effect of refraction on, 80
  effect of refraction on, 81
ambiguity on taking inverse sine, cosine or tangent, 47, 54
angle between two objects, 66
Anno Domini (AD), 8
annual equation, 162, 197
annular eclipse, 181, 199
anomalistic month, 201
anomalistic year, 204
anomaly, 197
  eccentric anomaly, 107, 108, 143, 197
  mean anomaly, 103, 107, 121, 122, 143, 164, 197
  true anomaly, 103, 107, 108, 121, 122, 144, 197
apastron, 197
aphelion, 102, 197
apogee, 103, 104, 197
apparent brightness of a planet, 140–1
apparent orbit of
  Moon, 162, 163
  Sun, 103–4, 163
apparent sidereal time, 203
argument of perihelion, 120, 143
Aries, first point of, 35, 36, 37, 199
ascending node, 120, 201
astronomical calendar, 194–7
astronomical latitude, 83, 197
astronomical twilight, 114–15, 203
astronomical unit, 136, 197
ATAN2, spreadsheet function, 48, 50
atmospheric extinction, 99, 199
atmospheric refraction, 80–2, 197
  effect on altitude, 80, 81
  effect on hour angle, 81
  effect on right ascension and declination, 81
  effect on rising and setting, 68, 81
atomic time, 16, 30, 203
autumnal equinox, 23, 199
azimuth, 34, 36, 197
  at rising and setting, 67–71

BASIC, programming language, xix
before the Common Era (BCE), 8
before Christ (BC), 8
Besselian year, 204
binary star, 197
binary-star orbits, 155–9
  orbital elements of, 157
bright limb, position-angle of
  for Moon, 175
  for planet, 138–9
brightness of a planet, 140–1
British summer time (BST), 17, 203
built-in spreadsheet functions, 4

Calc, spreadsheet software, xiii, xix
calculations, using spreadsheets for, xv
calculator, choosing, xi
calendar, 2, 197
  astronomical, 194–7
  Gregorian, 2, 197
  Julian, 2, 197
Carrington rotation number, 94
celestial sphere, 34, 198
cell label, of spreadsheet, xiv
cell, of spreadsheet, xiv
centre, equation of the, 104, 121, 199
  error incurred by, 134
choosing a calculator, xi
Christian Era (CE), 8
circumpolar stars, 68, 69, 198
civil twilight, 203
civil year, 2
colongitude, Sun's selenographic, 97
colouring of starlight by the atmosphere, 99
column, of spreadsheet, xiv
column width, adjusting in spreadsheet, xvii
comet, 143–54, 198
  calculating the position of, 143–54
  orbital elements of, 145
  parabolic orbit of, 151–4, 201
Common Era (CE), 8
companion (of binary star), 155, 198
CONCATENATE, spreadsheet function, 180
conjunction, 198
coordinate systems, 33–99, 198

Downloaded from https://www.cambridge.org/core. Ecole Polytechnique Fédérale de Lausanne, on 09 Mar 2020 at 09:41:30, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511861161

converting between one system and another, 42
ecliptic, 37, 198
ecliptic to equatorial conversion, 51–3
equatorial, 35–6, 198
equatorial to ecliptic conversion, 55
equatorial to galactic conversion, 56–8
equatorial to horizon conversion, 47–9
galactic, 38, 198
galactic to equatorial conversion, 58–9
generalised coordinate conversions, 42, 60–5
heliographic, 88–92, 198
horizon, 34, 198
horizon to equatorial conversion, 49–51
selenographic, 95–8, 198
coordinated universal time (UTC), 198
coordinates, geocentric, 83, 199
corrections to Moon's orbit, 162, 164, 165
culmination, 36, 198

date to days conversion, 6
routine for, 8
via Julian date, 10
day, 198
length of, 23, 116
name of day of week from Julian date, 12–13
sidereal day, 23, 198
solar day, 22, 198
daylight saving time, 17, 203
days
in month, 2, 162, 163, 201
in year, 2, 204
to beginning of month, 7
to beginning of year, 7
declination, 35, 36, 198
effect of aberration on, 78–9
effect of precession on, 71–6
effect of refraction on, 81
degrees (decimal)
conversion to degrees, minutes and seconds, 39
conversion to hours, 41
conversion to radians, 109, 202
DEGREES, spreadsheet function, 47
descending node, 120, 201
divisor, 3
double precision, xii
draconic month, 163, 201
dynamical time, 16, 30, 198, 203

Earth
as a cosmic clock, 30
as a gyroscope, 116
distance from the Sun, 110
figure of, 83–4, 199
orbital elements of, 123
radius of, 85
radius of shadow of, 184, 186
rotation axis of, 35, 71
earthshine, 171, 198
Easter, date of, 3–5
eccentric anomaly, 107, 108, 143, 197
eccentricity, 102, 198
eclipse, 181–93, 198, 199
annular, 181, 199
diagram, 185, 187, 192
duration of, 183
lunar, 181, 198
calculation of, 184–9
magnitude of, 188
number in year, 183
partial, 181, 198, 202
penumbral, 181, 202
phase of, 202
prediction from astronomical calendar, 194
rules of, 183
solar, 181, 198
total, 181, 198
umbral, 181, 202
ecliptic
latitude, 37, 200
longitude, 37, 200
obliquity of, 37, 51, 201
pole of, 37, 202
ecliptic (plane of the), 37, 199
ecliptic coordinates, 37, 198
to equatorial conversion, 42, 51–3
elements, orbital, 201
of binary stars, 157
of comets, 145
of Moon, 165
of planets, 123
of Sun, 103, 104
parabolic, 151
ellipse, 102, 199
elongation (solar), 118, 202
ephemeris time (ET), 16, 30, 203
epoch, 6, 8, 9, 199
fundamental epoch for Julian date, 8
Julian date of epoch 2010 January 0.0, 9
starting point for calculations, 6, 8, 9
equation of the
centre, 104, 121, 199
error incurred by, 134
equinoxes, 199, 203
time, 116–17, 199
equator, 35, 199
pole of, 202
equatorial coordinates, 35–6, 198
to ecliptic coordinates conversion, 55
to galactic coordinates conversion, 56–8
to horizon coordinates conversion, 47–9
equatorial horizontal parallax, 84, 200
equinox, 199
autumnal, 23, 199
precession of the, 71–6, 200
vernal, 36, 37, 199
evection, 162, 199
Excel, spreadsheet software, xiii, xix
extinction, 99, 199

figure of the Earth, 83–4, 199
first point of Aries, 36, 37, 199
first quarter of Moon, 171, 202
FIX, spreadsheet function, 9
FLOOR, spreadsheet function, 9

Downloaded from https://www.cambridge.org/core. Ecole Polytechnique Fédérale de Lausanne, on 09 Mar 2020 at 09:41:30, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511861161

focus of an ellipse, 102, 199
formulas, in spreadsheets, xiv
fractional part of a number, 3
full Moon, 171, 202
functions
  ATAN2, 48, 50
  built-in to spreadsheet, 4
  CONCATENATE, 180
  DEGREES, 47
  FIX, 9
  FLOOR, 9
  IF, 4, 26
  INT, 9, 13, 23
  intrinsic to spreadsheet, 4
  MOD, 4
  nested, 20
  RADIANS, 47
  ROUND, 15
  TEXT, 180
  TRUNC, 4, 9

galactic coordinates, 38, 198
  to equatorial conversion, 58–9
galactic latitude, 200
galactic longitude, 200
Galaxy
  ascending node of plane on equator, 56
  centre, 38
  plane, 38
  pole, 56
generalised coordinate transformations, 42, 60–5
geocentric coordinates, 83, 199
geocentric latitude, 84, 199, 200
geocentric longitude, 200
geocentric parallax, 83–7, 199
geographical latitude, 83, 200
geographical longitude, 200
geostationary satellite, 34, 199
gibbous Moon, 171, 202
global positioning system (GPS) time, 16, 200
gravity, 102, 119, 162, 200
great circle, 34, 200
Greenwich mean time (GMT), 16, 200
Greenwich meridian, 16, 27, 69, 200
Greenwich sidereal time (GST), 23–7, 203
  to local sidereal time (LST) conversion, 27
  to UT conversion, 24–7
Gregorian calendar, 2, 197

Halley, comet, 148
  orbital elements of, 145
heliocentric latitude, 200
heliocentric longitude, 200
heliographic coordinates, 88–92, 198
  of centre of the Sun's disc, 88–92
horizon coordinates, 34, 198
  to equatorial coordinate conversion, 49–51
horizontal parallax, 84, 200
  equatorial, 84, 200
  of Moon, 176–7
hour angle, 35, 36, 200
  at rising or setting, 68
  effect of refraction on, 81
  to right ascension conversion, 45
hourly motions
  of Moon, 170
  of Sun, 185, 191
hours, conversion to
  degrees, 41
  or from minutes and seconds form, 14, 15–16
  radians, 41

IF, spreadsheet function, 4, 26
inclination of
  lunar equator, 95
  lunar orbit, 163
  orbit, 200
  planetary orbit, 124
  solar equator, 90
inner planet, 124, 200
INT, spreadsheet function, 9, 13, 23
integer part of a number 3, 9
  FIX, 9
  FLOOR, 9
  INT, 9, 13
  TRUNC, 9
international atomic time (TAI), 16, 30, 203
intrinsic spreadsheet functions, 4
iteration to solve
  cubic equation, 151, 152
  Kepler's equation, 107, 108, 143

Julian calendar, 2, 197
Julian date, 8–10, 200
Julian day number, 200
  modified Julian date or day number (MJD), 8, 201
  to Greenwich calendar date conversion, 11
Jupiter, orbital elements of, 123

Kepler's equation, 107, 143, 158, 159, 200
  iterative routine to solve, 108, 143
  nomogram for first guess, 147
Kepler's graphs, 143, 146

label, of spreadsheet cell, xiv
latitude, 200
  astronomical, 83, 197
  ecliptic, 37, 200
  galactic, 38, 200
  geocentric, 84, 199, 200
  geographical, 83, 200
  heliographic, 88
  selenographic, 95
leap year, 2
length of day, 23, 116
libration, 95, 200
light flux from Sun
  variation with distance, 140
light time, 200
light travel time from
  planet, 136
  Sun, 101, 110

Downloaded from https://www.cambridge.org/core. Ecole Polytechnique Fédérale de Lausanne, on 09 Mar 2020 at 09:41:30, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511861161

linking spreadsheets, xviii
local civil time, 16–20, 22
  to UT conversion, 16–20
local noon, 17, 116, 201
local sidereal time (LST), 27, 43, 203
  at rising or setting, 67–71
  to GST conversion, 28–30
longitude, 200
  ecliptic, 37, 200
  galactic, 38, 200
  geocentric, 200
  geographical, 200
  heliocentric, 200
  heliographic, 88
  selenographic, 95
lunar eclipse, 181, 198
  calculation of, 184–9
  duration of, 183
lunation, 172, 200
luni-solar precession, 71–6, 200

magnitude, 140, 200
  of eclipse, 188, 200
  of Moon, 140
  of planet, 140–1
  of Sun, 140
major axis of ellipse, 102, 199
Mars, orbital elements of, 123
matrices, 60–2
mean anomaly, 103, 121, 122, 143, 197
mean motion of
  Moon, 164, 170
  Sun, 112, 185, 191
mean sidereal time, 203
mean solar time, 203
mean Sun, 103, 116, 201
Mercury, orbital elements of, 123
meridian, 36, 201
  Greenwich meridian, 16, 27, 69, 200
  observer's meridian, 201
Microsoft *Excel*, xiii, xix
minor axis of ellipse, 102
MOD, spreadsheet function, 4
modified Julian date or day number (MJD), 8, 201
month, 2, 201
  anomalistic, 201
  draconic, 163, 201
  nodal, 163, 201
  sidereal, 162, 201
  synodic, 162, 201
Moon, 161–80
  age of (phase), 171–2, 197, 202
  angular diameter of, 176–7
  calculating the position of, 164–7
  corrections to orbit of, 162, 164–5
  distance of, 176–7
  eclipse of, 181, 198
  error in calculating position of, 166, 167
  hourly motions of, 170
  magnitude of, 140
  orbit of, 162–3
  orbital elements of, 165
  parallax of, 176–7, 178
  perigee, advance of, 163
  phases of, 171–2, 202
  position-angle of bright limb, 175
  quarters of, 2, 171–2, 202
  rising and setting of, 178–80
  selenographic coordinates, 95–8, 198
moon anomaly, 164
moonrise, 178–80
moonset, 178–80
movement of stars about pole, 35, 36, 67–9

nadir, 201
nautical twilight, 203
Neptune, orbital elements of, 123
nested spreadsheet functions, 20
new Moon, 171, 202
nodal month, 163, 201
node, 120, 201
nomogram for first guess in iterative solution of Kepler's equation, 147
noon, 17, 116, 201
north celestial pole, 35, 201
notation
  algebraic, xi
  reverse Polish (RPN), xi
nutation, 76–7, 201, 203

obliquity of the ecliptic, 37, 51, 201
observer's meridian, 36, 201
OpenOffice *Calc*, xiii, xix
opposition, 201
orbit, 102, 201
  of binary stars, 155–9
  of comets, 143–51
  of Moon, 162–3
  of planets, 120
  parabolic, 151–4, 201
  period, 201
  perturbations to, 132–4, 202
  Sun (apparent), 103
orbital elements, 201
  of binary stars, 157
  of comets, 145
  of Moon, 165
  of planets, 123
  of Sun, 103–4
  parabolic, 151
osculating elements, 201
outer planet, 124, 201

parabolic orbits, 151–4, 201
parallax, 83–7, 201
  effect on rising and setting, 68
  equatorial horizontal parallax, 84, 200
  geocentric parallax, 83–7
  horizontal parallax, 84, 200
  of Moon, 176–7, 178
partial eclipse, 181, 198, 202
penumbra, 201
  size of Earth's, 184
penumbral phase of eclipse, 181, 202

Downloaded from https://www.cambridge.org/core. Ecole Polytechnique Fédérale de Lausanne, on 09 Mar 2020 at 09:41:30, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511861161

periastron, 155, 201
perigee, 103, 104, 201
  advance of Moon's, 163
perihelion, 102, 201
  argument of, 120, 143
period
  of Moon's nodes, 163
  of Moon's perigee, 163
  of orbit, 201
  synodic, 203
perturbations, 202
  to planet's orbit, 132–4, 202
phase, 202
  of Moon, 171–2, 202
  of planets, 137–8, 202
phase of eclipse, 181, 202
  duration of, 183
  partial, 181, 202
  penumbral, 181, 202
  total, 181, 202
  umbral, 181, 202
physical libration, 95, 200
pi, value of, 206
plane of the ecliptic, 37, 199
  obliquity of, 37, 51, 201
planet, 119–41, 202
  angular diameter of, 136
  brightness of, 140–1
  calculating approximate position of, 131–2
  calculating more exact position of, 121–8
  distance of, 136
  inner, 124, 200
  light-travel time, 136
  magnitude, 140–1
  orbit of, 120
  orbital elements of, 123
  outer, 124, 201
  perturbations to orbit of, 132–4, 202
  phase of, 137–8, 202
  position-angle of bright limb of, 138–9
  reflectivity of, 202
polar distance, 68, 202
Polaris, 67
pole, 35, 37, 56, 202
  of the ecliptic, 37, 202
  of the equator, 202
position-angle, 202
position-angle of bright limb of
  Moon, 175
  planet, 138–9
precession (of the equinoxes), 71–6, 200
precision, double, xii
primary (of binary star), 155, 202
prograde motion, 162, 202
  of Moon's perigee, 163

quadrants of a circle, 53, 54
quadrature phase of Moon, 171, 202
quarters of Moon, 2, 171–2, 202

radians, 202
  conversion to degrees, 109, 202
  conversion to hours, 41
RADIANS, spreadsheet function, 47
radius vector, 102, 202
reflectivity of planet, 202
refraction, 80–2, 197
  effect on altitude, 80, 81
  effect on hour angle, 81
  effect on right ascension and declination, 81
  effect on rising and setting, 68, 81
remainder, 3
renaming a spreadsheet, xvii
retrograde motion, 163, 202
  of Moon's nodes, 163
reverse Polish notation (RPN), xi
right ascension, 36, 202
  conversion to hour angle, 43–5
  effect of aberration on, 78–9
  effect of precession on, 71
  effect of refraction on, 80–2
rigorous precession, 72–6
rising, 67–71, 202
  effect of parallax on, 68
  effect of refraction on, 68, 81
  of Moon, 178–80
  of Sun, 112–13
rotation axis of
  Earth, 35, 71
  Sun, 88
ROUND, spreadsheet function, 15
routines
  R1 (converting the date to the day number), 8
  R2 (finding a solution to Kepler's equation), 108
  R3 (to solve cubic equation), 152
row, of spreadsheet, xiv
rules of eclipse, 183

Saros cycle, 183, 202
satellite, geostationary, 34, 199
Saturn, orbital elements of, 123
second (SI), 202
selenographic coordinates, 95–8, 198
semi-major axis of ellipse, 102, 198, 199
semi-minor axis of ellipse, 102
setting, 67–71, 202
  effect of parallax on, 68
  effect of refraction on, 68, 81
  of Moon, 178–80
  of Sun, 112–13
shadow of Earth or Moon, 181–2
  angular radius of, 184, 186
sidereal clock, 23
sidereal day, 23, 198
sidereal month, 162, 201
sidereal time (ST), 22–3, 30, 203
  Greenwich sidereal time (GST), 23–7, 203
  local sidereal time, 27, 43, 203
sidereal year, 204
software, spreadsheet, xix
solar day, 22, 198

Downloaded from https://www.cambridge.org/core. Ecole Polytechnique Fédérale de Lausanne, on 09 Mar 2020 at 09:41:30, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511861161

solar eclipse, 181, 198
  calculation of, 190–3
  duration of, 183
solar elongation, 118, 202
Solar System, 119, 202
solar time, 203
solstice, 202
spheroid of revolution, 83, 199
spreadsheet, xiii–xx
  adjusting column width of, xvii
  calculations with multiple, xvii–xix
  cell, xiv
  cell label, xiv
  column, xiv
  column width, xvii
  formulas, xiv
  functions, xix–xx
    instead of multiple sheets, xix
  layout of in this book, xvi–xvii
  linking, xviii
  renaming, xvii
  row, xiv
  software (BASIC, *Calc*, *Excel*), xix
  tabs, xvii
  using for complex calculations, xv
  using functions as formulas, xix
  what they are, xiii–xvi
spreadsheet functions
  ATAN2, 48, 50
  built-in, 4
  CONCATENATE, 180
  DEGREES, 47
  FIX, 9
  FLOOR, 9
  IF, 4, 26
  INT, 9, 13, 23
  intrinsic, 4
  MOD, 4
  nested, 20
  RADIANS, 47
  ROUND, 15
  TEXT, 180
  TRUNC, 4, 9
starting point for calculations, 6, 8, 9
sub-Earth point, 202
  on Moon, 95, 198
sub-solar point (on Moon), 97
Sun, 101–18
  angular diameter of, 110–11
  apparent orbit, 103
  as a time-keeper, 116
  calculating the position of, 103–5
  Carrington rotation numbers, 94
  distance of, 110–11
  eclipse of, 181, 198
  heliographic coordinates, 88–92, 198
  hourly motion of, 185, 191
  light-travel time, 101, 110
  magnitude of, 140
  mean, 103, 116, 201
  mean rotation period of, 88
  motion along the ecliptic, 37, 112
  non-uniform apparent motion, 116
  observation of, 88
  orbital elements of, 103–4
  position-angle of rotation axis, 91
  rising and setting, 112–13
  rotation axis of, 88
  speed in apparent orbit, 116
sundial, 116
sunrise, 112–13
sunset, 112–13
synodic month, 162, 201
synodic period, 203

tabs, of spreadsheet, xvii
terminator, 138, 203
  selenographic longitude of, 97
terrestrial dynamic time (TDT), 17, 30, 203
terrestrial time (TT), 30, 203
TEXT, spreadsheet function, 180
third quarter of Moon, 171, 202
time, 1–30, 203
  apparent sidereal time, 203
  atomic time, 16, 30, 203
  British summer time (BST), 17, 203
  daylight saving time, 17, 203
  dynamical time, 16, 30, 203
  ephemeris time (ET), 16, 30, 203
  equation of, 116–17, 199
  global positioning system (GPS) time, 16, 200
  Greenwich mean time (GMT), 16, 200
  Greenwich sidereal time (GST), 23–7, 203
    to local sidereal time conversion, 27
    to UT conversion, 24–7
  international atomic time (TAI), 16, 30, 203
  local civil time, 16–20, 22
    to UT conversion, 16–20
  local sidereal time (LST), 27, 43, 203
    to GST conversion, 28–30
  mean sidereal time, 203
  mean solar time, 203
  sidereal time (ST), 22–3, 30, 203
  solar time, 203
  terrestrial dynamic time (TDT), 17, 30, 203
  terrestrial time (TT), 16, 30, 203
  to decimal hours conversion, 14
  to degrees conversion, 41
  to hours, minutes and seconds conversion, 15
  to radians conversion, 41
  transmission services, 16
  universal time (UT), 16–20, 23, 30, 203
    to GST conversion, 23–4
    to local civil time conversion, 20–2
  zone time, 17–20
time zones, 17–20, 203
total eclipse, 181, 198
transit, 36, 203
tropical year, 2, 204
true anomaly, 103, 107, 108, 121, 122, 144, 197

Downloaded from https://www.cambridge.org/core. Ecole Polytechnique Fédérale de Lausanne, on 09 Mar 2020 at 09:41:30, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511861161

TRUNC, spreadsheet function, 4, 9
twilight, 114–15, 203

umbra, 203
  size of Earth's, 184
umbral phase of eclipse, 181, 202
universal time (UT), 16–20, 23, 30, 203
Uranus, orbital elements of, 123

variation, 162, 203
Venus, orbital elements of, 123
vernal equinox, 35–7, 199, 203
visible disc of planet, 137

website, xx, 209

year, 204
  anomalistic, 204
  Besselian, 204
  civil, 2
  leap, 2
  sidereal, 204
  starting point for calculations, 6, 8, 9
  tropical, 2, 204

zenith, 34, 204
zenith angle (or distance) 80, 204
  effect of refraction on, 80
zone correction, 17–19, 204
zone time, 17–20

Downloaded from https://www.cambridge.org/core. Ecole Polytechnique Fédérale de Lausanne, on 09 Mar 2020 at 09:41:30, subject to the Cambridge Core terms of use, available at https://www.cambridge.org/core/terms. https://doi.org/10.1017/CBO9780511861161