## **ESERCITAZIONE W8D1(1)**



1)Installazione e configurazione.

Paste

Justify

Go To Line

^R Read File

Replace


Exit


```
root@kali: /var/www/html/DVWA/config
File Actions Edit View Help
          kali)-[/var/www/html/DVWA/config]
 _# cp config.inc.php.dist config.inc.php
         kali)-[/var/www/html/DVWA/config]
   nano config.inc.php
     oot®kali)-[/var/www/html/DVWA/config]
    service mysql start
   (root@kali)-[/var/www/html/DVWA/config]
mysql -u root -p
Enter password:
Welcome to the MariaDB monitor. Commands end with ; or \g.
Your MariaDB connection id is 31
Server version: 10.11.6-MariaDB-1 Debian n/a
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
MariaDB [(none)]> create user 'kali'@'127.0.0.1' identified by 'kali' ;
Query OK, 0 rows affected (0.049 sec)
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali';
Query OK, 0 rows affected (0.019 sec)
MariaDB [(none)]> exit
Bye
        6 kali)-[/var/www/html/DVWA/config]
```

```
E
                                      root@kali: /etc/php/8.2/apache2
File Actions Edit View Help
Enter password:
Welcome to the MariaDB monitor. Commands end with ; or \g.
Your MariaDB connection id is 31
Server version: 10.11.6-MariaDB-1 Debian n/a
Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
MariaDB [(none)]> create user 'kali'@'127.0.0.1' identified by 'kali' ;
Query OK, 0 rows affected (0.049 sec)
MariaDB [(none)]> grant all privileges on dvwa.* to 'kali'@'127.0.0.1' identified by 'kali' ;
Query OK, 0 rows affected (0.019 sec)
MariaDB [(none)]> exit
    root@ kali)-[/var/www/html/DVWA/config]
service apache2 start
        % kali)-[/var/www/html/DVWA/config]
    cd /etc/php/8.2/apache2
          kali)-[/etc/php/8.2/apache2]
   nano php.ini
         kali)-[/etc/php/8.2/apache2]
    service apache2 start
        6 kali)-[/etc/php/8.2/apache2]
```

```
root@kali: /etc/php/8.2/apache2
File Actions Edit View Help
GNU nano 7.2
                                               php.ini *
; Maximum allowed size for uploaded files.
upload_max_filesize = 2M
; Maximum number of files that can be uploaded via a single request
max_file_uploads = 20
; Fopen wrappers ;
; Whether to allow the treatment of URLs (like http:// or ftp://) as files.
allow_url_fopen = On
; Whether to allow include/require to open URLs (like https:// or ftp://) as files.
allow_url_include = On
; Define the anonymous ftp password (your email address). PHP's default setting
; for this is empty.
;from="john@doe.com"
; Define the User-Agent string. PHP's default setting for this is empty.
;user_agent="PHP"
                ^O Write Out
  Help
                                W Where Is
                                                 Cut
                                                                 Execute
                                                                                Location
                                  Replace
                ^R Read File
                                                 Paste
                                                                                Go To Line
  Exit
                                                                 Justify
```

**2)** Ho aperto una sessione del browser, ho creato il database e ho fatto il login alla pagina: "127.0.0.1/DVWA".





**3) Burpsuite:** tentativo di accesso con admin sbagliato.

