


Evolution of heatwaves in Madrid




Intermediate HWs First HW (Onset) Last HW (Termination) Trend: Earliest onset Trend: Latest termination

Methodological Definition:

- Triggered: Max. temperature > local JJA P90 threshold (Ref. 1961–1990) for 3 consecutive days.
- Termination: Average max. temperature drops below the P90 threshold OR single day below the P75 threshold.
- Plotting: Earliest onset (Red), Latest termination (Orange), Midpoint of intermediate events (Grey). Bubble Size: Proportional to cumulative intensity ($K \times \text{days}$).

Evolution of heatwaves in Geneva




Intermediate HWs First HW (Onset) Last HW (Termination) Trend: Earliest onset Trend: Latest termination

Methodological Definition:

- Triggered: Max. temperature > local JJA P90 threshold (Ref. 1961–1990) for 3 consecutive days.
- Termination: Average max. temperature drops below the P90 threshold OR single day below the P75 threshold.
- Plotting: Earliest onset (Red), Latest termination (Orange), Midpoint of intermediate events (Grey). Bubble Size: Proportional to cumulative intensity ($K \times \text{days}$).

Evolution of heatwaves in Paris




Intermediate HWs First HW (Onset) Last HW (Termination) Trend: Earliest onset Trend: Latest termination

Methodological Definition:

- Triggered: Max. temperature > local JJA P90 threshold (Ref. 1961–1990) for 3 consecutive days.
- Termination: Average max. temperature drops below the P90 threshold OR single day below the P75 threshold.
- Plotting: Earliest onset (Red), Latest termination (Orange), Midpoint of intermediate events (Grey). Bubble Size: Proportional to cumulative intensity ($K \times \text{days}$).

Evolution of heatwaves in Vienna




Intermediate HWs First HW (Onset) Last HW (Termination) Trend: Earliest onset Trend: Latest termination

Methodological Definition:

- Triggered: Max. temperature > local JJA P90 threshold (Ref. 1961–1990) for 3 consecutive days.
- Termination: Average max. temperature drops below the P90 threshold OR single day below the P75 threshold.
- Plotting: Earliest onset (Red), Latest termination (Orange), Midpoint of intermediate events (Grey). Bubble Size: Proportional to cumulative intensity ($K \times \text{days}$).


Evolution of heatwaves in Prague



Methodological Definition:

- Triggered: Max. temperature > local JJA P90 threshold (Ref. 1961–1990) for 3 consecutive days.
- Termination: Average max. temperature drops below the P90 threshold OR single day below the P75 threshold.
- Plotting: Earliest onset (Red), Latest termination (Orange), Midpoint of intermediate events (Grey). Bubble Size: Proportional to cumulative intensity ($K \times \text{days}$).


Evolution of heatwaves in Frankfurt



Methodological Definition:

- Triggered: Max. temperature > local JJA P90 threshold (Ref. 1961–1990) for 3 consecutive days.
- Termination: Average max. temperature drops below the P90 threshold OR single day below the P75 threshold.
- Plotting: Earliest onset (Red), Latest termination (Orange), Midpoint of intermediate events (Grey). Bubble Size: Proportional to cumulative intensity ($K \times \text{days}$).


Evolution of heatwaves in Oxford



Methodological Definition:

- Triggered: Max. temperature > local JJA P90 threshold (Ref. 1961–1990) for 3 consecutive days.
- Termination: Average max. temperature drops below the P90 threshold OR single day below the P75 threshold.
- Plotting: Earliest onset (Red), Latest termination (Orange), Midpoint of intermediate events (Grey). Bubble Size: Proportional to cumulative intensity ($K \times \text{days}$).


Evolution of heatwaves in Stockholm



Methodological Definition:

- Triggered: Max. temperature > local JJA P90 threshold (Ref. 1961–1990) for 3 consecutive days.
- Termination: Average max. temperature drops below the P90 threshold OR single day below the P75 threshold.
- Plotting: Earliest onset (Red), Latest termination (Orange), Midpoint of intermediate events (Grey). Bubble Size: Proportional to cumulative intensity (K × days).

Evolution of heatwaves in Helsinki



Methodological Definition:

- Triggered: Max. temperature > local JJA P90 threshold (Ref. 1961–1990) for 3 consecutive days.
- Termination: Average max. temperature drops below the P90 threshold OR single day below the P75 threshold.
- Plotting: Earliest onset (Red), Latest termination (Orange), Midpoint of intermediate events (Grey). Bubble Size: Proportional to cumulative intensity ($K \times \text{days}$).