Package 'GPFDA'

January 10, 2021

Type Package

Title Gaussian Process Regression for Functional Data Analysis

Version 3.0.0

Date 2021-01-09

Author Jian Qing Shi, Yafeng Cheng, Evandro Konzen

Maintainer GPFDA's authors <gpfda.r@gmail.com>

Description Functionalities for modelling functional data with multidimensional inputs, multivariate functional data, and non-separable and/or non-stationary covariance structure of function-valued processes. In addition, there are functionalities for functional regression models where the mean function depends on scalar and/or functional covariates and the covariance structure depends on functional covariates. The development version of the package can be found on <https://github.com/gpfda/GPFDA-dev>.

License GPL (>= 2)

Depends R (>= 3.6)

Imports Rcpp (>= 1.0.2), splines, mgcv, MASS, mvtnorm, fields, interp, stats, graphics, grDevices, fda, fda.usc

LinkingTo Rcpp, RcppArmadillo

RoxygenNote 7.0.2

Encoding UTF-8

Suggests knitr, rmarkdown

VignetteBuilder knitr

LazyData true

NeedsCompilation yes

R topics documented:

`calcScaleDistMats` *Calculate matrices for NSGP covariance function*

Description

Calculates matrices 'ScaleMat' and 'DistMat', which are used to obtain NSGP covariance matrices

Usage

```
calcScaleDistMats(A_List, coords)
```

Arguments

`A_List`	List of anisotropy matrices
`coords`	Matrix of input coordinates (covariates)

Value

A list of ScaleMat and DistMat matrices

Examples

```
## See examples in vignette:
# vignette("nsgpr", package = "GPFDA")
```

---

co2 *co2: data set for a real data example*

Description

A data.frame containing monthly CO2 data and and annual average for each year. The original data has a sample size of 612, but the 5 of them which are missing was removed from our sample.

Usage

```
co2
```

Format

A data frame with 13 columns (12 months and the annual average) and 51 rows (number of years).

Details

Data used in the real data example, see vignette("co2"). It is obtained from https://cdiac.ess-dive.lbl.gov/ftp/trends/co2/maunaloa.co2. Atmospheric CO2 values (ppmv) derived from in situ air samples collected at Mauna Loa, Hawaii, USA.

---

covMat *Calculate a covariance matrix*

Description

Evaluates one of the following covariance functions at input vectors t and t':

- Powered exponential
- Rational quadratic
- Matern
- Linear

Usage

```
cov.pow.ex(hyper, input, input.new = NULL, gamma = 2)

cov.rat.qu(hyper, input, input.new = NULL)

cov.matern(hyper, input, input.new = NULL, nu)

cov.linear(hyper, input, input.new = NULL)
```

Arguments

hyper	The hyperparameters. It must be a list with certain names. See details.
input	The covariate t. It must be either a matrix, where each column represents a covariate, or a vector if there is only one covariate.
input.new	The covariate t'. It also must be a vector or a matrix. If NULL (default), 'input.new' will be set to be equal to 'input' and the function will return a squared, symmetric covariance matrix.
gamma	Power parameter used in powered exponential kernel function. It must be 0<gamma<=2. Default to 2, which gives the squared exponential covariance function.
nu	Smoothness parameter of the Matern class. It must be a positive value.

Details

The names for the hyperparameters should be:

- "pow.ex.v" and "pow.ex.w" (powered exponential);
- "rat.qu.v", "rat.qu.w" and "rat.qu.a" (rational quadratic);
- "matern.v" and "matern.w" (Matern);
- "linear.i" and "linear.a" (linear);
- "vv" (Gaussian white noise).

Value

A covariance matrix

References

Shi, J. Q., and Choi, T. (2011), "Gaussian Process Regression Analysis for Functional input", CRC Press.

D2 *Second derivative of the likelihood*

Description

Calculate the second derivative of the likelihood function with respect to one of the hyperparameters, given the first and second derivative of the kernel with respect to that hyperparameter.

Usage

```
D2(d1, d2, inv.Q, Alpha.Q)
```

Arguments

d1	First derivative of the kernel function with respect to the required hyperparameter.
d2	Second derivative of the kernel function with respect to the required hyperparameter.
inv.Q	Inverse of covariance matrix Q.
Alpha.Q	This is alpha * alpha'- invQ, where invQ is the inverse of the covariance matrix Q, and alpha = invQ * Y, where Y is the response.

Details

The function calculates the second derivative of the log-likelihood, using the first and second derivative of the kernel functions.

Value

A number.

References

Shi, J. Q., and Choi, T. (2011), "Gaussian Process Regression Analysis for Functional Data", CRC Press.

Examples

```
## This function is used in the vignette 'co2':
# vignette("co2", package = "GPFDA")
```

---

dataExampleGPFR *Data simulated in the GPFR example*

Description

A list containing training and test data simulated from a functional regression model.

In the training set, there are M=20 independent realisations and the functional response and the functional covariate are observed on a grid of n=20 time points.

The test set includes a single realisation observed on a grid of n_new=100 time points.

Both training and test sets also have a scalar covariate.

Usage

```
dataExampleGPFR
```

Format

A list with seven elements:

tt A vector of length 50
response_train A (20 x 50) matrix
x_train A (20 x 50) matrix
scalar_train A (20 x 2) matrix
t_new A vector of length 100
response_new A vector of length 100
x_new A vector of length 100
scalar_new A (1 x 2) matrix

Details

Data used in the GPFR example, see vignette("gpfr").

`distanceMatrix` *Calculate generalised distances*

Description

Calculate the generalised distance between vectors t and t' using an anisotropy matrix A.

- `distMat` and `distMatSq` calculate:

$$[(t-t')^{p/2}]^T A (t-t')^{p/2}$$

- `distMatLinear` and `distMatLinearSq` calculate:

$$t^T A t'$$

Usage

```
distMat(input, inputNew, A, power)

distMatSq(input, A, power)

distMatLinear(input, inputNew, A)

distMatLinearSq(input, A)
```

Arguments

`input`	Vector of the input coordinate t
`inputNew`	Vector of the input coordinate t'
`A`	Anisotropy matrix A
`power`	Power value p

Details

The distMatSq and distMatLinearSq functions are used when input vectors t and t' are identical, returning a symmetric matrix.

When distMat and distMatSq functions are used in powered exponential kernels, power=1 gives the exponential kernel and power=2 gives the squared exponential one.

distMatLinear and distMatLinearSq functions are used in the linear covariance kernel.

Value

A matrix

GPFDA *GPFDA: A package for Gaussian Process Regression for Functional Data Analysis*

Description

Gaussian Process Regression for Functional Data Analysis

Details

The main functions of the package are:

gpr Gaussian process regression using stationary separable covariance kernels.

nsgpr Gaussian process regression using nonstationary and/or nonseparable covariance kernels.

mgpr Multivariate Gaussian process – regression for multivariate outputs.

gpfr Functional regression model given by

$$y_m(t) = \mu_m(t) + \tau_m(x) + \epsilon_m(t),$$

where m is the m-th curve or surface; μ_m is from functional regression; and τ_m is from Gaussian Process regression with mean 0 covariance matrix $k(\theta)$.

Author(s)

Jian Qing Shi, Yafeng Cheng, Evandro Konzen

References

Shi, J. Q., and Choi, T. (2011), "Gaussian Process Regression Analysis for Functional Data", CRC Press.

gpfr *Gaussian Process for functional data*

Description

Use functional regression (FR) model for the mean structure and Gaussian Process (GP) for the covariance structure.

Let 'n' be the number of time points 't' of functional objects and 'nrep' the number of independent replications in the sample.

Usage

```
gpfr(
  response,
  time = NULL,
  lReg = NULL,
  fReg = NULL,
  fyList = NULL,
  fbetaList_l = NULL,
  fxList = NULL,
  concurrent = TRUE,
  fbetaList_f = NULL,
  fbetaList = NULL,
  gpReg = NULL,
  hyper = NULL,
  NewHyper = NULL,
  Cov = "pow.ex",
  gamma = 2,
  nu = 1.5,
  useGradient = T,
  rel.tol = 1e-10,
  trace.iter = 5,
  fitting = FALSE
)
```

Arguments

response	Response data. It can be an 'fd' object or a matrix with 'nrep' rows and 'nrep' columns.
time	Input 't' of functional objects. It is a numerical vector.
lReg	Scalar covariates for the FR model. It should be a matrix with 'nrep' rows.
fReg	Functional covariates for the FR model. It can be a matrix with 'nrep' rows, or an 'fd' object, or a list of matrices or 'fd' objects.
fyList	A list to control the smoothing of response.

fbetaList_l	A list to control the smoothing of the regression coefficient function of the scalar covariates in the FR model.
fxList	A list to control the smoothing of functional covariates in the FR model.
concurrent	Logical. If TRUE (default), concurrent functional regression will be carried out; otherwise, the full functional regression will be carried out.
fbetaList_f	A list to control the smoothing of the regression coefficient function of functional covariates in the FR model.
fbetaList	A list to control the smoothing of functional covariates in the FR model with scalar response and functional covariates.
gpReg	Covariates in the GP model. It should be a matrix, an 'fd' object, a list of matrices or a list of 'fd' objects.
hyper	Vector of initial hyperparameters. Default to NULL.
NewHyper	Vector of names of new hyperparameters from the customized kernel function.
Cov	Covariance function(s) to use. Options are: 'linear', 'pow.ex', 'rat.qu', and 'matern'. Default to 'power.ex'.
gamma	Power parameter used in powered exponential kernel function. It must be 0<gamma<=2.
nu	Smoothness parameter of the Matern class. It must be a positive value.
useGradient	Logical. If TRUE, first derivatives will be used in the optimization.
rel.tol	Relative tolerance passed to nlminb(). Default to be 1e-10.
trace.iter	Print the processing of iterations of optimization.
fitting	Logical. If TRUE, fitting is carried out. Default to FALSE.

Details

fyList is a list with items: 'time': a sequence of time points default to be 100 points from 0 to 1; 'nbasis': number of basis functions used in smoothing, default to be less than or equal to 23; 'norder': the order of the functional curves default to be 6; 'bSpline': logical, if TRUE, b-spline is used, otherwise use Fourier basis, default to be TRUE; 'Pen': default to be c(0,0), meaning that the penalty is only applied to the second order derivative of the curve, with no penalty for the zero-th and first order derivatives of the curve; 'lambda': the smoothing parameter for the penalty, default to be 1e-4.

fxList is similar to fyList. However, it is a list of lists to allow for different specifications for each functional covariate if there are multiple ones.

fbetaList, fbetaList_l and fbetaList_f are similar to each other. Each one is expected to be a list of lists. The items in each sub-list are: 'rtime': range of time, default to be 0 and 1; 'nbasis': number of basis functions used in smoothing, default to be less or equal to 19; 'norder': the order of the functional curves default to be 6; 'bSpline': logical, if TRUE (default), B-spline representation is used, otherwise Fourier basis is used; 'Pen': default to be c(0,0); 'lambda': default to be 1e4; 'bivar':logical, if TRUE, the bivariate basis will be calculated, otherwise normal basis, default to be FALSE; 'lambdas': the smoothing parameter for the penalty of the additional basis, default to be 1e4.

Note that all items have default settings.

Value

A list containing:

hyper Estimated hyperparameters

I A vector of estimated standard deviation of hyperparameters

modellist List of FR models fitted before Gaussian process

CovFun Covariance function used

gamma Parameter 'gamma' used in Gaussian process with powered exponential kernel

nu Parameter 'nu' used in Gaussian process with Matern kernel

init_resp Raw response data

resid_resp Residual after the fitted values from FR models have been taken out

fitted Fitted values

fitted.sd Standard deviation of the fitted values

ModelType The type of the model applied in the function.

lTrain Training scalar covariates for the FR model

fTrain Training functional covariates for the FR model

mfTrainfd List of 'fd' objects from training data for FR model with functional covariates

gpTrain Training data for Gaussian Process

time Input time 't'

iuuL Inverse of covariance matrix for lReg

iuuF Inverse of covariance matrix for fReg

fittedFM Fitted values from the FR model

fyList fyList object used

References

- Ramsay, J., and Silverman, B. W. (2006), "Functional Data Analysis", 2nd ed., Springer, New York.
- Shi, J. Q., and Choi, T. (2011), "Gaussian Process Regression Analysis for Functional Data", CRC Press.

Examples

```
## See examples in vignette:
# vignette("gpfr", package = "GPFDA")
```

gpfrPredict *Prediction of GPFR model*

Description

Make predictions for test input data based on the GPFR model learnt by the 'gpfr' function. Both type I and type II predictions can be made.

Usage

```
gpfrPredict(
  object,
  TestData,
  NewTime = NULL,
  lReg = NULL,
  fReg = NULL,
  gpReg = NULL,
  GP_predict = TRUE
)
```

Arguments

object	An object of class 'gpfr' obtained by the the 'gpfr' function.
TestData	Test input data. It must be a matrix or an 'fd' object.
NewTime	New time 't' for test data. If NULL, default settings will be applied.
lReg	The test scalar data for the FR model.
fReg	The test functional data for the FR model.
gpReg	List of three items. The names of the items must be 'response', 'input', 'time'. For type I prediction, 'response' is the observed response for a new batch, 'input' is the observed functional covariates for a new batch, 'time' is the observed time for the previous two. If NULL, type II prediction, will be carried out.
GP_predict	Logical. If TRUE (default), GP prediction is carried out; otherwise only functional prediction is carried out.

Details

If 'gpReg' is provided, then type I prediction is made. Otherwise, type II prediction is made.

Value

A list containing:

ypred matrix of predicted values with confidence intervals. The first column has the fitted values, while the second and third columnas have the confidence interval bounds.

ypred.mean The mean values of the prediction.

ypred.sd The standard deviation of the predictions.

time Time 't' of test data.

object All items trained by 'gpfr'.

References

- Ramsay, J., and Silverman, B. W. (2006), "Functional Data Analysis", 2nd ed., Springer, New York.
- Shi, J. Q., and Choi, T. (2011), "Gaussian Process Regression Analysis for Functional Data", CRC Press.

Examples

```
## See examples in vignette:
# vignette("gpfr", package = "GPFDA")
```

---

gpr *Gaussian Process regression*

Description

Gaussian Process regression for a single or multiple independent realisations.

Usage

```
gpr(
  input,
  response,
  Cov = "pow.ex",
  m = NULL,
  hyper = NULL,
  NewHyper = NULL,
  meanModel = 0,
  mu = NULL,
  gamma = 2,
  nu = 1.5,
  useGradient = T,
  iter.max = 100,
  rel.tol = 8e-10,
  trace = 0,
  nInitCandidates = 1000
)
```

Arguments

input	Input covariates. It must be either a matrix, where each column represents a covariate, or a vector if there is only one covariate.
response	Response data. It should be a matrix, where each column is a realisation. It can be a vector if there is only one realisation.
Cov	Covariance function(s) to use. Options are: 'linear', 'pow.ex', 'rat.qu', and 'matern'. Default to 'power.ex'.
m	If Subset of Data is to be used, m denotes the subset size and cannot be larger than the total sample size. Default to NULL.
hyper	The hyperparameters. Default to NULL. If not NULL, then it must be a list with appropriate names.
NewHyper	Vector of names of the new hyperparameters of the customized kernel function. These names must have the format: xxxxxx.x, i.e. '6 digit' followed by 'a dot' followed by '1 digit'. This is required for both 'hyper' and 'NewHyper'
meanModel	Type of mean function. It can be **0** Zero mean function **1** Constant mean function to be estimated **'t'** Linear model for the mean function **'avg'** The average across replications is used as the mean function. This is only used if there are more than two realisations observed at the same input coordinate values. Default to 0. If argument 'mu' is specified, then 'meanModel' will be set to 'userDefined'.
mu	Mean function specified by the user. It must be a vector. Its length must be the same as the sample size, that is, nrow(response).
gamma	Power parameter used in powered exponential kernel function. It must be 0<gamma<=2.
nu	Smoothness parameter of the Matern class. It must be a positive value.
useGradient	Logical. If TRUE, first derivatives will be used in the optimization.
iter.max	Maximum number of iterations allowed. Default to 100. If 'rel.tol' is reduced, then the number of iterations needed will be less.
rel.tol	Relative convergence tolerance. Default to 8e-10. Smaller rel.tol means higher accuracy and more time to converge.
trace	The value of the objective function and the parameters is printed every trace'th iteration. Defaults to 0 which indicates no trace information is to be printed.
nInitCandidates	Number of initial hyperparameter vectors. The optimization starts with the best.

Details

The most important function of the package. It fits the GPR model and stores everything necessary for prediction. The optimization used in the function is 'nlminb'. The names for the hyperparameters should be: "linear.a" for linear covariance function, "pow.ex.w", "pow.ex.v" for power exponential, "rat.qu.s", "rat.qu.a" for rational quadratic, "matern.w", "matern.v" for Matern, "vv" for variance of Gaussian white noise. All hyperparameters should be in one list.

Value

A list containing:

hyper Hyperparameters vector estimated from training data

var.hyper Variance of the estimated hyperparameters

fitted.mean Fitted values for the training data

fitted.sd Standard deviation of the fitted values for the training data

train.x Training covariates

train.y Training response

train.yOri Original training response

train.DataOri Original training covariates

idxSubset Index vector identifying which observations were selected if Subset of Data was used.

CovFun Covariance function type

gamma Parameter used in powered exponential covariance function

nu Parameter used in Matern covariance function

Q Covariance matrix

mean Mean function

meanModel Mean model used

meanLinearModel 'lm' object if mean is a linear regression. NULL otherwise.

conv An integer. 0 means converge; 1 otherwise.

hyper0 Starting point of the hyperparameters vector.

References

Shi, J. Q., and Choi, T. (2011), "Gaussian Process Regression Analysis for Functional Data", CRC Press.

Examples

```
## See examples in vignettes:

# vignette("gpr_ex1", package = "GPFDA")
# vignette("gpr_ex2", package = "GPFDA")
# vignette("co2", package = "GPFDA")
```

gprPredict *Prediction using Gaussian Process*

Description

Prediction using Gaussian Process

Usage

```
gprPredict(
  train = NULL,
  input.new = NULL,
  noiseFreePred = F,
  hyper = NULL,
  input = NULL,
  Y = NULL,
  mSR = NULL,
  Cov = NULL,
  gamma = NULL,
  nu = NULL,
  meanModel = 0,
  mu = 0
)
```

Arguments

train	A 'gpr' object obtained from 'gpr' function. Default to NULL. If NULL, learning is done based on the other given arguments; otherwise, prediction is made based on the trained model of class gpr'.
input.new	Test input covariates. It must be either a matrix, where each column represents a covariate, or a vector if there is only one covariate.
noiseFreePred	Logical. If TRUE, predictions will be noise-free.
hyper	The hyperparameters. Default to NULL. If not NULL, then it must be a list with appropriate names.
input	Input covariates. It must be either a matrix, where each column represents a covariate, or a vector if there is only one covariate.
Y	Training response. It should be a matrix, where each column is a realisation. It can be a vector if there is only one realisation.
mSR	Subset size m if Subset of Regressors method is used for prediction. It must be smaller than the total sample size.
Cov	Covariance function(s) to use. Options are: 'linear', 'pow.ex', 'rat.qu', and 'matern'. Default to 'power.ex'.
gamma	Power parameter used in powered exponential kernel function. It must be 0<gamma<=2.
nu	Smoothness parameter of the Matern class. It must be a positive value.

`meanModel` Type of mean function. It can be

0 Zero mean function

1 Constant mean function to be estimated

't' Linear model for the mean function

'avg' The average across replications is used as the mean function. This is only used if there are more than two realisations observed at the same input coordinate values.

Default to 0. If argument 'mu' is specified, then 'meanModel' will be set to 'userDefined'.

`mu` Mean function specified by the user. It must be a vector. Its length must be the same as the sample size, that is, nrow(response).

Value

A list containing

pred.mean Mean of predictions

pred.sd Standard deviation of predictions

newdata Test input data

noiseFreePred Logical. If TRUE, predictions are noise-free.

... Objects of 'gpr' class.

Examples

```
## See examples in vignettes:

# vignette("gpr_ex1", package = "GPFDA")
# vignette("gpr_ex2", package = "GPFDA")
# vignette("co2", package = "GPFDA")
```

---

mat2fd *Create an 'fd' object from a matrix*

Description

Easy setting up for creating an 'fd' object

Usage

```
mat2fd(mat, fdList = NULL)
```

Arguments

`mat`	Input data, should be a matrix with ncol time points and nrow replications or samples.
`fdList`	A list with following items:

time Sequence of time points (default to be 100 points from 0 to 1).

nbasis Number of basis functions used in smoothing, default to be less or equal to 23.

norder Order of the functional curves default to be 6.

bSpline Logical, if TRUE (default), b-Spline basis is used; otherwise, Fourier basis is used.

Pen Default to be c(0,0), meaning that the penalty is on the second order derivative of the curve, since the weight for zero-th and first order derivatives of the curve are set to zero.

lambda Smoothing parameter for the penalty. Default to be 1e-4.

Details

All items listed above have default values. If any item is required to change, add that item into the list; otherwise, leave it as NULL. For example, if one only wants to change the number of basis functions, do: `mat2fd(SomeMatrix,list(nbasis=21))`

Value

An 'fd' object

References

Shi, J. Q., and Choi, T. (2011), "Gaussian Process Regression Analysis for Functional Data", CRC Press.

Examples

```
require(fda)
ry <- rnorm(20, sd=10)
y1 <- matrix(NA, ncol=100, nrow=20)
for(i in 1:20)  y1[i,] <- sin(seq(-1,pi,len=100))*ry[i]

y1fd <- mat2fd(y1)
y1fd <- mat2fd(y1,list(lambda=1))
```

mgpCovMat *Calculate a multivariate Gaussian processes covariance matrix given a vector of hyperparameters*

Description

Calculate a multivariate Gaussian processes covariance matrix given a vector of hyperparameters

Usage

```
mgpCovMat(Data, hp)
```

Arguments

Data	List of two elements: 'input' and 'response'. The element 'input' is a list of N vectors, where each vector represents the input covariate values for a particular output. The element 'response' is the corresponding list of N matrices (if there are multiple realisations) or vectors (for a single realisation) representing the response variables.
hp	Vector of hyperparameters

Value

Covariance matrix

References

Shi, J. Q., and Choi, T. (2011), "Gaussian Process Regression Analysis for Functional Data", CRC Press.

Examples

```
## See examples in vignette:
# vignette("mgpr", package = "GPFDA")
```

mgpr *Multivariate Gaussian process regression*

Description

Multivariate Gaussian process regression where each of the N outputs is unidimensional. The multivariate output is allowed to have multiple independent realisations.

Usage

```
mgpr(Data, m = NULL, meanModel = 0, mu = NULL)
```

Arguments

Data	List of two elements: 'input' and 'response'. The element 'input' is a list of N vectors, where each vector represents the input covariate values for a particular output. The element 'response' is the corresponding list of N matrices (if there are multiple realisations) or vectors (for a single realisation) representing the response variables.
m	If Subset of Data is to be used in the estimation, m denotes the subset size. It cannot be larger than the total sample size. Default to NULL (Subsetting is not used).
meanModel	Type of mean function applied to all outputs. It can be **0** Zero mean function for each output. **1** Constant mean function to be estimated for each output. **'t'** Linear model for the mean function of each output. **'avg'** The average across replications is used as the mean function of each output. This can only be used if there are more than two realisations observed at the same input values. Default to 0. If argument 'mu' is specified, then 'meanModel' will be set to 'userDefined'.
mu	Vector of concatenated mean function values defined by the user. Default to NULL.

Value

A list containing:

fitted.mean Fitted values for the training data

fitted.sd Standard deviation of the fitted values for training data

N Number of response variables

X Original input variables

Y Original response

idx Index vector identifying to which output the elements of concatenated vectors correspond to.

Cov Covariance matrix

mean Concatenated mean function

meanModel Mean model used for each output

meanLinearModel 'lm' object for each output if the linear regression model is used for the mean functions. NULL otherwise.

References

Shi, J. Q., and Choi, T. (2011), "Gaussian Process Regression Analysis for Functional Data", CRC Press.

Examples

```
## See examples in vignette:
# vignette("mgpr", package = "GPFDA")
```

`mgprPredict` *Prediction of multivariate Gaussian process*

Description

Prediction of multivariate Gaussian process

Usage

```
mgprPredict(
  train,
  Data.obs = NULL,
  Data.new,
  noiseFreePred = F,
  meanModel = NULL,
  mu = 0
)
```

Arguments

`train`	A 'mgpr' object obtained from 'mgpr' function. If NULL, predictions are made based on Data.obs informed by the user.
`Data.obs`	List of observed data. Default to NULL. If NULL, predictions are made based on the trained data (included in the object of class 'mgpr') used for learning.
`Data.new`	List of test input data.
`noiseFreePred`	Logical. If TRUE, predictions will be noise-free.
`meanModel`	Type of mean function applied to all outputs. It can be **0** Zero mean function for each output. **1** Constant mean function to be estimated for each output. **'t'** Linear model for the mean function of each output. **'avg'** The average across replications is used as the mean function of each output. This can only be used if there are more than two realisations observed at the same input values. Default to 0. If argument 'mu' is specified, then 'meanModel' will be set to 'userDefined'.
`mu`	Vector of concatenated mean function values defined by the user. Default to NULL.

Value

A list containing

pred.mean Mean of predictions for the test set.

pred.sd Standard deviation of predictions for the test set.

noiseFreePred Logical. If TRUE, predictions are noise-free.

Examples

```
## See examples in vignette:
# vignette("mgpr", package = "GPFDA")
```

---

nsgpCovMat *Calculate a NSGP covariance matrix given a vector of hyperparameters*

Description

Calculate a NSGP covariance matrix given a vector of hyperparameters

Usage

```
nsgpCovMat(
  hp,
  input,
  inputSubsetIdx = NULL,
  nBasis = 5,
  corrModel = corrModel,
  gamma = NULL,
  nu = NULL,
  cyclic = NULL,
  whichTau = NULL,
  calcCov = T
)
```

Arguments

hp	Vector of hyperparameters estimated by function nsgpr.
input	List of Q input variables (see Details).
inputSubsetIdx	A list identifying a subset of the input values to be used in the estimation (see Details).
nBasis	Number of B-spline basis functions in each coordinate direction along which parameters change.
corrModel	Correlation function specification used for g(.). It can be either "pow.ex" or "matern".
gamma	Power parameter used in powered exponential kernel function. It must be 0<gamma<=2.
nu	Smoothness parameter of the Matern class. It must be a positive value.
cyclic	Logical vector of dimension Q which defines which covariates are cyclic (periodic). For example, if basis functions should be cyclic only in the first coordinate direction, then cyclic=c(T,F). cyclic must have the same dimension of whichTau. If cyclic is TRUE for some coordinate direction, then cyclic B-spline functions will be used and the varying parameters (and their first two derivatives) will match at the boundaries of that coordinate direction.

whichTau	Logical vector of dimension Q identifying which input coordinates the parameters are function of. For example, if Q=2 and parameters change only with respect to the first coordinate, then we set whichTau=c(T,F).
calcCov	Logical. Calculate covariance matrix or not. If FALSE, time or spatially-varying parameters are still provided.

Value

A list containing

Cov Covariance matrix

vareps Noise variance

As_perTau List of varying anisotropy matrix over the input space

sig2_perTau Vector of signal variance over the input space

References

Konzen, E., Shi, J. Q. and Wang, Z. (2020) "Modeling Function-Valued Processes with Nonseparable and/or Nonstationary Covariance Structure" <arXiv:1903.09981>.

Examples

```
## See examples in vignette:
# vignette("nsgpr", package = "GPFDA")
```

---

nsgpCovMatAsym *Calculate an asymmetric NSGP covariance matrix*

Description

Calculate an asymmetric NSGP covariance matrix

Usage

```
nsgpCovMatAsym(
  hp,
  input,
  inputNew,
  nBasis = 5,
  corrModel = corrModel,
  gamma = NULL,
  nu = NULL,
  cyclic = NULL,
  whichTau = NULL
)
```

Arguments

hp	Vector of hyperparameters estimated by function nsgpr.
input	List of Q input variables (see Details).
inputNew	List of Q test set input variables.
nBasis	Number of B-spline basis functions in each coordinate direction along which parameters change.
corrModel	Correlation function specification used for g(.). It can be either "pow.ex" or "matern".
gamma	Power parameter used in powered exponential kernel function. It must be 0<gamma<=2.
nu	Smoothness parameter of the Matern class. It must be a positive value.
cyclic	Logical vector of dimension Q which defines which covariates are cyclic (periodic). For example, if basis functions should be cyclic only in the first coordinate direction, then cyclic=c(T,F). cyclic must have the same dimension of whichTau. If cyclic is TRUE for some coordinate direction, then cyclic B-spline functions will be used and the varying parameters (and their first two derivatives) will match at the boundaries of that coordinate direction.
whichTau	Logical vector of dimension Q identifying which input coordinates the parameters are function of. For example, if Q=2 and parameters change only with respect to the first coordinate, then we set whichTau=c(T,F).

Value

An asymmetric covariance matrix

References

Konzen, E., Shi, J. Q. and Wang, Z. (2020) "Modeling Function-Valued Processes with Nonseparable and/or Nonstationary Covariance Structure" <arXiv:1903.09981>.

---

nsgpr *Estimation of a nonseparable and/or nonstationary covariance structure*

Description

Estimate the covariance structure of a zero-mean Gaussian Process with Q-dimensional input coordinates (covariates).

Multiple realisations for the response variable can be used, provided they are observed on the same grid of dimension n_1 x n_2 x ... x n_Q.

Let n = n_1 x n_2 x ... x n_Q and let nSamples be the number of realisations.

Usage

```
nsgpr(
  response,
  input,
  inputSubsetIdx = NULL,
  corrModel = "pow.ex",
  gamma = 2,
  nu = 1.5,
  whichTau = NULL,
  nBasis = 5,
  cyclic = NULL,
  unitSignalVariance = F,
  zeroNoiseVariance = F,
  sepCov = F,
  nInitCandidates = 300,
  absBounds = 6
)
```

Arguments

response	Response variable. This should be a (n x nSamples) matrix where each column is a realisation
input	List of Q input variables (see Details).
inputSubsetIdx	A list identifying a subset of the input values to be used in the estimation (see Details).
corrModel	Correlation function specification used for g(.). It can be either "pow.ex" or "matern".
gamma	Power parameter used in powered exponential kernel function. It must be 0<gamma<=2.
nu	Smoothness parameter of the Matern class. It must be a positive value.
whichTau	Logical vector of dimension Q identifying which input coordinates the parameters are function of. For example, if Q=2 and parameters change only with respect to the first coordinate, then we set whichTau=c(T,F).
nBasis	Number of B-spline basis functions in each coordinate direction along which parameters change.
cyclic	Logical vector of dimension Q which defines which covariates are cyclic (periodic). For example, if basis functions should be cyclic only in the first coordinate direction, then cyclic=c(T,F). cyclic must have the same dimension of whichTau. If cyclic is TRUE for some coordinate direction, then cyclic B-spline functions will be used and the varying parameters (and their first two derivatives) will match at the boundaries of that coordinate direction.
unitSignalVariance	Logical. TRUE if we assume realisations have variance 1. This is useful when we want to estimate an NSGP correlation function.
zeroNoiseVariance	Logical. TRUE if we assume the realisations are noise-free.

`sepCov` Logical. TRUE only if we fix to zero all off-diagonal elements of the varying anisotropy matrix. Default to FALSE, allowing for a separable covariance function.

`nInitCandidates` number of initial hyperparameter vectors which are used to evaluate the log-likelihood function at a first step. After evaluating the log-likelihood using these 'nInitCandidates' vectors, the optimisation via nlminb() begins with the best of these vectors.

`absBounds` lower and upper boundaries for B-spline coefficients (if wanted).

Details

The input argument for Q=2 can be constructed as follows:

```
n1 <- 10
n2 <- 1000
input <- list()
input[[1]] <- seq(0,1,length.out = n1)
input[[2]] <- seq(0,1,length.out = n2)
```

If we want to use every third lattice point in the second input variable (using Subset of Data), then we can set

```
inputSubsetIdx <- list()
inputSubsetIdx[[1]] <- 1:n1
inputSubsetIdx[[2]] <- seq(1,n2, by=3)
```

Value

A list containing:

MLEsts Maximum likelihood estimates of B-spline coefficients and noise variance.

response Matrix of response.

inputMat Input coordinates in a matrix form

corrModel Correlation function specification used for g(.)

References

Konzen, E., Shi, J. Q. and Wang, Z. (2020) "Modeling Function-Valued Processes with Nonseparable and/or Nonstationary Covariance Structure" <arXiv:1903.09981>.

Examples

```
## See examples in vignette:
# vignette("nsgpr", package = "GPFDA")
```

`nsgprPredict` *NSGP predicion given a vector of hyperparameters*

Description

NSGP predicion given a vector of hyperparameters

Usage

```
nsgprPredict(
  hp,
  response,
  input,
  input.new,
  noiseFreePred = F,
  nBasis = nBasis,
  corrModel = corrModel,
  gamma = gamma,
  nu = nu,
  cyclic = cyclic,
  whichTau = whichTau
)
```

Arguments

`hp`	Vector of hyperparameters estimated by function nsgpr.
`response`	Response variable. This should be a (n x nSamples) matrix where each column is a realisation
`input`	List of Q input variables (see Details).
`input.new`	List of Q test set input variables.
`noiseFreePred`	Logical. If TRUE, predictions will be noise-free.
`nBasis`	Number of B-spline basis functions in each coordinate direction along which parameters change.
`corrModel`	Correlation function specification used for g(.). It can be either "pow.ex" or "matern".
`gamma`	Power parameter used in powered exponential kernel function. It must be 0<gamma<=2.
`nu`	Smoothness parameter of the Matern class. It must be a positive value.
`cyclic`	Logical vector of dimension Q which defines which covariates are cyclic (periodic). For example, if basis functions should be cyclic only in the first coordinate direction, then cyclic=c(T,F). cyclic must have the same dimension of whichTau. If cyclic is TRUE for some coordinate direction, then cyclic B-spline functions will be used and the varying parameters (and their first two derivatives) will match at the boundaries of that coordinate direction.
`whichTau`	Logical vector of dimension Q identifying which input coordinates the parameters are function of. For example, if Q=2 and parameters change only with respect to the first coordinate, then we set whichTau=c(T,F).

Value

A list containing

pred.mean Mean of predictions for the test set.

pred.sd Standard deviation of predictions for the test set.

noiseFreePred Logical. If TRUE, predictions are noise-free.

References

Konzen, E., Shi, J. Q. and Wang, Z. (2020) "Modeling Function-Valued Processes with Nonseparable and/or Nonstationary Covariance Structure" <arXiv:1903.09981>.

Examples

```
## See examples in vignette:
# vignette("nsgpr", package = "GPFDA")
```

`plot.gpfr` *Plot GPFR model for either training or prediction*

Description

Plot GPFR model for either training or prediction

Usage

```
## S3 method for class 'gpfr'
plot(
  x,
  type = c("raw", "meanFunction", "fitted", "prediction"),
  ylab = "y",
  xlab = "t",
  ylim = NULL,
  realisations = NULL,
  ...
)
```

Arguments

`x`	Plot GPFR for training or prediction from a given object of 'gpfr' class.
`type`	Required type of plots. Options are: 'raw', 'meanFunction', 'fitted' and 'prediction'.
`ylab`	Title for the y axis.
`xlab`	Title for the x axis.
`ylim`	Graphical parameter. If NULL (default), it is chosen automatically.

realisations	Index vector identifying which training realisations should be plotted. If NULL (default), all training realisations are plotted. For predictions, 'realisations' should be '0' if no training realisation is to be plotted.
...	Other graphical parameters passed to plot().

Value

A plot.

Examples

```
## See examples in vignette:
# vignette("gpfr", package = "GPFDA")
```

---

plot.gpr *Plot Gaussian Process regression – training and prediction*

Description

Plot Gaussian Process for a given an object of class 'gpr'.

Usage

```
## S3 method for class 'gpr'
plot(
  x,
  fitted = F,
  col.no = 1,
  ylim = NULL,
  realisation = NULL,
  main = NULL,
  cex.points = NULL,
  lwd.points = NULL,
  pch = NULL,
  lwd = NULL,
  ...
)
```

Arguments

x	The 'gpr' object from either training or predicting of the Gaussian Process.
fitted	Logical. Plot fitted values or not. Default to FALSE. If FALSE, plot the predictions.
col.no	Column number of the input matrix. If the input matrix has more than one columns, than one of them will be used in the plot. Default to be the first one.
ylim	Range value for y-axis.

realisation	Integer identifying which realisation should be plotted (if there are multiple).
main	Title for the plot
cex.points	Graphical parameter
lwd.points	Graphical parameter
pch	Graphical parameter
lwd	Graphical parameter
...	Graphical parameters passed to plot().

Value

A plot

Examples

```
## See examples in vignette:
# vignette("gpr_ex1", package = "GPFDA")
```

---

plot.mgpr *Plot predictions of a multivariate Gaussian Process regression model*

Description

Plot predictons of each element of the multivariate Gaussian Process for a given an object of class 'mgpr'.

Usage

```
## S3 method for class 'mgpr'
plot(
  x,
  Data.obs,
  Data.new,
  realisation,
  ylim = NULL,
  mfrow = NULL,
  cex = 2,
  cex.lab = 2,
  cex.axis = 2,
  ...
)
```

Arguments

x	An object of class 'mgpr'
Data.obs	List of observed data
Data.new	List of test data
realisation	Index identifying which realisation should be plotted.
ylim	Range of y-axis
mfrow	Graphical parameter
cex	Graphical parameter
cex.lab	Graphical parameter
cex.axis	Graphical parameter
...	Graphical parameters passed to plot().

Value

A plot showing predictions of each element of the multivariate process.

Examples

```
## See examples in vignette:
# vignette("mgpr", package = "GPFDA")
```

---

plotImage *Draw an image plot for a given two-dimensional input*

Description

Draw an image plot for a given two-dimensional input

Usage

```
plotImage(
  response,
  input,
  realisation = 1,
  n1,
  n2,
  main = " ",
  zlim = NULL,
  cex.axis = 1,
  cex.lab = 2.5,
  legend.cex.axis = 1,
  font.main = 2,
  cex.main = 2,
  legend.width = 2,
```

```
  mar = c(2.1, 2.1, 3.1, 6.1),
  oma = c(0, 1, 0, 0),
  nGrid = 200,
  enlarge_zlim = NULL
)
```

Arguments

response	Data to be plotted (e.g. matrix of predictions)
input	Matrix of two columns representing the input coordinates.
realisation	Integer identifying which realisation should be plotted (if there are multiple).
n1	Number of datapoints in the first coordinate direction
n2	Number of datapoints in the second coordinate direction
main	Title for the plot
zlim	Range of z-axis
cex.axis	Graphical parameter
cex.lab	Graphical parameter
legend.cex.axis	Graphical parameter
font.main	Graphical parameter
cex.main	Graphical parameter
legend.width	Graphical parameter
mar	Graphical parameter
oma	Graphical parameter
nGrid	Dimension of output grid in each coordinate direction
enlarge_zlim	Additional quantity to increase the range of zlim

Value

A plot

Examples

```
## See examples in vignette:
# vignette("gpr_ex2", package = "GPFDA")
```

`plotmgpCovFun` *Plot auto- or cross-covariance function of a multivariate Gaussian process*

Description

Plot auto- or cross-covariance function of a multivariate Gaussian process

Usage

```
plotmgpCovFun(
  type = "Cov",
  output,
  outputp,
  Data,
  hp,
  idx,
  ylim = NULL,
  xlim = NULL
)
```

Arguments

`type`	Logical. It can be either 'Cov' (for covariance function) or 'Cor' (for corresponding correlation function).
`output`	Integer identifying one element of the multivariate process.
`outputp`	Integer identifying one element of the multivariate process. If 'output' and 'outputp' are the same, the auto-covariance function will be plotted. Otherwise, the cross-covariance function between 'output' and 'outputp' will be plotted.
`Data`	List of two elements: 'input' and 'response'. The element 'input' is a list of N vectors, where each vector represents the input covariate values for a particular output. The element 'response' is the corresponding list of N matrices (if there are multiple realisations) or vectors (for a single realisation) representing the response variables.
`hp`	Vector of hyperparameters
`idx`	Index vector identifying to which output the elements of concatenated vectors correspond to.
`ylim`	Graphical parameter
`xlim`	Graphical parameter

Value

A plot

Examples

```
## See examples in vignette:
# vignette("mgpr", package = "GPFDA")
```

`unscaledCorr` *Calculate an unscaled NSGP correlation matrix*

Description

Calculate an unscaled NSGP correlation matrix

Usage

```
unscaledCorr(Dist.mat, corrModel, gamma = NULL, nu = NULL)
```

Arguments

`Dist.mat`	Distance matrix
`corrModel`	Correlation function specification used for g(.). It can be either "pow.ex" or "matern".
`gamma`	Power parameter used in powered exponential kernel function. It must be 0<gamma<=2.
`nu`	Smoothness parameter of the Matern class. It must be a positive value.

Value

A matrix

References

Konzen, E., Shi, J. Q. and Wang, Z. (2020) "Modeling Function-Valued Processes with Nonseparable and/or Nonstationary Covariance Structure" <arXiv:1903.09981>.

Examples

```
## See examples in vignette:
# vignette("nsgpr", package = "GPFDA")
```

Index