




Snabbguide

Skapa en azure sql database



- Create a resource
- Home
- Dashboard
- All services
- FAVORITES
- All resources
- Resource groups
- App Services
- Function App
- SQL databases
- Azure Cosmos DB
- Virtual machines
- Load balancers
- Storage accounts
- Virtual networks
- Azure Active Directory
- Monitor
- Advisor
- Security Center
- Cost Management + Billing
- Help + support


Last updated: a few seconds ago

Azure getting started made easy!

Launch an app of your choice on Azure in a few quick steps

Create DevOps Starter

- #### Quickstarts + tutorials
- Windows Virtual Machines
Provision Windows Server, SQL Server, SharePoint VMs
 - Linux Virtual Machines
Provision Ubuntu, Red Hat, CentOS, SUSE, CoreOS VMs
 - App Service
Create Web Apps using .NET, Java, Node.js, Python, PHP
 - Functions
Process events with a serverless code architecture
 - SQL Database
Managed relational SQL Database as a Service



New

Search the Marketplace

Azure Marketplace [See all](#)Featured [See all](#)[Get started](#)[Recently created](#)[AI + Machine Learning](#)[Analytics](#)[Blockchain](#)[Compute](#)[Containers](#)[Databases](#)[Developer Tools](#)[DevOps](#)[Identity](#)[Integration](#)[Internet of Things](#)[Media](#)[Mixed Reality](#)[IT & Management Tools](#)[Networking](#)

Azure SQL Managed Instance

[Quickstarts + tutorials](#)

SQL Database

[Quickstarts + tutorials](#)

Azure Synapse Analytics (formerly SQL DW)

[Quickstarts + tutorials](#)

Azure Database for MariaDB

[Learn more](#)

Azure Database for MySQL

[Quickstarts + tutorials](#)

Azure Database for PostgreSQL

[Quickstarts + tutorials](#)

Azure Cosmos DB

[Quickstarts + tutorials](#)

SQL Server 2017 Enterprise Windows Server 2016

Dashboard > New >

Create SQL Database

Microsoft

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ Free Trial ✓
Resource group * ⓘ RGROUP ✓
[Create new](#)

Database details

Enter required settings for this database, including picking a logical server and configuring the compute and storage resources

Database name * DatabaseName ✓
Server * ⓘ Select a server ✓
[Create new](#)

✗ The value must not be empty.

Want to use SQL elastic pool? * ⓘ ☐ Yes ☒ No

Compute + storage * ⓘ Please select a server first.
[Configure database](#)

New server

Microsoft

Server name * unique-sqlserver-name ✓
Server admin login * SqlAdmin ✓
Password * ✓
Confirm password * ✓
Location * (Europe) West Europe ✓

Dashboard > New >

Create SQL Database

Microsoft

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ
Free Trial

Resource group * ⓘ
RGROUP
[Create new](#)

Database details

Enter required settings for this database, including picking a logical server and configuring the compute and storage resources

Database name *
DatabaseName ✓

Server * ⓘ
(new) unique-sqlserver-name (West Europe)
[Create new](#)

Want to use SQL elastic pool? * ⓘ
☐ Yes ☒ No

Compute + storage * ⓘ

Standard S0
10 DTUs, 250 GB storage
[Configure database](#)

← OBS!

Configure - Microsoft Azure

https://portal.azure.com/#create/Microsoft.SQLDatabase

Microsoft Azure

Search resources, services, and docs (G+/)

Dashboard > New > Create SQL Database >

Configure

Feedback

Basic

For less demanding workloads

Standard

For workloads with typical performance requirements

Premium

For IO-intensive workloads.

Not available

vCore-based purchasing options

Click here to customize your performance using vCores

DTUs

What is a DTU?

5 (Basic)

Data max size

100 MB

2 GB

2 GB

SQL

Cost summary

Cost per DTU (in SEK)

8.72

DTUs selected

x 5

ESTIMATED COST / MONTH

43.61 SEK

Apply

EPN Sverige AB

LEXICON

Create SQL Database

Microsoft

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ

Free Trial



Resource group * ⓘ

RGROUP

[Create new](#)

Database details

Enter required settings for this database, including picking a logical server and configuring the compute and storage resources

Database name *

DatabaseName



Server * ⓘ

(new) unique-sqlserver-name (West Europe)

[Create new](#)

Want to use SQL elastic pool? * ⓘ



Yes



No

Compute + storage * ⓘ

Basic

2 GB storage

[Configure database](#)[Review + create](#)[Next : Networking >](#)

Dashboard > New >

Create SQL Database

Microsoft

Basics Networking Additional settings Tags Review + create

Product details

SQL database
by Microsoft
[Terms of use](#) | [Privacy policy](#)

Estimated cost per month
43.61 SEK
[View pricing details](#)

Terms

By clicking "Create", I (a) agree to the legal terms and privacy statement(s) associated with the Marketplace offering(s) listed above; (b) authorize Microsoft to bill my current payment method for the fees associated with the offering(s), with the same billing frequency as my Azure subscription; and (c) agree that Microsoft may share my contact, usage and transactional information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. For additional details see [Azure Marketplace Terms](#).

Basics

Subscription	Free Trial
Resource group	RGROUP
Region	West Europe
Database name	DatabaseName
Server	(new) unique-sqlserver-name
Compute + storage	Basic: 2 GB storage

Create < Previous [Download a template for automation](#)

Dashboard >

Microsoft.SQLDatabase.newDatabaseNewServer_e4db6fddb59541eaa65a3 | Overview

- Overview
- Inputs
- Outputs
- Template

Search (Ctrl+/) << Delete Cancel Redeploy Refresh

✔

Your deployment is complete

Deployment name: Microsoft.SQLDatabase.newDatabaseNewServ...

Subscription: [Free Trial](#)

Resource group: [RGROUP](#)


Start time: ed3f9266-8d94-4166-a445-be592abfd0e8

Correlation ID: ed3f9266-8d94-4166-a445-be592abfd0e8

Deployment details [\(Download\)](#)

Next steps

Go to resource



Security Center

Secure your apps and infrastructure

[Go to Azure security center >](#)

Free Microsoft tutorials

[Start learning today >](#)

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

[Find an Azure expert >](#)

Dashboard > Microsoft.SQLDatabase.newDatabaseNewServer_e4db6fddb59541eaa65a3 | Overview >

DatabaseName (unique-sqlserver-name/DatabaseName)

SQL database

Search (Ctrl+)

- Copy
- Restore
- Export
- Set server firewall**
- Delete
- Connect with...
- Feedback

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Quick start
- Query editor (preview)

- Power Platform
- Power BI (preview)
 - Power Apps (preview)
 - Power Automate (preview)


- Settings
- Configure
 - Geo-Replication
 - Connection strings
 - Sync to other databases
 - Add Azure Search
 - Properties

Resource group (change)	: RGROUP	Server name	: unique-sqlserver-name.database.windows.net
Status	: Online	Elastic pool	: No elastic pool
Location	: West Europe	Connection strings	: Show database connection strings
Subscription (change)	: Free Trial	Pricing tier	: Basic
Subscription ID	: 881b6d88-33ad-42ff-a833-9d8630e66a58	Earliest restore point	: No restore point available
Tags (change)	: Click here to add tags		

Show data for last: 1 hour 24 hours 7 days Aggregation type: Max




Compute utilization






Firewall settings

unique-sqlserver-name (SQL server)

 Save  Discard  Add client IP

Deny public network access  Yes **No**


 Setting to **Yes** allows connections via approved private endpoint only and disables any existing firewall rules. [Learn more.](#)

Minimal TLS Version  > 1.0 > 1.1 **> 1.2**

 You are setting the Minimal TLS Version property for all SQL Database and SQL Data Warehouse databases associated with the server. Any login attempts from clients using TLS version less than the Minimal TLS Version shall be rejected.

Connection Policy  **Default** Proxy Redirect

Allow Azure services and resources to access this server Yes **No**

 Connections from the IPs specified below provides access to all the databases in unique-sqlserver-name.

Client IP address

Rule name	Start IP	End IP
AllowAll 	0.0.0.0 	255.255.255.255 

Dashboard >

SQL DatabaseName (unique-sqlserver-name/DatabaseName) 🔗

SQL database

✕

🔍 Search (Ctrl+/) << 📄 Copy ↺ Restore ⬆️ Export 🛡️ Set server firewall 🗑️ Delete 🔑 Connect with... ❤️ Feedback

📄 Overview

📄 Activity log

🏷️ Tags

🔧 Diagnose and solve problems

🚀 Quick start

🔍 Query editor (preview)

Resource group (change)	: RGROUP	Server name	: unique-sqlserver-name.database.windows.net
Status	: Online	Elastic pool	: No elastic pool
Location	: West Europe	Connection strings	: Show database connection strings
Subscription (change)	: Free Trial	Pricing tier	: Basic
Subscription ID	: 881b6d88-33ad-42ff-a833-9d8630e66a58	Earliest restore point	: 2020-06-08 23:39 UTC
Tags (change)	: Click here to add tags		

Power Platform

📊 Power BI (previ

🔗 Power Apps (pr

📄 Power Automate

Settings

⚙️ Configure

🌐 Geo-Replication

🔗 Connection stri

🔄 Sync to other databases

🔗 Add Azure Search

📄 Properties

🔒 Locks

*Untitled - Notepad

File Edit Format View Help

SERVER NAME:
unique-sqlserver-name.database.windows.net

Ln 4, Col 1 100% Windows (CRLF) UTF-8

DTU percentage (Max)
unique-sqlserver-name/databaseName

20%
10%
0%

12:30 PM 12:45 PM 1 PM 1:15 PM

DatabaseName (unique-sqlserve x +

← → ↺ 🔒 https://portal.azure.com/#@34e9a1f3-23e1-4ead-b2fd-41660c25cc47/resource/subscriptions/881b6d88-33ad-42ff-a833-9d8630...

Microsoft Azure 🔍 Search resources, services, and docs (G+)

Dashboard >

DatabaseName (unique-sqlserver-name/DatabaseName) | Connection strings SQL database

🔍 Search (Ctrl+ /)

Overview

Activity log

Tags

🔧 Diagnose and solve problems

👤 Quick start

📝 Query editor (preview)

Power Platform

📊 Power BI (preview)

📱 Power Apps (preview)

🔄 Power Automate (preview)

Settings

⚙️ Configure

🌐 Geo-Replication

🔗 Connection strings

🔄 Sync to other databases

🔍 Add Azure Search

📄 Properties

ADO.NET JDBC ODBC PHP Go

ADO.NET (SQL authentication)

Server=tcp:unique-sqlserver-name.database.windows.net,1433;Initial Catalog=DatabaseName;Persist Security Info=False;User ID=SqlAdmin;Password={your_password};MultipleActiveResultSets=False;Encrypt=True;TrustServerCertificate=False;Connection Timeout=30;

Download ADO.NET driver for SQL server

*Untitled - Notepad

File Edit Format View Help

SERVER NAME:
unique-sqlserver-name.database.windows.net

CONNECTION STRINGS:
Server=tcp:unique-sqlserver-name.database.windows.net,1433;Initial Catalog=DatabaseName;Persist Security Info=False;User ID=SqlAdmin;Password={your_password};MultipleActiveResultSets=False;Encrypt=True;TrustServerCertificate=False;Connection Timeout=30;

Ln 5, Col 254 100% Windows (CRLF) UTF-8

EPN Sverige AB

LEXICON

https://portal.azure.com/#@34e9a1f3-23e1-4ead-b2fd-41660c25cc47/resource/subscriptions/881b6d88-33ad-42ff-a833-9d8630e66a58/resourceGroups/RGROUP/providers/Microsoft.Sql/servers/unique-sqlserver-name/databases/DatabaseName/connectionStrings

DatabaseName (unique-sqlserve x +

← → ↺ 🔒 https://portal.azure.com/#@34e9a1f3-23e1-4ead-b2fd-41660c25cc47/resource/subscriptions/881b6d88-33ad-42ff-a833-9d8630... ☆ 📶 🔌 🏠 📄 📁 ⋮

☰ Microsoft Azure 🔍 Search resources, services, and docs (G+)

Dashboard >

🔗 DatabaseName (unique-sqlserver-name/DatabaseName) | Connection strings

SQL database

🔍 Search (Ctrl+ /)

⏪

ADO.NET

JDBC

ODBC

PHP

Go

ADO.NET (SQL authentication)

Server=tcp:unique-sqlserver-name.database.windows.net,1433;Initial Catalog=DatabaseName;Persist Security Info=False;User ID=SqlAdmin;Password={your_password};MultipleActiveResultSets=False;Encrypt=True;TrustServerCertificate=False;Connection Timeout=30;

Download ADO.NET driver for SQL server

Overview

Activity log

Tags

🔧 Diagnose and solve problems

👤 Quick start

🔍 Query editor (preview)

Power Platform

📊 Power BI (preview)

🔗 Power Apps (preview)

🔄 Power Automate (preview)

Settings

⚙️ Configure

🌐 Geo-Replication

🔗 Connection strings

🔄 Sync to other databases

☁️ Add Azure Search

📋 Properties

🔒 Locks

*Untitled - Notepad

File Edit Format View Help

SERVER NAME:
unique-sqlserver-name.database.windows.net

CONNECTION STRINGS:
Server=tcp:unique-sqlserver-name.database.windows.net,1433;Initial Catalog=DatabaseName;Persist Security Info=False;User ID=SqlAdmin;Password=BytMig123;MultipleActiveResultSets=Fa;

Ln 5, Col 134 100% Windows (CRLF) UTF-8

EPN Sverige AB LEXICON