

# Energy Footprint of Mobile communications in the 21st century

Andreas Nicklaus

12. Februar 2024, Hochschule der Medien, Stuttgart

## Zusammenfassung

deutsche Version

## Abstract

englische Version

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>Related Work</b>	<b>2</b>
<b>3</b>	<b>environmental footprint</b>	<b>3</b>
3.1	Indicators for environmental footprint . . . . .	3
3.2	Relevancy of indicators . . . . .	3
<b>4</b>	<b>Influence of mobile communication on national power consumption</b>	<b>5</b>
4.1	National energy data of Germany . . . . .	5
4.2	Base Stations . . . . .	6
4.3	User Equipment . . . . .	6
<b>5</b>	<b>Sources of energy consumption</b>	<b>6</b>
5.1	Base Stations . . . . .	6
5.2	User Equipment . . . . .	6
<b>6</b>	<b>Energy saving opportunities</b>	<b>6</b>
6.1	Giga-MIMO . . . . .	6
6.2	NR-Light . . . . .	6
6.3	Reduced Capability NR . . . . .	6
6.4	Sidelink enhancements . . . . .	6
6.5	Sleep Modes . . . . .	6
<b>7</b>	<b>Conclusion</b>	<b>6</b>
<b>A</b>	<b>Acronyms</b>	<b>7</b>
<b>B</b>	<b>References</b>	<b>7</b>

# 1 Introduction

Since around 2010, mobile communication has been a vital part of everyday-life for most of the western world. In 2007, we saw the launch of the iPhone, arguably one of the most influential inventions in the mobile market ever. With the introduction of 4G in late 2009 came a massive increase in mobile communication over the internet. For almost one and a half decades, more and more technology has been invented for the mobile phone market.

In addition, the Oculus Rift has ushered in the reincarnation of the idea of Virtual Reality and spacial computing, plainly meaning the usage of 3D-space as a way to distribute user interfaces. More and more, we rely on small, wireless devices with a sleek, modern and fashionable design and people seem to keep buying in. With that in mind, most mobile UE has had one spatial constraint that has so far never been overcome: Battery life and usage breaks to recharge at a wall socket. This paper focuses on the effectiveness of energy consumption in respect to the overall environmental impact of modern mobile communications. To this end, the following chapter 2 summarizes other work done in the field and its topics. Chapter 3 introduces a definition of environmental footprint and its relevance to this topic. The chapters 4 and 5 go into detail about the energy production and consumption in Germany both in general and related to mobile communications. Chapter 6 then names a few opportunities for saving energy.

# 2 Related Work

When inspecting the relevance of mobile communications within the global energy market, one can only rely on data given out by nations or leagues of nations. [Umwelt Bundesamt, 2024a] gives a summary of the electricity consumption in Germany by year and [DESTATIS Statistisches Bundesamt, 2023a] shows the production of electrical power between 2019 and 2022 by energy source.

[Bayerisches Landesamt für Umwelt, 2024] lists generalized indicators for environmental impact. These indicators are meant to help analyze the effect of any product or project on the environment.

The whitepaper [Huawei Technologies, 2019] is a technical report on the state of BS and gives insight into the power consumption of BS as a whole and parts. The paper also outlines challenges for the construction of site power supply and gives pointers to what efficient power saving strategies could do.

[Shurdi et al., 2021] describe the energy consumption and efficiency of BS in detail and examines the power consumption of switching between a sleep state and an active state.

[Shen et al., 2022] outline the technical changes going from 4G to 5G

infrastructure. Based on those findings, they propose multiple sleep mode switching policies and gives a comparison between them.

### **3 environmental footprint**

This chapter gives an outline of the meaning of environmental impact and the metrics for it. First, the section 3.1 summarizes the indicators factoring into the effect on the environment. Second, the section 3.2 gives first answers to the relevancy of those indicators and interprets why some indicators are more relevant to this topic than others.

#### **3.1 Indicators for environmental footprint**

When we want to analyze the impact something has on the environment, we need to have consistent metrics to give values to and compare. [Bayerisches Landesamt für Umwelt, 2024] gives 27 general indicators as to what those metrics have to reflect on and are grouped into four categories. Table 1 show all indicators within its category.

For this paper, these indicators will be used to narrow down the topic down to the most relevant factors.

#### **3.2 Relevancy of indicators**

On the topic of mobile communications in general, all indicators of the category „Nature and landscape“ can be ignore due to the fact that they are not applicable to either BS, cable laying to and from those BS or the UE.

From the category „Climate and Energy“, the indicator Climate change and vegetation development will be ignored due to the BS’ signal outputs’ unproven significance on the vegetation. The effect of BS on the climate change is only noticable through the usage of electicity which is inspected under the other indicators of the category.

The category „Environment and health“ only yields the relevant indicators air quality and noise pullution, both mainly dependent on the energy source of BS and UE. The other indicators of the category will be ignore because they are not applicable to mobile communications. The positive effect that mobile communications might have towards the management of traffic and both freight and public transport are not inspected in this paper.

This paper assumes that only a insignificant number of BS are built on agricultural land and that once built these BS produce next to no waste at all. Therefore the indicators waste generation and organic farming can be left out of this paper. All other indicators from the category „Resources and efficiency“ are applicable to the build site and lifecycle of BS and UE and are applicable to mobile communications.

<b>Climate and Energy</b>	<b>Nature and landscape</b>	<b>Environment and health</b>	<b>Resources and efficiency</b>
Climate change and vegetation development	Landscape fragmentation	<i>Air quality</i>	Waste generation
<i>Carbon dioxide emissions</i>	Species diversity and landscape quality	<i>Noise pollution</i>	<i>Recycling rate</i>
<i>Energy consumption</i>	Red List species	Road traffic noise	<i>Resource productivity</i>
<i>Renewable energies</i>	Area for nature conservation objectives	Freight transport performance	Organic farming
	Agricultural land with high nature value	Local public transport	<i>Settlement and traffic area</i>
	Forest condition	Nitrate in groundwater	<i>Land use</i>
	Acidity and nitrogen input	Heavy metal input	<i>Contaminated sites</i>
	Nitrogen surplus		
	Ecological status of surface waters		

Table 1: 27 Environmental Indicators [Bayerisches Landesamt für Umwelt, 2024], italics are relevant to mobile communications

The indicators „Carbon dioxide emissions“, „Air quality“ and „Noise pollution“ all boil down the source of electrical power of the base station and UE. [Huawei Technologies, 2019] implicates that near all BS use whatever electrical power they can get on-site and have lithium-ion batteries for emergency-power. With that electrical equipment the effect of those three indicators are dependent on the source on the power grid and therefore dependent on the indicators „Energy consumption“ of the equipment and the „Renewable energies“ produces for the power grid of the region.

„Settlement and traffic area“, „Land use“ and „Contaminated sites“ come down the the area that build site of BS. [Deutsche Funkturm, 2024] states in its advertisement for new build site of BS „Around ten square meters of technical space is required to operate a radio station on the roof, and around 150 square meters of floor space or technical space is required for a mast“. Because it is possible to use already developed areas and effect on

the above mentioned indicators is not caused by the building of new BS, the effect of BS can be considered nonexistent.

This means that only four of the 27 indicators are relevant to mobile communications:

1. **Energy consumption:** Energy, electrical and other, consumed per consumer unit and consumption time. Usually measured in kWh per person and year.
2. **Renewable energies:** Share of renewable energy in energy consumption and production (assumed to be equal here).
3. **Recycling rate:** Share of recycled materials in total waste generation.
4. **Resource productivity:** Ratio of gross domestic product to primary energy consumption or raw material consumption in relation to a base year.

The upcoming chapters will only cover those four topics.

## 4 Influence of mobile communication on national power consumption

Having narrowed down the topic of environmental impact of mobile communications down to the power consumed by the equipment and the resources used in production and after usage, this chapter aims to give comparison and numbers filling in the indicators of chapter 3. For the comparison, the assumption is made that the usage and production of base stations is similar around the world although for the energy consumption and production, the mobile communications and energy markets of only Germany will be inspected.

### 4.1 National energy data of Germany

In the year 2022, 573.1 TWh of electricity were produced gross, close to 2% less than the three-year average of ca. 584.06 TWh in 2019-2022. Of that, 254 TWh (44%) were produced using renewable energy sources, mainly wind power and photovoltaics [DESTATIS Statistisches Bundesamt, 2023a]. Over the whole year 2022, 11,01% (63,1 TWh) of the green feed-in were imported [DESTATIS Statistisches Bundesamt, 2024b]. In the third quartal of 2022, 10.99% (13 of 118.2 TWh) have been imported and 16 TWh have been exported. The third quartal of 2023 showed an increase of imported feed-in to 23.1 TWh and 9.9 TWh exported power [DESTATIS Statistisches Bundesamt, 2023d].

In 2022, 552 TWh have been consumed gross [Umwelt Bundesamt, 2024a] and 490.6 TWh net [Statista, 2024]. Of the gross consumption, 46% have been from renewable energy sources [Umwelt Bundesamt, 2024a].

#### **4.2 Base Stations**

#### **4.3 User Equipment**

### **5 Sources of energy consumption**

#### **5.1 Base Stations**

#### **5.2 User Equipment**

### **6 Energy saving opportunities**

#### **6.1 Giga-MIMO**

#### **6.2 NR-Light**

#### **6.3 Reduced Capability NR**

#### **6.4 Sidelink enhancements**

#### **6.5 Sleep Modes**

### **7 Conclusion**

## A Acronyms

**BS** Radio Base Station.

**UE** User Equipment.

## B References

3GPP Release 17: Completing the first phase of the 5G evolution. Technical report, Qualcomm, March 2022.

5G mmWave - Unlocking the Full Potential of 5G. Technical report, GSMA, 2022.

3GPP. Digital cellular telecommunications system (Phase 2+) (GSM); Universal Mobile Telecommunications System (UMTS); LTE; 5G; Control and monitoring of Power, Energy and Environmental (PEE) parameters Integration Reference Point (IRP); Requirements (3GPP TS 28.304 version 17.0.0 Release 17). Technical report, April 2022.

Omar Dawood Sulaiman Al-Gburi. General Overview of 4G and 5G with Field Measurements and Performance Comparison. Master’s thesis, Tampere University, March 2021.

Zaiwar Ali, Lei Jiao, Thar Baker, Ghulam Abbas, Ziaul Haq Abbas, and Sadia Khaf. A Deep Learning Approach for Energy Efficient Computational Offloading in Mobile Edge Computing. *IEEE Access*, 7:149623–149633, 2019. ISSN 2169-3536. doi: 10.1109/ACCESS.2019.2947053.

Manly Battery. 5G-Basisstation Anwendung von Lithium-Eisen-Phosphat-Batterie Vorteile rollende Blei-Säure-Batterien, January 2021. URL <https://de.manly-battery.com/info/5g-base-station-application-of-lithium-iron-ph-53504656.html>.

Bayerisches Landesamt für Umwelt. Alle Umweltindikatoren auf einen Blick, January 2024. URL [https://www.lfu.bayern.de/umweltdaten/indikatoren/liste\\_indikatoren/index.htm](https://www.lfu.bayern.de/umweltdaten/indikatoren/liste_indikatoren/index.htm).

- Helge Buchheister. 5G jetzt für 90 Prozent der Bevölkerung. *Vodafone Newsroom*, August 2023.
- Bundesnetzagentur. Frequenzauktion 2019, 2019a. URL <https://www.bundesnetzagentur.de/DE/Fachthemen/Telekommunikation/Breitband/MobilesBreitband/Frequenzauktion/2019/Auktion2019-node.html>.
- Bundesnetzagentur. Frequenzauktionauswertung 2019, 2019b. URL [https://www.bundesnetzagentur.de/\\_tools/FrequenzXml/Auktion2019\\_XML/497.html](https://www.bundesnetzagentur.de/_tools/FrequenzXml/Auktion2019_XML/497.html).
- Bundesnetzagentur. Marktdatenvisualisierung, January 2024a. URL <https://www.smard.de/page/home/marktdaten/78>.
- Bundesnetzagentur. Mobiles Breitband, 2024b. URL <https://www.bundesnetzagentur.de/DE/Fachthemen/Telekommunikation/Frequenzen/OeffentlicheNetze/Mobilfunknetze/mobilfunknetze-node.html>.
- Bundesnetzagentur. Mobilfunk-Monitoring Karte, January 2024c. URL <https://gigabitgrundbuch.bund.de/GIGA/DE/MobilfunkMonitoring/Vollbild/start.html>.
- Kuo-Chi Chang, Kai-Chun Chu, Hsiao-Chuan Wang, Yuh-Chung Lin, and Jeng-Shyang Pan. Energy saving technology of 5g base station based on internet of things collaborative control. *IEEE Access*, 8:32935–32946, 2020. ISSN 2169-3536. doi: 10.1109/ACCESS.2020.2973648.
- DESTATIS Statistisches Bundesamt. Bruttostromerzeugung in deutschland, April 2023a. URL <https://www.destatis.de/DE/Themen/Branchen-Unternehmen/Energie/Erzeugung/Tabellen/bruttostromerzeugung.html>.
- DESTATIS Statistisches Bundesamt. Bruttostromerzeugung 2022, 2023b. URL [https://www.destatis.de/DE/Themen/Branchen-Unternehmen/Energie/\\_Grafik/\\_Interaktiv/bruttostromerzeugung-erneuerbare-energien.html](https://www.destatis.de/DE/Themen/Branchen-Unternehmen/Energie/_Grafik/_Interaktiv/bruttostromerzeugung-erneuerbare-energien.html).
- DESTATIS Statistisches Bundesamt. Stromverbrauch der privaten Haushalte nach Haushaltsgrößenklassen, September 2023c. URL <https://www.destatis.de/DE/Themen/Gesellschaft-Umwelt/Umwelt/UGR/private-haushalte/Tabellen/stromverbrauch-haushalte.html>.
- DESTATIS Statistisches Bundesamt. Stromerzeugung im 3. Quartal 2023: Ein Fünftel weniger Strom als im Vorjahresquartal, December 2023d. URL [https://www.destatis.de/DE/Presse/Pressemitteilungen/2023/12/PD23\\_462\\_43312.html](https://www.destatis.de/DE/Presse/Pressemitteilungen/2023/12/PD23_462_43312.html).



- DESTATIS Statistisches Bundesamt. Bruttostromerzeugung nach Energieträgern in Deutschland ab 1990, 2024a. URL <https://www.destatis.de/DE/Themen/Branchen-Unternehmen/Energie/Erzeugung/bar-chart-race.html>.
- DESTATIS Statistisches Bundesamt. Energieerzeugung, January 2024b. URL [https://www.destatis.de/DE/Themen/Branchen-Unternehmen/Energie/Erzeugung/\\_inhalt.html](https://www.destatis.de/DE/Themen/Branchen-Unternehmen/Energie/Erzeugung/_inhalt.html).
- Deutsche Funkturm. Mobilfunkausbau unterstützen - Antennenstandort anbieten, February 2024. URL <https://www.dfmg.de/de/ihr-standortangebot-an-uns/anmietung-von-flaechen.html>.
- Huawei Technologies. 5G Power Whitepaper. Technical report, HUAWEI TECHNOLOGIES CO., LTD, February 2019.
- Josip Lorincz, Tonko Garma, and Goran Petrovic. Measurements and Modelling of Base Station Power Consumption under Real Traffic Loads. *Sensors*, 12(4):4281–4310, 2012. ISSN 1424-8220. doi: 10.3390/s120404281. URL <https://www.mdpi.com/1424-8220/12/4/4281>.
- Xiaoyan Ma, Yunfei Mu, Zhe Liu, Xinyang Jiang, Jiarui Zhang, and Yi Gao. Energy consumption optimization of 5G base stations considering variable threshold sleep mechanism. *Energy Reports*, 9:34–42, 2023. ISSN 2352-4847. doi: <https://doi.org/10.1016/j.egy.2023.04.026>. URL <https://www.sciencedirect.com/science/article/pii/S2352484723003876>. 2023 the 7th International Conference on Energy and Environmental Science.
- Qualcomm. 5 key technology inventions in 5G NR Release 17, April 2022. URL <https://www.qualcomm.com/news/onq/2022/04/5-key-technology-inventions-5g-nr-release-17>.
- Qualcomm. Everything you need to know about 5G., January 2024. URL <https://www.qualcomm.com/5g/what-is-5g>.
- Fatma Ezzahra Salem, Tijani Chahed, Zwi Altman, and Azeddine Gati. Traffic-aware Advanced Sleep Modes management in 5G networks. In *2019 IEEE Wireless Communications and Networking Conference (WCNC)*, pages 1–6, April 2019. doi: 10.1109/WCNC.2019.8886051.
- Pengfei Shen, Yulin Shao, Qi Cao, and Lu Lu. Dynamic gNodeB Sleep Control for Energy-Conserving 5G Radio Access Network, 2022.
- Olimpjon Shurdi, Luan Ruci, Aleksander Biberaj, and Genci Mesi. 5G Energy Efficiency Overview. *European Scientific Journal, ESJ*, 17(3):315, Jan. 2021. doi: 10.19044/esj.2021.v17n3p315. URL <https://eujournal.org/index.php/esj/article/view/13918>.

- Statista. Nettostromverbrauch in Deutschland in den Jahren 1991 bis 2022, January 2024. URL <https://de.statista.com/statistik/daten/studie/164149/umfrage/netto-stromverbrauch-in-deutschland-seit-1999/>.
- Alain Sultan. 5G System Overview, August 2022. URL <https://www.3gpp.org/technologies/5g-system-overview>.
- Telefónica Deutschland. Mobilfunkstandards, January 2024. URL <https://www.telefonica.de/netze/mobilfunknetz/standards.html>.
- Umwelt Bundesamt. Stromverbrauch, January 2024a. URL <https://www.umweltbundesamt.de/daten/energie/stromverbrauch>.
- Umwelt Bundesamt. Umweltbelastung, January 2024b. URL [https://sns.uba.de/umthes/de/concepts/\\_00025128.html](https://sns.uba.de/umthes/de/concepts/_00025128.html).
- Muhammad Usama and Melike Erol-Kantarci. A Survey on Recent Trends and Open Issues in Energy Efficiency of 5G. *Sensors*, 19(14), 2019. ISSN 1424-8220. doi: 10.3390/s19143126. URL <https://www.mdpi.com/1424-8220/19/14/3126>.
- Anne Weißbach. Stromverbrauch im Haushalt, January 2023. URL <https://www.stromspiegel.de/stromverbrauch-verstehen/stromverbrauch-im-haushalt/>.
- Ming Yan, Chien Aun Chan, André F. Gygax, Jinyao Yan, Leith Campbell, Ampalavanapillai Nirmalathas, and Christopher Leckie. Modeling the Total Energy Consumption of Mobile Network Services and Applications. *Energies*, 12(1), 2019. ISSN 1996-1073. doi: 10.3390/en12010184. URL <https://www.mdpi.com/1996-1073/12/1/184>.
- De-Gan Zhang, Lu Chen, Jie Zhang, Jie Chen, Ting Zhang, Ya-Meng Tang, and Jian-Ning Qiu. A Multi-Path Routing Protocol Based on Link Lifetime and Energy Consumption Prediction for Mobile Edge Computing. *IEEE Access*, 8:69058–69071, 2020. ISSN 2169-3536. doi: 10.1109/ACCESS.2020.2986078.
- Xu Zhu. Breaking the energy curve: Network energy consumption modeling and energy saving technologies, August 2023. URL <https://www.ericsson.com/en/blog/2023/8/breaking-the-energy-curve>.