

BAGEL SHOP OPERATING SYSTEM

Version: #3 Last Updated: 20/07/26 Responsible: Andrea Guerra

1. INTRODUCTION

1.1 WELCOME MESSAGE

At ---- you will become part of a culture that honors the authentic New York–style bagel tradition and, at the same time, stands out for its commitment to quality, customer experience, and well-executed work. You will be part of a dedicated, collaborative team that is always willing to offer support.

At -----, we believe that our success is built on fundamental values: respect, teamwork, a positive attitude, and curiosity. These values guide every interaction, every process, and every service we provide. They are the foundation that allows us to maintain high standards, innovate, preserve our tradition.



Business picture , values

Figure 1.1:Image of business.

1.2 VALUES AND PRINCIPLES

1.3 SERVICE CULTURE

At ----, we believe that every guest is equally important. For this reason, our commitment is to offer not only exceptional service, but an authentic and memorable experience. Our service culture is based on always maintaining a positive attitude, ensuring high quality standards, preserving cleanliness in every area, and showing full willingness to help.

We make sure that each customer receives not only the correct quantity, but also the quality that represents our brand. And in the event of any inconvenience, we act efficiently, respectfully, and with a solution-oriented mindset,

always keeping the customer experience as a priority.

1.4 MANUAL'S OBJECTIVE

This manual has been designed to help you understand the correct way to achieve every task you face in the most efficient way, making sure we are honoring the good quality that represents us. Here you will find instructions and visual guidelines for each and every station, alongside some tips to work in the most safe and organized way keeping an eye on detail. We hope this manual offers all the tools you will need to integrate to our team.

1.5 HOW TO CORRECTLY USE THIS MANUAL

This manual has been created to provide you with all the necessary information for the proper use of equipment and the correct execution of procedures that ensure a product that meets the business standards. Here you will find a complete guide that covers everything from dress code guidelines and schedules, to the structure of each station, the corresponding tasks and responsibilities, and the essential hygiene protocols to prevent accidents and protect the health of both the team and our guests.

Our goal is for you to have a clear, useful, and reliable tool that supports your development within the company and helps you perform safe, efficient, and high-quality work.

2. EMPLOYEES GENERAL INFORMATION

2.1 DRESS CODE & UNIFORM STANDARDS

Proper attire in a food-related work environment is essential to guarantee the hygiene and safety of the products being handled. When working with food, it is crucial to avoid any type of contamination. A well-defined dress code includes the use of specific items such as clean aprons and appropriate footwear that minimizes the risk of accidents. The uniform consists of:



Figure 2.1: Official Uniform Anatomy. Clean branded shirt, tied hair, properly fastened apron, and non-slip closed-toe safety footwear.

🛡️ PRE-SHIFT UNIFORM INSPECTION CHECKLIST

- ☐ **Footwear:** Appropriate and comfortable footwear. Non-slip and closed-toe is the only allowed option.
- ☐ **Pants:** Long, comfortable, and completely clean pants.
- ☐ **Shirt:** Wearing the official corporate team shirt at all times during the shift.
- ☐ **Apron:** A spotless, clean apron applied and tied correctly.
- ☐ **Hair & Grooming:** Hair tied back completely to prevent any physical contamination in food.
- ☐ **Nails:** Kept short, neat, trimmed, and perfectly clean.
- ☐ **Hygiene:** Excellent personal hygiene before stepping onto the line.
- ☐ **Zero Accessories Law:** Absolutely no rings, bracelets, smartwatches, or necklaces allowed on the line.

2.2 PERSONAL PRESENTATION AND HYGIENE

Personal hygiene is a fundamental pillar in the kitchen area, especially because we work directly with food and must ensure its safe handling at all times. Maintaining excellent presentation not only covers professionalism, but also prevents contamination risks and ensures the quality of our products.

All team members must come to work with their hair properly tied back to prevent it from falling into food, as well as keeping their nails short and clean. These basic practices are essential to preserving food safety and preventing accidents or unhygienic situations. The way you present yourself directly influences the customer’s trust and perception, in addition to being an essential requirement for ensuring a safety and professional work environment.

2.3 SCHEDULES AND PUNCTUALITY

Service begins at ----, but the start time may vary depending on the station to which you are assigned. These variations may also be adjusted depending on the season. To know your specific schedule, it is recommended to contact your manager directly, who will provide the exact information. Below is a chart that offers a general reference of the entry times by station:

STATION	--- AM	--- AM	--- AM	--- AM
BAKER	✓			
COOK		✓		
PREP		✓		
CASHIER 1		✓		
CASHIER 2			✓	
CASHIER 3				✓
DOUGH				✓

2.4 CONDUCT

Promoting a positive attitude, willingness to learn, and effective communication are essential qualities we look for in our team. It is important to understand that, as a small establishment with high demand, we work as a united team where each person’s contribution is equally valuable. No position or task is more important than another. Every

station is a fundamental part of what the business represents. For this reason, we encourage you to respect both your coworkers and the different stations and equipment you work with, as together we contribute to the success of the team.

2.5 USE OF CELL PHONES AND DEVICES

⚠ **CRITICAL POLICY: DEVICE RESTRICTION**

The use of cell phones, electronic devices, and/or headphones (including EarPods) is **strictly prohibited during service**. These may only be used during break periods or in emergency situations with prior authorization. **Under no circumstances** is the use of these devices allowed on the work line, on preparation surfaces, or while handling any type of food. This measure ensures the safety, hygiene, and concentration necessary to provide quality service and maintain the integrity of our operational standards.

2.6 INTERNAL COMMUNICATION PROTOCOL

Good communication is essential to maintaining a healthy work environment and ensuring the proper functioning of the team. Effective, clear, and respectful communication among all team members is fundamental for daily performance.

Team Member



Manager on Duty



Owner / General Manager

3. HYGIENE AND SAFETY STANDARDS


3.1 HANDWASHING

Handwashing is an essential practice in the food industry, especially when handling ready-to-eat food. It must be part of your daily routine from the moment you arrive at the establishment.

WC THE RESTROOM DOUBLE-WASH RULE

After using the restroom, it is **mandatory to wash your hands twice**: first inside the restroom, and again immediately upon returning to your workstation. Likewise, you must wash your hands every time you touch your clothing, face, or any object unrelated to kitchen tools and ingredients.

Correct Procedure for Effective Handwashing:




3.2 USE OF GLOVES

Proper glove use is just as important as proper handwashing. Food, whether raw or ready to eat, must not be handled directly with bare hands, even if they have just been washed. The use of gloves does not replace handwashing; on the contrary, it is an additional and mandatory step within the hygiene and safe food-handling process. Their correct use helps prevent cross-contamination and ensures the safety of the product we offer to our guests.

3.3 CLEANING OF SURFACES

Proper cleaning of your workstation is essential to ensure food safety and maintain Village Bagel's quality standards. All surfaces where food is handled must be spotless before starting your shift, as we cannot always know whether they were used or cleaned properly by the previous team.



Throughout the workday, **every time you change activities or handle different ingredients**, you must repeat the cleaning and sanitizing process. This prevents cross-contamination, which occurs when residues or bacteria from different foods mix and potentially compromise both product safety and customer health. Consistency and correct execution of these steps are essential to maintaining a hygienic, organized, and professional environment at all times.

3.4 HANDLING RAW EGGS

Working with raw eggs requires special care. Because they may contain *Salmonella enteritidis*, it is essential that we follow strict procedures to ensure food safety.

MANDATORY RAW EGG PROTOCOLS

- **Use of Pasteurized Eggs:** Whenever possible, we use pasteurized eggs. This significantly reduces the risk of pathogens without altering the flavor or functionality of the egg. If shell eggs are used and they have not been treated to eliminate *Salmonella*, they must be kept refrigerated at 7 °C (45 °F) or below.
- **Receiving and Storage:** Make sure to receive eggs from a reliable supplier, with cartons in good condition and without cracks or dirt on the shells. Store eggs in their original container inside the refrigerator, at a temperature of 40 °F (≈ 4 °C) or below.
- **Preparation and Handling:** Designate a specific area for working with raw eggs, clean and free of other ingredients, to prevent splashes or cross-contamination. Use clean utensils, preferably separate ones for raw eggs and other foods. Use a sanitized egg separator to prevent the shell from contaminating the contents, as the surface of the shell may harbor bacteria. If the work area becomes splashed, clean it immediately with a clean cloth and an appropriate SANITIZER.
- **Cleaning After Handling:** Wash all tools (whisks, containers, separators, etc.) with hot water and soap before and after handling raw eggs. Sanitize surfaces and utensils to reduce the risk of cross-contamination.
- **Special Precautions:** Never use cracked or dirty eggs; discard them immediately. ****It is not recommended to wash the egg shell before cracking it:**** wetting the shell can make it easier for bacteria to enter through its pores. If preparing foods that contain raw or lightly cooked eggs (e.g., egg-based dressings), consider acidification techniques (lemon or vinegar) to inhibit the growth of *Salmonella*, although this does not completely eliminate the risk. Clearly inform customers when a dish contains raw or lightly cooked egg, especially if the public may include vulnerable individuals.

3.5 TEMPERATURE CONTROL

1. **Refrigerator Temperature:** Refrigeration equipment must be kept at a maximum temperature of 7 °C (44.6 °F). A thermometer or temperature-recording device must be placed in an accessible location for constant

- monitoring. Refrigerators must not be overfilled, and the door should be closed as quickly as possible to maintain uniform temperature.
2. **Danger Zone:** There is a temperature range in which pathogenic bacteria grow rapidly: **between 4 °C (≈ 40 °F) and 60 °C (≈ 140 °F)**. It is essential to avoid leaving food in this zone for extended periods.
 3. **Hot and Cold Ready-to-Serve Foods:** Hot foods must be maintained at ≥ 60 °C (140 °F). Cold foods must be kept at ≤ 7 °C, according to NOM-251. If foods are reheated, their internal temperature must reach at least 74 °C (165 °F).
 4. **Safe Thawing:** Thawing should never be done at room temperature. It should preferably be done in refrigeration, by cooking, or in the microwave. If water is used for thawing, it must be done under cold running water, avoiding stagnant water. According to good practices, thawed foods must not be refrozen.
 5. **Control in Cleaning and Washing Utensils:** Equipment and utensils that come into contact with food must be properly washed and sanitized. For temperature-based sanitation, some procedures indicate submerging utensils in hot water between 75 °C and 82 °C for at least 30 seconds. It is important to ensure that there is no water accumulation in refrigeration equipment to avoid risks.
 6. **Water for Handwashing and Surface Cleaning:** Potable hot and cold water must be available for handwashing and cleaning utensils and surfaces. Water used for cleaning must be protected from contamination; water tanks must meet hygiene standards.
 7. **Storage of Vegetables and Other Refrigerated Foods:** Vegetables and other fresh foods must be refrigerated at ≤ 7 °C to prevent microbial growth. Raw foods (such as meat) must be properly separated from cooked foods in refrigeration to avoid cross-contamination.
 8. **Temperature Recording and Monitoring:** Temperatures of refrigeration (and freezing) equipment must be recorded daily to ensure they remain within the safe range. Use calibrated thermometers to verify the internal temperature of foods and equipment.

3.6 WASTE MANAGEMENT

Proper management of the waste generated in a kitchen is essential for maintaining hygiene, preventing pipe blockages, and contributing to environmental sustainability. In particular, **greasy waste** (oils, cooking fats, remnants of animal or vegetable fat) requires special treatment: **it must never be disposed of down the drain**, as it can solidify when cooled, form "fatbergs," and clog sewer and sewage systems.

To comply with environmental and sanitary regulations, this waste must be separated at its source, stored correctly in appropriate containers, and ultimately delivered to an authorized handler for collection or recycling. It is also important to minimize the amount of grease entering the drainage system through good practices: scraping grease residues from plates and utensils before washing them, using strainers in the drains, and performing regular maintenance on grease traps or interceptors. Additionally, used cooking oil can be recycled into biodiesel or other products.

Procedures for Waste Management

Below is a step-by-step guide to properly handle the three main types of waste:

1. Greasy Waste (Cooking Oils and Fats)

- **Collect in the proper container:** Use a sturdy, lidded container labeled “used oil / grease,” specifically designed for greasy waste. Store the container in a safe place, away from heat sources or direct sunlight.
- **Avoid the drain:** Do not pour oils, grease, or greasy residues down the sink or into the drain. Scrape grease from pots, pans, and utensils using paper towels or a spatula and dispose of it in the trash before washing.
- **Use of grease traps:** If your kitchen has a grease trap, keep it regularly inspected. Clean it when greasy residue reaches more than 30% of the trap’s liquid volume. To empty it, remove the semi-solid top layer with a shovel or ladle, place the waste in sealed bags or containers, and dispose of it with other solid waste. Log all maintenance activities in a control record.
- **Collection and recycling:** Hire an authorized service to pick up used oil and grease. Keep all manifests or collection receipts for audits or inspections.
- **Prevention of odors or spills:** Keep the container tightly closed. Clean spills as soon as possible using absorbent materials and dispose of the waste in the designated grease container.



Figure 3.6: Correct grease scrap methodology prior to kitchen sink sanitation cycles.

2. Recyclable Waste (glass, paper, plastic, cardboard)

- **Separation at the source:** Place clearly labeled containers for each type of recyclable material. Train staff to deposit each material in the correct container.
- **Compact when possible:** Flatten cardboard boxes to save space and facilitate collection. Rinse containers with food residue before disposal.

- **Temporary storage:** Keep recycling containers in clean, ventilated areas to prevent odors or pest infestations. Empty them frequently to prevent overflow.
- **Collection:** Coordinate with the local recycling service to collect the containers at the necessary intervals. Keep receipts and records.

3. Non-Recyclable Waste / General Waste

- **Scrape before washing:** Scrape food scraps and discard them in the trash before washing utensils and dishes. This reduces the load on the grease trap and prevents clogs.
- **Use proper bags:** Use sturdy bags, preferably with a secure tie, to prevent leaks. ****Do not mix hazardous waste (such as cleaning chemicals) with food waste or regular trash**.**
- **Disposal in final containers:** Place these bags in containers designated for non-recyclable waste. Coordinate waste pickup according to the service contract.
- **Frequency of removal:** Ensure that general trash containers are emptied frequently to avoid odors or attracting pests.

Team Responsibilities for Waste:

- **Kitchen manager / manager on duty:** Ensure all staff are trained in waste separation and proper container handling.
- **Cleaning staff:** Perform regular cleaning of waste containers and report any spills or damaged bins.
- **Maintenance staff or external provider:** Carries out grease trap emptying and scheduled maintenance, providing service logs.
- **Shift leader / supervisor:** Verifies daily that containers are in place, labeled, and that procedures are followed.

3.7 EMERGENCY PROTOCOLS

Team safety is a top priority. In the event of an emergency—such as burns, cuts, or any accident in the restaurant—it is essential to act quickly, in an organized manner, and calmly. All team members must know the steps to follow to minimize injuries, prevent greater damage, and ensure proper incident response.

BURNS & ACCIDENTS CRITICAL FIRST AID

According to occupational health guidelines, **butter, home remedies, or unauthorized ointments should NOT be applied to burns.** For burns: cool immediately with cold water only, and cover with clean gauze or sterile dressings. If the burn is extensive (more than 15% of the body) or very deep, immediate medical transfer is mandatory. ****Ensure the work area is completely free of blood or residue before continuing kitchen operations**.**

Step-by-Step Procedure:

1. **Identify and secure the scene:** Stop operations in the area if necessary to prevent additional risks. Make sure the injured person and those around them are out of immediate danger. If there is fire, activate the evacuation plan.
2. **Call for help and apply first aid:** Notify the manager or shift lead immediately. If the accident requires it, call emergency services and request an ambulance. Assign a trained person to apply first aid.
3. **Protect the injured person:** Apply appropriate bandages. Prevent the injured person from handling hot equipment or sharp tools until evaluated by a professional.
4. **Reporting and documentation:** Record the accident in the restaurant's incident log: time, place, cause, how it happened, who assisted, and what actions were taken. Inform the general manager so it can be reported to Human Resources or Occupational Health.
5. **Follow-up and learning:** Monitor the injured employee's recovery. Analyze the incident during safety meetings to reinforce protocols. Verify that first aid equipment is complete.

Emergency Responsibilities:

- **Injured employee:** Remain calm, ask for help, and follow instructions from responsible staff.
- **Nearby coworker ("first responder"):** Secure the scene, assist, apply first aid if trained, and notify a supervisor.
- **Manager / shift lead:** Activate the emergency protocol, coordinate communication with medical services, supervise initial care, and ensure the incident is reported.
- **General management / Human Resources:** Follow up on the incident, guarantee medical assistance if necessary, record the event, and implement preventive actions.

4. GENERAL OPERATING PROCEDURES

4.1 OPENING

General opening consists of verifying, before the start of the shift, that the entire establishment is fully operational. This includes confirming that we have the necessary supplies, that each station is clean and prepared to begin the day's tasks, and that there is clarity regarding production requirements—both for a regular day and for fulfilling special orders. Additionally, the lighting must be turned on, ambient music should be played, and it must be ensured that all equipment and areas are functioning properly to welcome guests and begin service without setbacks.

4.2 CLOSING

Closing the store requires verifying that each station is completely clean, organized, and in optimal condition for the next shift. All supplies used must be properly closed, sealed, and placed in their designated station or corresponding refrigeration area. **No food should be left outside its container or without a lid, label, and date.** It is essential to turn off all equipment and appliances, as well as the establishment's lights. You must confirm that all refrigerators are properly closed, water faucets are turned off, and there are no leaks. Finally, each station must be swept and mopped to ensure a hygienic and safe environment before leaving.

4.3 GENERAL USE OF EQUIPMENT

1. Stand Mixer

- Make sure the guard or bowl safety shield is installed and locked before turning it on.
- Start mixing at the lowest speed; for bagel dough keep it on low speed. If preparing pizza dough, a higher speed may be used.
- Do not insert hands, utensils, or clothing into the bowl while the mixer is running; this can cause serious injuries.
- When cleaning, make sure the mixer is turned off to avoid accidental activation.

2. Hand Mixer

- Use the appropriate attachments in good condition for the task you are performing. Do not use worn-out beaters.
- Hold the mixer firmly, and do not mix excessive quantities that may overwork the motor or cause the mixture to rise and enter the ventilation holes.
- Clean and sanitize the beaters after each use, making sure to unplug the mixer first.

3. Scales

- Use certified commercial scales or kitchen-appropriate equipment to ensure accurate measurements and avoid costly errors.
- Place the scale on a flat, stable, and level surface for correct readings.
- Perform daily "tare" and zero checks before using them.
- Avoid spilling liquids on the weighing platform or display; use mild, food-safe cleaning solutions for sanitizing.

4. Coffee Machine

- Handle with care to avoid burns: be sure to use oven mitts or heat-resistant gloves when handling hot parts.
- Do not remove the portafilters while they are dripping; wait for the extraction to finish to prevent splashes.

- Perform regular cleanings: rinse internal components, descale according to the recommended schedule, and dry completely before use.

5. Fryer

- Maintain the proper oil level and constantly check the temperature to prevent overheating, which may cause fires or oil degradation.
- Use safety gloves and an apron to protect your skin from hot splashes.
- Turn off the heat source immediately in case of emergency, and if possible, use a fire blanket or a grease-specific extinguisher.

6. Coffee Thermoses / Thermal Carafes

- Wash and sanitize thermal carafes daily to prevent bacterial growth, especially when storing hot coffee.
- Use sponges or brushes that reach the inside thoroughly, then rinse with hot water.
- Make sure the lids close properly to avoid spills, and periodically check the condition of the seals to ensure a good thermal closure.

4.4 UNIVERSAL CLEANING RULES

- **Constant surface cleaning:** Before starting activities, throughout the shift, and at the end, all counters and work areas must be washed with water and soap and then sanitized with an approved solution. Each ingredient change requires new cleaning to avoid cross-contamination.
 - **Proper glove use:** Gloves never replace handwashing. They must be changed whenever they become dirty, torn, or when switching ingredients or tasks.
 - **Clean and well-maintained equipment:** All appliances such as mixers, pots, tables, ovens, coffee machines, and thermoses must be cleaned and sanitized after each use according to manufacturer guidelines.
 - **No-exception closing cleaning:** Every station must be swept, mopped, sanitized, and all supplies labeled, sealed, and stored correctly. Nothing may be left out of refrigeration or uncovered.
 - **Cleaning is a shared responsibility:** Each employee is responsible for their area. If you see dirt, clean it. If you notice a hazard, report it. Cleaning is not a task reserved for the end of the shift—it is a continuous activity throughout the day.
-

5. OPENING OF THE STORE BY STATION

General opening consists of verifying that each station is completely prepared to begin activities and receive guests starting at --- a.m. To achieve this, each employee must inspect their station and ensure all tasks necessary for its

proper functioning are completed. This period is also used to identify missing supplies, tools, or equipment so they can be replaced or prepared before service begins. Maintaining an organized opening ensures an efficient workflow and a high-quality experience for our customers.

DIVISION OF STATIONS DEPENDING ON THE ONES CURRENTLY EXISTING

CHECKLIST FOR CORRECT OPENING AN CLOSING FOR EACH STATION

EXAMPLE(START: --- AM)

- ☐ Arrive punctually at 2:00 AM.
- ☐ Inspect cold oven (parts installed, chamber clean, pot empty).
- ☐ Place a red bucket with SANITIZER solution under the station.
- ☐ Turn on the oven and bagel boiling pot; confirm heating.
- ☐ Prepare first batch of challah or rugelach.
- ☐ Check for priority needs or special early orders.
- ☐ Gypsum & early deliveries ready before 6:30 AM.
- ☐ Display shelf stocked by 7:00 AM.
- ☐ Consult manager & adjust production batches.
- ☐ Remove seeds from workstation and front of the oven.
- ☐ Clean cooking utensils; empty and clean kettle (every 2nd day).

6. VISUAL OPERATING GUIDELINES

Use these detailed layout rules to match the reference station photographs exactly. It is mandatory for all kitchen and service staff to follow these plating structures to maintain brand consistency.

6.1 INDIVIDUAL MENU ITEMS PLATING BUILDS



--- <div class=

DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



--- <div class=

DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION.



--- <div class=

DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



--- <div class=

DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



--- <div class=

DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



--- <div class=

DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



--- <div class=

DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



--- <div class=

DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION




DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION




DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



DETAILED INSTRUCTIONS FOR PLATTING AND PRESENTATION



6.2 CATERING PLATTER PRESENTATION VISUALS(IF ANY)



6.2 WALK-IN COOLER STORAGE LAYOUT

Ready-to-eat foods must always be stored at the top to prevent cross-contamination from raw products dripping down. Raw meats must strictly occupy the lower shelves.

LEVEL 1 (TOP SHELF)	Jams • Ready-to-eat fruits • Ready-to-eat vegetables	Ready-to-eat foods must be stored at the top to avoid cross-contamination.
LEVEL 2	Cream cheese • Sliced cheese	Dairy products that are ready to eat but less delicate than fruits/vegetables.
LEVEL 3	Portioned cold cuts (Ham, Turkey, Pastrami, Corned beef, Salmon/lox)	Proteins cooked/ready to eat. Must be stored above raw items.
LEVEL 4	Raw bacon • Pepperoni	Raw meats that require cooking; must be below ready-to-eat foods.
LEVEL 5 (BOTTOM)	Raw sausages • Any other high-risk raw meat	Raw products that may drip must always be stored on the lowest level.



Figure 6.2: Visual guide for walk-in cooler hierarchy and structural zone separation.

STORAGE KEY RULES TO REMEMBER

- ☐ Ready-to-eat foods always go on top (jams, fruits, vegetables, cheeses, cold cuts).
- ☐ Raw products always go on the bottom (bacon, pepperoni, raw sausages).
- ☐ **No food should ever be stored directly on the floor.**
- ☐ Everything must be labeled with product name and preparation date.
- ☐ All containers must be covered tightly to avoid cross-contamination.

7. SYSTEM CODES, GLOSSARY & LOG SHEETS

7.1 OPERATIONAL SYSTEM CODES

- **Code "86":** Product sold out. Indicates that there is no more available and the team must be informed immediately to stop ordering.
- **Code "911":** Urgent product. Must be prepared, restocked, or handled as a priority to avoid service delays.

7.2 CORE KITCHEN GLOSSARY

- **Walk-in:** Large main storage refrigerator. Holds raw inventory and items ready for prep.
- **Dish Pit:** Area designated exclusively for washing dishes, buckets, and utensils. Must remain organized and free of buildup.
- **Red Bucket:** Bucket with sanitizer used for cleaning surfaces. Used throughout the day and replaced as needed.
- **Green Bucket:** Bucket with soapy water used in the dish pit.
- **Blue Bucket:** Bucket with clean water for soaking silverware in the dish pit.
- **Sanitizer:** Approved chemical mixture used to disinfect work surfaces and tools. Must be used at the correct temperature and concentration.
- **FIFO (First In, First Out):** Inventory rotation method where the oldest product is used first to avoid waste.
- **Mise en Place:** Prior organization of ingredients, tools, and stations to operate efficiently.
- **Salamander:** Top-heat equipment used for broiling or finishing. Requires scheduled cleaning of its aluminum lining.
- **Cross-Contamination:** Transfer of bacteria between raw foods and ready-to-eat foods; prevented by separating stations and maintaining strict hygiene.

7.3 MASTER TEMPERATURE REFERENCE TABLE

AREA / PROCESS	STANDARD TEMPERATURE	DESCRIPTION / USE
Walk-In Cooler (Main Refrigerator)	0°C to 4°C (32°F–40°F)	Keep all cold foods and prepared products in a safe temperature range.
Beverage Refrigerator	1°C to 4°C (34°F–40°F)	Ensures beverages stay cold and within a safe consumption zone.
Sanitizer (Red Bucket)	≥ 24°C (approx. 75°F)	Warm water with sanitizing solution at the indicated concentration.
Dish Pit – Washing with Soap	43°C to 49°C (110°F–120°F)	Ideal water temperature to remove grease and food residue.

AREA / PROCESS	STANDARD TEMPERATURE	DESCRIPTION / USE
Dish Pit – Rinse / Final Sanitization	≥ 75°C (≥ 170°F) if machine	Ensures effective sanitization (when applicable).
Oven – Pizza Baking	260°C (500°F)	Fast cooking and even browning.
Oven – Bagel Baking	232°C (450°F)	Ideal temperature for classic texture and color.
Oven – Challah & Rugelach Baking	193°C (380°F)	Prevents exterior burning and ensures even cooking.
Water for Surface Sanitizing (Cloths)	"Warm, not cold"	Improves the effectiveness of the sanitizing chemical.
Boiling Water (Bagel boiling step)	95°C–100°C (203°F–212°F)	Only if the boiling step is included in production.



7.4 HOJAS DE CONTROL Y BITÁCORAS OPERATIVAS

Estas hojas de registro deben imprimirse y llenarse diariamente por los responsables de cada turno para cumplir con los estándares de control de calidad.

A. Bitácora de Preparación e Inventario (Prep Log)

PRODUCTO / INSUMO	CANTIDAD ACTUAL	CANTIDAD MÍNIMA	CANTIDAD A PEDIR	OBSERVACIONES / NOTAS DE MERMA
Bagels por tipo				
Queso crema				
Queso rebanado				
Carnes frías porcionadas				
Salmón / Lox				
Vegetables (tomato, cucumber, onion)				
Tocino descongelado				
Salchichas				
Pepperoni				
Mermeladas				
Bebidas refrigeradas				
Chips listos				
Otros				

B. Bitácora Diaria de Temperaturas de Equipos

ÁREA / EQUIPO EVALUADO	TEMPERATURA OBJETIVO	TEMPERATURA REGISTRADA	¿DENTRO DE RANGO SEGURO?	RESPONSABLE, FIRMA Y NOTAS
Walk-in	0°C–4°C (32–40°F)		✓ / ✗	
Refrigerador de bebidas	1°C–4°C (34–40°F)		✓ / ✗	
Línea de frío / mesas refrigeradas	1°C–4°C		✓ / ✗	
Caliente / salamandra	+60°C (+140°F) mínimo		✓ / ✗	
Horno bagels	232°C (450°F)		✓ / ✗	
Horno pizzas	260°C (500°F)		✓ / ✗	
Horno challah / rugelach	193°C (380°F)		✓ / ✗	
Aceite de freidora	176°C (350°F)		✓ / ✗	
Agua sanitizante	21°C–24°C		✓ / ✗	
Dish pit agua caliente	49°C–60°C (120– 140°F)		✓ / ✗	
Recepción de alimentos (crudos)	0°C–4°C		✓ / ✗	

C. Bitácora de Verificación de Limpieza por Estación

ESTACIÓN	TAREA DE LIMPIEZA OBLIGATORIA	FRECUENCIA	¿COMPLETADO?	OBSERVACIONES / INICIALES SUPERVISOR
Cocinero	Limpiar estufa completa y quemadores	Diario	✓ / ✗	
Cocinero	Lavar sartenes y utensilios de la línea	Diario	✓ / ✗	
Cocinero	Cambiar contenidos de cubetas roja/verde/azul	Diario	✓ / ✗	
Cocina	Filtros de grasa de la campana extractora	Cada 4 días	✓ / ✗	
Cocina	Limpieza de aluminios bajo la salamandra	Cada 2 días	✓ / ✗	
Preparación	Limpieza profunda de interiores del walk-in	Diario	✓ / ✗	
Preparación	Revisar etiquetados de contenedores y fechas	Diario	✓ / ✗	
Preparación	Sanitizar barras y mesas de corte	Diario	✓ / ✗	
Cajeros	Línea de bagels limpia y rellena al 100%	Diario	✓ / ✗	
Cajeros	Comedor limpio (mesas, servilletas, cubiertos)	Diario	✓ / ✗	
Cajeros	Refrigerador de bebidas limpio, abastecido y ordenado	Diario	✓ / ✗	
Dish pit	Tarja libre de acumulación de loza o residuos	Diario	✓ / ✗	