

**Changes in  
cultivated  
cropland land  
in Iowa**

Andreea L.  
Erciulescu

NRI - CEAP

Data

CEAP sample

Crop  
codes / classes

Results

Conclusions

# STAT 585X - Final Project

## Changes in cultivated cropland in CEAP

Andreea L. Erciulescu

April 24, 2014

# National Resources Inventory (NRI)

Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erdulescu

NRI - CEAP

Data

CEAP sample

Crop  
codes/classes

Results

Conclusions

- annual survey conducted collaboratively by USDA NRCS (Natural Resources Conservation Services) and ISU Center for Survey Statistics and Methodology (CSSM)
- to provide status and trend estimates for natural resources on nonfederal lands in US
  - Example of such estimates are soil erosion estimates in relation to land characteristics and programs.

# Conservation Effects Assessment Project (CEAP)

Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erdulescu

NRI - CEAP

Data

CEAP sample

Crop  
codes/classes

Results

Conclusions

- series of surveys intended to quantify environmental effects of conservation practices and programs by hydrologic unit codes (HUCs)
- CEAP sample is a subset of the NRI points classified as cultivated cropland
  - Farmer interviews about on-farm practices
  - Hydrologic, climate and soil databases
  - APEX model

# United States territory division into HUCs

Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erdilescu

NRI - CEAP

Data


CEAP sample

Crop  
codes / classes

Results

Conclusions

Local concerns regarding the existence of nitrates in drinking water,  
particularly in Des Moines



# Publicly available data

Changes in cultivated cropland land in Iowa

Andreea L. Erdulescu

NRI - CEAP


Data

CEAP sample

Crop codes/classes

Results

Conclusions



# Crop Data Layer (CDL)



Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erdulescu

NRI - CEAP

Data

CEAP sample

Crop  
codes / classes

Results

Conclusions

- Tagged Image File (.tif) Format
- pixel counts for different categories of cropland - codes

The screenshot shows a table titled "Iowa MARS CroplandData Layer - Category Codes - Crop, State, and Year". The table lists various crop codes and their corresponding descriptions. The first few rows are as follows:

Category/Code	On Disk Name	Description/Definition	Old name for this code	New name for this code
General	background			
Grain	corn		10000	10000
Grain	rice		10000	10000
Grain	barley		10000	10000
Grain	oats		10000	10000
Grain	durum		10000	10000
Grain	sorghum		10000	10000
Grain	wheat		10000	10000
Grain	rye		10000	10000
Grain	millet		10000	10000
Grain	grain sorghum		10000	10000
Grain	other grain		10000	10000
Grain	peas		10000	10000
Grain	lentils		10000	10000
Grain	beans		10000	10000
Grain	pea		10000	10000
Grain	other legume		10000	10000
Grain	peanut		10000	10000
Grain	soybean		10000	10000
Grain	other		10000	10000
Forage	hay		10001	10001
Forage	silage		10001	10001
Forage	pasture		10001	10001
Forage	other forage		10001	10001
Forage	grass		10001	10001
Forage	legume		10001	10001
Forage	other		10001	10001
Vegetable	potato		10002	10002
Vegetable	onion		10002	10002
Vegetable	carrot		10002	10002
Vegetable	radish		10002	10002
Vegetable	turnip		10002	10002
Vegetable	other root		10002	10002
Vegetable	cabbage		10003	10003
Vegetable	lettuce		10003	10003
Vegetable	other leafy		10003	10003
Vegetable	onion		10003	10003
Vegetable	carrot		10003	10003
Vegetable	radish		10003	10003
Vegetable	turnip		10003	10003
Vegetable	other root		10003	10003
Vegetable	potato		10003	10003
Vegetable	other		10003	10003
Fruit	apple		10004	10004
Fruit	orange		10004	10004
Fruit	grape		10004	10004
Fruit	peach		10004	10004
Fruit	pear		10004	10004
Fruit	citrus		10004	10004
Fruit	other fruit		10004	10004
Other	alfalfa		10005	10005
Other	small grain		10005	10005
Other	other		10005	10005

- download Iowa and years 2003-2007, approx. 750,000 KB

# Processing CDL data

Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erdulescu

NRI - CEAP

Data

CEAP sample

Crop  
codes/classes

Results

Conclusions

- *Raster* package in R, S4 methods
- coordinate reference system (CRS)

```
cdl.ia03 <- raster("data/CDL_2003_19.tif")
cdl.ia04 <- raster("data/CDL_2004_19.tif")
cdl.ia05 <- raster("data/CDL_2005_19.tif")
cdl.ia06 <- raster("data/CDL_2006_19.tif")
cdl.ia07 <- raster("data/CDL_2007_19.tif")
cdl.ia03

## class       : RasterLayer
## dimensions : 11672, 17796, 207714912 (nrow, ncol, ncell)
## resolution : 30, 30  (x, y)
## extent     : -52065, 481815, 1938165, 2288325 (xmin, xmax, ymin, ymax)
## coord. ref. : +proj=aea +lat_1=29.5 +lat_2=45.5 +lat_0=23 +lon_0=-96
## data source : U:\stat585\STAT585X-Project\data\CDL_2003_19.tif
## names       : CDL_2003_19
## values      : 0, 255 (min, max)
```

# GIS, PLSS, AtlasHCB

Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erdulescu

NRI - CEAP

Data

CEAP sample

Crop  
codes/classes

Results

Conclusions

- smaller dimensions (except for PLSS)
- polygons information, shapefiles
- different territory coverages, not applicable for our problem
  - GIS: full river basin, universal transverse mercador (UTM) format
  - PLSS: state and county level, no hydrologic level
  - AtlasHCB: historical records, county level
- *maptools* in *R*

# Census Tigerweb

Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erdulescu

NRI - CEAP

Data

CEAP sample

Crop  
codes/classes

Results

Conclusions

- big data, storage not a problem because web scrapping
- national, regional and hydrologic levels
- extract Iowa and Des Moines River data from hydrologic data

# Processing Census Tigerweb

Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erculescu

NRI - CEAP

Data


CEAP sample

Crop  
codes / classes

Results

Conclusions

- XML library in *R*
- pull point coordinates for Iowa and for Des Moines river



# Constructing the sample for the Des Moines river watershed

Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erculescu

NRI - CEAP

Data


CEAP sample

Crop  
codes / classes

Results

Conclusions

- add noise to each point using *jitter* to mimic CEAP sample
- *plyr* package



# Extract CDL data for the region

Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erdulescu

NRI - CEAP

Data

CEAP sample

Crop  
codes/classes

Results

Conclusions

- *cellFromXY* function to extract the pixel count information from CDL
- 224 points, crop codes
- web scrape code/class data from NASS website
- merge codes and classes

# The CODES challenge

Changes in cultivated cropland land in Iowa

Andreea L. Erdulescu

NRI - CEAP

Data

CEAP sample

Crop codes/classes

Results

Conclusions

## • unstructured source code



view-source:www.nrcs.usda.gov/research/Cropland/docs/CDL\_2015\_croswalk.htm

USDA NRCS Cropland Data Layer - category codes, class names, and colors. Considered standardized for all states and all years.

The NRCs CDL was revised and evaluated in Jersey City to better reflect pastures and grassland categories. New categories represent Grass/Pasture (code 10), formerly known as Pasture (code 13), categories. Pasture (code 13) remained the same. The grassland category now includes grasses, grassy vegetation, and grassy land cover types. The grass class was also removed and included in the grassland category. Pasture has been redefined to include both domesticated and non-domesticated grasses, grassy vegetation, and grassy land cover types.

The reworking of the CDL, previous in January 2012 and later steps to October (CDL will be a year process, for a reason).

All the changes to new code changes, please visit the frequently asked questions (FAQs) at <http://www.nrcs.usda.gov/learning/faqs.html>.

Cropland Class Name	CDL Class Number	Definition/Notes
Background	Background	
Crp	100	
20Cultur	100	
20Cultur	200	
Cultiv	200	
45Crop	450	
45Crop	460	
30Grass	300	
topgrass	300	
Surfgrass	300	
X	300	
1000	400	
2000	400	
20000	4000	
200000	40000	
Pastur	40000	
Pastur	40000	
13Cover Crop	500	
13Cover Crop	5000	
13Crop & Cover	500	
13Crop & Cover	5000	
Mixed	5000	
X	5000	

CDL values for 2003-2007

	Total	2003	2004	2005	2006	2007
CDL values for 2003-2007	6	0	0	0	0	0
	21	10	13	11	13	8

## • list of unequal length elements

Total	2003	2004	2005	2006	2007
21	10	13	11	13	8

Table: Number of crop classes by year

## • similar crop classes, *Developed* and *Developed/Low Intensity* or *Developed/Open Space*

# Results

Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erdulescu

NRI - CEAP

Data

CEAP sample

Crop  
codes/classes

Results

Conclusions

Crop Class	2003	2004	2005	2006	2007
Alfalfa	2.439	2.9268	1.4634	2.439	27.8049
Corn	23.9024	0.4878	0.4878	27.3171	12.6829
Developed	2.439	0.9756	25.3659	14.6341	9.7561
Fallow/Idle Cropland	6.3415	28.7805	1.9512	0.4878	22.439
Forest	4.3902	2.9268	2.9268	3.9024	0.9756
Grass/Pasture	23.9024	2.9268	13.6585	1.9512	5.3659
Oats	0.4878	11.2195	21.4634	16.0976	18.0488
Other Small Grains	1.4634	19.5122	1.4634	0.9756	2.9268
Soybeans	30.7317	0.4878	0.4878	0.4878	NA
Water	3.9024	0.4878	26.3415	0.4878	NA
Christmas Trees	NA	1.9512	4.3902	4.3902	NA
Clouds/No Data	NA	22.439	NA	25.3659	NA
Nonag/Undefined	NA	4.878	NA	1.4634	NA
Other Crops	NA	NA	NA	NA	NA
Deciduous Forest	NA	NA	NA	NA	NA
Developed/Low Intensity	NA	NA	NA	NA	NA
Developed/Open Space	NA	NA	NA	NA	NA
Herbaceous Wetlands	NA	NA	NA	NA	NA
Mixed Forest	NA	NA	NA	NA	NA
Open Water	NA	NA	NA	NA	NA
Woody Wetlands	NA	NA	NA	NA	NA

Table: Proportion of land by crop class, by year.

# Conclusions

Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erdulescu

NRI - CEAP

Data

CEAP sample

Crop  
codes / classes

Results

Conclusions

*The following conclusions hold only for the region we have described in the previous section. Whether they still hold for the real CEAP data needs future investigation.*

- big data
- coordinates in different measurement system
- missing crop classes for all/some the years
- significant proportions of missing records in 2004 and 2006 due to clouds and to undefined records
- significant changes in some important crops over the years, for example corn and soybeans
  - corn proportion of land is low in 2004 and 2005
  - soybean proportion of land is low in all years but 2003, missing in 2007
  - possible frame problem

# Future work

Changes in  
cultivated  
cropland land  
in Iowa

Andreea L.  
Erdulescu

NRI - CEAP

Data

CEAP sample

Crop  
codes/classes

Results

Conclusions

- analyze changes in the real CEAP data
- investigate CDL data as source of covariates in CEAP small area models
- shiny app

# The end...

**Changes in  
cultivated  
cropland land  
in Iowa**

Andreea L.  
Erdulescu

NRI - CEAP

Data

CEAP sample

Crop  
codes/classes

Results

Conclusions

Thank you for your attention!