

No Subscription



Subscribe to get
started

[Subscribe now →](#)



Organization
andryel



Language
English



Conversation Details

View the full conversation history and details

[Back to Conversations](#)

 Delete

Overview

Conversation ID

1789441909380-
313db2tzt

User

 joadryel@gmail.com

Messages

8

Created

September 15, 2026
at 12:11:43 AM

Last Updated

September 15, 2026
at 12:12:19 AM

Performance Spans

Execution timing data

agent.workflow_handler.try_handle

Oms

September 15, 2026 at 12:12:11 AM

Organization

API

Integrations

Conversations

V2

Dashboard

Agent Management

+ New Chat

V2

No Subscription

 **Subscribe to get started**

[Subscribe now →](#)

Meet with Us

● v00243-xk6

Sign out



agent.conversation.load

0ms

September 15, 2026 at 12:12:10 AM

Messages

Full conversation history

#1

user

Sep 15, 2026, 3:12 AM

List all active customers who have not placed any orders in the last 6 months

#2

assistant

+1.35s

Sep 15, 2026, 3:12 AM

► Tool: search_saved_correct_tool_uses

I'll help you find all active customers who haven't placed any orders in the last 6 months. Let me start by searching for similar patterns in our saved tool usage.

#3

tool

tool response

+0.72s

Sep 15, 2026, 3:12 AM

Found 10 similar tool usage pattern(s):

1. run_sql (similarity: 1.00)

Question: List all active customers who have not placed any orders in the last 6 months

 Organization

 API

 Integrations

 Conversations

V2

 Dashboard

 Agent Management

 New Chat

V2

No Subscription

 **Subscribe to get started**

[Subscribe now →](#)

 Meet with Us

• v00243-xk6

Sign out



Args: {'sql': "SELECT \n c.customer_id,\n c.name,\n c.email,\n c.status,\n c.created_at,\n MAX(o.order_date) as last_order_date\nFROM customers c\nLEFT JOIN orders o ON c.customer_id = o.customer_id\nWHERE c.status = 'active'\nGROUP BY c.customer_id, c.name, c.email, c.status, c.created_at\nHAVING MAX(o.order_date) IS NULL \n OR MAX(o.order_date) < NOW() - INTERVAL '6 months'\nORDER BY COALESCE(MAX(o.order_date), c.created_at) ASC", 'agent_id': 'andryelagent'}

2. run_sql (similarity: 1.00)

Question: List all active customers who have not placed any orders in the last 6 months

Args: {'sql': "SELECT \n c.customer_id,\n c.name,\n c.email,\n c.status,\n c.created_at,\n MAX(o.order_date) as last_order_date\nFROM customers c\nLEFT JOIN orders o ON c.customer_id = o.customer_id\nWHERE c.status = 'active'\nGROUP BY c.customer_id, c.name, c.email, c.status, c.created_at\nHAVING MAX(o.order_date) IS NULL \n OR MAX(o.order_date) < NOW() - INTERVAL '6 months'\nORDER BY COALESCE(MAX(o.order_date), c.created_at) ASC", 'agent_id': 'andryelagent'}

3. run_sql (similarity: 1.00)

Question: List all active customers who have not placed any orders in the last 6 months

Args: {'sql': "SELECT \n c.customer_id,\n c.name,\n c.email,\n c.status,\n c.created_at,\n MAX(o.order_date) as last_order_date\nFROM customers c\nLEFT JOIN orders o ON c.customer_id = o.customer_id\nWHERE c.status = 'active'\nGROUP BY c.customer_id, c.name, c.email, c.status, c.created_at\nHAVING MAX(o.order_date) IS NULL \n OR MAX(o.order_date) < NOW() - INTERVAL '6 months'\nORDER BY COALESCE(MAX(o.order_date), c.created_at) ASC", 'agent_id': 'andryelagent'}

4. run_sql (similarity: 0.67)

Question: Update the status of delinquent customers to inactive and return the list.

Args: {'sql': "UPDATE customers\nSET status = 'inactive'\nWHERE status = 'delinquent'\nRETURNING customer_id, name, email, status, created_at", 'agent_id':

 Organization

 API

 Integrations

 Conversations

V2

 Dashboard

 Agent Management

 New Chat

V2

No Subscription



Subscribe to get
started

[Subscribe now →](#)

 Meet with Us

• v00243-xk6

Sign out



'andryelagent']}

5. run_sql (similarity: 0.67)

Question: Update the status of delinquent customers to inactive and return the list.

Args: {'sql': "UPDATE customers\nSET status = 'inactive'\nWHERE status = 'delinquent'\nRETURNING customer_id, name, email, status, created_at", 'agent_id': 'andryelagent'}

6. run_sql (similarity: 0.66)

Question: Who are the top 5 customers with the highest total spend?

Args: {'sql': 'SELECT c.customer_id, c.name, SUM(oi.total_amount) as total_spend\nFROM customers c JOIN orders o ON c.customer_id = o.customer_id JOIN\norder_items oi ON o.order_id = oi.order_id GROUP BY c.customer_id, c.name ORDER\nBY total_spend DESC LIMIT 5', 'agent_id': 'andryelagent'}

7. run_sql (similarity: 0.66)

Question: Who are the top 5 customers with the highest total spend?

Args: {'sql': 'SELECT c.customer_id, c.name, SUM(oi.total_amount) as total_spend\nFROM customers c JOIN orders o ON c.customer_id = o.customer_id JOIN\norder_items oi ON o.order_id = oi.order_id GROUP BY c.customer_id, c.name ORDER\nBY total_spend DESC LIMIT 5', 'agent_id': 'andryelagent'}

8. run_sql (similarity: 0.66)

Question: Who are the top 5 customers with the highest total spend?

Args: {'sql': 'SELECT c.customer_id, c.name, SUM(oi.total_amount) as total_spend\nFROM customers c JOIN orders o ON c.customer_id = o.customer_id JOIN\norder_items oi ON o.order_id = oi.order_id GROUP BY c.customer_id, c.name ORDER\nBY total_spend DESC LIMIT 5', 'agent_id': 'andryelagent'}

9. run_sql (similarity: 0.65)

Question: Show all orders with a high average order value.

Args: {'sql': 'WITH order_values AS (\n SELECT\n o.order_id,\n o.customer_id,\n c.name as customer_name,\n o.order_date,\n o.status,\n SUM(oi.total_amount)\n as order_value\n FROM orders o\n JOIN order_items oi ON o.order_id = oi.order_id\n

Organization

API

Integrations

Conversations

V2

Dashboard

Agent Management

+ New Chat

V2

No Subscription



Subscribe to get started

[Subscribe now →](#)

Meet with Us

v00243-xk6

Sign out



```
JOIN customers c ON o.customer_id = c.customer_id\n GROUP BY o.order_id,\no.customer_id, c.name, o.order_date, o.status\n)\nSELECT \n order_id,\n customer_id,\n customer_name,\n order_date,\n status,\n order_value\nFROM\n order_values\nWHERE order_value > (SELECT AVG(order_value) FROM\n order_values)\nORDER BY order_value DESC', 'agent_id': 'andryelagent'}
```

10. run_sql (similarity: 0.64)

Question: Show all orders with a high average order value

Args: {'sql': 'WITH order_values AS (\n SELECT \n o.order_id,\n o.customer_id,\n c.name as customer_name,\n o.order_date,\n o.status,\n SUM(oi.total_amount)\n as order_value\n FROM orders o\n JOIN order_items oi ON o.order_id = oi.order_id\n JOIN customers c ON o.customer_id = c.customer_id\n GROUP BY o.order_id,\no.customer_id, c.name, o.order_date, o.status\n)\nSELECT \n order_id,\n customer_id,\n customer_name,\n order_date,\n status,\n order_value\nFROM\n order_values\nWHERE order_value > (SELECT AVG(order_value) FROM\n order_values)\nORDER BY order_value DESC', 'agent_id': 'andryelagent'}

#4

assistant

+2.02s

Sep 15, 2026, 3:12 AM

► Tool: run_sql

Perfect! I found an exact match. Let me execute the query that has been proven to work for this exact question:

#5

tool

tool response

+1.35s

Sep 15, 2026, 3:12 AM

```
created_at,customer_id,email,last_order_date,name,status\n\"Sat, 01 Jun 2024 12:00:00 GMT\",6,fiona@example.com,,Fiona Gallagher,active\n\"Wed, 10 Apr 2024 14:00:00 GMT\",4,diana@example.com,,\"Wed, 18 Jun 2025 00:00:00 GMT\",Diana Prince,active
```

Organization

API

Integrations

Conversations

V2

Dashboard

Agent Management

+ New Chat

V2

No Subscription



Subscribe to get started

[Subscribe now →](#)

Meet with Us

v00243-xk6

Sign out



"Tue, 20 Feb 2024 11:30:00 GMT",2,bob@example.com,"Wed, 05 Nov 2025 00:00:00 GMT",Bob Smith,active

Results saved to file: query_results_59a544d2.csv

****IMPORTANT: FOR VISUALIZE_DATA USE FILENAME: query_results_59a544d2.csv****

#6

assistant

+1.94s

Sep 15, 2026, 3:12 AM

► Tool: save_question_tool_args

Now let me save this successful execution for future reference:

#7

tool

tool response

+0.39s

Sep 15, 2026, 3:12 AM

Successfully saved usage pattern for 'run_sql' tool

#8

assistant

+2.05s

Sep 15, 2026, 3:12 AM

Summary

I found ****3 active customers who have not placed any orders in the last 6 months****:

1. ****Fiona Gallagher**** (Customer ID: 6)

- Email: fiona@example.com

- Status: Active

- Created: June 1, 2024

 Organization

 API

 Integrations

 Conversations

V2

 Dashboard

 Agent Management

 New Chat

V2

No Subscription



Subscribe to get started

[Subscribe now →](#)

 Meet with Us

• v00243-xk6

Sign out



- Last Order: Never (NULL)

2. ****Diana Prince**** (Customer ID: 4)

- Email: diana@example.com

- Status: Active

- Created: April 10, 2024

- Last Order: June 18, 2025

3. ****Bob Smith**** (Customer ID: 2)

- Email: bob@example.com

- Status: Active

- Created: February 20, 2024

- Last Order: November 5, 2025

The query identified customers who are marked as "active" but either have never placed an order or whose last order was more than 6 months ago (before March 15, 2026). These customers may be good candidates for re-engagement campaigns.

Audit Trail

Tool executions and activity log

tool_result

save_question_tool_args

success

September 15, 2026 at 03:12:17 AM

Duration: 0.12ms Result size: 51 bytes

User groups: admin

tool_call_id: toolu_01318X1pbag4Fe7aeHzKLJVn

Organization

API

Integrations

Conversations

V2

Dashboard

Agent Management

+ New Chat

V2

No Subscription



Subscribe to get started

[Subscribe now →](#)

Meet with Us

v00243-xk6

Sign out



tool_invocation

save_question_tool_args

September 15, 2026 at 03:12:17 AM

User groups: admin

tool_call_id: toolu_01318X1pbag4Fe7aeHzKLJVn

► Parameters

tool_access_check

save_question_tool_args

September 15, 2026 at 03:12:17 AM

access granted

User groups: admin

Required: admin

tool_result

run_sql

success

September 15, 2026 at 03:12:15 AM

Duration: 968.88ms Result size: 463 bytes

User groups: admin

tool_call_id: toolu_01ViejQa36cnDrK1Mhc8YXWJ

tool_invocation

run_sql

September 15, 2026 at 03:12:14 AM

User groups: admin

tool_call_id: toolu_01ViejQa36cnDrK1Mhc8YXWJ

► Parameters

tool_access_check

run_sql

access granted

September 15, 2026 at 03:12:14 AM

Organization

API

Integrations

Conversations

V2

Dashboard

Agent Management

+ New Chat

V2

No Subscription



Subscribe to get started

[Subscribe now →](#)

Meet with Us

• v00243-xk6

Sign out



User groups: admin Required: user admin

tool_result search_saved_correct_tool_uses

September 15, 2026 at 03:12:11 AM

success

Duration: 245.08ms Result size: 5035 bytes

User groups: admin

tool_call_id: toolu_01HZ6gJe8GGWaiXAMdR8RF1e

tool_invocation search_saved_correct_tool_uses

September 15, 2026 at 03:12:11 AM

User groups: admin

tool_call_id: toolu_01HZ6gJe8GGWaiXAMdR8RF1e

► Parameters

tool_access_check search_saved_correct_tool_uses

September 15, 2026 at 03:12:11 AM

access granted

User groups: admin Required: admin user

 Organization

 API

 Integrations

 Conversations

V2

 Dashboard

 Agent Management

 New Chat

V2

No Subscription



Subscribe to get
started

[Subscribe now →](#)

 Meet with Us

● v00243-xk6

Sign out



© Vanna.AI. All
Rights Reserved.

HELP CENTER

[Pricing](#)

[Email Us](#)

[Feature
Requests](#)

LEGAL

[Privacy Policy](#)

[Terms](#)