

Glossary

Concept-neutral terminology

Concept-neutral terminology used throughout code and documentation. The mapping to concept-specific vocabulary is documented for clarity, but the concept-specific terms must not appear in identifiers, URLs, table names, or technical documentation.

Core terms

Term	Definition	If concept (a) — services	If concept (b) — goods
User	Any authenticated account	Same	Same
Client	A User acting as a buyer	Client	Customer
Seller	A User acting as a provider	Expert / Professional	Maker / Artisan
Listing	A publishable offer that a Seller creates	Service offering	Product
Listing type	A category of Listing with a defined fulfillment model	Service / Consultation / Package	Single item / Made-to-order / Digital
Transaction	The canonical record of a buy commitment	Booking instance	Shopping order
Fulfillment	What the Seller does to honour a Transaction	Appointment	Shipment
Fulfillment model	The mechanism Fulfillment uses	booking_required	shippable_product
Review	A buyer's evaluation of a completed Transaction	Review of expert	Review of product
Profile	A public page representing a Seller	Expert profile	Maker page
Portfolio	Visual evidence on a Profile	Portfolio	Gallery / lookbook
Trust tier	A graduated verification level on a User or Listing	Same	Same

Auxiliary terms

Term	Definition
Foundation phase	The current pre-product phase: scaffolding, docs, architecture; no real users
Seam	The boundary in code where the domain-agnostic core meets concept-specific modules (Listing / Transaction / Fulfillment)
Idea catalogue	Future feature ideas explicitly out of current scope; recorded so the foundation does not preclude them
Concept	One of the candidate consumer-facing specialisations of the platform (services or goods)
Concept lock	The moment the marketing partner picks one concept and the platform commits to it

Naming rules

- Identifiers, table names, route paths, and module folders use the **left column** terminology.
- User-facing strings (UI copy, marketing pages, emails) use the **concept-specific** terminology once the concept is chosen, surfaced via the i18n layer — not by renaming code.
- A future find-and-replace pass on user-facing string keys is acceptable; one on code identifiers is not.