
○ Contests **♀** Rank

Compare the Triplets





andreidiego 🗸

Submissions: 2696

Max Score: 15

Difficulty: Easy

More

Alice and Bob each created one problem for HackerRank. A reviewer rates the two challenges, awarding points on a scale from 1 to 100 for three categories: problem clarity, originality, and difficulty.

P Leaderboard

We define the rating for Alice's challenge to be the triplet $A=(a_0,a_1,a_2)$, and the rating for Bob's challenge to be the triplet $B=(b_0,b_1,b_2)$.

Your task is to find their comparison scores by comparing a_0 with b_0 , a_1 with b_1 , and a_2 with b_2 .

- If $a_i > b_i$, then Alice is awarded 1 point.
- ullet If $a_i < b_i$, then Bob is awarded 1 point.
- If $a_i = b_i$, then neither person receives a point.

Given A and B, can you compare the two challenges and print their respective comparison points?

Input Format

The first line contains 3 space-separated integers, a_0 , a_1 , and a_2 , describing the respective values in triplet A. The second line contains 3 space-separated integers, b_0 , b_1 , and b_2 , describing the respective values in triplet B.

Constraints

- $1 \le a_i \le 100$
- $1 \le b_i \le 100$

Output Format

Print two space-separated integers denoting the respective comparison scores earned by Alice and Bob.

Sample Input

```
5 6 7
3 6 10
```

Sample Output

```
1 1
```

Explanation

In this example:

- $A = (a_0, a_1, a_2) = (5, 6, 7)$
- $A = (b_0, b_1, b_2) = (3, 6, 10)$

Now, let's compare each individual score:

- $a_0 > b_0$, so Alice receives 1 point.
- ullet $a_1=b_1$, so nobody receives a point.
- $a_2 < b_2$, so Bob receives 1 point.

Alice's comparison score is 1, and Bob's comparison score is 1. Thus, we print 1 1 (Alice's comparison score followed by Bob's comparison score) on a single line.

