
Mondade Andre: 244

1) +(+(h(x),h(h(V))),g(h(+(x,x1))):



f(f(h(h(v)), h(h(y))), g(h(f(x,y)))

Initializare: S= Ø R = 4f(f(h(x), h(h(v))), g(h(f(x,x)))),f(f(h(h(v)),h(h(y))), g(h(f(x,y))))} Descoup. o f(f(h(x),h(h(v))),g(h(f(x,x)))), f(f(h(h(y)), h(h(y))), g(h(f(x,y)))) Descoup of f(h(x), h(h(v))) = f(h(h(v)), h(h(y))), $\mathcal{G}(\mathcal{H}(\mathcal{F}(X,X))) = \mathcal{G}(\mathcal{H}(\mathcal{F}(X,Y)))$ Descorp. of h(x) = h(h(v)), h(h(v)) = h(h(y)),h(f(x,x)) = h(f(x,y))Resolvo of X = f(V), f(V) = f(Y) f(X, X) = f(X, Y)Reporte of X=R(Y), V=YScote X = X, X = YRezolvó p X = A(V), V = YRizolić Y = V $X = \gamma$ X = h(V), X = VX=V, X=V V= A(V) ESEC VEV (h(x)) => Problemo de unificare mu are solutie

Manolache Andrei

Examen

Numerotone: &

- 1) barbot (alex).
- 7) Ochi(olex, megri)
- 2) lorlot (ondrei).
- 8) ochi (ano, coprui).
- 3) temeir (ana).
- 8) ochi (andrei allori).
- 4) femeie (carmen).
- to) whi (carmen, violeti).
- 5) femuie (eleno).
- (1) socie (elena verzi)
- 6) ferreie (maria).
- (2) ochi (mario, Coprui).
- (3) ploq (B,F): barlot (B), formie (F), och F, violeti)
- 14) plue (B,F):-lorbt(B), ferrie (F), ochi (F, verzi).
- 15) place (FiB):-femei (F), borlst(B), Ochi(B, alborti).
 - (C) logoditi (B,F):- plog(B,F), place (F,B).
- 17) rivoli (P,Q):-fomie (P), femur (Q), place (B,P), place (B,Q)
- 18) vivdi (P,Q):- lorlot(P), larlot(Q), place (F,P), place(F,Q)

