

Andreina Aliraihan Sudra
1202194105 / SI4306
Quiz 1 WAD

Sintaks coding index.html

index.html — QUIZ1

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>jupyter</title>
8
9   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet"
10    integrity="sha384-1Bm4KWBq781yfFdVUhTTAU6au8tT9WrriftjDbrCEXSU1oBoqylZ0v26jIW3" crossorigin="anonymous">
11   <link rel="stylesheet" type="text/css" href="style.css">
12   <link rel="canonical" href="https://getbootstrap.com/docs/5.1/examples/jumbotron/">
13   <link rel="stylesheet" href="all.min.css">
14
15 </head>
16 <body>
17   <section>
18     <header>
19       <nav class="navbar fixed-top navbar-light" style="background-color: #FFEB3D">
20         <div class="container">
21           <a class="navbar-brand" href="#">
22             
23           </a>
24           <ul class="nav ms-auto">
25             <li class="nav-item">
26               <a class="nav-link" href="#Section1">Home</a>
27             </li>
28             <li class="nav-item">
29               <a class="nav-link" href="#Section2">About</a>
30             </li>
31             <li class="nav-item">
32               <a class="nav-link" href="#Section3">Our Menu</a>
33             </li>
34           <li class="nav-item">
```

Ln 137, Col 28 Spaces: 2 UTF-8 LF HTML ⚡ Go Live 🔍

index.html — QUIZ1

```
35   <a class="nav-link" href="#Section4">Shop Online</a>
36   </li>
37   <li class="nav-item">
38     <a class="nav-link" href="#Section5">Connect with Us</a>
39   </li>
40 </ul>
41 <ul class="nav ms-auto">
42   <a href="jupyter.html" class="btn btn-danger"><i class="fas fa-user" style="margin-right: 8px;"></i>Login</a>
43 </ul>
44 </div>
45 </nav>
46 </header>
47 </section>
48
49 <div id="Section1" class="carousel slide" data-bs-ride="carousel">
50   <div class="carousel-indicators">
51     <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="0" class="active"
52       aria-current="true" aria-label="Slide 1"></button>
53     <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="1" aria-label="Slide 2"></button>
54     <button type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide-to="2" aria-label="Slide 3"></button>
55   </div>
56   <div class="carousel-inner">
57     <div class="carousel-item active">
58       
59       <div class="carousel-caption d-none d-md-block">
60         <h5>Introducing, jupyter</h5>
61         <p>Lorem, ipsum dolor sit amet consectetur adipisicing elit. Nostrum numquam eveniet sint quos animi fugit
62           aliquid quam voluptates neque omnis dolor alias autem, commodi rerum pariatur hic vero iusto adipisci!</p>
63         <div class="slide-btn">
64           <a href="#Section2" class="btn btn-primary">Learn More</a>
65           <a href="jupterteam.html" class="btn btn-warning">Become a Thebe</a>
66         </div>
67       </div>
68     </div>
69   </div>
70 </div>
```

Ln 137, Col 28 Spaces: 2 UTF-8 LF HTML ⚡ Go Live 🔍

Screenshot of a code editor showing index.html and style2.css files.

index.html content:

```
<div class="carousel-item">
    
    <div class="carousel-caption d-none d-md-block">
        <h5>an otherworldly beverage</h5>
        <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Commodi incident necessitatibus maiores modi molestiae? Non incident iusto, laborum numquam cum alias odio velit earum quam quibusdam dolores consequatur detectus ut.</p>
        <div class="slide-btn">
            <a href="#Section2" class="btn btn-primary">Learn More</a>
            <a href="jupyter.html" class="btn btn-warning">Become a Thebe</a>
        </div>
    </div>
</div>
<div class="carousel-item">
    
    <div class="carousel-caption d-none d-md-block">
        <h5>satisfy your taste buds</h5>
        <p>Lorem ipsum, dolor sit amet consectetur adipisicing elit. Commodi, fugit numquam asperiores ipsa cum saepe impedit sit ipsam quam voluptas molestias dolores, iusto reiciendis optio vitae exercitationem amet corporis et.</p>
        <div class="slide-btn">
            <a href="#Section2" class="btn btn-primary">Learn More</a>
            <a href="jupyter.html" class="btn btn-warning">Become a Thebe</a>
        </div>
    </div>
</div>
<button class="carousel-control-prev" type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Previous</span>
</button>
<button class="carousel-control-next" type="button" data-bs-target="#carouselExampleCaptions" data-bs-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Next</span>
</button>
```

style2.css content:

```
.footer-social a:hover {
    background: #cor;
    border-color: #c;
    color: #black;
}
.footer-social .fab {
    margin-top: 7px;
}
```

Screenshot of a code editor showing index.html and style2.css files.

index.html content:

```
<div id="Section2">
    <div class="p-5 mb-4 rounded-3">
        <div class="container-fluid py-5 text-center">
            <h1>jupyter: so sweet that you start seeing stars</h1>
            <p>Lorem ipsum dolor sit amet consectetur, adipisicing elit. Soluta quo fugiat veritatis delectus eos? Aut corrupti labore natus deserunt officiis ullam quam pariatur nisi, culpa voluptas, facere, minima fuga architecto?</p>
            <iframe width="560" height="315" src="https://www.youtube.com/embed/s6ppnnFpRLq0" title="YouTube video player" frameborder="0" allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-picture" allowfullscreen></iframe>
        </div>
    </div>
    <h5 style="text-align: center;"> Ingredients </h5>
    <div class="progress">
        <div class="progress-bar bg-success" role="progressbar" style="width: 75%" aria-valuenow="75" aria-valuemin="0" aria-valuemax="100"> 75% Sweets </div>
    </div>
    <div class="progress">
        <div class="progress-bar bg-info" role="progressbar" style="width: 15%" aria-valuenow="15" aria-valuemin="0" aria-valuemax="100"> 15% Sour</div>
    </div>
    <div class="progress">
        <div class="progress-bar bg-warning" role="progressbar" style="width: 10%" aria-valuenow="10" aria-valuemin="0" aria-valuemax="100"> 10% Extra Sweets</div>
    </div>
    <div class="progress">
        <div class="progress-bar bg-danger" role="progressbar" style="width: 100%" aria-valuenow="100" aria-valuemin="0" aria-valuemax="100"> 100% Love!</div>
    </div>
</div>
```

style2.css content:

```
.footer-social a:hover {
    background: #cor;
    border-color: #c;
    color: #black;
}
.footer-social .fab {
    margin-top: 7px;
}
```

The screenshot shows two instances of the Apple Xcode IDE running on a Mac. Both windows are titled "index.html — QUIZ1".

Left Editor:

```
<div id="Section3">
  <div class="p-5 mb-4 rounded-3">
    <div class="container-fluid py-5 text-center">
      <h1 class="display-5 fw-bold">Our Menu</h1>
      <table class="table table-warning table-hover">
        <thead>
          <tr>
            <th scope="col"></th>
            <th scope="col">Beverage</th>
            <th scope="col">Price</th>
          </tr>
        </thead>
        <tbody>
          <tr>
            <th scope="row">1</th>
            <td>Sugar Drip Boba</td>
            <td>Rp 20.000</td>
          </tr>
          <tr>
            <th scope="row">2</th>
            <td>Bubblegum Dream Boba</td>
            <td>Rp 18.000</td>
          </tr>
          <tr>
            <th scope="row">3</th>
            <td>I Love You So Matcha!</td>
            <td>Rp 23.000</td>
          </tr>
          <tr>
            <th scope="row">4</th>
            <td>shoTaro Boba</td>
            <td>Rp 19.000</td>
          </tr>
          <tr>
            <th scope="row">5</th>
```

Right Editor:

```
.footer-social a:hover {
  background: #coral;
  border-color: #c0392b;
  color: #black;
}
.footer-social .fab {
  margin-top: 7px;
}
```

Both editors show the same code for a table with five rows of data. The right editor contains some CSS for footer social links.

The screenshot shows two instances of the Apple Xcode IDE running on a Mac. Both windows are titled "index.html — QUIZ1".

Left Editor:

```
<td>Strawberry Land Boba</td>
<td>Rp 20.000</td>
</tr>
<tr>
  <th scope="row">5</th>
  <td>Mango Island Boba</td>
  <td>Rp 25.000</td>
</tr>
<tr>
  <th scope="row">6</th>
  <td>ChocoBanh</td>
  <td>Rp 22.000</td>
</tr>
<tr>
  <th scope="row">7</th>
  <td>Ice Cream Cake Boba</td>
  <td>Rp 27.000</td>
</tr>
<tr>
  <th scope="row">8</th>
  <td>Classic Milk Tea Boba</td>
  <td>Rp 15.000</td>
</tr>
</tbody>
</table>
<p>*Prices may vary depending on the areas</p>
```

Right Editor:

```
.footer-social a:hover {
  background: #coral;
  border-color: #c0392b;
  color: #black;
}
.footer-social .fab {
  margin-top: 7px;
}
```

The left editor shows the completed table with eight rows. The right editor contains the same CSS as the previous screenshot.

```
index.html 3 <-- index2.html
index.html > html > body > div#Section3 > div.p-5.mb-4.rounded-3 > div.container-fluid.py-5.text-center > table.table.table-warning.table-hc
    <h1 class="display-5 fw-bold">Shop Online</h1>
    <div class="row row-cols-1 row-cols-md-4 g-4">
        <div class="col">
            <div class="card h-100">
                
                <div class="card-body">
                    <h5 class="card-title">Sugar Drip Boba</h5>
                    <p class="card-text">Lorem, ipsum dolor sit amet consectetur adipisicing elit. </p>
                    <button class="btn disabled">Rp 20.000</button>
                    <a href="#" class="btn btn-secondary disabled">Unavailable</a>
                </div>
            </div>
        </div>
        <div class="col">
            <div class="card h-100">
                
                <div class="card-body">
                    <h5 class="card-title">Classic Milk Tea Boba</h5>
                    <p class="card-text">Lorem, ipsum dolor sit amet consectetur adipisicing elit.</p>
                    <button class="btn disabled">Rp 15.000</button>
                    <a href="#" class="btn btn-success">Buy Now</a>
                </div>
            </div>
        </div>
        <div class="col">
            <div class="card h-100">
                
                <div class="card-body">
                    <h5 class="card-title">I Love You So Matcha!</h5>
                    <p class="card-text">Lorem, ipsum dolor sit amet consectetur adipisicing elit.</p>
                    <button class="btn disabled">Rp 23.000</button>
                    <a href="#" class="btn btn-success">Buy Now</a>
                </div>
            </div>
        </div>
    </div>

```

```
Code Edit Selection View Go Run Terminal Window Help index.html — QUIZ1
index.html 3 x index2.html
index.html > html > body > div#Section3 > div.p-5.mb-4.rounded-3 > div.container-fluid.py-5.text-center > table.table.table-warning.table-h
227   </div>
228   </div>
229   </div>
230   <div class="col">
231     <div class="card h-100">
232       
233       <div class="card-body">
234         <h5 class="card-title">shoTaro Boba</h5>
235         <p class="card-text">Lorem, ipsum dolor sit amet consectetur adipisicing elit.</p>
236         <button class="btn disabled">Rp 19.000</button>
237         <a href="#" class="btn btn-secondary disabled">Unavailable</a>
238     </div>
239   </div>
240   <br>
241   <a href="#" class="btn btn-primary">Shop All Beverages</a>
242 </div>
243 </div>
244 </div>
245 </div>
246 </div>
247 <div id="Section5">
248   <div class="p-5 mb-4 rounded-3">
249     <div class="container-fluid py-5">
250       <h3 class="display-5 fw-bold text-center">Connect with Us!</h3>
251       <div class="row">
252         <div class="col-md-6">
253           <h3>Find Us!</h3>
254           <div class="mapouter"><div class="gmap_canvas"><iframe width="500" height="550" id="gmap_canvas"
255             src="https://maps.google.com/maps?q=2880%20Broadway,%20New%20York&t=&z=13&ie=UTF8&iwloc=&output=embed"
256             frameborder="0" scrolling="no" marginheight="0" marginwidth="0"></iframe><a href="https://www.
257             online-timer.net"><a href="https://www.embedgooglemap.net">embed google maps website</a><style>.gmap_canvas
258             {overflow:hidden;background:none!important;height:550px;width:500px;}</style></a></div></div>
259 </div>
```

The screenshot shows two instances of the Apple Xcode IDE running on a Mac. Both windows are titled "index.html — QUIZ1".

The left window displays the HTML code for a contact form:

```
<div class="col-md-6">
    <h3>Contact Us!</h3>
    <div class="contact-form">
        <form>
            <div class="form-group">
                <label> Tell us your name</label>
                <input type="text" name="firstname" placeholder="First Name">
                <input type="text" name="lastname" placeholder="Last Name">
            </div>

            <div class="form-group">
                <label> Enter your email</label>
                <input type="text" name="email" placeholder="youremail@email.com">
            </div>

            <div class="form-group">
                <label> Enter your phone number</label>
                <input type="number" name="phone" placeholder="+62 8000 0000000000">
            </div>

            <div class="form-group">
                <label> Message:</label>
                <textarea name="msg" placeholder="Write us a message"></textarea>
            </div>

        <!-- Button trigger modal -->
        <button type="button" class="btn btn-success" data-bs-toggle="modal"
            data-bs-target="#exampleModal">
            Send Messages
        </button>
    </div>
```

The right window shows the corresponding CSS file, "style2.css", which contains the following styles:

```
233 .footer-social a:hover {
234     background: #coral;
235     border-color: #c00;
236     color: #black;
237 }
238 }
239 .footer-social .fab {
240     margin-top: 7px;
241 }
242 }
```

The screenshot shows two instances of the Apple Xcode IDE running on a Mac. Both windows are titled "index.html — QUIZ1".

The left window displays the HTML code for a modal dialog:

```
<!-- Modal -->
<div class="modal fade" id="exampleModal" tabindex="-1" aria-labelledby="exampleModalLabel"
    aria-hidden="true">
    <div class="modal-dialog">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Hello!</h5>
                <button type="button" class="btn-close" data-bs-dismiss="modal"
                    aria-label="Close"></button>
            </div>
            <div class="modal-body">
                <p> Thank you for your feedbacks! Your feedbacks are very much appreciated! </p>
            </div>
            <div class="modal-footer">
                <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">Cancel</button>
                <button type="button" class="btn btn-success" data-bs-dismiss="modal">Send
                    Messages</button>
            </div>
        </div>
    </div>
</div>
```

The right window shows the corresponding CSS file, "style2.css", which contains the following styles:

```
233 .footer-social a:hover {
234     background: #coral;
235     border-color: #c00;
236     color: #black;
237 }
238 }
239 .footer-social .fab {
240     margin-top: 7px;
241 }
242 }
```

```
index.html 3 index2.html
317 <div class="col-md-3 mb-5">
318   <div class="row mb-5">
319     <div class="col-md-3 mb-5">
320       <h2> About us </h2>
321       <p> Lorem ipsum dolor sit amet consectetur adipisicing elit. In quo magni, quod temporibus natus consectetur  
mollitia eveniet facere voluptatem rerum corporis modi deserunt repudiandae tenetur dolor, aperiam odit non  
ullam!</p>
322     </div>
323   </div>
324
325   <div class="col-md-3 mb-5">
326     <h2> Contact & Address </h2>
327     <ul class="list-unstyled footer-link">
328       <li class="d-flex">
329         <span class="me-3">Address:</span><span class="text-black">2880 Broadway, New York City, NY</span>
330       </li>
331       <li class="d-flex">
332         <span class="me-3">Telephone:</span><span class="text-black">+62 8123 456 789</span>
333       </li>
334       <li class="d-flex">
335         <span class="me-3">Email:</span><span class="text-black">hello@jupyter.com</span>
336       </li>
337     </ul>
338   </div>
339
340   <div class="col-md-3 mb-5">
341     <h2> Quick Links </h2>
342     <ul class="list-unstyled footer-link">
343       <li><a href="#Section1"> Home </a></li>
344       <li><a href="#Section2"> About </a></li>
345       <li><a href="#Section3"> Our Menu </a></li>
346       <li><a href="#Section4"> Shop Online </a></li>
347       <li><a href="#Section5"> Connect with Us </a></li>
348     </ul>
349   </div>
```

index.html — QUIZ1

index.html 3 index2.html

```
index.html 3 index2.html
342 <ul class="list-unstyled footer-link">
343   <li><a href="#Section1"> Home </a></li>
344   <li><a href="#Section2"> About </a></li>
345   <li><a href="#Section3"> Our Menu </a></li>
346   <li><a href="#Section4"> Shop Online </a></li>
347   <li><a href="#Section5"> Connect with Us </a></li>
348 </ul>
349
350 <div class="col-md-3">
351   <h2> Social Medias </h2>
352   <ul class="list-unstyled footer-link d-flex footer-social">
353     <li><a href="https://www.facebook.com/xiboba.indonesia/"><span class="fab fa-facebook"></span></a></li>
354     <li><a href="https://www.instagram.com/streetbabba/"><span class="fab fa-instagram"></span></a></li>
355     <li><a href="https://twitter.com/justinbieber?ref_src=twsr&ck=5Egoogle%7Ctwcamp%5Eserp%7Ctwgr%5Eauthor"><span  
class="fab fa-twitter"></span></a></li>
356     <li><a href="https://www.youtube.com/watch?v=B-gaHt0ZfIQ"><span class="fab fa-youtube"></span></a></li>
357   </ul>
358 </div>
359
360 <div class="row">
361   <div class="col-12 text-center">
362     <p> Copyrighted © jupyter.co </p>
363   </div>
364 </div>
365 </div>
366 </div>
367 </div>
368 </div>
369
370 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
371   integrity="sha384-ka75k0Gln4gmtz2MlQnkhT1wXgYs0g+0MhuP+IlRH9sENB0LRn5q+8nbTov4+1p" crossorigin="anonymous"></script>
372 </body>
373 </html>
```

index.html — QUIZ1

```
index.html 3 index2.html
342 <ul class="list-unstyled footer-link">
343   <li><a href="#Section1"> Home </a></li>
344   <li><a href="#Section2"> About </a></li>
345   <li><a href="#Section3"> Our Menu </a></li>
346   <li><a href="#Section4"> Shop Online </a></li>
347   <li><a href="#Section5"> Connect with Us </a></li>
348 </ul>
349
350 <div class="col-md-3">
351   <h2> Social Medias </h2>
352   <ul class="list-unstyled footer-link d-flex footer-social">
353     <li><a href="https://www.facebook.com/xiboba.indonesia/"><span class="fab fa-facebook"></span></a></li>
354     <li><a href="https://www.instagram.com/streetbabba/"><span class="fab fa-instagram"></span></a></li>
355     <li><a href="https://twitter.com/justinbieber?ref_src=twsr&ck=5Egoogle%7Ctwcamp%5Eserp%7Ctwgr%5Eauthor"><span  
class="fab fa-twitter"></span></a></li>
356     <li><a href="https://www.youtube.com/watch?v=B-gaHt0ZfIQ"><span class="fab fa-youtube"></span></a></li>
357   </ul>
358 </div>
359
360 <div class="row">
361   <div class="col-12 text-center">
362     <p> Copyrighted © jupyter.co </p>
363   </div>
364 </div>
365 </div>
366 </div>
367 </div>
368 </div>
369
370 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
371   integrity="sha384-ka75k0Gln4gmtz2MlQnkhT1wXgYs0g+0MhuP+IlRH9sENB0LRn5q+8nbTov4+1p" crossorigin="anonymous"></script>
372 </body>
373 </html>
```

index.html — QUIZ1

Sintaks coding CSS

A screenshot of a Mac OS X desktop environment. In the center is a code editor window titled "style.css — QUIZ1". The code editor shows CSS code for a navigation bar and a button. The code includes imports for Google Fonts, styling for the body, nav items, and a button. The status bar at the bottom of the window indicates "Ln 6, Col 7" and "Spaces: 4". The system menu bar at the top shows "Code", "File", "Edit", etc., and the date "Mon 25 Oct 22.06.43". The Dock at the bottom contains various application icons.

```
# style.css > # loginstyle.css
# style.css > body
1 @import url('https://fonts.googleapis.com/css2?family=Hebo:wght@100;400;500;700;900&display=swap');
2 html{
3     scroll-behavior: smooth;
4 }
5
6 body {
7     margin: 0;
8     padding: 0;
9     box-sizing: border-box;
10    font-family: 'Hebo', sans-serif;
11    padding-top: 5%;
12    text-align: center;
13 }
14
15 nav {
16     position: absolute;
17 }
18
19 nav .nav-item a {
20     color: black;
21 }
22
23 nav .nav-item a:hover {
24     color: #FFA62F;
25 }
26
27 nav .nav-item a:active {
28     border-top: 4px solid #FFA62F;
29     color: #FFA62F;
30 }
31
32 nav .btn {
33
34     color: white;
35     border-radius: 100px;
36 }
```

A screenshot of a Mac OS X desktop environment, similar to the one above. In the center is a code editor window titled "style.css — QUIZ1". The code editor shows CSS code for a navigation bar, a button, and a carousel item. The code includes styling for the body, nav items, a button, and a carousel item with a before pseudo-element. The status bar at the bottom of the window indicates "Ln 6, Col 7" and "Spaces: 4". The system menu bar at the top shows "Code", "File", "Edit", etc., and the date "Mon 25 Oct 22.06.54". The Dock at the bottom contains various application icons.

```
# style.css > # loginstyle.css
# style.css > body
1 border-radius: 100px;
2 margin-top: 1px;
3 margin-right: 10px;
4 }
5
6 nav .btn:hover {
7     background-color: #FFA62F;
8 }
9
10
11 .carousel-item {
12     height: 100vh;
13     min-height: 300px;
14     background: no-repeat scroll center center / cover;
15     -webkit-background-size : cover;
16     background-size: cover;
17     padding-bottom: 5%;
18 }
19
20 .carousel-item::before{
21     content: "";
22     display: block;
23     position: absolute;
24     top: 0;
25     left: 0;
26     bottom: 0;
27     right: 0;
28     background: black;
29     opacity: 0.7;
30 }
31
32 .carousel-caption{
33     bottom: 180px;
34     padding-left: 100px;
35     padding-right: 100px;
36 }
```

A screenshot of a Mac OS X desktop environment. In the center is a code editor window titled "style.css — QUIZ1". The editor shows CSS code for a login interface. The code includes styles for the body, carousel caption, slide button, and Section3. The interface uses a dark theme with some light-colored text and background elements. The status bar at the bottom indicates "Ln 6, Col 7" and "Spaces: 4". The Mac OS X dock is visible at the bottom, featuring icons for various applications like Finder, Mail, and Safari.

```
# style.css x # loginstyle.css
# style.css > body
70   padding-right: 100px;
71 }
72
73 .carousel-caption h5 {
74   font-size: 70px;
75   font-weight: 700;
76 }
77
78 .carousel-caption p{
79   font-size: 18px;
80   top: 2rem;
81 }
82
83 .slide-btn {
84   margin-top: 30px;
85 }
86
87 .slide-btn .btn {
88
89   color: black;
90   border-radius: 100px;
91   font-size: 1rem;
92   margin-right: 15px;
93 }
94
95 .slide-btn .btn:hover{
96   color: #FFA62F;
97   background-color: #FFFFFFC2;
98 }
99
100 #Section3 {
101   align-items: center;
102   justify-content: center;
103   padding-left: 5;
104   padding-right: 5;
```

A screenshot of a Mac OS X desktop environment, similar to the one above. It shows a code editor window titled "style.css — QUIZ1". This version of the code editor displays a different set of CSS rules, primarily for Section3, Section5, and a contact form. The code includes styling for tables, headings, and form groups. The interface continues to use a dark theme with light-colored text and background elements. The status bar at the bottom indicates "Ln 6, Col 7" and "Spaces: 4". The Mac OS X dock is visible at the bottom.

```
# style.css x # loginstyle.css
# style.css > body
105 }
106
107 #Section3 table {
108   padding: 5;
109 }
110
111 #Section3 p{
112   color: red;
113 }
114
115 #Section5 h3{
116   text-align: center;
117 }
118
119 #Section5 .mapouter{
120   text-align: center;
121   padding-left: 100;
122 }
123
124 #Section5 .contact-form {
125   width: auto;
126   display: flex;
127   justify-content: center;
128   align-items: flex-start;
129   background: #fafaef;
130   margin: 20px;
131   padding: 20px;
132 }
133
134 #Section5 .contact-form .form-group{
135   margin-bottom: 10px;
136 }
137
138 #Section5 .contact-form .form-group *
```


A screenshot of a Mac OS X desktop environment. In the center is a code editor window titled "style.css — QUIZ1". The editor shows CSS code for a login form. The code includes styles for the body, form groups, labels, inputs, and textareas. A specific rule for a button is highlighted with a dark gray background and white text. The status bar at the bottom of the window indicates "Ln 6, Col 7" and "Spaces: 4". The system menu bar at the top shows "Code", "File", "Edit", etc., and the date "Mon 25 Oct 22.07.21". The dock at the bottom contains various application icons.

```
# style.css > # loginstyle.css
# style.css > body
140     min-height: 50px;
141     border: 1px solid #FFA62F;
142     padding: 0 20px;
143 }
144
145 #Section5 .contact-form .form-group label{
146     display: flex;
147     align-items: center;
148     width: 100%;
149     border: 1px solid #FFFFC2;
150     font-size: 16px;
151     color: black;
152     text-transform: uppercase;
153     margin-top: -1px;
154 }
155
156 #Section5 .contact-form .form-group:first-of-type input{
157     width: 50.1%;
158     margin-right: -5px;
159 }
160
161 #Section5 .contact-form .form-group input{
162     width: 100%;
163     font-size: 15px;
164     margin-top: -2px;
165 }
166
167 #Section5 .contact-form .form-group input::placeholder,
168 #Section5 .contact-form .form-group textarea::placeholder{
169     color: burlywood;
170 }
171
172 #Section5 .contact-form .form-group textarea{
173     width: 100%;
174     min-height: 80px;
175 }
```

A screenshot of a Mac OS X desktop environment, similar to the one above. It shows a code editor window titled "style.css — QUIZ1". This version of the code editor has a different theme. The CSS code is identical to the one in the first screenshot, with the same button rule highlighted. The status bar at the bottom indicates "Ln 6, Col 7" and "Spaces: 4". The system menu bar at the top shows "Code", "File", "Edit", etc., and the date "Mon 25 Oct 22.07.32". The dock at the bottom contains various application icons.


```
# style.css > # loginstyle.css
# style.css > body
175     resize: none;
176     padding: 10px 20px;
177     margin-top: -1px;
178 }
179
180 #Section5 form button:hover{
181     background-color: #FFA62F;
182 }
183
184 .progress {
185     margin-bottom: 10px;
186     height: 30px;
187 }
188
189 .site-footer {
190     padding: 5em 0;
191     background: beige;
192     font-size: 14px;
193     color: black;
194 }
195
196 .site-footer p:last-child{
197     margin-bottom: 0;
198 }
199
200 .site-footer a{
201     color: black;
202     border-bottom: 1px solid transparent;
203 }
204
205 .site-footer a:hover{
206     color: #FFA62F;
207     border-bottom: 1px solid darkcyan;
208 }
209
```

Sintaks coding signin.html



```
# style.css      signin.html 1      # loginstyle.css
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Sign In/ Sign Up</title>
  </head>
  <body>
    <div class="hero">
      <div class="form-box">
        <div class="button-box">
          <div id="btn"></div>
          <button type="button" class="toggle-btn" onclick="login()> Login </button>
          <button type="button" class="toggle-btn" onclick="register()> Register </button>
        </div>

        <form id="login" class="input-group">
          <input type="text" class="input-field" placeholder="User ID" required>
          <input type="password" class="input-field" placeholder="Password" required>
          <input type="checkbox" class="check-box"><span>Remember Password</span>
          <button type="submit" class="submit-btn"><a href="index2.html">Login</a></button>
        </form>
        <form id="register" class="input-group">
          <input type="text" class="input-field" placeholder="User ID" required>
          <input type="email" class="input-field" placeholder="youremail@email.com" required>
          <input type="password" class="input-field" placeholder="Password" required>
          <input type="checkbox" class="check-box"><span>I agree to the terms and conditions</span>
          <button type="submit" class="submit-btn"><a href="index2.html">Register</a></button>
        </form>
      </div>
    </div>
```



```
# style.css      signin.html 1      # loginstyle.css
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Sign In/ Sign Up</title>
  </head>
  <body>
    <div class="hero">
      <div class="form-box">
        <div class="button-box">
          <div id="btn"></div>
          <button type="submit" class="submit-btn"><a href="index2.html">Login</a></button>
        </div>

        <form id="register" class="input-group">
          <input type="text" class="input-field" placeholder="User ID" required>
          <input type="email" class="input-field" placeholder="youremail@email.com" required>
          <input type="password" class="input-field" placeholder="Password" required>
          <input type="checkbox" class="check-box"><span>I agree to the terms and conditions</span>
          <button type="submit" class="submit-btn"><a href="index2.html">Register</a></button>
        </form>
      </div>
    </div>

    <script>
      var x = document.getElementById("login");
      var y = document.getElementById("register");
      var z = document.getElementById("btn");

      function register(){
        x.style.left = "-400px";
        y.style.left = "50px";
        z.style.left = "110px";
      }

      function login(){
        x.style.left = "50px";
        y.style.left = "450px";
        z.style.left = "0";
      }
    </script>
  </body>
</html>
```

Sintaks coding loginstyle.css

```
# style.css      signin.html 1      # loginstyle.css x
loginsstyle.css — QUIZ1
1 *{
2     margin: 0;
3     padding: 0;
4     font-family: sans-serif;
5 }
6
7 .hero{
8     height: 100%;
9     width: 100%;
10    background-image: url(bobabg.jpeg);
11    background-position: center;
12    background-size: cover;
13    position: absolute;
14 }
15
16 .form-box{
17     width: 300px;
18     height: 400px;
19     position: relative;
20     margin: 0 auto;
21     background: #fff;
22     padding: 5px;
23     overflow: hidden;
24 }
25
26 .button-box{
27     width: 220px;
28     margin: 35px auto;
29     position: relative;
30     box-shadow: 0 0 20px 9px #FFDA89;
31     border-radius: 30px;
32 }
33
34 .toggle-btn{
35     padding: 10px 30px;

```

```
# style.css      signin.html 1      # loginstyle.css x
loginsstyle.css — QUIZ1
1 *{
2     cursor: pointer;
3     background: transparent;
4     border: 0;
5     outline: none;
6     position: relative;
7 }
8
9 #btn{
10     top: 0;
11     left: 0;
12     position: absolute;
13     width: 110px;
14     height: 100px;
15     background: linear-gradient(to right, #E2A76F, #F75D59);
16     border-radius: 30px;
17     transition: .5s;
18 }
19
20 .logo i{
21     margin: 30px auto;
22     text-align: center;
23     margin-top: 10px;
24 }
25
26 .logo img{
27     width: 50px;
28     margin: 0 12px;
29     cursor: pointer;
30 }
31
32 .input-group{
33     top: 100px;
34     position: absolute;
35     width: 200px;
36     transition: .5s;
37 }
```

The screenshot shows a Mac OS X desktop with two instances of the 'Code' application running side-by-side. Both windows have dark themes and are displaying CSS code in a file named 'loginstyle.css'. The top window's code is as follows:

```
# style.css | signin.html 1 | # loginstyle.css x
# loginstyle.css > .logo
71 }
72
73 .input-field {
74     width: 100%;
75     padding: 10px 0;
76     margin: 5px 0;
77     border-left: 0;
78     border-top: 0;
79     border-right: 0;
80     border-bottom: 1px solid #999;
81     outline: none;
82     background: transparent;
83 }

84
85 .submit-btn{
86     width: 85%;
87     padding: 10px 30px;
88     cursor: pointer;
89     display: block;
90     margin: auto;
91     background: linear-gradient(to right, #E2A76F, #F75D59);
92     border: 0;
93     outline: none;
94     border-radius: 30px;
95 }

96
97 .check-box {
98     margin: 30px 10px 30px 0;
99 }

100
101 span {
102     color: #777;
103     font-size: 12px;
104     bottom: 68px;
105     position: absolute;
106 }

107
108 #login {
109     left: 50px;
110 }

111
112 #register {
113     left: 450px;
114 }

115
116
117
118
```

The bottom window's code is identical to the top one, except it includes additional styling for the '#login' and '#register' elements at the bottom of the file.

This screenshot shows the same setup as the first one, with two 'Code' application windows open on a Mac OS X desktop. The code in both windows is identical to the one shown in the first screenshot, with the addition of styles for '#login' and '#register' at the bottom of the file.

Hasil

Chrome File Edit View History Bookmarks Profiles Tab Window Help 81% Mon 25 Oct 21.59.34 Andreina Aliraihan

ISI3C3-SI-43-06: QUIZ REVIEW telyu - Google Drive Untitled document - Google Docs jupyter


127.0.0.1:5502/index.html

jupyter Home About Our Menu Shop Online Connect with Us Login

an otherwordly beverage

Lore ipsum dolor sit amet consectetur adipisicing elit. Commodi incident
necessitatibus maiores modi molestiae? Non incident iusto, laborum numquam cum
alias odio velit earum quam quibusdam dolores consequatur delectus ut.

Learn More Become a Thebe



Chrome File Edit View History Bookmarks Profiles Tab Window Help 81% Mon 25 Oct 21.59.44 Andreina Aliraihan

ISI3C3-SI-43-06: QUIZ REVIEW telyu - Google Drive Untitled document - Google Docs jupyter

127.0.0.1:5502/index.html#Section2

jupyter Home About Our Menu Shop Online Connect with Us Login

jupyter: so sweet that you start seeing stars

Lore ipsum dolor sit amet consectetur, adipisicing elit. Soluta quos fugiat veritatis delectus eos? Aut
corrupti labore natus deserunt officiis ullam quam pariatur nisi, culpa voluptas, facere, minima fuga
architecto?



Watch on YouTube

Chrome File Edit View History Bookmarks Profiles Tab Window Help 81% Mon 25 Oct 21.59.50 Andreina Aliraihan

ISI3C3-SI-43-06: QUIZ REVIEW telyu - Google Drive Untitled document - Google Drive jupyter

127.0.0.1:5502/index.html#Section2

jupyter Home About Our Menu Shop Online Connect with Us Login



Watch on YouTube

Ingredients



Chrome File Edit View History Bookmarks Profiles Tab Window Help 81% Mon 25 Oct 21.59.53 Andreina Aliraihan

ISI3C3-SI-43-06: QUIZ REVIEW telyu - Google Drive Untitled document - Google Drive jupyter

127.0.0.1:5502/index.html#Section3

jupyter Home About Our Menu Shop Online Connect with Us Login

Our Menu

#	Beverage	Price
1	Sugar Drip Boba	Rp 20.000
2	Bubblegum Dream Boba	Rp 18.000
3	I Love You So Matcha!	Rp 23.000
4	shoTaro Boba	Rp 19.000
5	Strawberry Land Boba	Rp 20.000
5	Mango Island Boba	Rp 25.000
6	ChocoBang	Rp 22.000
7	Ice Cream Cake Boba	Rp 27.000
8	Classic Milk Tea Boba	Rp 15.000

*Prices may vary depending on the areas

127.0.0.1:5502/index.html#Section3

Chrome File Edit View History Bookmarks Profiles Tab Window Help 81% Mon 25 Oct 21.59.53 Andreina Aliraihan

Chrome File Edit View History Bookmarks Profiles Tab Window Help 81% Mon 25 Oct 21.59.57 Andreina Aliraihan

ISI3C3-SI-43-06: QUIZ REVIEW telyu - Google Drive Untitled document - Google Docs jupyter

127.0.0.1:5502/index.html#Section4

jupyter

Home About Our Menu Shop Online Connect with Us Login

Shop Online



Sugar Drip Boba
Lorem, ipsum dolor sit amet consectetur adipisicing elit.
Rp 20.000 Unavailable



Classic Milk Tea Boba
Lorem, ipsum dolor sit amet consectetur adipisicing elit.
Rp 15.000 Buy Now



I Love You So Matcha!
Lorem, ipsum dolor sit amet consectetur adipisicing elit.
Rp 23.000 Buy Now



shoTaro Boba
Lorem, ipsum dolor sit amet consectetur adipisicing elit.
Rp 19.000 Unavailable

[Shop All Beverages](#)

Chrome File Edit View History Bookmarks Profiles Tab Window Help 81% Mon 25 Oct 22.00.03 Andreina Aliraihan

ISI3C3-SI-43-06: QUIZ REVIEW telyu - Google Drive Untitled document - Google Docs jupyter

127.0.0.1:5502/index.html#Section5

jupyter

Home About Our Menu Shop Online Connect with Us Login

Connect with Us!

Find Us!



2880 Broadway
2880 Broadway, New York, NY 10025, USA
[View larger map](#)

Contact Us!

TELL US YOUR NAME

First Name Last Name

ENTER YOUR EMAIL

ENTER YOUR PHONE NUMBER

MESSAGE

Chrome File Edit View History Bookmarks Profiles Tab Window Help 81% Mon 25 Oct 22.00.08 Andreina Aliraihan

ISI3C3-SI-43-06: QUIZ REVIEW telyu - Google Drive Untitled document - Google Docs jupyter +

127.0.0.1:5502/index.html#Section5

jupyter

Home About Our Menu Shop Online Connect with Us Login

Find Us!

2880 Broadway
2880 Broadway, New York, NY 10025, USA
View larger map Directions

Contact Us!

TELL US YOUR NAME

First Name Last Name

ENTER YOUR EMAIL

youremail@email.com

ENTER YOUR PHONE NUMBER

+62 8000 0000 000

MESSAGE

Write us a message

Send Messages

Chrome File Edit View History Bookmarks Profiles Tab Window Help 81% Mon 25 Oct 22.00.11 Andreina Aliraihan

ISI3C3-SI-43-06: QUIZ REVIEW telyu - Google Drive Untitled document - Google Docs jupyter +

127.0.0.1:5502/index.html#Section5

jupyter

Home About Our Menu Shop Online Connect with Us Login

About us

Lorem ipsum dolor sit amet consectetur adipisciing elit. In quo magni, quod temporibus natus consectetur mollitia eveniet facere voluptatem rerum corporis commodi deserunt repudianda tenetur dolor, aperiam odit non ullam!

Contact & Address

Address: 2880 Broadway, New York City, NY
Telephone: +62 8123 456 789
Email: hello@jupyter.com

Quick Links

[Home](#) [About](#) [Our Menu](#) [Shop Online](#) [Connect with Us](#)

Social Medias

Copyrighted © jupyter.co

