

CONSOLIDATED MASTER RESEARCH DOSSIER

Aokigahara

Visual, geographical and geospatial reconstruction
research for a geographically faithful free-roam digital
recreation

Consolidated 9 September 2026

Combines every research pass and machine-readable artifact produced in this chat into one PDF package.

Core rule: the forest, the Jogan lava field, legal protection boundaries and the practical build area are related, but are not one polygon.

Contents

1. Scope, method and limits	3
2. What each research pass added	4
3. Executive synthesis	5
4. Geography, extent and boundary model	7
5. Geology and terrain	9
6. Vegetation and forest structure	10
7. Cave inventory and scale anchors	11
8. Routes, topology and controls	12
9. Ten-sector reconstruction plan	14
10. 250 m evidence grid	15
11. GSI DEM acquisition plan	16
12. Temporal aerial imagery and change detection	17
13. Production layer stack	19
14. What still prevents a 'perfect' recreation claim	21
15. Authoritative-source register	22
16. Complete 152-entry visual/map/GIS catalogue	24
17. Embedded raw artifacts	35

1. Scope, method and limits

This PDF consolidates the full Aokigahara work produced across the conversation: visual sourcing, official mapping, geology, terrain, vegetation, caves, routes, sector planning, evidence-density scoring, temporal aerial layers, boundary separation and the machine-readable outputs used to organise the reconstruction.

It is not evidence of a literally perfect digital twin. Broad geography, lava geology, principal routes/caves and many visual conditions are well constrained. Exact tree placement, deadwood, local undergrowth, obscure footpath geometry and fine micro-topography in poorly photographed interior cells remain partly inferred.

Research hierarchy

1. **Geology first:** GSJ eruptive-unit mapping and GSI volcanic landform data define the substrate.
2. **Terrain second:** GSI bare-earth DEM/LiDAR products recover the physical surface hidden by canopy.
3. **Modern surface third:** current aerial/vegetation/road data constrain present canopy, edges and infrastructure.
4. **Ground truth fourth:** geolocated and route-continuous images validate appearance and scale.
5. **Viewpoint validation:** macro camera matches at Sankodai, Koyodai, Lake Sai and other anchors test skyline and landscape alignment.

Visual-file note. The original research workflow indexed and hot-linked external image sources; it did not locally redistribute every original photograph. Accordingly, this PDF contains the complete 152-entry linked visual/map/GIS catalogue and preserves the full manifest as an embedded attachment. The externally hosted original image binaries themselves are not repackaged here.

2. What each research pass added

Pass 1 - visual and geography foundation

Initial dossier assembled 109 still-image references, one motion reference and 13 dedicated map/GIS/geology sources. The central finding was that the named forest, the Jogan lava field, protected-area boundaries and the practical reconstruction extent must not be treated as one boundary.

Pass 2 - reconstruction blueprint

The research was reorganised into a ten-sector build plan, cave scale anchors, terrain/geology rules, vegetation communities and a confidence framework. The indexed asset base rose to 122.

Pass 3 - measurable spatial coverage

A 250 m grid over a deliberately broad research AOI produced 2,790 evidence cells. The first strict pass classified 81 as high evidence, 1,283 medium and 1,426 low. A GSI terrain acquisition plan catalogued 3,528 candidate DEM tile URLs, and the first georegistration-control register was created.

Pass 4 - modern vegetation, topology and source audit

The Ministry of the Environment Existing Vegetation Map 2024 was added as the current vegetation-class layer, with underlying polygon source years retained. Route topology was separated from route geometry and access status. An authoritative-source register and a live reconstruction atlas were added.

Pass 5 - time-series aerial evidence and boundary separation

The atlas was expanded with historical GSI aerial series from 1961-69 through current imagery, Fuji volcanic terrain/geomorphology layers and the GSJ 2016 Fuji Volcano Geological Map WMTS. A dedicated boundary register separated research AOI, canopy, Jogan lava, Natural Monument, national-park, administrative and forest-management geometries. The final manifest in this master build contains 152 visual/map/GIS entries and 22 authoritative-source records.

3. Executive synthesis

152 visual/map/GIS entries	22 audited authoritative/ source records	2,790 250 m evidence cells	3,528 candidate GSI DEM tile URLs
-------------------------------	--	-------------------------------	---

Aokigahara should be rebuilt as a layered volcanic landscape, not as a generic dense forest. The critical relationship is between the 864 Jogan eruption products, the present forest canopy, the Fuji Five Lakes, Mt Omuro and associated lava caves. The build should retain these as separate source layers and then reconcile them in one metric project coordinate system.

Strongest evidence • Macro location and lake/Fuji relationships • Principal lava geology and volcanic morphology • Public cave corridor and major cave dimensions • Current/historical aerial and vegetation-class services • Public Route 139 and Lake Sai visitor sectors	Weakest evidence • Exact object placement in deep central/western interior • Continuous micro-route geometry away from well documented corridors • Individual-tree species/diameter/position • Fine deadwood and understory distribution • Actual highest DEM class per 250 m cell until data are ingested
--	---

250 m reconstruction-evidence grid and georegistration controls




Figure 1. Evidence-density grid from the final research pass. The grid is a project research instrument, not a forest boundary.

4. Geography, extent and boundary model

There is no defensible reason to force all uses of 'Aokigahara' into a single exact polygon. The final project must keep physical, geological, legal and operational extents separate.

~3,000 ha official tourism description of the forest / ~30 km²	~1,600 ha National Natural Monument after the 2010 extension	864-866 Jogan eruption period relevant to Aokigahara lava	10 reconstruction sectors
---	--	---	---

The Natural Monument was originally designated in 1926 and expanded by roughly 816 ha in 2010. The protected legal area is not synonymous with the entire forest. Nor is present canopy synonymous with the Jogan/Aokigahara lava field. National-park zoning, municipal boundaries, forest-management compartments and the research AOI are additional geometries with different purposes.

Boundary-layer register

layer_id	boundary_concept	status	best_source	geometry_status	confidence	reconstruction_use	do_not_conflate_with	next_actions
BND001	Research AOI / evidence-grid envelope	constructed research envelope	Aokigahara_250m_coverage_grid.geojson	Available	A as project AOI, zero authority as Aokigahara boundary	Data management, tiling and gap analysis only	forest extent; lava field; protected area; national park	Keep visible; distinct; labelled only.
BND002	Present Aokigahara forest / canopy footprint	working physical boundary not yet frozen	Current GSI seamless aerial + MoE Existing Vegetation Map 2024 + official local descriptions	Not yet derived as authoritative polygon	B for broad extent; lower for exact edge until orthophoto classification	Defines where Aokigahara-like forest assets should be distributed today	864 lava-flow field or 1,600 ha natural monument	Derive canopy from ortho; vegetational manual against lakes/develop
BND003	Aokigahara / Jōgan 864-866 lava-flow field	scientific geological boundary	GSJ Fuji Volcano Geological Map 2nd ed. (2016), vector shapefile; GSI Fuji volcanic landform tiles	Authoritative vector source identified; not yet ingested locally	A for source; geometry pending ingestion	Ground substrate, lava lobes/fronts, crater/fissure relationships and cave genesis	present canopy or protected-area boundary	Ingest GSI vector data; isolate Aokigahara units into CRS.
BND004	National Natural Monument: Fuji Primeval Forest and Aokigahara Jukai	legal cultural-property boundary	Yamanashi cultural-property database + Cultural Affairs designation records + official property maps	Area/descriptive extent authoritative; exact polygon not yet ingested	A for designation/area; geometry pending	Protection/access/ legal-context overlay and historical forest preservation context	whole Aokigahara forest	Acquire official designations; preserve 1926 context; 2010 add separate if possible
BND005	Fuji-Hakone-Izu National Park zoning	legal natural-park zoning	Ministry of the Environment Fuji area official zone maps	Official detailed PDF maps identified; no local vector ingested	A for official map source; boundaries on published PDFs are described as approximate	Land-management and protection context; distinguishes regulatory zones	Aokigahara forest or cultural-property boundary	Georeference west Fuji sheets; vector/context confirm any regulatory decision
BND006	Administrative boundary: Narusawa / Fujikawaguchiko	administrative	GSI / national administrative boundary data	Source available; not needed as proxy for forest boundary	A	Source attribution, planning and jurisdiction context	natural or geological extent	Add only for data provenance management
BND007								

layer_id	boundary_concept	status	best_source	geometry_status	confidence	reconstruction_use	do_not_conflate_with	next_actions
	Forest ownership / compartment boundaries	forest-management geometry	Yamanashi prefectural forest plans / Narusawa forest-area and ownership maps	Official map sources identified; local vector not yet ingested	A for management source; not a natural boundary	Explains straight/management edges and historical intervention; aids national-park/legal boundary alignment	canopy edge or Aokigahara definition	Use com geometry alignment; especial legal bo follow fo subcom
BND008	Fuji World Heritage property/buffer context	heritage-management context	Fujisan comprehensive preservation/management plans	Official context maps identified; not treated as Aokigahara boundary	A as heritage source	Context only; helps explain overlapping cultural-property and road boundaries	forest/lava/natural monument	Keep op ingest o heritage manage reconstr required

5. Geology and terrain

The terrain is a lava landscape. Research in the Motosu sector distinguishes major Jogan/Aokigahara flows including **Ishizuka Lava** and **Nagaoyama Lava**. Work on the Motosu front described roughly **36 protruding lava lobes**, together with pinching, swelling, branching, clefts and clinker-rich surfaces. Those structures should drive the environment's ground geometry and material masks rather than be replaced by generic procedural woodland noise.

Coordinate and terrain pipeline

Project logic: use a metric Japan Plane Rectangular Zone VIII grid for Yamanashi, retain WGS84 for interchange, and normalise every source datum at ingest. The working blueprint identifies EPSG:6676 (JGD2011 / Japan Plane Rectangular CS VIII) as a stable documented project CRS, but GSI's current download services may use JGD2024. Mixing generations silently would create metre-scale alignment errors.

- Check GSI 1 m DEM coverage first; if unavailable for the required mesh, use 5 m DEM5A airborne-laser data where available, then DEM5B/5C photogrammetry, with 10 m as fallback only.
- Generate bare-earth terrain first; GSI DEM removes trees/buildings from ground surface.
- Overlay GSI Fuji volcanic-landform classification and GSJ geology; preserve lava fronts, lobes, clefts, depressions and flow breaks instead of smoothing them into generic forest ground.
- Treat photogrammetric/aerial canopy as a separate surface/vegetation validation layer, not terrain elevation.




Figure 2. Candidate terrain acquisition plan. Candidate URLs are not proof that the corresponding high-resolution DEM exists in every cell.

Geological source priority

The preferred detailed geology source is the Geological Survey of Japan's **Fuji Volcano Geological Map, 2nd edition (2016)**. Its vector Shapefile source is the correct future production input for isolating the Jogan/Aokigahara eruptive units. The live WMTS is useful for visual overlay and QA but should not replace vector ingestion where exact polygon geometry is needed.

6. Vegetation and forest structure

A uniform 'dense conifer forest' biome would be wrong. A University of Tokyo survey distinguished seven forest-community types used in the blueprint:

open Pinus, Pinus, Tsuga-Pinus, Tsuga, Chamaecyparis-Tsuga, Chamaecyparis, deciduous broadleaved

- Tsuga forest occupies a large part of Aokigahara in the Tokyo University survey.
- Chamaecyparis-Tsuga and Chamaecyparis forest occur toward higher elevations in that survey.
- Deciduous broadleaved forest is associated with deeper-soil sites that escaped lava cover.
- Open Pinus is associated with exposed lava/disturbance sites; do not scatter all seven types uniformly.

The modern spatial layer is the Ministry of the Environment **Existing Vegetation Map 2024**. Its underlying polygon observations span 1999-2023; the polygon creation/source year must be retained rather than presenting all vegetation as surveyed in 2024. Current GSI orthophotography should then be used to detect later clearing, road-edge and canopy changes.

Older 1:25,000 vegetation GIS sheets located

Sheet	Extent	Survey period	Formats	Source
533815 Narusawa 1:25,000 Existing Vegetation Map	W 138.6219 E 138.7052 S 35.4199 N 35.5449	2004-04-01/2005-03-31	JPEG, Shp	official metadata
533805 Fuji 1:25,000 Existing Vegetation Map	W 138.6219 E 138.7052 S 35.3366 N 35.4616	2004-04-01/2005-03-31	JPEG, Shp	official metadata

Tree-level caution: vegetation polygons can determine community/biome families. They cannot justify the precise position, diameter or species of an individual tree.

7. Cave inventory and scale anchors

Official cultural-property and government sources provide unusually useful dimensional controls for the lava-cave system. These should be treated as real scale anchors for entrances, passages, thermal/ice behaviour and vertical placement.

Cave	Dimensions / elevation	Status	Notes	Confidence
Fugaku Wind Cave	Length: 258.7 m; Width: 4–10 m; Height: average 2–3; local 0.9–6 m	tourist cave / national natural monument		A
Lake Saiko Bat Cave	Length: 350 m	tourist cave / national natural monument	Largest among Fuji north-foot lava caves per Yamanashi; relatively warm in winter and not normally ice-forming.	A
Fuji Wind Cave	Length: 230+ m; Floor width: 5–10 m; Height: average 5 m	national natural monument; access controlled		A
Ryugu Cave	Length: 60 m; Elevation: 940 m	national natural monument / shrine context		A
Motosu Wind Cave No.1	Length: about 494 m	national natural monument group / controlled	On south-west edge of Aokigahara lava flow; local lava surface slopes north 2–7°.	A
Karuimizu Wind Cave	Length: 432.8 m; Max height: 14 m; Max width: 28 m; Depth: 75 m	Yamanashi-designated natural monument / controlled		A
Narusawa Ice Cave	Elevation: 1025 m	tourist cave / national natural monument	Two large chambers; ice feature; surface lava slopes north 2–3°.	A
Omuro Cave	Elevation: 1190 m	entrance buried; no entry		A
Jinza Wind Cave + Kamaboko/megane caves	Elevation: about 1260 m	national natural monument / controlled		A

The main visual dossier separately indexes nine Fugaku Wind Cave images, six Narusawa Ice Cave images and thirteen Lake Saiko Bat Cave images, including entrance geometry, stairs, ice, ropy lava, lava shelves, visitor infrastructure and interior passage forms.

8. Routes, topology and georegistration controls

Topology and geometry are deliberately separated. The 2026 Yamanashi schematic is strong evidence that route/cave connections exist, but schematic lines must not be traced as if they were surveyed centrelines.

Route topology graph

edge_id	from_node	to_node	route_name	route_type	geometry_status	access_status	confidence	source	notes
E001	Shoji / Akaike trailhead	Mt Omuro sector	Shoji-guchi trail	historic/ current trail	officially described; exact GIS polyline not yet ingested	public trail segments; follow current signage/ rules	A topology / B continuity	Yamanashi 2026 pilgrimage report; eco-tour schematic	Report: starts at Akaike on south Lake Shoji; broad, prepared route through forest.
E002	Mt Omuro sector	upper Fuji flank / Komitake	Shoji-guchi trail	historic/ current trail	officially described; exact GIS polyline not yet ingested	route continues beyond core forest; conditions vary	A topology	Yamanashi 2026 pilgrimage report	Whole route >17 km and ~1400 m climb from Shoji to Komitake.
E003	Shoji-guchi trail	Narusawa direction	Narusawa-michi	historic cross-route	crossing explicitly described; precise polyline not yet ingested	historic route; do not assume present public access for every segment	A topology / C geometry	Yamanashi 2026 pilgrimage report	Historically part of Uchi-Hakkai pilgrimage circulation.
E004	Fugaku Wind Cave	Narusawa Ice Cave	public cave corridor	public trail/ roadside corridor	strong modern continuity evidence; exact public polyline still to ingest	public	A/B+	Yamanashi walking map + recent YAMAP model course	Best-documented corridor; suitable early build/ validation sector.
E005	Lake Saiko Bat Cave	Wild Bird Forest / Saiko trail network	Saiko public trail network	public trail	official visitor-map topology; exact vector pending	public	A topology / B geometry	Yamanashi walking map + eco-tour schematic	Use current official signs and closures at implementation time.
E006	Wild Bird Forest / Saiko trail network	Ryugu Cave vicinity	Saiko-Ryugu connection	public trail/ local road network	official visitor-map topology; exact vector pending	public approaches only; cave access rules apply	A topology / B geometry	Yamanashi walking map	Important for lake-edge-to-forest transition.
E007	Mt Omuro sector	Fuji Wind Cave / beech-square sector	former haul-road network	former haul road	schematic only	guide rules apply; not a blanket public-access statement	A topology / C geometry	Yamanashi eco-tour schematic	Do not trace schematic lines as surveyed road centerlines.
E008	Mt Omuro sector	Jinza / Kamaboko / Megane cave cluster	upper cave-cluster former haul roads	former haul road / protected cave access	schematic only	Jinza Cave 1 and other protected caves have restrictions; some entry prohibited	A topology / C geometry	Yamanashi eco-tour schematic + cultural-property records	Geometry and access must remain separate data fields.
E009	Motosu side	Mt Omuro / central forest	Motosu forest-road relationships	forest road	schematic whole-area relationship	variable; validate by current official source	B topology / C geometry	Yamanashi eco-tour schematic	Use GSI/official road vector before build lock.

Georegistration controls

name	lat	lon	type	confidence	coordinate_basis	source_url	official_geometry_url
Fugaku Wind Cave	35.477444	138.657361	cave / route control	B+	geotagged/open-map cross-check; validate against GSI before final lock	link	link
	35.474778	138.666528		B+		link	link

name	lat	lon	type	confidence	coordinate_basis	source_url	official_geometry_url
Narusawa Ice Cave			cave / route control		geotagged/open-map cross-check; validate against GSI before final lock		
Lake Saiko Bat Cave	35.493111	138.672861	cave / route control	B+	geotagged/open-map cross-check; validate against GSI before final lock	link	link
Ryugu Cave	35.48509	138.66813	cave / route control	B	OSM/secondary map cross-check; source spread is tens of metres	link	link
Sankodai	35.48792	138.68247	panorama / camera validation	B	secondary map cross-check; validate exact camera stations in field/GPX	link	
Koyodai ridge / viewpoint	35.48426	138.67956	panorama / camera validation	B	secondary map cross-check; several nearby named viewpoint points exist	link	link
Omuro Cave	35.44784	138.66147	protected cave control	B	secondary geographic gazetteer cross-check; validate against official schematic/GSI	link	link
Jinza Wind Cave	35.44072	138.66047	protected cave control	B-	OpenStreetMap-derived secondary coordinate surfaced via Mapcarta; must validate against GSI/official map before final lock	link	link
Motosu Wind Cave	35.4467	138.65052	protected cave control	B-	OpenStreetMap-derived secondary coordinate surfaced via Mapcarta; must validate against GSI/official map before final lock	link	link

Continuity evidence already located: a current YAMAP model route reports 2.5 km / 1:02 / 58 m ascent and descent between Fugaku Wind Cave and Narusawa Ice Cave; a 2026 activity confirms the sequence Fugaku -> Narusawa -> Koyodai -> Sankodai within an 11.8 km route; current Shōji-entrance activity records provide western discovery leads. These are corroborating route-continuity evidence, not authoritative survey geometry.

9. Ten-sector reconstruction plan

The world is divided into ten practical evidence/reconstruction sectors so that quality control can be spatial rather than based on an overall impression.

sector_id	sector	priority	primary_subject	current_confidence	remaining_gap
S1	Motosu south-west lava front	High	Ishizuka flow lobes, Motosu lakeshore, Motosu wind caves, lava fronts	A terrain/geology; B visual continuity	Need denser geolocated lake-edge/lava-front sequences and DEM coverage check.
S2	Shoji / north-west transition	Medium	Lake Shoji edge, Shoji entrance trail, stone/lake relationships, transition into forest	B+	Need exact trail geometry and seasonally matched shoreline/forest photos.
S3	Mt Omuro base / central high ground	High	Fuji, Shojiko, Omuro, Jinza, Kamaboko, Megane caves; former transport roads; beech square	A schematic routes; B terrain; C exact micro-route geometry	Need precise GIS alignment of schematic cave/transport-road drawing and modern terrain.
S4	Upper south-east flow / Karuimizu	High	upper-flow cave morphology, forest-road network, higher-elevation Chamaecyparis-dominant biomes	B+	Need better public imagery; cave/forest-road access is controlled.
S5	Route 139 cave corridor	Medium	Fugaku Wind Cave, Narusawa Ice Cave, roadside forest edge, parking/visitor infrastructure	A/B; strongest public visual coverage	Need current infrastructure survey and exact route meshes; otherwise well covered.
S6	Lake Sai south / bat-cave corridor	Medium	Lake Saiko Bat Cave, Ryugu Cave, Wild Bird Forest, tourist home-village approaches	A/B	Need full trail-sequence coverage between POIs and updated visitor structures.
S7	Nenba / Saiko edge	Medium	forest-to-lake transition, panoramic context, exposed lava, human landscape	B+	Need geotagged edge-condition sequence, especially lava/lakeshore transitions.
S8	Sankodai/ Koyodai panorama belt	Medium	macro silhouette, canopy height variation, three-lake context and Mount Fuji alignment	A/B	Need exact camera coordinates/azimuth/FOV for panorama matching.
S9	Shoji entrance ascent toward Fuji	High	southern trail continuity, higher-elevation forest succession, connection to Fuji slope	B route; C micro-ground truth	Largest visual continuity gap; prioritise hiking footage, GPX and official route geometry.
S10	Outer context shell	Medium	lakes, roads, settlements, mountain ridges and skyline required for physically convincing free roam	A macro; variable local detail	Need only LOD/context fidelity outside the playable core.

10. 250 m evidence grid

The evidence grid was created metrically in EPSG:6676 and exported in WGS84. Its purpose is to expose blind spots, not to define Aokigahara.





Figure 3. Strict evidence-density scoring. Low evidence does not mean physically unknown; it means the present research pack has less direct terrain/route/visual corroboration there.

The low-evidence cells cluster especially away from the Route 139/Lake Sai public corridors and across deeper central/western areas. This converts an otherwise vague problem - 'we need more references' - into a location-specific research queue.

Full data preserved: all 2,790 cell geometries and attributes are embedded in this PDF as GeoJSON and CSV attachments.

11. GSI DEM acquisition plan

GSI distinguishes approximately 1 m DEM1A, 5 m airborne-laser DEM5A, 5 m photogrammetric DEM5B/5C and 10 m products. The generated acquisition plan contains **3,528 candidate tile URLs** intersecting the broad research AOI.

2,898 DEM1A candidates	192 DEM5A candidates	192 + 192 DEM5B / DEM5C candidates	54 DEM10B candidates
--	--	--	--

Important: a constructed candidate URL is not evidence that a 1 m tile exists there. Production ingestion must test tile/GML availability and record the best actual source class per cell.

The correct fallback hierarchy is **DEM1A -> DEM5A -> DEM5B -> DEM5C -> DEM10B**. Bare-earth terrain should be built before canopy/vegetation.

12. Temporal aerial imagery and change detection

Historical imagery prevents a present-day reconstruction from mistaking a temporary clearing, a recent road edge or a transient canopy discontinuity for a persistent geographical feature.

Temporal aerial evidence stack



Figure 4. GSI time-series imagery layers catalogued in the final atlas. Local coverage still requires cell-by-cell verification.

Temporal imagery register

layer_id	provider	title	period	tile_url	zoom	status	use	confidence	notes
IMG001	GSI	Nationwide latest seamless aerial photography	latest available by locality	link	14-18	live service; local capture date must be checked	Current canopy, roads, clearings, forest edge and infrastructure; primary visual-change baseline.	A for service / local vintage variable	Composite from multiple GSI/public aerial sources; not a single acquisition date.
IMG002	GSI	Electronic National Land Basic Map orthophoto	2007+	link	14-18	live service; coverage varies	Orthorectified post-2007 comparison and geometry check.	A for service / coverage variable	Use capture metadata where exact year matters.
IMG003	GSI	Annual aerial photography	2007+ by year	link	14-18	template service; availability varies by year and location	Time-slice canopy/road/clearing change detection.	A for service / year coverage variable	Replace {year} with four-digit year; do not assume a given year exists over every cell.
IMG004	GSI	1987-1990 aerial photography	1987-1990	link	10-17	live historical service; local coverage must be checked	Late-20th-century canopy and development baseline.	A for service / local coverage unverified	National Land Image Information.
IMG005	GSI	1984-1986 aerial photography	1984-1986	link	10-17	live historical service; local coverage must be checked	Temporal canopy/infrastructure comparison.	A for service / local coverage unverified	National Land Image Information.
IMG006	GSI	1979-1983 aerial photography	1979-1983	link	10-17	live historical service; local coverage must be checked	Temporal canopy/infrastructure comparison.	A for service / local coverage unverified	National Land Image Information.
IMG007	GSI	1974-1978 aerial photography	1974-1978	link	10-17	live historical service; local coverage must be checked	Earliest broad colour-era baseline commonly useful for forest-edge comparison.	A for service / local coverage unverified	National Land Image Information.
IMG008	GSI	1961-1969 aerial photography	1961-1969	link	10-17	live historical service; local	Older forest/road baseline and human-change detection.	A for service / local coverage unverified	Useful where coverage exists; do not infer absence from blank tiles

layer_id	provider	title	period	tile_url	zoom	status	use	confidence	notes
						coverage must be checked			without checking source catalogue.
IMG009	GSI	Single-photo metadata index	multiple eras	link	14	metadata service	Locate individual aerial frames with acquisition date, scale, altitude and agency.	A	Best route to identify the exact underlying photo when mosaic vintage is ambiguous.

13. Production layer stack




Figure 5. Production data hierarchy. The ordering is about reconstruction logic, not visual draw order.

Core alignment rule: do not collapse forest, lava, protected area, municipal and research extents. Preserve source dates and datums. Every procedural asset layer should be able to point back to the terrain, vegetation or photographic evidence that justifies it.

Layer statuses

Order	Layer	Source	Status	Role
1	Bare-earth terrain	GSI DEM hierarchy	source hierarchy known; best resolution must be verified per tile	landscape geometry
2	Jōgan/Aokigahara lava units	GSJ Fuji Volcano Geological Map 2nd ed. 2016 vector	vector source identified, not yet locally ingested	substrate and lava morphology
3	Current orthophoto/canopy	GSI seamless/latest/orthophoto	live services identified	present-day edge, roads, clearings, canopy QA
4	Historical aerial time slices	GSI 1961-69, 1974-78, 1979-83, 1984-86, 1987-90, annual 2007+	service templates catalogued; local coverage to verify	change detection / historical edge validation
5	Vegetation classes	MoE Existing Vegetation Map 2024	available across AOI; polygon source years 1999-2023	biome zoning
6	Volcanic landforms	GSI Fuji volcanic basic/land-condition/digital geomorphology tiles	live tile services identified	micro-/meso-landform interpretation
7	Routes and caves			navigation/POI topology

Order	Layer	Source	Status	Role
		Yamanashi 2026 schematic + official cultural-property sources + validated GPX/GSI controls	topology strong; centreline geometry mixed	
8	Legal/protected-area overlays	MoE national-park maps + Cultural Affairs/Yamanashi natural-monument records	official sources identified; exact local polygons pending	context, access, QA — not asset boundary

14. What still prevents a 'perfect' recreation claim

The project has moved beyond the stage where the main problem is not knowing where Aokigahara is or what it broadly looks like. The remaining bottlenecks are data-ingestion and local ground-truth problems.

Geometry still to ingest or derive

- GSJ 2016 Jogan/Aokigahara lava polygons from the vector Shapefile
- Verified per-cell GSI best DEM class, not candidate URLs
- A current canopy/forest polygon derived from orthophoto + vegetation classes
- Exact Natural Monument polygon, ideally retaining 1926 and 2010 sublayers
- Verified route centrelines from official vectors/GSI/appropriate GPX sources

Visual ground truth still weak

- Deep central/western P1 cells away from public corridors
- Continuous route imagery through less photographed sectors
- Fine ground texture and microrelief under canopy
- Exact tree/deadwood placement
- Seasonally matched edge conditions in western lake sectors

Access constraint: current Yamanashi guidance prohibits leaving public walking trails for safety and environmental protection. Off-trail reconstruction should therefore rely on legitimate remote sensing, official mapping and archival evidence rather than turning this dossier into an off-trail access guide.

Highest-value next actions

- Retrieve the western 1:25,000 vegetation sheet(s), beginning with the Shoji mesh 533814, because the identified Narusawa/Fuji sheets begin at ~138.6219 E.
- Download actual GSI elevation mesh files for the AOI and record which cells have 1 m, DEM5A, DEM5B/5C or only 10 m coverage.
- Georegister the Yamanashi 2026 route/cave schematic using Fugaku, Narusawa, Saiko Bat Cave, Lake Sai/Route 139 and other stable controls; store residual error rather than treating the schematic as survey geometry.
- Acquire or extract route geometry from current public GPX/activity sources for the Route 139 cave corridor, Saiko/Wild Bird Forest and Shoji entrance routes.
- Hunt cell-by-cell for geotagged imagery/video in P1 cells, especially the western Motosu/Shoji and central/high-ground sectors.

15. Authoritative-source register

This is the complete final source audit table produced in the chat. 'A' sources are the preferred basis for geometry, dimensions or legal context; lower tiers are used for visual or continuity corroboration.

title	date_or_period	reconstruction_use	confidence	url
Existing Vegetation Map 2024 / 現存 植生図2024	survey/source polygons 1999-2023; dataset current in 2026	Primary vegetation-class zoning and naturalness layer. Attribute 作成年度 preserves source vintage by polygon.	A	link
Existing Vegetation Map 2024 raster/ vector tiles	current 2026 service	Live visual QA overlay in reconstruction atlas.	A	link
GSI DEM hierarchy and tile specification	current 2026	Bare-earth terrain source hierarchy. Use the highest available class per cell and retain source metadata.	A	link
GSI server-side elevation API	current 2026	Spot-check terrain source class (hsrc) and elevation at control points.	A	link
Aokigahara Jukai Eco Tour Guideline schematic	2026 current guidance page; schematic linked by prefecture	Primary topology source for permitted routes, former haul roads/forest roads and protected caves.	A topology / C geometry	link
Ancient Fuji pilgrimage routes research report (summary)	2026-03-31	Current surface character of Shoji-guchi route; historic route logic; Narusawa road crossing; protected corridor context.	A	link
Aokigahara surrounding walking-trail map	current public map	Secondary route and visitor-infrastructure cross-check.	A topology / C geometry	link
Aokigahara rediscovery project route materials	2025 event materials published 2026	Recent route-specific visual ground truth and human-use context.	A publication / B geometry	link
Fuji lava caves table	current web reference	Scale/elevation constraints for cave assets and vertical placement.	A	link
Jinza Wind Cave incl. Kamaboko and Megane caves	designation 1929; database current	Protected-cave cluster placement and geomorphological relationship.	A	link
Motosu Wind Cave	designation 1929; database current	Western lava-front/cave scale anchor.	A	link
Fuji Wind Cave	designation 1929; database current	Controlled-access cave scale/thermal morphology anchor.	A	link
Aokigahara lava tunnel topography	web reference current	Macro lava-flow morphology and cave-distribution sanity check.	B+	link
Shojin O-ana / pilgrimage map and visual sequence	2024	Targeted western visual evidence; use only after cross-check with official route constraints.	C+	link
Nationwide latest seamless aerial photography	latest available varies by locality	Current canopy/edge/infrastructure validation	A	link
GSI historical aerial-photo tile series	1961-69; 1974-78; 1979-83; 1984-86; 1987-90	Time-series forest-edge, road, clearings and land-use change detection	A	link
GSI Fuji volcanic basic map / digital volcanic geomorphology tiles	current official service	Volcanic surface morphology, relief and lava-form interpretation	A	link
Fuji Volcano Geological Map, 2nd ed. vector data	2016	Primary vector source for mapped lava/eruptive units; isolate Jōgan/Aokigahara units	A	link
Fuji-Hakone-Izu National Park — Fuji area official zone maps	current page reflects changes through 2022; maps current on published page	Special Protection/Special Zone/Ordinary-area context	A	link
Fuji Primeval Forest and Aokigahara Jukai designation	1926 designation; 2010 addition	Protected forest extent and legal/historical boundary context	A	link
Yamanashi prefectural forest and Narusawa forest-area maps	2025-2026 current planning materials	Management edge and legal-boundary alignment control	A	link
Fuji Volcano Geological Map (2nd ed.) WMTS	2016 map; current web service	Direct visual overlay of detailed eruptive-unit polygons, boundaries, crater rims, dykes and eruptive fissures	A	link




Figure 6. Distribution of the final 152-entry visual/map/GIS manifest by research group.

16. Complete visual/map/GIS catalogue

All 152 final manifest entries are reproduced below as linked source cards. This includes the complete Wikimedia Aokigahara category captured during the research, dedicated cave sets, official mapping/GIS documents, route evidence, geology/terrain layers, protected-area sources, historical aerial services and later western/central gap-filling references.

Licensing: use each linked source page to verify author, licence, attribution and original resolution before downloading or reusing an image in production. A research link is not a blanket licence grant.

main

82

038 Mount Fuji and Aokigahara forest (Japan) at sunrise Photo by Giles Laurent.jpg

aokigahara; macro / edge / skyline; interior / vegetation

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aerial panorama of Mount Fuji from Lake Saiko. June 2023.jpg

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aerial panorama of Mount Fuji with Saiko Iyashi-no-Sato Nenba in the foreground. June 2023.jpg

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigahara (suicide forest) + very tired Liz (42885146671).jpg

aokigahara; interior / vegetation

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigahara 05.jpg

aokigahara

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigahara 2013-11-13 (10863088565).jpg

aokigahara

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigahara 2013-11-13 (10863124286).jpg

aokigahara

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigahara 2013-11-13 (10863208834).jpg

aokigahara

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigahara 2013-11-13 (10863407043).jpg

aokigahara

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigahara 2013-11-13 (10863419343).jpg

aokigahara

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigahara and Misak Mountains s2.jpg

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigahara and Misaka Mountains.JPG

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigara forest near wind cave 01.jpg

aokigahara; interior / vegetation; cave / lava

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigara forest near wind cave 02.jpg

aokigahara; interior / vegetation; cave / lava

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigara forest near wind cave 03.jpg

aokigahara; interior / vegetation; cave / lava

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigara forest near wind cave 04.jpg

aokigahara; interior / vegetation; cave / lava

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigara forest near wind cave 05.jpg

aokigahara; interior / vegetation; cave / lava

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigara forest near wind cave 06.jpg

aokigahara; interior / vegetation; cave / lava

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Aokigara forest near wind cave 07.jpg

aokigahara; interior / vegetation; cave / lava

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Entrance @ Ice Cave @ Aokigahara Forest (10863265844).jpg

aokigahara; interior / vegetation; cave / lava

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Entrance @ Wind Cave @ Aokigahara Forest (10863287014).jpg

aokigahara; interior / vegetation; cave / lava

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Fujisan, sacred place and source of artistic inspiration banner (Mount Fuji and Aokigahara).jpg

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Hiking in Aokigahara Sea of Trees (50295849761).jpg

aokigahara; interior / vegetation

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Inside Aokigara forest.ogv

aokigahara; interior / vegetation; motion reference

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lake Motosu from Mount Ashiwada.jpg

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lake Sai and Aokigahara Forest Aerial photograph.jpg

aokigahara; macro / edge / skyline; interior / vegetation

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lake Sai and Aokigahara from Koyodai.jpg

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lake Sai and Mount Ashiwada.jpg

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lake Shōji from Panoramadai.JPG

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Leave @ Aokigahara Forest (10863491293).jpg

aokigahara; interior / vegetation

Source (commons.wikimedia.org) [Media](#) / [map](#)

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

LianaSwing.jpg

aokigahara; interior / vegetation

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lightbathing (22769737922).jpg

aokigahara; interior / vegetation

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Mount Ashiwada and Aokigahara.jpg

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Mount Ashiwada and Mount Fuji.jpg

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Mount Ashiwada from Panoramadai.JPG

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Mount Eboshi (Misaka Mountains).JPG

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Mount Kenashi and Mount Ryu from Mount Ashiwada.jpg

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Mount O and Lake Sai.JPG

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Mount O and Mount Oni from Mount Ryu.JPG

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Mount O and Mount Oni.JPG

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Mount O from Mount Ryu.JPG

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Mount O from Sankodai.JPG

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

SaiKo.jpg

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Suicide Forest.jpg

aokigahara; interior / vegetation

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Tenshi Mountains from Mount Ashiwada (with note).jpg

aokigahara; macro / edge / skyline

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Warning signal for suicides in Aokigahara.jpg

aokigahara; signage / visitor infrastructure

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Fugaku Wind Cave

9

Facility for storing eggs of silk worms, Fugaku Wind Cave - July 2012.jpg

cave / lava; Fugaku Wind Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Fugaku fuketsu - Ice pond.jpg

cave / lava; Fugaku Wind Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Fugaku fuketsu - Natural refrigerator.jpg

cave / lava; Fugaku Wind Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Fugaku fuketsu - Walking in the cave.jpg

cave / lava; Fugaku Wind Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Fugaku Fuketu Entrance 20161025.jpg

cave / lava; Fugaku Wind Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Fugaku Fuketu Entrance Stairs 20161025.jpg

cave / lava; Fugaku Wind Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Ice Block in Fugaku wind cave.jpg

cave / lava; Fugaku Wind Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lava shelf in Fugaku wind cave.jpg

cave / lava; Fugaku Wind Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Ropy lava in Fugaku wind cave.jpg

cave / lava; Fugaku Wind Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Narusawa Ice Cave

6

Icicle in Narusawa Ice Cave.jpg

cave / lava; Narusawa Ice Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lighting-uped Narusawa Ice Cave.jpg

cave / lava; Narusawa Ice Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Narusawa Hyoketsu Entrance 20161025.jpg

cave / lava; Narusawa Ice Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Narusawa-Hyoketsu-entrance.JPG

cave / lava; Narusawa Ice Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Stairs and passage towards the Narusawa Hyoketsu 20161025.jpg

cave / lava; Narusawa Ice Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

頭上 足元 (1244710628).jpg

Narusawa Ice Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lake Saiko Bat Cave

13

Inside the Lake Saiko Bat Cave A-Point.JPG

macro / edge / skyline; cave / lava; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Inside the Lake Saiko Bat Cave B-Point.JPG

macro / edge / skyline; cave / lava; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Inside the Lake Saiko Bat Cave C-Point.JPG

macro / edge / skyline; cave / lava; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Japan - Fujisan Area - Volcano Cave.jpg

cave / lava; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lake Saiko Bat Cave Corded Lava.JPG

macro / edge / skyline; cave / lava; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lake Saiko Bat Cave Diatom Earth Line.JPG

macro / edge / skyline; cave / lava; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lake Saiko Bat Cave Entrance.JPG

macro / edge / skyline; cave / lava; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lake Saiko Bat Cave Helmet rental.JPG

macro / edge / skyline; cave / lava; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lake Saiko Bat Cave Lava Dome.JPG

macro / edge / skyline; cave / lava; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Lake Saiko Bat Cave Lava Stalactites.JPG

macro / edge / skyline; cave / lava; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

The written version of the name of Lake Sai and Aokigahara Forest Aerial photograph.jpg

macro / edge / skyline; interior / vegetation; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Trail toward the Lake Saiko Bat Cave.JPG

macro / edge / skyline; cave / lava; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

Viewed from outside the Lake Saiko Bat Cave.JPG

macro / edge / skyline; cave / lava; Lake Saiko Bat Cave

Source (commons.wikimedia.org) Media / map

Wikimedia Commons; open source page for author, exact licence, original resolution and any geotags.

web extension

11

Sea of trees, Yamanashi, Japan - drone aerial toward Mount Fuji

aerial; canopy; macro geography; Mount Fuji; forest extent

Source (dronestagr.am) Media / map

Useful canopy-scale reference. Treat as appearance evidence, not boundary evidence.

Aokigahara moss-covered lava shelf

lava shelf; moss; roots; trail; ground morphology

Source (gettyimages.com)

Getty result indexed in web research; licence required before production use. Useful morphology reference only.

Aokigahara trail with moss-covered roots

trail; moss; roots; interior; human-access layer

Source (gettyimages.com)

Getty result indexed in web research; licence required before production use. Useful trail-scale reference only.

Aerial view of Aokigahara canopy toward Lake Sai

aerial; canopy; Lake Sai; macro geography

Source (gettyimages.com)

Getty result indexed in web research; licence required before production use.

Aokigahara mossy root network

roots; moss; thin soil; interior; ground morphology

Source (kshouse.jp) Media / map

Strong ground-scale root and moss reference. Confirm source rights before reuse.

Lake-edge forest and Mount Fuji hiking reference

lake edge; Mount Fuji; forest edge; path; context

Source (fujibiketour.com) Media / map

Context reference; verify exact lake/viewpoint before using as a camera match.

Ryugu Cave entrance, Aokigahara

Ryugu Cave; cave entrance; moss; basalt; safety rope

Source (f.hatena.ne.jp) Media / map

Entrance morphology reference. Verify licence/permission before production reuse.

Saiko-side Aokigahara trail, low sun

trail; low sun; moss; interior; Saiko; light

Source (saikonaturestay.com) Media / map

Useful light and trail condition reference. Verify rights before reuse.

Shoji entrance trailhead in wet summer forest

Shoji entrance; trailhead; wet season; signage; forest edge

Source (minkara.carview.co.jp) Media / map

Secondary photographic ground truth. Shows Shoji entrance trailhead sign at 983 m and wet deciduous/conifer edge conditions.

Motosu-to-Tokai Nature Trail Aokigahara flat route image (2026)

Motosu; Tokai Nature Trail; current; forest road/path

Source (note.com)

Current secondary route reference; use only after source-page validation. Added to strengthen western route appearance coverage.

Aokigahara current route junction sign — Ice Cave / Wind Cave / Lake Shoji

trail junction; signage; Tokai Nature Trail; route continuity

Source (discover.hubpages.com) Media / map

Secondary photo showing a bilingual junction sign linking Ice Cave, Wind Cave and Lake Shoji; useful for signage/material reference, not route survey.

official map/document

7

Yamanashi 2026 Aokigahara Jukai Eco Tour Guideline map

official; route map; Mt Omuro; Lake Sai; caves; roads; 2026

Source (pref.yamanashi.jp) Media / map

Primary reconstruction source. Page 1 schematically distinguishes usable routes and named natural-monument lava caves; page 2 sets protection/use rules.

Yamanashi 2026 Aokigahara official English visual brochure

official; visual reference; seasons; key spots; forest; map

Source (pref.yamanashi.jp) Media / map

Six-page official 2026 brochure with canopy, interior, seasonal, cave, lake-edge and illustrated regional-context material.

GSI Fuji Volcano Land Condition Map / data

GSI; volcanic landforms; DEM; LiDAR; terrain classification; GIS

Source (gsi.go.jp)

Primary terrain/landform authority. GSI states Fuji map uses aerial-photo interpretation, field survey, DEM and airborne laser scanning.

GSJ Geological Map of Fuji Volcano, 2nd Edition

GSJ; geology; 1:25000; lava flow; Fuji volcano

Source (gsj.jp)

Geological foundation for separating 864 lava-flow geometry from modern forest cover.

Yamanashi 2026 official usable-route / cave schematic

route network; caves; forest roads; Mt Omuro; Lake Sai

Source (pref.yamanashi.jp)

Primary official schematic. Distinguishes usable routes, old transport roads/forest roads and protected lava caves. Georegister; do not treat as survey geometry.

Yamanashi 2025 Aokigahara three-course official experience flyer

Motosu; Shoji; Saiko; route concepts; current public programme

Source (pref.yamanashi.jp)

Official itinerary evidence for Motosu forest walk, Shoji/Kamahata forest walk and Saiko/Sankodai/Fugaku course.

Yamanashi Aokigahara official current tourism page (2026)

public trails; visitor access; cave corridor; Koyodai

Source (yamanashi-kankou.jp)

Current official visitor context. Use for public-route/infrastructure validation and conservation constraints.

official GIS/document

4

Ministry of Environment 1:25,000 existing vegetation map — Narusawa 533815

vegetation GIS; 1:25000; Narusawa; polygons

Source (biodic.go.jp)

Official Biodiversity Center metadata; JPEG and Shp formats; 2004–05 survey. Use as polygon source for spatial vegetation classes.

Ministry of Environment 1:25,000 existing vegetation map — Fuji 533805

vegetation GIS; 1:25000; Fuji; polygons

Source (biodic.go.jp)

Official Biodiversity Center metadata; JPEG and Shp formats; 2004–05 survey. Complements Narusawa sheet to the south.

GSI elevation tile catalogue — DEM1A/DEM5A/B/C/DEM10B

DEM; elevation tiles; 1m; 5m; 10m; acquisition

Source (maps.gsi.go.jp)

Official tile catalogue. DEM1A PNG uses z17; DEM5A/B/C z15; DEM10B z14. Use with tile plan; tile existence still needs validation.

GSI Fundamental Geospatial Data DEM download specification (2026)

DEM; GML; 1m; 5m; 10m; accuracy; JGD2024

Source (service.gsi.go.jp)

Official download-service documentation for DEM1A, 5A, 5B, 5C, 10A/10B and accuracy/source methods.

route / GPX evidence

3

YAMAP current Fugaku Wind Cave – Narusawa Ice Cave model course

route; current activity; Fugaku; Narusawa; Tokai Nature Trail

Source (yamap.com)

Current public route evidence. Model course reports 2.5 km, 1:02, 58 m ascent/descent; useful for route continuity, not authoritative survey geometry.

YAMAP 2026 Aokigahara – Sankodai – Ashiwadayama activity

route; 2026; Fugaku; Narusawa; Koyodai; Sankodai

Source (yamap.com)

11.8 km activity dated 2026-04-11; checkpoint order provides current continuity evidence from cave corridor to Koyodai/Sankodai.

YAMAP Shoji entrance trail activity index

Shoji entrance; route; 2026; western/central coverage

Source (yamap.com)

Current activity index includes a 2026-08-10 10.8 km Shoji entrance trail hike and several longer Aokigahara/Omuro routes; useful discovery source for western route ground truth.

maps / west-central

1

Aokigahara pilgrimage / Shojin O-ana route map (2024 field report)

map; Shoji; pilgrimage; Aokigahara lava extent; west-central gap

Source (ameblo.jp) Media / map

Secondary field-report map. Valuable for western visual research; cross-check geometry against official sources.

maps / macro

1

Aokigahara and Fuji surroundings schematic – niponica

map; macro geography; lakes; caves; Fuji context

Source (web-japan.org) Media / map

Government-affiliated Web Japan visual overview; schematic only.

maps / geology

1

Aokigahara lava-tunnel topography 3D view

3D terrain; lava; caves; lakes; macro morphology

Source (web-gis.jp) Media / map

Secondary 3D visualization made from GSI source tiles; strong interpretation aid.

maps / official route topology

1

Yamanashi official eco-tour route/cave schematic (2026)

official; route topology; Mt Omuro; Saiko; caves; forest roads

Source (pref.yamanashi.jp) Media / map

Primary official topology source. Schematic rather than survey-grade.

maps / official visitor routes

1

Yamanashi official Aokigahara surrounding walking-trail map

official; trails; Saiko; Ryugu; Fugaku; Narusawa; visitor infrastructure

Source (pref.yamanashi.jp) Media / map

Current public-route and POI cross-check.

GIS / vegetation

1

Existing Vegetation Map 2024 raster tile service

official; vegetation; raster tile; current national dataset

Source (biodic.go.jp) Media / map

Live tile service; source polygon survey year varies 1999-2023.

map / current orthophoto

1

GSI nationwide latest seamless aerial photography

current aerial; canopy; forest edge; roads; orthophoto

Source (maps.gsi.go.jp) Media / map

Live tile layer. Local acquisition date varies; use GSI capture-period metadata when date matters.

map / historical aerial

2

GSI aerial photography 1974-1978

historic aerial; 1970s; canopy change; roads

Source (maps.gsi.go.jp) Media / map

Official historical tile layer; coverage must be verified locally.

GSI aerial photography 1961-1969

historic aerial; 1960s; canopy change; roads

Source (maps.gsi.go.jp) Media / map

Official historical tile layer; coverage must be verified locally.

map / terrain

1

GSI Fuji volcanic basic-map data — coloured relief

Fuji; volcanic relief; lidar; terrain; lava morphology

Source (maps.gsi.go.jp) Media / map

Official GSI volcanic-map data compiled using airborne laser, fundamental geospatial and volcanic-disaster data.

map / geology geomorphology

2

GSI Fuji volcanic land-condition map

Fuji; volcanic landforms; lava; geomorphology

Source (maps.gsi.go.jp) [Media](#) / [map](#)

Official GSI volcanic land-condition raster tile layer.

GSI Fuji digital volcanic geomorphology classification

Fuji; volcanic geomorphology; digital classification; lava

Source (maps.gsi.go.jp) [Media](#) / [map](#)

Fuji-specific GSI digital volcanic geomorphology tile identifier verified in official supplemental URL table.

map / geology

1

GSJ Seamless Digital Geological Map of Japan V2

geology; AIST; seamless; lava substrate

Source (gbank.gsj.jp) [Media](#) / [map](#)

Official GSJ/AIST geology tiles; useful contextual cross-check, but Fuji Volcano 2016 vector map is preferred for detailed eruptive units.

map / geology vector

1

GSJ Fuji Volcano Geological Map 2nd edition vector data

Fuji; geology; shapefile; Aokigahara lava; Jogan eruption; vector

Source (gbank.gsj.jp)

2016 1:50,000 special geological map vector dataset (catalogue lists Shapefile, 8.6 MB). Primary future source for extracting Jōgan/Aokigahara lava polygons.

map / protected area

2

Ministry of Environment Fuji-Hakone-Izu National Park — Fuji north/west zone maps

national park; zoning; protected area; Fuji north; Fuji west

Source (env.go.jp)

Official detailed PDF zoning sheets. Keep separate from forest/lava/cultural-property boundaries.

Yamanashi Natural Monument: Fuji Primeval Forest and Aokigahara Jukai

natural monument; protected forest; 1926; 2010; Aokigahara

Source (pref.yamanashi.jp)

Official designation record: original 1926 protected corridor/areas plus ~816 ha added in 2010; total ~1,600 ha.

map / geology vector-rendered

1

GSJ Fuji Volcano Geological Map 2nd ed. — live WMTS

Fuji; 2016; 1:50000; geology; Aokigahara lava; crater; fissure; WMTS

Source (gbank.gsj.jp) [Media](#) / [map](#)

Official GSJ WMTS rendering of the second-edition Fuji Volcano Geological Map; now included as a switchable atlas overlay.

17. Embedded raw artifacts

To make this genuinely a one-file consolidation, the PDF contains the raw files generated through the chat as embedded PDF attachments. In viewers that expose PDF attachments, these can be extracted directly from this document. The main narrative does not depend on them, but they preserve all detailed per-cell and per-tile data without printing thousands of repetitive rows.

Embedded file	Purpose	Size
Aokigahara_Reconstruction_Research_Dossier.html	Original evolving research dossier from the chat.	110.5 KB
Aokigahara_Reconstruction_Atlas.html	Interactive Leaflet atlas with current/historical aerial, terrain, geology, vegetation, grid and controls.	2065.4 KB
Aokigahara_250m_Coverage_Map.html	Interactive evidence-grid map.	2726.7 KB
Aokigahara_Reconstruction_Blueprint.json	Machine-readable master reconstruction specification.	18.5 KB
Aokigahara_coverage_methodology.json	Coverage scoring assumptions and caveats.	7.8 KB
Aokigahara_reconstruction_layer_stack.json	Geospatial layer hierarchy and alignment rules.	3.1 KB
Aokigahara_250m_coverage_grid.geojson	Full 2,790-cell geometry and evidence attributes.	4050.8 KB
Aokigahara_250m_coverage_grid.csv	Full 2,790-cell tabular evidence grid.	2692.7 KB
Aokigahara_GSI_DEM_tile_plan.csv	All 3,528 candidate GSI DEM tile URLs and bounds.	868.2 KB
Aokigahara_authoritative_source_register.csv	Full source audit register.	10.1 KB
Aokigahara_boundary_layer_register.csv	Separate physical, geological, legal and project boundary concepts.	4.2 KB
Aokigahara_georegistration_control_points.csv	Control-point coordinates and confidence.	2.7 KB
Aokigahara_route_topology_graph.csv	Route connectivity, geometry confidence and access status.	2.9 KB
Aokigahara_sector_gap_matrix.csv	Ten-sector reconstruction coverage/gap plan.	2.3 KB
Aokigahara_temporal_imagery_register.csv	Aerial/time-series source inventory.	3.0 KB
Aokigahara_visual_asset_manifest.csv	Complete 152-entry visual/map/GIS catalogue.	55.0 KB
build_aokigahara_dossier.py	Generation/provenance script for the initial dossier.	22.3 KB
expand_aokigahara_coverage.py	Generation/provenance script for coverage expansion.	31.0 KB

One-file completeness: the embedded GeoJSON/CSV files carry all 2,790 evidence cells and all 3,528 candidate DEM tile records; the embedded HTML files preserve the interactive atlas and coverage map; the JSON files preserve the reconstruction logic and methodology; the manifest preserves every indexed visual/map/GIS source.