



CHARTER
VERSION 1.0

Charter REST Services – RetrieveBrowsingCategoriesAndFilters - SDD

Service Design Document

Document Information

Version:	0.9
Publication Date:	
Catalog Number:	document_center\2466035 Version 0.9
Information Security:	Level 1 – Confidential
Created:	6/14/2015 3:41:00 PM
Account/FOP:	Charter Communications
Author:	malki sabag
Editor:	malki sabag
Last Edited:	06/14/2015 4:21:26 PM
File Name:	Converted Charter - REST Services – RetrieveBrowsingCategoriesAndFilters - SDD.docx
Template:	Development.dotm

Formatted: Font: Arial Black, 16 pt, Font color: Custom
Color(238,164,169)), Complex Script Font: 16 pt

Copyright © 2015 Amdocs.
Information Security ~~Level 1 - Confidential~~Level 1 – Confidential
CONTAINS RESTRICTED - PROPRIETARY INFORMATION
This document is strictly confidential and proprietary; to be used only by authorized persons on a need to know basis, and must not be distributed without specific permission.
In the event of unauthorized use of this document or the confidential information it contains, violators will be subject to severe disciplinary action, based on Amdocs regulations, as well as any other sanctions applicable by law.

Table of Contents

1 Overview 1

1.1 Related Documentation 1

1.2 Assumptions 1

2 Service Definition 2

2.1 Service Name 2

2.2 Service Endpoints 2

2.3 Required Projects 2

2.4 Service WSDL – N/A 2

3 Operation Definition 3

3.1 retrieveBrowsingCategoriesAndFilters 3

3.1.1 Request Parameters 3

3.1.2 Request Sample 3

3.1.3 Response 3

3.1.4 ImplBrowsingCategoriesStructureResponse 3

3.1.5 Response Sample 87

3.1.6 Sequence Diagram – N/A 87

3.1.7 Operation Synchronicity 87

3.1.8 Operation Type 98

3.1.9 Related Services - N/A 98

3.1.10 Operation Specific Header Information 98

3.1.11 Operation Specific Logging - N/A 98

3.1.12 Operation Specific Error Handling 98

4 Open Issues – N/A 1140

Appendix A. Fields derived from MEC 1244

Document Release Information to Charter 1342

Document Internal Release NotesError! Bookmark not defined.42

1 Overview

This Service Design Document (SDD) is to provide service implementation design details for the retrieve browsing categories and filters REST.

The REST returns the browsing categories and sub-categories hierarchy information, for example, Ordering Gateway category.

In addition, the REST returns the filter facets defined in MEC.

The recommendation for Charter Gateway is to call this REST when the Charter Gateway server is brought up, and then keep the information for later use in Tibco cache.

1.1 Related Documentation

DC#	Document Name
2424229	Charter - COP Order Flow - HLS

1.2 Assumptions

#	Assumption
1	As a result of MEC and BPT Data Gathering, Valid Values may be refined.
2	As a result of Detail Design, Additional Error Message(s) may be added (section 3.1.10-32.4)

2 Service Definition

2.1 Service Name

Retrieve browsing categories and filters

2.2 Service Endpoints

Environment	Endpoint
Dev	Not available
QA	Not available
UAT	Not available
Prod	Not available

2.3 Required Projects

The REST URL will be GET /commerce/browsing-category-structure

2.4 Service WSDL – N/A

3 Operation Definition

Name	Request Parameters	Response	Status
retrieveBrowsingCategoriesAndFilters	ImplBrowsingCategoriesStructureRequest	ImplBrowsingCategoriesStructureResponse	

Formatted Table

3.1 Operation Name: retrieveBrowsingCategoriesAndFilters

This service will return a list of browsing categories and sub categories.

3.1.1 Request Parameters

The REST input is described in section 3.1.8-10.1

The input includes header parameters and query parameters only.

3.1.2.0 ImplBrowsingCategoriesStructureRequest

Field Name	Data Type	Valid values	Mandatory/Optional	Description
implBaseRequest	ImplBaseRequest	N/A	Mandatory	Base input

3.1.15.0 ImplBaseRequest

Field Name	Data Type	Valid values	Mandatory/Optional	Description
applicationId	N/A	String	Optional	For example, Charter-Gateway
transactionId	N/A	String	Optional	A unique ID for a certain REST call
timeStamp	N/A	Date	Optional	The time the REST was called

3.1.413.1.2 Request Sample

TBD

3.1.423.1.3 Response

3.1.433.1.4 ImplBrowsingCategoriesStructureResponse

Field Name	Data Type	Valid Values	Mandatory /Optional	Description
implBrowsingCategoriesStructureOutput	ImplBrowsingCategoriesStructureOutput	N/A	Optional	Main output

Formatted: Font: Arial Black, 16 pt, Font color: Custom Color(238,164,169)), Complex Script Font: 16 pt

Formatted: Page Number

Information Security ~~Level 1 - Confidential~~Level 1 - Confidential

This document is strictly confidential and proprietary; to be used only by authorized persons. Unauthorized use or distribution without specific permission will be subject to severe disciplinary action, as well as any other sanctions applicable by law.

Field Name	Data Type	Valid Values	Mandatory /Optional	Description
implBaseResponse	ImplBaseResponse	N/A	Mandatory	Additional generic information.

3.1.43.13.1.4.1 ImplBrowsingCategoriesStructureOutput

Field Name	Data Type	Valid values	Mandatory/Optional	Description
categories	ImplBrowsingCategory[]	N/A	Optional	Categories details

3.1.43.23.1.4.2 ImplBrowsingCategory

Field Name	Data Type	Valid Values	Mandatory/Optional	Description
Links	Link[]	N/A	Not in use	Not in use
category	BrowsingCategory	N/A	Mandatory	Category properties
childCategories	BrowsingCategoryStructure[]	N/A	Optional	Child category properties
id	String	N/A	Mandatory	Category ID

3.1.43.33.1.4.3 Link – Not in use

Field Name	Data Type	Valid values	Mandatory/Optional	Description
rel	String	N/A	Not in use	Not in use
href	String	N/A	Not in use	Not in use

3.1.43.43.1.4.4 BrowsingCategory

Field Name	Data Type	Valid values	Mandatory/Optional	Description
Links	Link[]	N/A	Not in use	Not in use
filterFacets	FilterFacet[]	N/A	Optional	Filter facets lists
Lob	LineOfBusinessDetails[]	N/A	Not in use	Represent LOB details
additionalProperties	FlexAttr[]	N/A	Optional	A list of additional properties will be represented by name and value.
Comparable	Boolean	True/false	Not in use	If value is TRUE then ProductOfferings that are related to this BrowsingCategory can be compared with each other
name	String	N/A	Mandatory	Category name

Formatted: Font: Arial Black, 16 pt, Font color: Custom Color(238,164,169)), Complex Script Font: 16 pt

Formatted: Page Number

Field Name	Data Type	Valid values	Mandatory/Optional	Description
type	BrowsingCategoryType	N/A	Mandatory	List of browsing categories type.
id	String	N/A	Mandatory	Category ID
Code	String	N/A	Not in use	Category code

3.1.43-53.1.4.5 FilterFacet

Field Name	Data Type	Valid Values	Mandatory/Optional	Description
Links	Link[]	N/A	Not in use	Not in use
Lob	String[]	N/A	Not in use	Line Of Business, in case of multiple values send as array.
ValueRestriction	CharacteristicValue RestrictionType	N/A	Not in use	Defines how the possible set of values for the ValueType are restricted.
AdditionalProperties	FlexAttr[]	N/A	Not in use	List of additional properties that were assigned to the FilterFacet.
ValueType	CharacteristicValue BasicType	N/A	Not in use	The underlying (basic) type of values
name	String	N/A	Mandatory	Free format short textual description
id	String	N/A	Mandatory	A unique identifier
values	FilterFacetValue[]	N/A	Optional	list of values of the facet to be used for filtering
code	String	N/A	Mandatory	A unique identifier that is human readable.

3.1.43-63.1.4.6 CharacteristicValueRestrictionType – Not in use

Field Name	Data Type	Valid values	Mandatory/Optional	Description
value	String	"DI" - DISCRETE, "GE" - GENERAL, "RA" - RANGE	Mandatory	Discrete - restricted to a list of valid values. General - no restriction on the values. Range - a range of values

3.1.43-73.1.4.7 CharacteristicValueBasicType – Not in use

Field Name	Data Type	Valid values	Mandatory/Optional	Description
------------	-----------	--------------	--------------------	-------------

Formatted: Font: Arial Black, 16 pt, Font color: Custom Color(238,164,169)), Complex Script Font: 16 pt

Formatted: Page Number

Field Name	Data Type	Valid values	Mandatory/Optional	Description
value	String	"BL" - BOOLEAN, "CX" - COMPLEX, "DT" - DATE, "DB" - DOUBLE, "NU" - INTEGER, "CH" - STRING.	Mandatory	Basic types, use only from the valid values list.

Formatted: Font color: Text 1

Formatted: Font color: Text 1

Formatted: No widow/orphan control

Formatted: No widow/orphan control

3.1.43-83.1.4.8 FilterFacetValue

Field Name	Data Type	Valid values	Mandatory/Optional	Description
Links	Link[]	N/A	Not in use	Not in use
valueTo	String	N/A	Optional	The upper range value that a range-type item property can take on.
value	String	BPT Values defined by MEC N/ATBD	Mandatory	A value that the item can take on. In the case of a range value, this represents the lower value of the range.
id	String	N/A	Mandatory	A unique identifier. Provider write only

Formatted: Font: 10 pt, Complex Script Font: 10 pt

Formatted: Font: Arial Black, 16 pt, Font color: Custom
Color(238,164,169)), Complex Script Font: 16 pt

Formatted: Page Number

3.1.43.93.1.4.9 LineOfBusinessDetails – Not in use

Field Name	Data Type	Valid values	Mandatory/Optional	Description
Links	Link[]	N/A	Not in use	Not in use
DisplayIdentifier	String	N/A	Optional	Define the identifier for each lob; used for presentation; example for Wireless lob, Service ID (MSISDN) is used in UI, for TV the Address, etc. valid value: SERVICE_ID, ADDRESS
DisplaySPOName	Boolean	True/false	Optional	Define the logic if to display the SPO name before to the plan name according to the implementation.
PlansCategoryStructureID	String	N/A	Optional	The associated category ID of the plans for the LOB
SmallPicture	String	N/A	Optional	Small Picture URL
BigPicture	String	N/A	Optional	Big Picture URL of the line of business
Name	String	N/A	Optional	line of business name
Code	String	N/A	Optional	line of business identifier/code

Formatted: Font color: Background 1

Formatted: Keep with next, Keep lines together

Formatted: Font color: Background 1

Formatted: Keep with next, Keep lines together

Formatted: Font color: Background 1

Formatted: Keep with next, Keep lines together

Formatted: Font color: Background 1

Formatted: Keep with next, Keep lines together

Formatted: Font color: Background 1

Formatted: Keep with next, Keep lines together

Formatted: Font color: Background 1

Formatted: Font color: Background 1

Formatted: Keep with next, Keep lines together

3.1.43.103.1.4.10 FlexAttr

Field Name	Data Type	Valid values	Mandatory/Optional	Description
name	String	N/A	Mandatory	Attribute name.
value	FlexAttrValue	N/A	Optional	Attribute values

3.1.43.113.1.4.11 FlexAttrValue

Field Name	Data Type	Valid values	Mandatory/Optional	Description
integerValue	Integer	N/A	OptionalMandatory	Value as integer
stringValue	String	N/A	OptionalMandatory	Value as string
dateValue	Date	N/A	OptionalMandatory	Value as date
decimalValue	BigDecimal	N/A	OptionalMandatory	Value as double
booleanValue	Boolean	N/A	OptionalMandatory	Value as boolean
valueType	FlexAttrValueType	N/A	Mandatory	Value types

Formatted: Font: Arial Black, 16 pt, Font color: Custom Color(238,164,169)), Complex Script Font: 16 pt

Formatted: Page Number

3.1.43.123.1.4.12 FlexAttrValueType

Field Name	Data Type	Valid values	Mandatory/Optional	Description
value	String	BOOLEAN, DATE, DECIMAL, INTEGER, STRING	Mandatory	Attribute value types. Use only from the valid values list.

3.1.43.133.1.4.13 BrowsingCategoryType

Field Name	Data Type	Valid values	Mandatory/Optional	Description
value	String	"NAVIGATION"	Mandatory	Navigation - This category is used for navigation

3.1.43.143.1.4.14 BrowsingCategoryStructure

Field Name	Data Type	Valid values	Mandatory/Optional	Description
Links	Link[]	N/A	Not in use	Not in use
category	BrowsingCategory	N/A	Mandatory	Category properties
childCategories	BrowsingCategoryStructure[]	N/A	Optional	Child category properties
id	String	N/A	Mandatory	Category ID

3.1.43.153.1.4.15 ImplBaseResponse

Field Name	Data Type	Valid values	Mandatory/Optional	Description
transactionId	N/A	String	Optional	A unique ID for a certain REST call
timeStamp	N/A	Date	Optional	The time of the response
implErrorInfo	N/A	ImplErrorInfo[]	Optional	Used for business errors (for technical/unexpected error – HTTP error codes will be returned). See section 3.1.10.1

3.1.443.1.5 Response Sample

TBD

3.1.453.1.6 Sequence Diagram – N/A

3.1.463.1.7 Operation Synchronicity

Synchronous

Formatted: Font: Arial Black, 16 pt, Font color: Custom
Color(RGB(238,164,169)), Complex Script Font: 16 pt

Formatted: Page Number

3.1.473.1.8 Operation Type

Proxy

3.1.483.1.9 Related Services - N/A

3.1.493.1.10 Operation Specific Header Information

3.1.49.13.1.10.1 Request Header

Field Name	Valid Values	Data Type	Type	Mandatory/ Optional	Description
username	N/A	String	Header	Mandatory	User name
password	N/A	String	Header	Mandatory	password
applicationId	N/A	String	Header	Mandatory	For example, Charter Gateway
transactionId	N/A	String	Header	Mandatory	A unique ID for a certain REST call
timeStamp	N/A	Date	Header	Mandatory	The time the REST was called
sc (sales channel)	CC	String	Query	Mandatory	Sales channel
lo(locale)	en	String	Query	Mandatory	Locale
bci	N/A	String	Query	Not in use	The Browsing Category ID
bcsi	N/A	String	Query	Not in use	The browsing category structure ID

3.1.503.1.11 Operation Specific Logging - N/A

3.1.513.1.12 Operation Specific Error Handling

#	Exception	Error Code	Description/Scenario
1	Unauthorized	401	Security issue
2	Forbidden	403	Security issue
3	BadRequest	400	The request could not be understood by the server
4	RequestTimeout	408	Request timed out.
5	PreconditionFailed	412	Re-Authentication Failed
6	NotFound	404	Resource Not Found
7	InternalServerError	500	Server encountered problem

Formatted: Font: Arial Black, 16 pt, Font color: Custom Color(238,164,169)), Complex Script Font: 16 pt

Formatted: Page Number

3.1.51.43.1.12.1 Error Code Structure

3.1.51.43.1.12.2 ImplErrorInfo

Field Name	Data Type	Mandatory/Optional	Description
errorCode	String	Mandatory	Error code, single string.
description	String	Mandatory	A description of the error.
errorMessage	String	Mandatory	Error message.
errorUUID	String	Mandatory	Unique number to identify the error.

3.1.51.43.1.12.3 Sample Error Code (401)

```
{
  "implErrorInfo": {
    "errorCode": "AuthorizationFailed",
    "description": "You are not Authorized",
    "errorMessage": "login of user {FAKE_USER} has failed: {status:4} {userStatus:0} {error:User account is unknown or password is wrong}",
    "errorUUID": "1a719fd5-01eb-4b78-ad9d-b80296bc548a"
  }
}
```

3.1.51.43.1.12.4 Possible Error Messages

#	Exception	Scenario	Error message
1	InternalServerError	General exception in the BE system for example mandatory input was not sent.	"InternalServerError"
2	BadRequest	If no category is returned.	"CategoryNotFound"

Formatted: Font: Arial Black, 16 pt, Font color: Custom Color(238,164,169)), Complex Script Font: 16 pt

Formatted: Page Number

4 Open Issues – N/A

Appendix A. Fields derived from MEC

The valid values for the following fields are BPT values, defined in MEC.

Field Name	Data Type	section
Value	FilterFacetValue	3.1.4.8

Formatted: Style1, None

Formatted Table

Formatted: Font: Arial Black, 16 pt, Font color: Custom Color(238,164,169)), Complex Script Font: 16 pt

Formatted: Page Number

Document Release Information

Every change made to the document following the initial delivery MUST be shown in detail in this table

Soft ware Vers ion	Editor/Aut hor	Application	Edit Date [Mmm-dd- yyyy]	Section	Changes	Sent to site	Approving Manager	DC Ver.
			Jan-01-2014	Initial Version		N		00.00
	Jonathan Cohen	TechComm	Jun-14-2015	Initial TW review		N		
	Orit Sarfaty- Preisler	All	Jun-14-2015	Finalize		Y		1.0
	Tammy Shalev	REST	Jul-07-2015	3.1.4.8	Updated valid values to - BPT Values defined by MEC for this fields: -value	Y/N Y		1.7

Formatted Table

Formatted: Font: Arial Black, 16 pt, Font color: Custom
Color(RGB(238,164,169)), Complex Script Font: 16 pt

Formatted: Page Number

Information Security ~~Level 1 - Confidential~~Level 1 – Confidential

This document is strictly confidential and proprietary; to be used only by authorized persons. Unauthorized use or distribution without specific permission will be subject to severe disciplinary action, as well as any other sanctions applicable by law.